

## 6 疾患別死亡の状況

1) 疾患別死亡数・死亡率(七尾市)

死亡数(総数)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	734	747	748	801	794	785	837	863	804	824
結核	1	1	2	0	1	1	1	0	1	1
悪性新生物	223	217	210	226	230	201	232	239	208	228
胃	39	40	39	37	33	40	32	39	39	24
結腸	13	16	21	27	17	12	17	17	20	22
直腸S状結腸移行部	7	10	10	11	8	9	12	13	6	14
肝及び肝内胆管	14	21	15	18	21	19	19	13	10	18
気管、気管支及び肺	49	40	38	39	45	25	37	50	44	48
乳	8	3	4	5	4	2	9	3	5	7
子宮	3	5	5	1	4	6	4	6	1	9
前立腺	4	2	2	5	6	5	8	4	6	5
糖尿病	7	5	10	14	8	8	5	8	8	5
高血圧性疾患	2	4	4	4	4	4	7	6	4	14
心疾患(高血圧性除く)	140	102	114	128	121	141	122	145	117	133
急性心筋梗塞	29	19	18	14	19	25	20	24	13	14
その他虚血性心疾患	10	17	16	25	22	14	14	13	11	13
脳血管疾患	69	90	95	83	96	95	99	93	88	71
くも膜下出血	11	14	12	8	10	10	11	13	4	9
脳内出血	16	16	13	16	21	20	26	20	24	17
脳梗塞	42	56	67	59	64	63	60	59	59	44
肺炎	50	71	72	51	65	72	83	79	66	49
肝疾患	6	12	7	10	13	6	7	5	7	5
腎不全	11	17	13	20	17	14	14	14	16	12
老衰	34	44	42	62	44	67	55	62	75	79
不慮の事故	38	21	30	46	29	22	41	40	32	23
交通事故	9	4	6	4	5	5	7	5	1	0
自殺	16	9	16	15	15	8	9	13	9	9

死亡率(総数)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1232.8	1283.9	1302.2	1414.9	1420.0	1424.1	1518.4	1571.8	1486.7	1551.5
結核	1.7	1.7	3.5	0.0	1.8	1.8	1.8	0.0	1.8	1.9
悪性新生物	374.5	373.0	365.6	399.2	411.3	364.6	420.9	435.3	384.6	429.3
胃	65.5	68.8	67.9	65.4	59.0	72.6	58.1	71.0	72.1	45.2
結腸	21.8	27.5	36.6	47.7	30.4	21.8	30.8	31.0	37.0	41.4
直腸S状結腸移行部	11.8	17.2	17.4	19.4	14.3	16.3	21.8	23.7	11.1	26.4
肝及び肝内胆管	23.5	36.1	26.1	31.8	37.6	34.5	34.5	23.7	18.5	33.9
気管、気管支及び肺	82.3	68.8	66.2	68.9	80.5	45.4	67.1	91.1	81.4	90.4
乳	13.4	5.2	7.1	8.7	7.2	3.6	16.3	5.5	9.2	13.2
子宮	5.0	8.6	8.7	1.8	7.2	10.9	7.3	10.9	1.8	16.9
前立腺	6.7	3.4	3.5	8.8	10.7	9.1	14.5	7.3	11.1	9.4
糖尿病	11.8	8.6	17.4	24.7	14.3	14.5	9.1	14.6	14.8	9.4
高血圧性疾患	3.4	6.9	7.0	7.0	7.2	7.3	12.7	10.9	7.4	26.4
心疾患(高血圧性除く)	235.1	175.3	198.5	226.1	216.4	255.8	221.3	264.1	216.4	250.4
急性心筋梗塞	48.7	32.7	31.3	24.7	34.0	45.4	36.3	43.7	24.0	26.4
その他虚血性心疾患	16.8	29.2	27.9	44.2	39.3	25.4	25.4	23.7	20.3	24.5
脳血管疾患	115.9	154.7	165.4	146.6	171.7	172.3	179.6	169.4	162.7	133.7
くも膜下出血	18.5	24.1	20.9	14.1	17.9	18.1	20.0	23.7	7.4	16.9
脳内出血	26.9	27.5	22.6	28.3	37.6	36.3	47.2	36.4	44.4	32.0
脳梗塞	70.5	96.3	116.6	102.7	114.5	114.3	108.8	107.5	109.1	82.8
肺炎	84.0	122.0	125.3	90.1	116.2	130.6	150.6	143.9	122.0	92.3
肝疾患	10.1	20.6	12.2	17.7	23.2	10.9	12.7	9.1	12.9	9.4
腎不全	18.5	29.2	22.6	35.3	30.4	25.4	25.4	25.5	29.6	22.6
老衰	57.1	75.6	73.1	109.5	78.7	121.5	99.8	112.9	138.7	148.7
不慮の事故	63.8	36.1	52.2	81.3	51.9	39.9	74.4	72.9	59.2	43.3
交通事故	15.1	6.9	10.4	7.1	8.9	9.1	12.7	9.1	1.8	0.0
自殺	26.9	15.5	27.9	26.5	26.8	14.5	16.3	23.7	16.6	16.9

死亡数(男)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	366	384	384	403	405	366	398	414	429	378
結核	0	0	2	0	0	1	1	0	0	0
悪性新生物	123	123	122	126	133	110	123	129	136	128
胃	25	25	24	26	18	25	20	22	26	15
結腸	4	6	10	11	10	6	4	6	11	9
直腸S状結腸移行部	3	3	5	5	6	3	5	10	4	9
肝及び肝内胆管	7	15	11	14	15	9	12	9	7	13
気管、気管支及び肺	38	26	29	28	34	18	22	38	34	32
乳	0	0	0	0	0	0	0	0	0	0
子宮	4	2	2	5	6	5	8	4	6	5
前立腺	3	5	5	8	5	4	3	6	6	0
糖尿病	0	2	1	2	2	1	4	1	1	4
高血圧性疾患	63	50	51	61	45	66	48	59	53	48
心疾患(高血圧性除く)	14	11	11	8	7	11	13	14	8	6
急性心筋梗塞	5	9	6	12	9	6	4	7	5	5
その他虚血性心疾患	31	36	46	37	45	39	43	35	51	37
脳血管疾患	2	5	6	2	3	4	3	5	1	3
くも膜下出血	12	8	4	8	12	10	14	9	18	10
脳内出血	17	21	35	27	29	24	24	20	31	23
脳梗塞	34	40	40	29	37	41	42	46	40	25
肺炎	3	7	5	6	4	2	5	3	2	2
肝疾患	8	11	5	8	7	6	5	8	9	3
腎不全	2	11	6	20	14	11	12	14	20	21
老衰	18	12	12	28	17	12	23	23	22	14
不慮の事故	4	2	1	3	3	3	4	4	1	0
交通事故	9	8	12	8	10	6	7	11	6	9
自殺										

死亡率(男)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1310.8	1408.2	1418.0	1507.7	1534.4	1405.7	1528.7	1583.5	1676.3	1502.9
結核	0.0	0.0	7.4	0.0	0.0	3.8	3.8	0.0	0.0	0.0
悪性新生物	440.5	451.1	450.5	471.4	503.9	422.5	472.4	493.4	531.4	508.9
胃	89.5	91.7	88.6	97.3	68.2	96.0	76.8	84.1	101.6	59.6
結腸	14.3	22.0	36.9	41.2	37.9	23.0	15.4	22.9	43.0	35.8
直腸S状結腸移行部	10.7	11.0	18.5	18.7	22.7	11.5	19.2	38.2	15.6	35.8
肝及び肝内胆管	25.1	55.0	40.6	52.4	56.8	34.6	46.1	34.4	27.4	51.7
気管、気管支及び肺	136.1	95.3	107.1	104.8	128.8	69.1	84.5	145.3	132.9	127.2
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	14.3	7.3	7.4	18.7	22.7	19.2	30.7	15.3	23.4	19.9
前立腺	10.7	18.3	18.5	29.9	18.9	15.4	11.5	22.9	23.4	0.0
糖尿病	0.0	7.3	3.7	7.5	7.6	3.8	15.4	3.8	3.9	15.9
高血圧性疾患	225.6	183.4	188.3	228.2	170.5	253.5	184.4	225.7	207.1	190.8
心疾患(高血圧性除く)	50.1	40.3	40.6	29.9	26.5	42.2	49.9	53.5	31.3	23.9
急性心筋梗塞	17.9	33.0	22.2	44.9	34.1	23.0	15.4	26.8	19.5	19.9
その他虚血性心疾患	111.0	132.0	169.9	138.4	170.5	149.8	165.2	133.9	199.3	147.1
脳血管疾患	7.2	18.3	22.2	7.5	11.4	15.4	11.5	19.1	3.9	11.9
くも膜下出血	43.0	29.3	14.8	29.9	45.5	38.4	53.8	34.4	70.3	39.8
脳内出血	60.9	77.0	129.2	101.0	109.9	92.2	92.2	76.5	121.1	91.4
脳梗塞	121.8	146.7	147.7	108.5	140.2	157.5	161.3	175.9	156.3	99.4
肺炎	10.7	25.7	18.5	22.4	15.2	7.7	19.2	11.5	7.8	8.0
肝疾患	28.7	40.3	18.5	29.9	26.5	23.0	19.2	30.6	35.2	11.9
腎不全	7.2	40.3	22.2	74.8	53.0	42.2	46.1	53.5	78.1	83.5
老衰	64.5	44.0	44.3	104.8	64.4	46.1	88.3	88.0	86.0	55.7
不慮の事故	14.3	7.3	3.7	11.2	11.4	11.5	15.4	15.3	3.9	0.0
交通事故	32.2	29.3	44.3	29.9	37.9	23.0	26.9	42.1	23.4	35.8
自殺										

死亡数(女)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	368	363	364	398	389	419	439	449	375	446
結核	1	1	0	0	1	0	0	0	1	1
悪性新生物	100	94	88	100	97	91	109	110	72	100
胃	14	15	15	11	15	15	12	17	13	9
結腸	9	10	11	16	7	6	13	11	9	13
直腸S状結腸移行部	4	7	5	6	2	6	7	3	2	5
肝及び肝内胆管	7	6	4	4	6	10	7	4	3	5
気管、気管支及び肺	11	14	9	11	11	7	15	12	10	16
乳	8	3	4	5	4	2	9	3	5	7
子宮	3	5	5	1	4	6	4	6	1	9
前立腺	4	0	5	6	3	4	2	2	2	5
糖尿病	2	2	3	2	2	3	3	5	3	10
高血圧性疾患	77	52	63	67	76	75	74	86	64	85
心疾患(高血圧性除く)	15	8	7	6	12	14	7	10	5	8
急性心筋梗塞	5	8	10	13	13	8	10	6	6	8
その他虚血性心疾患	38	54	49	46	51	56	56	58	37	34
脳血管疾患	9	9	6	6	7	6	8	8	3	6
くも膜下出血	4	8	9							

1) 疾患別死亡数・死亡率(羽咋市)

死亡数(総数)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	301	303	307	287	302	318	300	313	279	317
結核	1	1	0	1	1	0	0	0	0	0
悪性新生物	85	96	87	86	96	87	75	86	85	81
胃	24	23	14	12	18	17	12	14	12	11
結腸	7	10	9	7	4	5	2	4	9	12
直腸S状結腸移行部	3	2	7	5	1	3	1	1	3	1
肝及び肝内胆管	5	7	5	4	8	2	4	3	5	4
気管、気管支及び肺	20	11	24	19	18	19	21	24	18	14
乳	4	2	3	2	5	3	2	2	3	4
子宮	1	1	0	0	3	1	3	0	1	1
前立腺	1	5	4	5	1	1	1	1	3	0
糖尿病	3	4	0	5	2	4	2	1	1	4
高血圧性疾患	1	1	1	0	2	0	3	0	0	1
心疾患(高血圧性除く)	41	47	38	43	42	49	43	57	44	57
急性心筋梗塞	6	11	5	10	7	9	8	9	6	11
その他虚血性心疾患	9	5	8	8	6	6	11	12	4	10
脳血管疾患	42	34	32	26	37	21	33	35	30	25
<も膜下出血	8	5	1	3	2	0	6	8	6	5
脳内出血	3	7	6	6	10	4	6	7	6	7
脳梗塞	28	22	25	17	24	17	20	17	14	13
肺炎	36	31	42	25	20	34	39	28	20	23
肝疾患	3	5	6	2	2	1	4	1	4	4
腎不全	2	6	5	5	3	8	6	6	2	9
老衰	12	13	21	42	23	34	29	37	23	29
不慮の事故	18	11	18	7	10	23	10	10	17	12
交通事故	4	2	2	2	1	5	1	1	2	1
自殺	5	6	6	7	5	2	2	3	3	2

死亡率(総数)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1265.9	1297.4	1338.3	1263.4	1343.5	1429.9	1349.0	1444.9	1305.4	1506.4
結核	4.8	4.3	0.0	4.4	4.4	0.0	0.0	0.0	0.0	0.0
悪性新生物	403.9	411.1	379.3	378.6	427.1	391.2	337.2	397.0	397.7	384.9
胃	114.1	98.5	61.0	52.8	80.1	76.4	54.0	64.6	56.1	52.3
結腸	33.3	42.8	39.2	30.8	17.8	22.5	9.0	18.5	42.1	57.0
直腸S状結腸移行部	14.3	8.6	30.5	22.0	4.4	13.5	4.5	4.6	14.0	4.8
肝及び肝内胆管	23.8	30.0	21.8	17.6	35.6	9.0	18.0	13.8	23.4	19.0
気管、気管支及び肺	95.0	47.1	104.6	83.6	80.1	85.4	94.4	110.8	84.2	66.5
乳	19.0	8.6	13.1	8.8	22.2	13.5	9.0	9.2	14.0	19.0
子宮	4.8	4.3	0.0	0.0	13.3	4.5	13.5	0.0	4.7	4.8
前立腺	4.8	21.4	17.4	22.0	4.4	4.5	0.0	4.6	14.0	0.0
糖尿病	14.3	17.1	0.0	22.0	8.9	18.0	9.0	4.6	4.7	19.0
高血圧性疾患	4.8	4.3	4.4	0.0	8.9	0.0	13.5	0.0	0.0	4.8
心疾患(高血圧性除く)	194.8	201.3	165.7	189.3	186.8	220.3	193.4	263.1	205.9	270.9
急性心筋梗塞	28.5	47.1	21.8	44.0	31.1	40.5	36.0	41.5	28.1	52.3
その他虚血性心疾患	42.8	21.4	34.9	35.2	26.7	27.0	49.5	55.4	18.7	47.5
脳血管疾患	199.6	145.6	139.5	114.5	164.6	94.4	148.4	161.6	140.4	118.8
<も膜下出血	38.0	21.4	4.4	13.2	8.9	0.0	27.0	36.9	28.1	23.8
脳内出血	14.3	30.0	26.2	26.4	44.5	18.0	27.0	32.3	28.1	33.3
脳梗塞	133.1	94.2	109.0	74.8	106.8	76.4	89.9	78.5	65.5	61.8
肺炎	171.1	132.7	183.1	110.1	89.0	152.9	175.4	129.3	93.6	109.3
肝疾患	14.3	21.4	26.2	8.8	8.9	4.5	18.0	4.6	18.7	19.0
腎不全	9.5	25.7	21.8	22.0	13.3	36.0	27.0	27.7	9.4	42.8
老衰	57.0	55.7	91.5	184.9	102.3	152.9	130.4	170.8	107.6	137.8
不慮の事故	85.5	47.1	78.5	30.8	44.5	103.4	45.0	46.2	79.5	57.0
交通事故	19.0	8.6	8.7	8.8	4.4	22.5	4.5	4.6	9.4	4.8
自殺	23.8	25.7	26.2	30.8	22.2	9.0	9.0	13.8	14.0	9.5

死亡数(男)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	163	167	159	132	143	160	160	145	139	168
結核	1	1	0	0	1	0	0	0	0	0
悪性新生物	58	61	55	52	56	51	47	49	51	39
胃	16	12	10	9	12	11	9	8	10	6
結腸	5	6	5	4	3	2	1	3	2	6
直腸S状結腸移行部	1	2	4	3	1	3	1	1	2	1
肝及び肝内胆管	3	5	2	4	5	1	2	2	3	3
気管、気管支及び肺	17	8	18	12	14	14	15	15	13	10
乳	0	0	0	0	0	0	0	0	0	1
子宮	1	1	0	0	1	1	1	1	3	0
前立腺	3	4	0	2	2	2	1	0	0	4
糖尿病	0	0	1	0	1	0	0	0	0	1
高血圧性疾患	1	1	1	0	1	0	0	0	0	1
心疾患(高血圧性除く)	18	21	11	13	16	26	18	20	22	30
急性心筋梗塞	1	7	3	2	3	6	3	3	4	8
その他虚血性心疾患	4	4	1	7	2	2	7	7	1	7
脳血管疾患	18	16	17	9	16	12	15	15	14	14
<も膜下出血	2	2	1	2	2	0	1	4	2	2
脳内出血	2	6	3	5	3	2	3	2	1	6
脳梗塞	12	8	13	2	11	10	11	7	8	6
肺炎	23	15	20	15	7	17	19	15	9	16
肝疾患	3	3	4	2	1	0	3	1	3	4
腎不全	0	2	3	0	2	4	13	2	1	6
老衰	4	2	9	7	6	13	5	11	7	10
不慮の事故	11	7	10	7	6	9	5	4	6	7
交通事故	2	2	0	2	0	3	1	0	0	0
自殺	5	4	4	5	1	2	1	2	3	1

死亡率(男)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1455.4	1520.5	1468.6	1232.3	1346.0	1524.4	1524.4	1411.2	1373.1	1685.6
結核	8.9	9.1	0.0	0.0	9.4	0.0	0.0	0.0	0.0	0.0
悪性新生物	517.9	555.4	508.0	485.4	527.1	485.9	447.8	476.9	503.8	391.3
胃	142.9	109.3	92.4	84.0	113.0	104.8	85.7	77.9	98.8	60.2
結腸	44.6	54.6	46.2	37.3	28.2	19.1	9.5	29.2	19.8	60.2
直腸S状結腸移行部	8.9	18.2	36.9	28.0	9.4	28.6	9.5	9.7	19.8	10.0
肝及び肝内胆管	26.8	45.5	18.5	37.3	47.1	9.5	19.1	19.5	29.6	30.1
気管、気管支及び肺	151.8	72.8	166.3	112.0	131.8	133.4	142.9	146.0	128.4	100.3
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0
子宮	8.9	45.5	36.9	46.7	9.4	9.5	0.0	9.7	29.6	0.0
前立腺	26.8	36.4	0.0	18.7	18.8	19.1	9.5	0.0	0.0	40.1
糖尿病	0.0	0.0	9.2	0.0	9.4	0.0	0.0	0.0	0.0	10.0
高血圧性疾患	160.7	191.2	101.6	121.4	150.6	247.7	171.5	194.6	217.3	301.0
心疾患(高血圧性除く)	8.9	63.7	27.7	18.7	28.2	57.2	28.6	29.2	39.5	80.3
急性心筋梗塞	35.7	36.4	9.2	65.3	18.8	19.1	66.7	68.1	9.9	70.2
その他虚血性心疾患	160.7	145.7	157.0	84.0	150.6	114.3	142.9	146.0	138.3	140.5
脳血管疾患	17.9	18.2	9.2	18.7	18.8	0.0	9.5	38.9	19.8	20.1
<も膜下出血	17.9	54.6	27.7	46.7	28.2	19.1	28.6	19.5	9.9	60.2
脳内出血	107.1	72.8	120.1	18.7	103.5	95.3	104.8	68.1	79.0	60.2
脳梗塞	205.4	136.6	184.7	140.0	65.9	162.0	181.0	146.0	88.9	160.5
肺炎	26.8	27.3	36.9	18.7	9.4	0.0	28.6	9.7	29.6	40.1
肝疾患	0.0	18.2	27.7	0.0	18.8	38.1	123.9	19.5	9.9	60.2
腎不全	35.7	18.2	83.1	65.3	56.5	123.9	47.6	107.1	69.1	100.3
老衰	98.2	63.7	92.4	65.3	56.5	85.7	47.6	38.9	59.3	70.2
不慮の事故	17.9	18.2	0.0	18.7	0.0	28.6	9.5	0.0	0.0	10.0
交通事故	44.6	36.4	36.9	46.7	9.4	19.1	9.5	19.5	29.6	0.0
自殺	44.6	36.4	36.9	46.7	9.4	19.1	9.5	19.5	29.6	0.0

死亡数(女)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	138	136	148	155	159	158	140	168	140	

1) 疾患別死亡数・死亡率(志賀町)

死亡数(総数)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	348	332	338	358	362	374	345	314	343	316
結核	0	0	0	0	0	1	0	0	0	1
悪性新生物	76	91	85	85	86	111	104	73	89	70
胃	12	14	10	15	13	20	15	12	9	12
結腸	4	8	10	8	10	10	7	7	4	4
直腸S状結腸移行部	3	3	3	5	2	2	2	1	4	4
肝及び肝内胆管	5	1	4	3	2	4	2	5	9	4
気管、気管支及び肺	17	22	18	17	17	22	26	13	14	14
乳	0	3	1	2	2	1	4	1	2	0
子宮	0	1	2	2	1	2	1	0	1	1
前立腺	1	1	3	2	3	3	3	1	6	3
糖尿病	7	2	2	4	3	1	3	1	3	2
高血圧性疾患	1	0	1	0	0	1	1	1	0	0
心疾患(高血圧性除く)	65	55	61	48	50	57	45	42	53	52
急性心筋梗塞	15	9	7	9	11	13	11	8	6	8
その他虚血性心疾患	5	4	4	5	3	6	4	3	6	3
脳血管疾患	38	32	29	38	40	33	28	29	22	22
くも膜下出血	4	6	2	6	3	3	2	5	3	4
脳内出血	11	6	12	8	13	13	8	12	5	4
脳梗塞	22	19	15	24	24	16	18	12	13	14
肺炎	61	39	60	76	75	61	58	57	32	30
肝疾患	2	7	6	1	2	4	5	3	1	2
腎不全	6	9	8	12	7	8	6	6	11	3
老衰	13	18	18	19	20	20	13	30	36	41
不慮の事故	15	17	7	13	17	12	10	11	14	16
交通事故	2	1	1	2	3	3	2	4	2	2
自殺	5	5	5	4	6	7	3	1	2	1

死亡数(男)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	180	178	180	174	179	200	169	138	167	171
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	50	48	50	55	47	74	60	52	56	46
胃	10	6	6	11	2	16	10	8	3	7
結腸	2	2	5	3	7	6	5	4	3	4
直腸S状結腸移行部	2	3	3	4	2	2	2	1	3	3
肝及び肝内胆管	2	1	1	2	2	3	1	5	6	2
気管、気管支及び肺	10	14	13	11	12	16	19	9	11	11
乳	0	0	0	0	0	0	0	0	0	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	1	1	3	2	3	3	3	1	6	3
糖尿病	2	2	2	1	3	0	0	1	2	1
高血圧性疾患	0	0	1	0	0	1	0	0	0	0
心疾患(高血圧性除く)	38	28	35	15	18	26	21	13	18	25
急性心筋梗塞	12	4	6	4	6	8	3	3	2	6
その他虚血性心疾患	2	2	1	3	0	5	4	0	1	1
脳血管疾患	19	12	12	17	18	14	15	11	11	12
くも膜下出血	2	1	2	1	0	0	1	1	1	1
脳内出血	6	2	5	3	5	6	5	7	5	3
脳梗塞	10	8	5	13	13	7	9	3	5	8
肺炎	25	27	31	36	39	31	23	18	16	13
肝疾患	2	6	4	1	2	4	4	2	1	1
腎不全	3	6	4	6	6	1	4	2	6	1
老衰	5	6	2	3	5	6	3	4	6	15
不慮の事故	6	11	5	9	12	9	5	5	9	10
交通事故	2	0	1	2	2	3	1	2	1	1
自殺	3	2	4	4	5	6	3	0	2	1

死亡数(女)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	168	154	158	184	183	174	176	176	176	145
結核	0	0	0	0	0	1	0	0	0	1
悪性新生物	26	43	35	30	39	37	44	21	33	24
胃	2	8	4	4	11	4	5	4	6	5
結腸	2	6	5	5	3	4	2	3	1	0
直腸S状結腸移行部	1	0	0	1	0	0	0	0	1	1
肝及び肝内胆管	3	0	3	1	0	1	1	0	3	2
気管、気管支及び肺	7	8	5	6	5	6	7	4	3	3
乳	0	3	1	2	2	1	4	1	2	0
子宮	0	1	2	2	1	2	1	0	1	1
前立腺	0	0	0	0	0	0	0	0	0	0
糖尿病	5	0	0	3	0	1	3	0	1	1
高血圧性疾患	1	0	0	0	0	0	1	1	0	0
心疾患(高血圧性除く)	27	27	26	33	32	31	24	29	35	27
急性心筋梗塞	3	5	1	5	5	8	8	5	4	2
その他虚血性心疾患	3	2	3	2	3	1	0	3	5	2
脳血管疾患	19	20	17	21	22	19	13	18	11	10
くも膜下出血	2	6	0	5	3	3	1	4	2	3
脳内出血	5	4	7	5	8	7	3	5	0	1
脳梗塞	12	11	10	11	11	9	9	9	8	6
肺炎	36	12	29	40	36	30	35	39	16	17
肝疾患	0	1	2	0	0	0	1	1	0	1
腎不全	3	3	4	6	1	7	2	4	5	2
老衰	8	12	16	16	15	14	10	26	30	26
不慮の事故	9	6	2	4	5	3	5	6	5	6
交通事故	0	1	0	0	1	0	1	2	1	1
自殺	2	3	1	0	1	1	0	1	0	0

死亡率(総数)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1534.9	1496.4	1531.7	1646.7	1692.1	1786.8	1648.3	1545.5	1722.4	1616.7
結核	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	5.1
悪性新生物	335.2	410.2	385.2	391.0	402.0	530.3	496.9	359.3	446.9	358.1
胃	52.9	63.1	45.3	69.0	60.8	95.6	71.7	59.1	45.2	61.4
結腸	17.6	36.1	45.3	36.8	46.7	47.8	33.4	34.5	20.1	20.5
直腸S状結腸移行部	13.2	13.5	13.6	23.0	9.3	9.6	9.6	4.9	20.1	20.5
肝及び肝内胆管	22.1	4.5	18.1	13.8	9.3	19.1	9.6	24.6	45.2	20.5
気管、気管支及び肺	75.0	99.2	81.6	78.2	79.5	105.1	124.2	64.0	70.3	71.6
乳	0.0	13.5	4.5	9.2	9.3	4.8	19.1	4.9	10.0	0.0
子宮	0.0	4.5	9.1	9.2	4.7	9.6	4.8	0.0	5.0	5.1
前立腺	4.4	4.5	13.6	9.2	14.0	14.3	14.3	4.9	30.1	15.3
糖尿病	30.9	9.0	9.1	18.4	14.0	4.8	14.3	4.9	15.1	10.2
高血圧性疾患	4.4	0.0	4.5	0.0	0.0	4.8	4.8	4.9	0.0	0.0
心疾患(高血圧性除く)	286.7	247.9	276.4	220.8	233.7	272.3	215.0	206.7	266.1	266.0
急性心筋梗塞	66.2	40.6	31.7	41.4	51.4	62.1	52.6	39.4	30.1	40.9
その他虚血性心疾患	22.1	18.0	18.1	23.0	14.0	28.7	19.1	14.8	30.1	15.3
脳血管疾患	167.6	144.2	131.4	174.8	187.0	157.7	133.8	142.7	110.5	112.6
くも膜下出血	17.6	27.0	9.1	27.6	14.0	14.3	9.6	24.6	15.1	20.5
脳内出血	48.5	27.0	54.4	36.8	60.8	62.1	38.2	59.1	25.1	20.5
脳梗塞	97.0	65.6	68.0	110.4	112.2	76.4	66.0	59.1	65.3	71.6
肺炎	269.1	175.8	271.9	349.6	350.6	291.4	277.1	280.6	160.7	153.5
肝疾患	8.8	31.6	27.2	4.6	9.3	19.1	23.9	14.8	5.0	10.2
腎不全	26.5	40.6	36.3	55.2	32.7	38.2	28.7	29.5	55.2	15.3
老衰	57.3	81.1	81.6	87.4	93.5	95.6	62.1	147.7	180.8	209.8
不慮の事故	66.2	76.6	31.7	59.8	79.5	57.3	47.8	54.1	70.3	81.9
交通事故	8.8	4.5	4.5	9.2	14.0	14.3	9.6	19.7	10.0	10.2
自殺	22.1	22.5	22.7	18.4	28.0	33.4	14.3	4.9	10.0	5.1

死亡率(男)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1676.1	1697.2	1730.9	1705.4	1781.3	2029.4	1714.9	1431.7	1771.7	1849.4
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	465.6	457.7	480.8	539.1	467.7	750.9	608.8	539.5	594.1	497.5
胃	93.1	57.2	57.7	107.8	19.9	162.4	101.5	83.0	31.8	75.7
結腸	18.6	19.1	48.1	29.4	69.7	60.9	50.7	41.5	31.8	43.3
直腸S状結腸移行部	18.6	28.6	28.8	39.2	19.9	20.3	20.3	10.4	31.8	32.4
肝及び肝内胆管	18.6	9.5	9.6	19.6	19.9	30.4	10.1	51.9	63.7	21.6

1) 疾患別死亡数・死亡率(宝達志水町)

死亡数(総数)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	193	216	179	214	187	214	171	174	210	188
結核	0	0	0	0	0	0	0	0	0	1
悪性新生物	51	59	41	56	55	56	42	47	62	61
胃	8	11	7	10	9	9	5	9	11	9
結腸	4	5	1	5	9	3	6	4	5	2
直腸S状結腸移行部	1	2	2	1	3	1	1	2	1	0
肝及び肝内胆管	7	5	9	5	4	8	3	6	10	6
気管、気管支及び肺	9	10	8	7	6	14	12	9	7	15
乳	2	2	0	1	3	2	1	0	1	2
子宮	0	0	0	0	1	1	0	0	0	0
前立腺	0	2	0	0	1	0	1	2	0	2
糖尿病	0	3	1	3	2	2	4	0	3	0
高血圧性疾患	1	2	0	1	1	1	1	1	1	0
心疾患(高血圧性除く)	32	23	25	33	39	25	22	31	29	28
急性心筋梗塞	9	5	6	7	11	9	6	9	3	6
その他虚血性心疾患	6	9	6	8	4	4	5	7	6	6
脳血管疾患	26	29	24	24	16	33	21	15	16	15
くも膜下出血	4	3	1	1	1	4	0	0	0	0
脳内出血	7	7	9	7	4	6	4	4	6	3
脳梗塞	15	18	14	14	11	23	17	10	10	11
肺炎	18	15	19	22	15	19	10	4	7	14
肝疾患	3	2	2	2	3	1	2	1	1	0
腎不全	3	3	1	6	2	3	5	3	1	0
老衰	6	15	10	18	14	31	26	26	21	17
不慮の事故	7	11	10	6	7	7	4	8	10	8
交通事故	0	2	3	1	1	2	1	0	2	0
自殺	5	7	5	5	0	1	1	2	5	0

死亡数(男)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	92	118	97	104	95	108	77	74	100	98
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	29	31	28	34	30	34	26	27	36	41
胃	5	8	4	8	7	5	2	5	5	5
結腸	3	0	1	2	2	3	3	2	4	2
直腸S状結腸移行部	0	1	1	1	2	1	0	2	1	0
肝及び肝内胆管	4	3	6	3	3	3	1	3	6	5
気管、気管支及び肺	8	8	8	5	5	12	10	7	5	12
乳	0	0	0	0	0	0	0	0	0	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	0	2	0	0	1	0	1	2	0	2
糖尿病	0	2	0	0	1	1	0	0	1	0
高血圧性疾患	0	1	0	0	1	0	1	0	0	0
心疾患(高血圧性除く)	11	14	11	16	20	14	10	9	13	19
急性心筋梗塞	3	3	3	4	7	3	4	3	2	4
その他虚血性心疾患	1	6	3	3	1	3	3	3	3	4
脳血管疾患	12	15	14	15	5	13	7	6	11	4
くも膜下出血	1	1	1	1	0	2	0	0	0	0
脳内出血	5	4	5	4	1	4	2	1	4	1
脳梗塞	6	9	8	9	4	7	5	5	7	3
肺炎	8	11	11	10	6	11	4	0	4	7
肝疾患	2	1	1	1	3	0	2	0	1	0
腎不全	0	2	0	1	2	2	1	1	1	0
老衰	3	4	1	4	3	7	7	6	1	2
不慮の事故	4	9	5	3	6	5	0	6	4	7
交通事故	0	2	1	0	1	1	0	0	1	0
自殺	3	3	5	2	0	1	0	2	4	0

死亡数(女)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	101	98	82	110	92	106	94	100	110	90
結核	0	0	0	0	0	0	0	0	0	1
悪性新生物	22	28	13	22	25	22	16	20	26	20
胃	3	3	3	2	2	4	3	4	6	4
結腸	1	5	0	3	7	0	3	2	1	0
直腸S状結腸移行部	1	1	1	0	1	0	1	0	0	0
肝及び肝内胆管	3	2	3	2	1	5	2	3	4	1
気管、気管支及び肺	1	2	0	2	1	2	2	2	2	3
乳	2	2	0	1	3	2	1	0	1	2
子宮	0	0	0	0	1	1	0	0	0	0
前立腺	0	0	0	0	0	0	0	0	0	0
糖尿病	0	1	1	2	1	1	4	0	2	0
高血圧性疾患	1	1	0	1	0	1	0	1	1	0
心疾患(高血圧性除く)	21	9	14	17	19	11	12	22	16	9
急性心筋梗塞	6	2	3	3	4	6	2	6	1	2
その他虚血性心疾患	5	3	3	5	3	1	2	4	3	2
脳血管疾患	14	14	10	9	11	20	14	9	5	11
くも膜下出血	3	2	0	0	1	2	0	0	0	0
脳内出血	2	3	4	3	3	2	2	3	2	2
脳梗塞	9	9	6	5	7	16	12	5	3	8
肺炎	10	4	8	12	9	8	6	4	3	7
肝疾患	1	1	1	1	0	1	0	1	0	0
腎不全	3	1	1	5	0	1	4	2	0	0
老衰	3	11	9	14	11	24	19	20	20	15
不慮の事故	3	2	5	3	1	2	4	2	6	1
交通事故	0	0	2	1	0	1	1	0	1	0
自殺	2	4	0	3	0	0	1	0	1	0

死亡率(総数)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1309.3	1503.7	1266.5	1539.7	1368.8	1600.6	1279.0	1331.4	1641.3	1497.5
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0
悪性新生物	346.0	410.7	290.1	402.9	402.6	418.8	314.1	359.6	484.6	485.9
胃	54.3	76.6	49.5	71.9	65.9	67.3	37.4	68.9	86.0	71.7
結腸	27.1	34.8	7.1	36.0	65.9	22.4	44.9	30.6	39.1	15.9
直腸S状結腸移行部	6.8	13.9	14.2	7.2	22.0	7.5	7.5	15.3	7.8	0.0
肝及び肝内胆管	47.5	34.8	63.7	36.0	29.3	59.8	22.4	45.9	78.2	47.8
気管、気管支及び肺	61.1	69.6	56.6	50.4	43.9	104.7	89.8	68.9	54.7	119.5
乳	13.6	13.9	0.0	7.2	22.0	15.0	7.5	0.0	7.8	15.9
子宮	0.0	0.0	0.0	0.0	7.3	7.5	0.0	0.0	0.0	0.0
前立腺	0.0	13.9	0.0	0.0	7.3	0.0	7.5	15.3	0.0	15.9
糖尿病	0.0	20.9	7.1	21.6	14.6	15.0	29.9	0.0	23.4	0.0
高血圧性疾患	6.8	13.9	0.0	7.2	7.3	7.5	7.5	7.7	7.8	0.0
心疾患(高血圧性除く)	217.1	160.1	176.9	237.4	285.5	187.0	164.5	237.2	226.7	223.0
急性心筋梗塞	61.1	34.8	42.5	50.4	80.5	67.3	44.9	68.9	23.4	47.8
その他虚血性心疾患	40.7	62.7	42.5	57.6	29.3	29.9	37.4	53.6	46.9	47.8
脳血管疾患	176.4	201.9	169.8	172.7	117.1	246.8	157.1	114.8	125.0	119.5
くも膜下出血	27.1	20.9	7.1	7.2	7.3	29.9	0.0	0.0	0.0	0.0
脳内出血	47.5	48.7	63.7	50.4	29.3	44.9	29.9	30.6	46.9	23.9
脳梗塞	101.8	125.3	99.1	100.7	80.5	172.0	127.2	76.5	78.2	87.6
肺炎	122.1	104.4	134.4	158.3	109.8	142.1	74.8	30.6	54.7	111.5
肝疾患	20.4	13.9	14.2	14.4	22.0	7.5	15.0	7.7	7.8	0.0
腎不全	20.4	20.9	7.1	43.2	14.6	22.4	37.4	23.0	7.8	0.0
老衰	40.7	104.4	70.8	129.5	102.5	231.9	194.5	198.9	164.1	135.4
不慮の事故	47.5	76.6	70.8	43.2	51.2	52.4	29.9	61.2	78.2	63.7
交通事故	0.0	13.9	21.2	7.2	7.3	15.0	7.5	0.0	15.6	0.0
自殺	33.9	48.7	35.4	36.0	0.0	7.5	7.5	15.3	39.1	0.0

死亡率(男)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1330.2	1751.0	1461.7	1591.4	1485.1	1722.5	1228.1	1193.2	1648.5	1651.8
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	419.3	460.0	421.9	520.3	469.0	542.3	414.7	435.3	593.5	691.1
胃	72.3	118.7	60.3	122.4	109.4	79.7	31.9	80.6	82.4	84.3
結腸	43.4	0.0	15.1	30.6	31.3	47.8	47.8	32.2	65.9	33.7
直腸S状結腸移行部	0.0	14.8	15.1	15.3	31.3	15.9	0.0	32.2	16.5	0.0
肝及び肝内胆管	57.8	44.5	90.4	45.9	46.9	47.8	15.9	48.4	98.9	84.3
気管、気管支及び肺	115.7	118.7	120.6	76.5	78.2	191.4	159.5	112.9	82.4	202.3
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	0.0	29.7	0.0	0.0	15.6	0.0	15.9	32.2	0.0	33.7
糖尿病	0.0	29.7	0.0	0.0	15.6	15.9	0.0	0.0	16.5	0.0
高血圧性疾患	0.0	14.8	0.0	0.0	15.6	0.0	15.9	0.0	0.0	0.0
心疾患(高血圧性除く)	159.1	207.7	165.8	244.8	312.6	223.3	159.5	145.1	214.3	320.2
急性心筋梗塞	43.4	44.5	45.2	61.2	109.4	47.8	63.8	48.4	33.0	67.4
その他虚血性心疾患	14.5	89.0	45.2	45.9	15.6	47.8	47.8	48.4	49.5	67.4
脳血管疾患	173.5	222.6	211.0	229.5	78.2	207.3	111.6	96.7	181.3	67.4
くも膜下出血	14.5	14.8	15.1	15.3	0.0	31.9	0.0	0.0	0.0	0.0
脳内出血	72.3	59.4	75.3	61.2	15.6	63.8	31.9	16.1	65.9	16.9
脳梗塞	86.8	133.6	120.6	137.7	62.5	111.6	79.7	80.6	115.4	50.6
肺炎	115.7	163.2	165.8	153.0	93.8	175.4	63.8	0.0	65.9	118.0
肝疾患	28.9	14.8	15.1	15.3	46.9	0.0	31.9	0.0	16.5	0.0
腎不全	0.0	29.7	0.0	15.3	31.3					

1) 疾患別死亡数・死亡率(中能登町)

死亡数(総数)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	227	236	224	252	285	237	259	237	277	238
結核	1	0	0	0	0	0	1	1	0	0
悪性新生物	75	66	65	69	81	52	63	49	76	64
胃	9	6	15	10	17	11	18	16	7	10
結腸	7	5	2	5	8	4	7	1	7	6
直腸S状結腸移行部	7	1	3	3	1	1	5	1	4	2
肝及び肝内胆管	3	9	4	7	7	2	2	5	2	3
気管、気管支及び肺	13	14	10	10	12	12	7	7	13	10
乳	2	3	7	1	6	1	3	2	0	0
子宮	1	3	0	3	2	2	1	2	5	1
前立腺	1	1	0	3	2	3	0	0	2	2
糖尿病	1	6	3	1	6	0	5	2	4	2
高血圧性疾患	1	1	0	3	0	3	1	3	0	5
心疾患(高血圧性除く)	39	43	46	52	55	43	49	44	43	30
急性心筋梗塞	10	7	10	1	8	6	4	4	5	3
その他虚血性心疾患	3	10	9	11	7	5	10	3	7	1
脳血管疾患	28	39	23	29	30	41	24	23	30	31
くも膜下出血	5	3	5	4	4	1	3	0	1	6
脳内出血	8	10	5	7	4	12	7	6	7	7
脳梗塞	14	26	13	18	20	27	14	17	21	17
肺炎	17	17	12	17	19	21	17	24	21	11
肝疾患	3	4	5	5	2	3	3	3	4	3
腎不全	7	2	1	2	7	3	1	3	4	3
老衰	4	6	14	22	16	17	29	24	25	22
不慮の事故	5	10	9	9	12	9	12	9	7	7
交通事故	1	1	2	1	1	3	1	2	1	1
自殺	4	2	4	3	3	3	6	5	1	5

死亡率(総数)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1216.2	1281.1	1220.2	1387.0	1582.9	1328.4	1451.7	1358.4	1616.8	1405.5
結核	5.4	0.0	0.0	0.0	0.0	0.0	5.6	5.7	0.0	0.0
悪性新生物	401.8	358.3	354.1	379.8	449.9	291.5	353.1	280.9	443.6	377.9
胃	48.2	32.6	81.7	55.0	94.4	61.7	100.9	91.7	40.9	59.1
結腸	37.5	27.1	10.9	27.5	44.4	22.4	39.2	5.7	40.9	35.4
直腸S状結腸移行部	37.5	5.4	16.3	16.5	5.6	5.6	28.0	5.7	23.3	11.8
肝及び肝内胆管	16.1	48.9	21.8	38.5	38.9	11.2	11.2	28.7	11.7	17.7
気管、気管支及び肺	69.7	76.0	54.5	55.0	66.6	67.3	39.2	40.1	75.9	59.1
乳	10.7	16.3	38.1	5.5	33.3	5.6	16.8	11.5	0.0	0.0
子宮	5.4	16.3	0.0	16.5	11.1	11.2	5.6	11.5	29.2	5.9
前立腺	5.4	5.4	0.0	16.5	11.1	16.8	0.0	0.0	11.7	11.8
糖尿病	5.4	32.6	16.3	5.5	33.3	0.0	28.0	11.5	23.3	11.8
高血圧性疾患	5.4	5.4	0.0	16.5	0.0	16.8	5.6	17.2	0.0	29.5
心疾患(高血圧性除く)	209.0	233.4	250.6	286.2	305.5	241.0	274.6	252.2	251.0	177.2
急性心筋梗塞	53.6	38.0	54.5	5.5	44.4	33.6	22.4	22.9	29.2	17.7
その他虚血性心疾患	16.1	54.3	49.0	60.5	38.9	28.0	56.1	17.2	40.9	5.9
脳血管疾患	150.0	211.7	125.3	159.6	166.6	229.8	134.5	131.8	175.1	183.1
くも膜下出血	26.8	16.3	27.2	22.0	22.2	5.6	16.8	0.0	5.8	35.4
脳内出血	42.9	54.3	27.2	38.5	22.2	67.3	39.2	34.4	40.9	41.3
脳梗塞	75.0	141.1	70.8	99.1	111.1	151.3	78.5	97.4	122.6	100.4
肺炎	91.1	92.3	65.4	93.6	105.5	117.7	95.3	137.6	122.6	65.0
肝疾患	16.1	21.7	27.2	27.5	11.1	16.8	16.8	17.2	23.3	17.7
腎不全	37.5	10.9	5.4	11.0	38.9	16.8	5.6	17.2	23.3	17.7
老衰	21.4	32.6	76.3	121.1	88.9	95.3	162.5	137.6	145.9	129.9
不慮の事故	26.8	54.3	49.0	49.5	66.6	50.4	67.3	51.6	40.9	41.3
交通事故	5.4	5.4	10.9	5.5	5.6	16.8	5.6	11.5	5.8	5.9
自殺	21.4	10.9	21.8	16.5	16.7	16.8	33.6	28.7	5.8	29.5

死亡数(男)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	109	113	114	139	153	129	123	108	143	117
結核	0	0	0	0	0	0	1	1	0	0
悪性新生物	39	31	34	44	51	41	36	28	42	28
胃	4	1	7	8	13	9	13	9	4	4
結腸	2	1	1	2	6	3	3	0	2	3
直腸S状結腸移行部	5	1	3	2	0	0	2	1	4	1
肝及び肝内胆管	2	3	3	5	3	2	3	1	0	0
気管、気管支及び肺	9	12	8	8	9	11	6	7	10	6
乳	0	0	0	0	0	0	0	0	0	0
子宮	1	3	0	3	2	2	1	2	5	1
前立腺	1	1	0	0	2	3	0	0	2	2
糖尿病	0	2	2	3	4	0	2	0	2	1
高血圧性疾患	0	0	0	0	0	1	0	2	0	3
心疾患(高血圧性除く)	19	16	25	25	27	20	20	16	21	13
急性心筋梗塞	2	2	4	0	3	3	1	1	4	1
その他虚血性心疾患	2	3	5	8	4	3	5	2	4	0
脳血管疾患	11	21	10	16	13	20	13	12	18	13
くも膜下出血	1	0	2	2	1	1	1	0	0	2
脳内出血	2	4	1	4	1	9	4	3	5	1
脳梗塞	7	17	7	10	9	9	8	9	13	9
肺炎	10	12	5	7	11	15	9	11	13	8
肝疾患	3	1	3	4	2	2	2	1	3	2
腎不全	2	1	0	2	0	2	0	1	3	1
老衰	0	1	3	7	5	2	8	5	7	5
不慮の事故	4	6	7	8	7	7	4	6	5	3
交通事故	1	1	2	1	0	3	0	0	1	0
自殺	3	2	3	3	3	2	5	3	1	4

死亡率(男)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1224.4	1282.8	1300.2	1603.4	1783.8	1514.1	1443.7	1283.7	1732.3	1434.9
結核	0.0	0.0	0.0	0.0	0.0	0.0	11.7	11.9	0.0	0.0
悪性新生物	438.1	351.9	387.8	507.6	594.6	481.2	422.5	332.8	508.8	343.4
胃	44.9	11.4	79.8	92.3	151.6	105.6	152.6	107.0	48.5	49.1
結腸	22.5	11.4	11.4	23.1	70.0	35.2	35.2	0.0	24.2	36.8
直腸S状結腸移行部	56.2	11.4	34.2	23.1	0.0	0.0	23.5	11.9	48.5	12.3
肝及び肝内胆管	22.5	34.1	34.2	57.7	35.0	23.5	23.5	35.7	12.1	0.0
気管、気管支及び肺	101.1	136.2	91.2	92.3	104.9	129.1	70.4	83.2	121.1	73.6
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	11.2	35.4	0.0	35.4	23.3	35.2	0.0	0.0	24.2	24.5
前立腺	11.2	11.4	0.0	0.0	23.3	35.2	0.0	0.0	24.2	24.5
糖尿病	0.0	22.7	22.8	34.6	46.6	0.0	23.5	0.0	24.2	12.3
高血圧性疾患	0.0	0.0	0.0	0.0	0.0	11.7	0.0	23.8	0.0	36.8
心疾患(高血圧性除く)	213.4	181.6	285.1	288.4	314.8	234.7	234.7	190.2	254.4	159.4
急性心筋梗塞	22.5	22.7	45.6	0.0	35.0	35.2	11.7	11.9	48.5	12.3
その他虚血性心疾患	22.5	34.1	57.0	92.3	46.6	35.2	58.7	23.8	48.5	0.0
脳血管疾患	123.6	238.4	114.1	184.6	151.6	234.7	152.6	142.6	218.0	159.4
くも膜下出血	11.2	0.0	22.8	23.1	11.7	11.7	11.7	0.0	0.0	24.5
脳内出血	22.5	45.4	11.4	46.1	11.7	105.6	46.9	35.7	60.6	12.3
脳梗塞	78.6	193.0	79.8	115.4	104.9	105.6	93.9	107.0	157.5	110.4
肺炎	112.3	136.2	57.0	80.7	128.2	176.1	105.6	130.8	157.5	98.1
肝疾患	33.7	11.4	34.2	46.1	23.3	23.5	23.5	11.9	36.3	24.5
腎不全	22.5	11.4	0.0	23.1	0.0	23.5	0.0	11.9	36.3	12.3
老衰	0.0	11.4	34.2	80.7	58.3	23.5	93.9	59.4	84.8	61.3
不慮の事故	44.9	68.1	79.8	92.3	81.6	82.2	46.9	71.3	60.6	36.8
交通事故	11.2	11.4	22.8	11.5	0.0	35.2	0.0	0.0	12.1	0.0
自殺	33.7	22.7	34.2	34.6	35.0	23.5	58.7	35.7	12.1	49.1

死亡数(女)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	118	123	110	113	132	108	136	129	134	121
結核	1	0	0	0	0	0	0	0	0	0
悪性新生物	36	35	31	25	30	11	27	21	34	36
胃	5	5	8	2	4	2	5	7	3	6
結腸	5	4	1	3	2	1	4	1	5	3
直腸S状結腸移行部	2	0	0	1	1	1	3	0	0	1
肝及び肝内胆管	1	6	1	2	4	0	0	2	1	3
気管、気管支及び肺	4	2	2	2	3	1	1	0	3	4
乳	2	3	7	1	6	1	3	2	0	0
子宮	1	3	0	3	2	2	1	2	5	1
前立腺	1	1	0	3	2	3	0	0	2	2
糖尿病	1	4	1	1	2	0	3	2	2	1
高血圧性疾患	1	1	0	3	0	2	1	1	0	2
心疾患(高血圧性除く)	20	27	21	27	28	23	29	28	22	17
急性心筋梗塞	8	5	6	1	5	3	3	3	1	2
その他虚血性心疾患	1	7	4	3	3	2	5	1	3	1
脳血管疾患	17	18	13	13	17	21	11	11	12	18
くも膜下出血	4	3	3	2	3	0	2	0	1	4
脳内出血	6	6	4	3	3	3	3	3	2	6
脳梗塞	7	9	6	8	11	18	6			

1) 疾患別死亡数・死亡率(管内)

死亡数(総数)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1,803	1,834	1,796	1,912	1,959	1,928	1,912	1,901	1,913	1,883
結核	3	2	2	1	1	2	2	1	1	3
悪性新生物	510	529	488	520	538	507	516	494	519	504
胃	92	94	85	84	90	97	82	90	78	66
結腸	35	44	43	52	49	34	39	33	45	46
直腸S状結腸移行部	21	18	25	25	19	16	21	18	18	21
肝及び肝内胆管	34	43	37	37	44	35	30	32	36	35
気管、気管支及び肺	108	97	98	92	95	92	103	103	96	101
乳	16	13	15	11	16	9	19	8	11	13
子宮	5	10	7	6	11	12	9	8	8	12
前立腺	7	11	3	15	13	12	15	8	17	12
糖尿病	18	20	16	27	24	15	19	12	19	13
高血圧性疾患	6	8	6	8	7	9	13	11	5	20
心疾患(高血圧性除く)	317	270	284	304	303	315	281	319	286	300
急性心筋梗塞	69	51	46	41	57	62	49	54	33	42
その他虚血性心疾患	33	45	43	57	37	35	44	38	34	33
脳血管疾患	203	224	203	200	212	223	205	195	186	164
<も膜下出血	32	31	21	22	19	18	22	26	14	24
脳内出血	45	46	45	44	48	55	51	49	48	38
脳梗塞	121	141	134	132	141	146	129	115	117	99
肺炎	182	173	205	191	201	207	198	192	146	127
肝疾患	17	30	26	20	17	15	21	13	17	14
腎不全	29	37	28	45	37	36	32	32	34	27
老衰	69	96	105	163	147	169	152	179	180	188
不慮の事故	83	70	74	81	83	73	77	78	80	66
交通事故	16	10	14	10	12	18	12	12	8	4
自殺	35	29	36	34	22	21	21	24	20	17

死亡数(男)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	910	960	934	952	975	963	927	879	978	932
結核	0	1	2	0	1	1	2	1	0	0
悪性新生物	299	294	289	311	317	310	292	285	320	282
胃	60	52	51	62	52	66	54	52	48	37
結腸	16	15	22	22	28	20	16	15	22	24
直腸S状結腸移行部	11	10	16	15	11	9	10	15	14	14
肝及び肝内胆管	18	27	23	28	28	18	18	22	23	23
気管、気管支及び肺	82	68	76	64	74	71	72	76	73	71
乳	0	0	0	0	0	0	0	0	0	1
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	7	11	9	15	13	12	15	8	17	12
糖尿病	8	15	9	12	15	7	6	7	11	6
高血圧性疾患	0	3	3	2	4	3	5	3	1	8
心疾患(高血圧性除く)	149	129	133	130	126	152	117	117	127	135
急性心筋梗塞	32	27	27	18	26	31	24	24	20	25
その他虚血性心疾患	14	24	16	33	16	19	23	19	14	17
脳血管疾患	91	100	99	94	97	98	93	79	105	80
<も膜下出血	8	9	12	8	6	7	6	10	4	8
脳内出血	27	24	18	24	22	31	28	22	33	21
脳梗塞	52	63	68	61	66	57	57	44	64	49
肺炎	100	105	107	97	100	115	97	90	82	69
肝疾患	13	18	17	14	12	8	16	7	10	9
腎不全	13	22	12	17	17	15	13	14	20	11
老衰	14	24	21	41	33	39	43	40	41	53
不慮の事故	43	45	39	55	48	42	37	44	46	41
交通事故	9	7	5	8	6	13	6	6	4	1
自殺	23	19	28	22	19	17	16	18	16	15

死亡数(女)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	893	874	862	960	984	965	985	1,022	935	951
結核	2	1	0	1	0	1	0	0	1	3
悪性新生物	211	235	199	209	221	197	224	209	199	222
胃	27	42	34	22	38	31	28	38	30	29
結腸	19	29	21	30	21	14	23	18	23	22
直腸S状結腸移行部	10	8	9	10	8	7	11	3	4	7
肝及び肝内胆管	16	16	14	9	16	17	12	10	13	12
気管、気管支及び肺	26	29	22	28	21	21	31	27	23	30
乳	16	13	15	11	16	9	19	8	11	12
子宮	5	10	7	6	11	12	9	8	8	12
前立腺	0	0	0	0	0	0	0	0	0	0
糖尿病	10	5	7	15	9	8	13	5	8	7
高血圧性疾患	6	5	3	6	3	6	8	8	4	12
心疾患(高血圧性除く)	168	141	151	174	177	163	164	202	159	165
急性心筋梗塞	37	24	19	23	31	31	25	30	13	17
その他虚血性心疾患	19	21	27	24	21	16	21	19	20	16
脳血管疾患	112	124	104	106	115	125	112	116	81	84
<も膜下出血	24	22	9	14	13	11	16	16	10	16
脳内出血	18	22	27	20	26	24	23	27	15	17
脳梗塞	69	78	66	71	75	89	72	71	53	50
肺炎	82	68	98	94	101	92	101	102	64	58
肝疾患	4	12	9	6	5	7	5	6	7	5
腎不全	16	15	16	28	20	21	19	18	14	16
老衰	55	72	84	122	114	130	109	139	139	135
不慮の事故	40	25	35	26	35	31	40	34	34	25
交通事故	7	3	9	2	6	5	6	6	4	3
自殺	12	10	8	12	3	4	5	6	4	2

死亡率(総数)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1293.4	1343.5	1331.0	1436.1	1490.2	1488.8	1476.4	1492.2	1526.8	1528.6
結核	2.2	1.5	1.5	0.8	0.8	1.5	1.5	0.8	0.8	2.4
悪性新生物	365.9	387.5	361.7	390.6	409.3	391.5	398.4	387.8	414.2	409.1
胃	66.0	68.9	63.0	63.1	68.5	74.9	63.3	70.6	62.3	53.6
結腸	25.1	32.2	31.9	39.1	37.3	26.3	30.1	25.9	35.9	37.3
直腸S状結腸移行部	15.1	13.2	18.5	18.8	14.5	12.4	16.2	14.1	14.4	17.0
肝及び肝内胆管	24.4	31.5	27.4	27.8	33.5	27.0	23.2	25.1	28.7	28.4
気管、気管支及び肺	77.5	71.1	72.6	69.1	72.3	71.0	79.5	80.8	76.6	82.0
乳	11.5	9.5	11.1	8.3	12.2	6.9	14.7	6.3	8.8	10.6
子宮	3.6	7.3	5.2	4.5	8.4	9.3	6.9	6.3	6.4	9.7
前立腺	5.0	8.1	2.2	11.3	9.9	9.3	11.6	6.3	13.6	9.7
糖尿病	12.9	14.7	11.9	20.3	18.3	11.6	14.7	9.4	15.2	10.6
高血圧性疾患	4.3	5.9	4.4	6.0	5.3	6.9	10.0	8.6	4.0	16.2
心疾患(高血圧性除く)	227.4	197.8	210.5	228.3	230.5	243.2	217.0	250.4	228.3	243.5
急性心筋梗塞	49.5	37.4	34.1	30.8	43.4	47.9	37.8	42.4	26.3	34.1
その他虚血性心疾患	23.7	33.0	31.9	42.8	28.1	27.0	34.0	29.8	27.1	26.8
脳血管疾患	145.6	164.1	150.4	150.2	161.3	172.2	158.3	153.1	148.5	133.1
<も膜下出血	23.0	22.7	15.6	16.5	14.5	13.9	17.0	20.4	11.2	19.5
脳内出血	32.3	33.7	33.3	33.0	36.5	42.5	39.4	38.5	38.3	30.8
脳梗塞	86.8	103.3	99.3	99.1	107.3	112.7	99.6	90.3	93.4	80.4
肺炎	130.6	126.7	151.9	143.5	152.9	159.8	152.9	150.7	116.5	103.1
肝疾患	12.2	22.0	19.3	15.0	12.9	11.6	16.2	10.2	13.6	11.4
腎不全	20.8	27.1	20.8	33.8	28.1	27.8	24.7	25.1	27.1	21.9
老衰	49.5	70.3	77.8	122.4	111.8	130.5	117.4	140.5	143.7	152.6
不慮の事故	59.5	51.3	54.8	60.8	63.1	56.4	59.5	61.2	63.9	53.6
交通事故	11.5	7.3	10.4	7.5	9.1	13.9	9.3	9.4	6.4	3.2
自殺	25.1	21.2	26.7	25.5	16.7	16.2	16.2	18.8	16.0	13.8

死亡率(男)人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	1385.5	1493.3	1466.0	1514.8	1571.5	1574.1	1515.3	1448.7	1644.7	1594.5
結核	0.0	1.6	3.1	0.0	1.6	1.6	3.3	1.6	0.0	0.0
悪性新生物	455.2	457.3	453.6							

1) 疾患別死亡数・死亡率(石川県)

死亡数(総数)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	11,012	11,246	11,607	11,962	12,223	12,223	12,190	12,280	12,422	12,727
結核	9	19	19	15	9	15	11	14	14	13
悪性新生物	3,288	3,391	3,349	3,454	3,485	3,416	3,535	3,483	3,517	3,577
胃	513	525	520	504	506	519	480	487	452	436
結腸	263	275	301	295	300	305	306	311	337	347
直腸S状結腸移行部	125	110	121	145	130	141	130	115	135	130
肝及び肝内胆管	271	286	275	264	259	267	264	257	274	224
気管、気管支及び肺	694	693	705	659	696	696	698	719	706	721
乳	105	120	116	99	122	110	122	126	124	134
子宮	46	50	31	50	52	54	57	62	54	57
前立腺	62	75	67	95	94	88	85	82	86	93
糖尿病	136	141	127	133	130	121	113	104	112	111
高血圧性疾患	44	51	45	52	54	47	64	45	60	89
心疾患(高血圧性除く)	1,763	1,752	1,818	1,918	1,948	1,934	1,855	1,885	1,891	1,994
急性心筋梗塞	439	435	412	439	436	404	379	360	361	331
その他虚血性心疾患	229	244	247	272	271	235	227	247	225	229
脳血管疾患	1,238	1,206	1,245	1,229	1,278	1,296	1,190	1,132	1,139	1,108
くも膜下出血	133	155	129	124	118	129	108	112	123	136
脳内出血	263	275	256	295	299	309	280	281	286	274
脳梗塞	797	746	824	788	821	831	777	721	704	663
肺炎	1,154	1,132	1,262	1,324	1,246	1,251	1,172	1,233	1,112	929
肝疾患	118	137	124	125	124	132	114	138	121	161
腎不全	204	213	200	228	221	191	187	205	204	218
老衰	325	436	465	530	638	742	721	801	890	963
不慮の事故	464	416	491	465	431	405	452	436	449	404
交通事故	86	74	88	69	69	77	71	62	70	44
自殺	239	254	261	261	241	204	180	209	177	189

死亡数(男)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	5,742	5,843	6,030	6,074	6,203	6,104	6,138	6,047	6,202	6,317
結核	4	10	12	7	6	8	7	9	9	6
悪性新生物	1,916	1,965	1,997	1,983	2,043	1,958	2,045	1,996	2,076	2,001
胃	320	332	329	325	300	327	306	296	290	251
結腸	130	124	146	135	157	145	146	131	150	173
直腸S状結腸移行部	79	62	70	89	92	83	72	74	96	90
肝及び肝内胆管	173	183	187	179	164	161	167	165	163	141
気管、気管支及び肺	496	503	515	473	512	496	511	521	520	518
乳	0	1	0	0	1	0	1	0	2	2
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	62	75	67	95	94	88	85	82	86	93
糖尿病	65	78	61	69	64	61	49	58	62	63
高血圧性疾患	11	16	15	17	19	14	25	18	20	32
心疾患(高血圧性除く)	847	801	805	832	877	879	798	801	820	884
急性心筋梗塞	230	229	213	232	251	217	191	199	215	171
その他虚血性心疾患	119	120	114	138	145	123	129	122	101	123
脳血管疾患	582	570	614	580	583	575	541	498	551	493
くも膜下出血	48	51	53	49	39	54	46	33	43	48
脳内出血	143	155	135	157	149	161	154	145	148	139
脳梗塞	366	345	409	363	380	346	327	312	346	291
肺炎	637	625	665	692	669	647	667	613	526	526
肝疾患	71	80	81	82	67	83	71	80	75	101
腎不全	96	92	80	88	105	82	87	74	106	95
老衰	53	87	120	122	148	161	170	169	178	250
不慮の事故	279	254	266	271	244	237	261	257	260	236
交通事故	54	52	45	42	38	53	44	40	41	26
自殺	172	179	195	186	165	145	133	157	127	136

死亡数(女)

資料: 衛生統計年報

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	5,270	5,403	5,577	5,888	6,020	6,119	6,052	6,233	6,220	6,410
結核	5	9	7	8	3	7	4	5	5	7
悪性新生物	1,372	1,426	1,352	1,471	1,442	1,458	1,490	1,487	1,441	1,576
胃	193	193	191	179	206	192	174	191	162	185
結腸	133	151	155	160	143	160	160	180	187	174
直腸S状結腸移行部	46	48	51	56	38	58	58	41	39	40
肝及び肝内胆管	98	103	88	85	95	106	97	92	111	83
気管、気管支及び肺	198	190	190	186	184	200	187	198	186	203
乳	105	119	116	99	121	110	121	126	122	132
子宮	46	50	31	50	52	54	57	62	54	57
前立腺	0	0	0	0	0	0	0	0	0	0
糖尿病	71	63	66	64	66	60	65	46	50	48
高血圧性疾患	33	35	30	17	35	33	39	27	40	57
心疾患(高血圧性除く)	916	951	1,013	1,086	1,071	1,055	1,057	1,084	1,071	1,110
急性心筋梗塞	209	206	199	207	185	187	188	161	146	160
その他虚血性心疾患	110	124	133	134	126	112	98	125	124	106
脳血管疾患	856	836	831	849	895	921	849	834	888	815
くも膜下出血	85	104	76	75	79	75	62	79	80	88
脳内出血	120	120	121	138	150	148	126	136	138	135
脳梗塞	431	401	415	425	441	485	450	409	358	372
肺炎	517	507	597	632	577	555	525	566	499	403
肝疾患	47	57	43	43	57	49	43	58	46	60
腎不全	108	121	120	140	116	109	100	131	98	123
老衰	272	349	345	408	490	581	551	632	712	713
不慮の事故	185	162	225	194	187	168	191	179	189	168
交通事故	32	22	43	27	31	24	27	22	29	18
自殺	67	75	66	75	76	59	47	52	50	53

死亡率(総数) 人口10万対

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
死亡総数	941.9	973.5	1001.8	1035.2	1060.7	1064.2	1061.3	1072.8	1091.0	1122.5
結核	0.8	1.6	1.6	1.3	0.8	1.3	1.0	1.2	1.2	1.1
悪性新生物	281.2	293.5	289.1	298.9	302.4	297.4	307.8	304.3	308.9	315.5
胃	43.9	45.4	44.9	43.6	43.9	45.2	41.8	42.5	39.7	38.5
結腸	22.5	23.8	26.0	25.5	26.0	26.6	26.6	27.2	29.6	30.6
直腸S状結腸移行部	10.7	9.5	10.4	12.5	11.3	12.3	11.3	10.0	11.9	11.5
肝及び肝内胆管	23.2	24.8	23.7	22.8	22.5	23.2	23.0	22.5	24.1	19.8
気管、気管支及び肺	59.4	60.0	60.9	57.0	60.4	60.6	60.8	62.8	62.0	63.6
乳	9.0	10.4	10.0	8.6	10.6	9.6	10.6	11.0	10.9	11.8
子宮	3.9	4.3	2.7	4.3	4.5	4.7	5.0	5.4	4.7	5.0
前立腺	5.3	6.4	5.8	8.2	8.2	7.7	7.4	7.2	7.6	8.2
糖尿病	11.6	12.2	11.0	11.5	11.3	10.5	9.8	9.1	9.8	9.8
高血圧性疾患	3.8	4.4	3.9	4.5	4.7	4.1	5.6	3.9	5.3	7.8
心疾患(高血圧性除く)	150.8	151.7	156.9	166.0	169.0	168.4	161.5	164.7	166.1	175.9
急性心筋梗塞	37.5	37.7	35.6	38.0	37.8	35.2	33.0	31.5	31.7	29.2
その他虚血性心疾患	19.6	21.1	21.3	23.5	23.5	20.5	19.8	21.6	19.8	20.2
脳血管疾患	105.9	103.2	107.5	106.4	110.9	112.8	103.6	98.9	100.0	97.7
くも膜下出血	11.4	13.4	11.1	10.7	10.2	11.2	9.4	9.8	10.8	12.0
脳内出血	22.5	23.8	22.1	25.5	25.9	26.9	24.4	24.5	25.1	24.2
脳梗塞	68.2	64.6	71.1	68.2	71.2	72.3	67.6	63.0	61.8	58.5
肺炎	98.7	98.0	108.9	114.6	108.1	108.9	102.0	107.7	97.7	81.9
肝疾患	10.1	11.9	10.7	10.8	10.8	11.5	9.9	12.1	10.6	14.2
腎不全	17.4	18.4	17.3	19.7	19.2	16.6	16.3	17.9	17.9	19.2
老衰	27.8	37.7	40.1	45.9	55.4	64.6	62.8	70.0	78.2	84.9
不慮の事故	39.7	36.0	42.4	40.2	37.4	35.3	39.4	38.1	39.4	35.6
交通事故	7.4	6.4	7.6							



死亡率の分母に用いた人口、日本人人口(推計)

資料: 衛生統計年報

総数

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
七尾市	59,540	58,180	57,440	56,612	55,917	55,123	55,582	54,905	54,079	53,111
羽咋市	23,778	23,354	22,939	22,716	22,478	22,239	22,324	21,662	21,372	21,043
志賀町	22,672	22,186	22,067	21,741	21,393	20,931	21,035	20,317	19,914	19,546
宝達志水町	14,741	14,365	14,133	13,899	13,662	13,370	13,503	13,069	12,795	12,554
中能登町	18,664	18,422	18,357	18,169	18,005	17,841	18,021	17,447	17,133	16,934
管内	139,395	136,507	134,936	133,137	131,455	129,504	130,465	127,400	125,293	123,188
石川県	1,169,167	1,155,239	1,158,573	1,155,540	1,152,352	1,148,598	1,155,450	1,144,626	1,138,540	1,133,851

男

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
七尾市	27,922	27,269	27,080	26,729	26,394	26,036	25,865	26,145	25,592	25,151
羽咋市	11,200	10,983	10,827	10,712	10,624	10,496	10,380	10,275	10,123	9,967
志賀町	10,739	10,488	10,399	10,203	10,049	9,855	9,766	9,639	9,426	9,246
宝達志水町	6,916	6,739	6,636	6,535	6,397	6,270	6,225	6,202	6,066	5,933
中能登町	8,902	8,809	8,768	8,669	8,577	8,520	8,504	8,413	8,255	8,154
管内	65,679	64,288	63,710	62,848	62,041	61,177	60,740	60,674	59,462	58,451
石川県	564,353	557,447	559,554	558,345	557,036	555,694	559,440	554,168	551,207	549,335

女

	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29
七尾市	31,618	30,911	30,360	29,883	29,523	29,087	28,851	28,760	28,487	27,960
羽咋市	12,578	12,371	12,112	12,004	11,854	11,743	11,636	11,387	11,249	11,076
志賀町	11,933	11,698	11,668	11,538	11,344	11,076	10,934	10,678	10,488	10,300
宝達志水町	7,825	7,626	7,497	7,364	7,265	7,100	7,022	6,867	6,729	6,621
中能登町	9,762	9,613	9,589	9,500	9,428	9,321	9,244	9,034	8,878	8,780
管内	73,716	72,219	71,226	70,289	69,414	68,327	67,687	66,726	65,831	64,737
石川県	604,814	597,792	599,019	597,195	595,316	592,904	596,010	590,458	587,333	584,516

## 2)年齢調整死亡率

選択死因の市町村別年齢調整死亡率(人口10万対:直接法) (平成29年)

資料:衛生統計年報

(総数)

市町村	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	399.8	0.2	153.4	12.9	9.6	33.6	2.1	3.4	55.2	27.5	5.6	16.6	5.5	0.2	4.6	3.3	17.4	11.3	0.0	22.0
羽咋市	318.7	0.0	95.1	8.0	2.7	17.3	6.7	1.0	61.5	24.5	3.2	11.9	3.0	0.0	5.0	10.7	14.1	11.7	1.8	3.4
志賀町	324.7	0.4	87.7	11.0	4.7	25.1	1.8	0.0	47.9	25.7	1.2	18.3	4.3	1.4	3.6	1.2	20.1	34.0	16.9	6.4
宝達志水町	324.0	0.7	124.7	13.1	10.2	33.7	0.0	0.0	63.1	15.1	10.7	14.5	3.1	0.0	0.0	0.0	13.7	7.9	0.0	0.0
中能登町	349.0	0.0	105.2	20.0	1.8	16.7	7.1	3.7	32.2	40.9	1.8	14.5	7.3	1.2	7.7	3.5	16.4	17.3	6.8	34.9
管内	358.7	0.2	123.5	12.8	6.6	27.1	3.2	2.1	52.7	27.1	4.4	15.7	5.0	0.5	4.6	4.0	16.8	15.0	3.4	15.9
石川県	341.0	0.2	116.7	12.7	7.3	23.1	3.7	1.9	45.1	27.6	4.7	17.2	4.2	0.5	6.8	4.7	12.8	13.2	2.6	14.9

\*人口は、各年次の10月1日現在。

(男)

市町村	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	518.5	0.0	188.9	19.6	15.8	49.2	0.0	3.4	69.1	37.4	4.6	24.3	8.5	0.0	4.6	2.8	15.9	20.0	0.0	44.3
羽咋市	449.0	0.0	101.9	12.1	6.1	32.7	15.7	2.6	92.5	41.8	6.7	27.9	5.2	0.0	11.4	12.1	16.2	14.3	0.0	3.6
志賀町	479.7	0.0	154.9	19.3	5.0	43.0	3.0	0.0	73.4	31.1	3.0	25.9	11.9	3.0	5.6	1.5	26.7	32.8	3.0	11.8
宝達志水町	513.8	0.0	205.8	20.9	22.5	64.0	0.0	0.0	117.6	12.5	20.9	25.4	2.7	0.0	0.0	0.0	7.0	22.3	0.0	0.0
中能登町	473.2	0.0	111.8	19.9	0.0	22.9	12.6	7.4	47.9	45.8	4.5	26.5	16.8	4.5	12.4	2.2	11.2	18.1	0.0	56.0
管内	494.7	0.0	159.5	18.5	10.8	43.4	4.9	2.8	76.1	35.6	6.1	25.7	9.3	1.1	6.6	3.8	16.5	21.2	0.5	29.3
石川県	464.4	0.3	156.5	19.1	11.4	39.3	5.5	2.3	61.2	34.6	6.9	28.6	8.7	0.7	10.5	5.9	11.5	19.6	3.5	22.7

\*人口は、各年次の10月1日現在。

(女)

市町村	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	298.8	0.3	125.9	7.0	5.2	20.8	3.6	3.3	40.3	21.8	6.3	11.3	3.6	0.3	4.4	3.5	17.6	4.2	0.0	0.0
羽咋市	233.0	0.0	97.3	6.0	0.6	4.5	0.0	0.0	37.0	10.6	0.0	4.1	1.7	0.0	0.0	12.8	13.4	12.2	3.5	3.0
志賀町	298.9	0.6	31.2	3.7	4.7	10.0	0.6	0.0	24.8	23.0	0.6	13.3	0.0	0.0	1.4	1.1	15.6	41.5	34.1	0.0
宝達志水町	170.0	1.0	64.0	7.4	1.0	8.2	0.0	0.0	18.9	16.9	1.0	7.2	4.3	0.0	0.0	0.0	15.5	1.0	0.0	0.0
中能登町	253.7	0.0	103.2	19.3	2.5	12.0	0.8	1.7	17.6	38.7	0.8	7.0	0.0	0.0	3.3	5.4	20.5	16.1	13.5	13.4
管内	252.1	0.3	96.8	7.9	3.6	13.6	1.7	1.6	31.8	21.7	3.0	9.5	2.3	0.1	2.6	4.6	16.7	11.5	6.4	2.4
石川県	244.6	0.2	86.5	7.4	4.0	10.5	2.1	1.5	31.9	22.2	2.9	10.3	1.4	0.4	3.2	3.8	13.1	8.1	1.7	7.1

\*人口は、各年次の10月1日現在。

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

七尾市(総数) 注) H16年以前の値は旧七尾市、旧田鶴浜町、旧中島町、旧能登島町を合計した値を計上した

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)				脳血管疾患			呼吸器系の疾患		肺炎	急性気管支炎		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	脳出血	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎		胃潰瘍及び十二指腸潰瘍									
H17	451.0	0.7	0.9	135.8	4.0	27.9	11.4	1.3	8.7	5.7	10.1	31.3	7.8	1.9	2.6	3.6	2.6	77.4	23.8	9.6	49.6	13.6	13.8	21.9	54.9	39.6	0.3	19.0	1.1	10.3	4.8	4.5	31.0	11.3	19.9	
H18	409.0	0.7	0.0	139.0	6.0	26.7	12.1	6.0	15.8	6.6	8.3	19.6	6.2	1.7	1.5	14.6	4.1	67.5	17.6	7.0	40.9	8.2	12.1	20.4	35.2	20.1	0.3	15.1	1.0	7.9	8.4	5.0	23.9	5.6	23.4	
H19	384.8	1.0	0.7	124.8	2.4	15.1	7.8	8.9	10.5	7.6	10.9	20.7	4.1	3.5	2.4	6.7	4.0	68.3	20.0	7.2	39.0	4.0	12.2	21.8	30.8	15.4	0.0	12.1	2.7	5.9	6.5	5.6	11.8	2.1	27.5	
H20	404.1	/	0.2	149.2	/	22.6	/	/	10.8	/	/	30.3	/	/	/	3.7	0.6	60.4	/	/	32.2	/	/	/	/	/	17.0	/	/	3.3	5.7	8.7	25.8	7.7	26.3	
H21	385.8	/	0.6	131.6	/	22.3	/	/	13.7	/	/	21.3	/	/	/	2.4	1.6	55.6	/	/	36.6	/	/	/	/	/	29.4	/	/	7.4	8.6	10.8	13.1	4.5	12.5	
H22	387.5	/	0.8	122.2	/	21.0	/	/	8.1	/	/	19.8	/	/	/	4.3	1.2	61.1	/	/	37.3	/	/	/	/	/	26.5	/	/	5.5	5.7	10.3	16.9	4.4	28.2	
H23	393.7	/	0.0	129.8	/	20.4	/	/	9.6	/	/	20.1	/	/	/	10.8	1.0	58.7	/	/	32.5	/	/	/	/	/	17.4	/	/	8.8	7.4	14.0	27.4	3.9	23.9	
H24	405.4	/	0.2	132.0	/	20.7	/	/	10.3	/	/	26.2	/	/	/	3.0	1.5	53.1	/	/	36.8	/	/	/	/	/	21.7	/	/	10.4	5.3	10.6	17.5	5.3	32.3	
H25	356.3	/	0.2	113.4	/	24.7	/	/	9.7	/	/	12.9	/	/	/	3.7	1.4	55.8	/	/	39.0	/	/	/	/	/	23.8	/	/	4.7	4.8	15.4	15.4	7.2	6.8	
H26	397.3	/	0.4	143.3	/	19.4	/	/	9.9	/	/	20.8	/	/	/	2.7	2.9	50.4	/	/	41.8	/	/	/	/	/	25.4	/	/	5.7	4.3	11.7	20.5	7.9	15.2	
H27	411.6	/	0.0	146.5	/	20.1	/	/	8.4	/	/	31.1	/	/	/	8.0	1.6	56.2	/	/	36.2	/	/	/	/	/	25.1	/	/	5.5	4.1	13.4	24.3	4.2	24.8	
H28	354.9	/	0.4	114.8	/	22.2	/	/	4.0	/	/	23.4	/	/	/	4.0	0.7	44.2	/	/	37.9	/	/	/	/	/	26.3	/	/	4.7	5.5	15.6	17.5	0.2	17.4	
H29	399.8	/	0.2	153.4	/	12.9	/	/	9.6	/	/	33.6	/	/	/	2.1	3.4	55.2	/	/	27.5	/	/	/	/	/	16.6	/	/	4.6	3.3	17.4	11.3	0.0	22.0	

七尾市(男)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	脳血管疾患			呼吸器系の疾患	消化器系の疾患			肝疾患	腎不全	老衰	不慮の事故	自殺							
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮				前立腺	くも膜下出血	脳内出血		脳梗塞	肺炎	急性気管支炎						胃潰瘍及び十二指腸潰瘍	交通事故					
H17	682.9	1.6	1.3	217.6	8.8	49.9	12.7	2.7	15.8	5.4	17.9	59.3	5.0	/	8.1	4.2	5.1	107.7	25.8	18.9	60.8	14.7	17.2	29.0	94.8	70.0	0.0	32.0	0.0	17.3	9.4	3.1	53.1	18.2	29.1	
H18	593.6	1.2	0.0	195.9	11.4	41.9	14.4	11.4	24.0	11.0	8.8	34.5	0.0	/	4.6	16.9	2.7	98.0	22.2	10.2	52.0	2.2	15.8	34.0	61.3	35.4	1.0	26.2	2.1	12.6	13.6	3.9	38.5	4.9	36.5	
H19	514.7	0.0	0.0	175.1	4.0	14.7	12.4	16.2	19.6	13.9	11.7	42.0	0.0	/	6.6	9.4	5.1	93.0	33.1	8.8	46.4	2.3	15.8	28.3	56.8	25.8	0.0	14.3	5.0	5.5	7.4	4.0	17.8	4.8	50.3	
H20	543.1	/	0.0	191.4	/	38.0	/	/	13.5	/	/	56.9	/	/	5.0	0.0	81.1	/	/	42.3	/	/	/	/	/	/	37.3	/	/	/	4.2	11.2	2.0	33.2	6.7	36.6
H21	548.6	/	0.0	186.4	/	35.9	/	/	24.9	/	/	36.7	/	/	6.3	2.7	79.5	/	/	47.5	/	/	/	/	/	/	49.6	/	/	/	10.6	16.0	9.6	16.2	3.7	21.5
H22	551.5	/	2.2	177.5	/	32.7	/	/	14.1	/	/	40.7	/	/	6.6	1.4	87.1	/	/	54.9	/	/	/	/	/	/	46.9	/	/	/	9.8	7.5	5.4	17.1	3.4	37.7
H23	547.3	/	0.0	176.4	/	36.0	/	/	18.2	/	/	36.0	/	/	14.7	1.9	84.7	/	/	47.0	/	/	/	/	/	/	29.4	/	/	/	11.0	9.0	16.3	40.1	5.5	27.2
H24	578.4	/	0.0	185.4	/	26.8	/	/	19.8	/	/	49.3	/	/	5.4	2.4	64.9	/	/	52.7	/	/	/	/	/	/	35.7	/	/	/	8.4	6.5	12.5	28.3	8.8	49.9
H25	473.3	/	0.7	157.9	/	35.5	/	/	11.8	/	/	24.9	/	/	6.4	1.6	75.4	/	/	47.9	/	/	/	/	/	/	40.5	/	/	/	4.6	6.6	9.0	21.8	9.5	11.0
H26	542.9	/	1.1	177.3	/	28.7	/	/	15.9	/	/	29.5	/	/	4.9	4.9	66.3	/	/	51.1	/	/	/	/	/	/	43.5	/	/	/	10.0	5.2	9.4	34.3	13.0	28.5
H27	538.6	/	0.0	182.2	/	29.7	/	/	15.0	/	/	52.0	/	/	8.6	0.7	76.3	/	/	39.4	/	/	/	/	/	/	45.4	/	/	/	7.4	7.0	10.8	31.4	7.6	42.3
H28	528.8	/	0.0	183.4	/	37.8	/	/	7.4	/	/	43.9	/	/	7.5	0.7	64.8	/	/	65.4	/	/	/	/	/	/	38.9	/	/	/	4.0	9.7	14.1	29.1	0.7	19.0
H29	518.5	/	0.0	188.9	/	19.6	/	/	15.8	/	/	49.2	/	/	0.0	3.4	69.1	/	/	37.4	/	/	/	/	/	/	24.3	/	/	/	4.6	2.8	15.9	20.0	0.0	44.3

七尾市(女)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)				脳血管疾患			呼吸器系の疾患		消化器系の疾患			肝疾患	腎不全	老衰	不慮の事故	自殺	
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故								
H17	278.9	0.0	0.7	79.8	0.0	12.4	11.2	0.4	3.3	5.8	3.4	10.8	10.1	3.7	2.9	1.3	53.4	23.5	3.2	41.6	12.3	11.7	17.3	30.1	20.1	0.4	7.8	2.0	3.4	1.6	5.1	13.7	5.6	10.1
H18	272.3	0.4	0.0	95.6	2.1	13.3	10.3	1.9	7.4	3.5	8.7	9.4	11.6	3.2	11.7	5.1	43.7	13.8	5.0	35.1	13.3	9.0	12.4	19.8	10.7	0.0	7.2	0.0	4.1	4.2	5.5	12.0	6.4	11.5
H19	291.8	1.6	1.0	89.3	0.7	16.3	5.0	1.9	3.2	2.6	10.5	6.1	7.7	6.7	4.0	2.4	51.2	10.5	6.4	32.3	5.5	8.2	17.0	14.5	8.4	0.0	10.2	0.4	6.5	6.6	6.2	7.9	0.0	6.7
H20	306.8	/	0.3	121.9	/	10.9	/	/	8.0	/	/	11.7	/	/	2.2	1.0	46.1	/	/	24.8	/	/	/	/	/	/	/	/	2.6	1.9	11.3	18.6	9.0	16.5
H21	265.9	/	0.0	93.3	/	11.5	/	/	6.6	/	/	10.8	/	/	0.9	0.6	36.6	/	/	27.1	/	/	/	/	15.8	/	/	4.9	2.8	10.3	14.5	5.2	4.9	
H22	266.5	/	0.0	83.0	/	13.2	/	/	3.9	/	/	4.3	/	/	2.8	0.9	37.2	/	/	25.8	/	/	/	/	12.6	/	/	0.9	3.9	12.2	16.4	4.5	20.5	
H23	282.8	/	0.0	97.2	/	9.1	/	/	3.9	/	/	9.5	/	/	7.4	0.6	37.6	/	/	21.0	/	/	/	/	11.2	/	/	7.4	6.4	13.1	18.9	2.5	20.6	
H24	277.0	/	0.3	94.3	/	15.8	/	/	3.5	/	/	7.9	/	/	1.5	0.6	41.5	/	/	26.2	/	/	/	/	15.4	/	/	11.9	4.7	9.3	8.7	2.0	16.0	
H25	270.4	/	0.0	79.0	/	16.7	/	/	8.1	/	/	4.1	/	/	1.4	0.8	42.3	/	/	32.8	/	/	/	/	15.0	/	/	4.4	3.6	18.3	9.9	5.1	2.8	
H26	287.5	/	0.0	122.1	/	12.8	/	/	5.4	/	/	15.4	/	/	0.6	1.6	35.2	/	/	37.1	/	/	/	/	13.7	/	/	1.7	3.6	12.5	10.2	3.6	1.7	
H27	310.8	/	0.0	120.5	/	12.8	/	/	2.7	3.0	/	15.7	/	/	7.7	2.1	35.8	/	/	33.3	/	/	/	/	12.0	/	/	3.6	2.5	14.1	19.9	1.1	7.6	
H28	226.8	/	0.6	64.0	/	9.9	/	/	2.0	3.0	/	7.3	/	/	1.4	0.8	26.3	/	/	17.0	/	/	/	/	19.8	/	/	5.1	2.9	16.2	8.4	0.0	16.6	
H29	298.8	/	0.3	125.9	/	7.0	/	/	5.2	/	/	20.8	/	/	3.6	3.3	40.3	/	/	21.8	/	/	/	/	11.3	/	/	4.4	3.5	17.6	4.2	0.0	0.0	

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

羽咋市(総数)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血									脳梗塞	交通事故			
H17	381.8	3.0	0.0	108.4	1.2	34.4	3.5	6.1	9.5	6.2	7.2	14.4	3.7	0.0	5.6	7.3	0.7	47.3	11.8	2.1	49.8	12.0	12.4	23.9	62.4	43.0	0.0	11.7	2.4	6.7	4.4	4.3	12.2	1.4	39.4
H18	353.3	1.3	1.3	118.6	1.3	20.2	11.5	3.0	9.8	3.9	10.5	25.9	4.8	0.0	1.8	10.4	1.2	37.1	12.3	5.0	51.6	12.2	12.0	20.1	41.6	32.5	0.0	12.8	0.7	3.2	6.2	4.0	36.0	14.1	7.8
H19	394.1	0.7	0.0	120.2	1.8	21.5	6.5	2.0	9.2	1.7	4.9	26.8	5.9	1.4	8.3	4.2	10.8	62.5	19.5	6.5	37.8	9.1	6.9	21.8	54.4	31.6	0.0	10.3	0.0	6.4	5.2	9.6	27.0	9.4	22.8
H20	404.5	/	0.0	133.8	/	26.1	/	/	9.5	/	/	25.8	/	/	/	9.1	1.4	45.3	/	/	43.6	/	/	/	/	34.3	/	/	/	8.3	2.0	8.0	29.0	13.1	17.1
H21	394.0	/	1.0	126.0	/	27.6	/	/	9.2	/	/	13.2	/	/	/	6.4	0.6	52.5	/	/	40.4	/	/	/	/	30.3	/	/	/	8.1	4.8	8.0	20.8	4.8	19.1
H22	355.3	/	0.0	135.2	/	20.6	/	/	7.5	/	/	36.5	/	/	/	0.0	1.0	31.4	/	/	32.8	/	/	/	/	31.8	/	/	/	15.2	6.1	13.4	16.7	2.0	12.3
H23	342.0	/	0.5	109.7	/	19.9	/	/	6.1	/	/	21.1	/	/	/	5.8	0.0	53.6	/	/	22.6	/	/	/	/	31.2	/	/	/	5.2	3.6	23.8	10.5	5.1	24.3
H24	372.8	/	0.5	139.4	/	24.6	/	/	9.8	/	/	26.9	/	/	/	5.2	2.0	49.0	/	/	51.1	/	/	/	/	19.1	/	/	/	3.6	4.0	12.8	13.7	1.8	9.7
H25	348.7	/	0.0	109.1	/	18.7	/	/	5.2	/	/	24.7	/	/	/	4.8	0.0	53.8	/	/	17.7	/	/	/	/	30.9	/	/	/	1.7	11.8	18.3	32.0	7.3	13.7
H26	345.6	/	0.0	122.9	/	12.5	/	/	5.3	/	/	30.3	/	/	/	1.4	1.5	35.8	/	/	34.4	/	/	/	/	32.0	/	/	/	5.0	6.9	16.7	14.5	0.9	2.8
H27	310.9	/	0.0	110.7	/	18.2	/	/	2.9	/	/	30.5	/	/	/	0.5	0.0	53.3	/	/	37.5	/	/	/	/	20.2	/	/	/	1.7	4.3	21.6	8.6	0.5	3.8
H28	320.9	/	0.0	108.0	/	14.2	/	/	8.0	/	/	25.0	/	/	/	0.4	0.0	60.7	/	/	27.1	/	/	/	/	12.2	/	/	/	12.1	2.1	12.8	14.6	0.9	31.9
H29	318.7	/	0.0	95.1	/	8.0	/	/	2.7	/	/	17.3	/	/	/	6.7	1.0	61.5	/	/	24.5	/	/	/	/	11.9	/	/	/	5.0	10.7	14.1	11.7	1.8	3.4

羽咋市(男)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故				
H17	509.6	5.0	0.0	177.8	3.3	65.5	5.7	8.3	3.3	8.0	13.6	29.4	0.0	14.2	8.3	0.0	49.7	16.2	4.7	60.0	10.3	22.1	27.6	90.4	56.7	0.0	20.4	5.0	12.0	4.2	7.1	15.7	3.3	30.7
H18	503.7	0.0	3.3	171.0	3.3	40.8	18.6	7.4	20.2	3.3	12.4	39.7	0.0	4.2	5.0	3.3	45.6	14.5	5.4	75.1	7.8	21.4	31.4	83.9	63.4	0.0	22.2	0.0	7.4	5.0	2.2	60.9	21.3	4.2
H19	592.0	0.0	0.0	200.1	4.2	42.2	9.9	0.0	15.9	3.0	0.0	60.7	0.0	20.3	0.0	25.0	83.2	27.0	15.4	58.6	3.0	15.5	40.1	78.2	34.1	0.0	9.1	0.0	9.1	9.8	4.3	54.7	18.9	36.5
H20	612.4	/	0.0	225.6	/	57.3	/	/	13.2	/	/	57.7	/	/	18.7	0.0	59.9	/	/	58.1	/	/	/	/	/	66.7	/	/	17.3	0.0	9.2	53.7	22.9	36.2
H21	597.0	/	2.7	204.4	/	39.9	/	/	16.7	/	/	27.5	/	/	14.8	0.0	68.5	/	/	60.7	/	/	/	/	/	40.6	/	/	14.2	4.7	4.0	39.6	10.2	32.5
H22	531.7	/	0.0	206.0	/	38.2	/	/	8.6	/	/	64.2	/	/	0.0	2.7	32.0	/	/	50.2	/	/	/	/	/	48.2	/	/	29.0	11.3	18.0	29.8	0.0	20.2
H23	455.3	/	0.0	180.5	/	36.4	/	/	14.5	/	/	35.1	/	/	8.4	0.0	41.4	/	/	22.6	/	/	/	/	/	53.3	/	/	10.4	0.0	13.6	24.4	10.8	43.9
H24	485.6	/	1.7	190.9	/	45.5	/	/	15.9	/	/	49.8	/	/	10.7	3.4	68.4	/	/	47.2	/	/	/	/	/	19.9	/	/	3.8	6.9	11.2	22.6	0.0	3.8
H25	496.0	/	0.0	163.6	/	33.2	/	/	7.4	/	/	49.3	/	/	7.2	0.0	94.6	/	/	32.1	/	/	/	/	/	37.3	/	/	0.0	19.2	23.8	24.5	9.9	27.5
H26	463.8	/	0.0	148.3	/	23.6	/	/	7.0	/	/	48.7	/	/	2.6	0.0	47.8	/	/	42.0	/	/	/	/	/	51.2	/	/	10.0	11.0	22.7	17.4	2.6	2.6
H27	392.9	/	0.0	141.0	/	22.8	/	/	6.1	/	/	40.3	/	/	0.0	0.0	63.9	/	/	42.9	/	/	/	/	/	32.9	/	/	3.6	4.3	21.5	10.4	0.0	5.0
H28	469.1	/	0.0	154.9	/	21.6	/	/	14.2	/	/	45.0	/	/	0.0	0.0	81.7	/	/	39.7	/	/	/	/	/	17.5	/	/	22.0	3.3	13.8	17.4	0.0	66.5
H29	449.0	/	0.0	101.9	/	12.1	/	/	6.1	/	/	32.7	/	/	15.7	2.6	92.5	/	/	41.8	/	/	/	/	/	27.9	/	/	11.4	12.1	16.2	14.3	0.0	3.6

羽咋市(女)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	悪性新生物										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患				呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺	
					食道	胃	結腸	直腸等	肝及び胆内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故							
H17	282.8	1.0	0.0	55.0	0.0	9.9	2.4	4.7	13.8	4.0	2.4	3.1	7.1	0.0	6.6	1.0	44.6	7.2	1.0	38.5	13.0	2.9	20.5	46.0	34.2	0.0	4.0	0.0	1.9	4.3	3.1	9.8	0.0	48.9
H18	244.5	2.3	0.0	80.0	0.0	4.2	4.2	0.0	1.0	4.2	9.6	16.6	9.5	0.0	14.9	0.0	29.1	9.7	4.8	33.5	16.2	2.9	13.4	14.9	13.9	0.0	5.7	1.0	0.0	6.4	4.9	16.8	9.1	11.9
H19	242.3	0.9	0.0	60.5	0.0	6.4	3.2	3.2	3.2	0.9	8.5	2.8	10.9	2.3	6.6	0.0	44.5	13.5	0.9	25.8	15.3	0.0	10.6	40.8	31.4	0.0	10.3	0.0	4.2	2.3	12.0	5.2	0.0	9.8
H20	242.3	/	0.0	62.3	/	3.4	/	/	5.7	/	/	2.7	/	/	0.0	2.3	32.9	/	/	32.8	/	/	/	/	13.3	/	/	/	0.0	3.2	7.3	7.8	2.5	0.0
H21	256.8	/	0.0	79.1	/	18.4	/	/	6.7	/	/	2.6	/	/	0.0	3.2	40.9	/	/	20.6	/	/	/	/	23.4	/	/	/	1.8	7.1	9.7	2.6	0.0	3.5
H22	226.2	/	0.0	83.2	/	6.5	/	/	5.8	/	/	17.1	/	/	0.0	0.0	28.3	/	/	20.6	/	/	/	/	22.6	/	/	/	1.7	1.7	11.5	8.2	3.2	5.6
H23	251.6	/	0.8	55.5	/	5.5	/	/	0.0	/	/	12.6	/	/	3.1	0.0	63.3	/	/	22.8	/	/	/	/	15.3	/	/	/	0.0	5.5	28.0	0.0	0.0	4.7
H24	285.6	/	0.0	102.2	/	6.6	/	/	5.6	/	/	8.1	/	/	0.0	0.7	28.3	/	/	58.5	/	/	/	/	18.3	/	/	/	3.4	1.5	13.4	6.3	3.4	14.8
H25	238.3	/	0.0	69.8	/	9.1	/	/	3.2	/	/	5.4	/	/	2.2	0.0	19.1	/	/	7.2	/	/	/	/	31.1	/	/	/	3.2	4.4	15.1	39.7	5.7	0.0
H26	270.5	/	0.0	112.0	/	5.4	/	/	4.4	/	/	16.5	/	/	0.7	2.2	27.3	/	/	29.8	/	/	/	/	20.3	/	/	/	0.7	2.9	13.7	12.3	0.0	3.7
H27	254.7	/	0.0	93.4	/	16.2	/	/	0.7	/	/	24.4	/	/	0.7	0.0	41.6	/	/	32.9	/	/	/	/	12.4	/	/	/	0.0	4.7	21.1	7.3	0.7	3.1
H28	202.5	/	0.0	74.3	/	11.3	/	/	2.2	/	/	9.2	/	/	0.6	0.0	43.2	/	/	17.2	/	/	/	/	8.7	/	/	/	3.2	0.6	11.8	11.6	1.3	0.0
H29	233.0	/	0.0	97.3	/	6.0	/	/	0.6	/	/	4.5	/	/	0.0	0.0	37.0	/	/	10.6	/	/	/	/	4.1	/	/	/	0.0	12.8	13.4	12.2	3.5	3.0



2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

志賀町(総数) 注) 値は旧富来町、旧志賀町の合計した値を計上した

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患 胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血											脳梗塞		
H17	389.7	0.0	0.0	116.7	5.4	16.6	4.4	5.3	6.6	14.9	3.6	26.6	7.8	0.0	1.6	8.8	0.6	58.2	10.4	2.8	38.9	1.6	6.4	30.9	54.8	43.8	0.0	20.1	1.3	3.2	4.5	8.6	21.0	15.1	9.8
H18	436.0	1.0	0.0	153.7	5.4	22.2	6.8	9.9	9.0	7.4	10.6	34.4	2.7	1.0	0.0	5.5	2.4	47.2	9.5	3.4	55.7	8.9	16.0	21.6	67.3	46.4	0.0	13.7	0.6	1.8	15.5	8.2	13.4	2.7	29.2
H19	431.1	0.0	0.0	114.7	5.6	14.2	3.9	12.3	18.5	6.0	7.9	14.2	4.8	3.7	7.8	6.0	0.6	43.9	14.1	5.4	56.2	20.9	15.2	20.1	68.7	44.8	0.0	21.3	0.0	4.2	10.9	13.5	30.3	6.3	4.0
H20	447.6	/	0.0	107.0	/	14.8	/	/	7.1	/	/	20.6	/	/	/	9.6	0.6	83.7	/	/	51.9	/	/	/	/	48.6	/	/	/	4.4	9.3	7.4	46.3	3.4	23.3
H21	420.1	/	0.0	132.6	/	15.3	/	/	1.7	/	/	24.0	/	/	/	1.4	0.0	63.5	/	/	33.0	/	/	/	/	30.1	/	/	/	16.6	9.1	9.9	31.2	1.3	20.8
H22	407.2	/	0.0	123.0	/	11.8	/	/	4.9	/	/	32.2	/	/	/	1.8	0.9	64.4	/	/	26.6	/	/	/	/	43.3	/	/	/	10.5	5.9	10.1	14.8	9.8	19.6
H23	386.2	/	0.0	119.7	/	20.2	/	/	5.0	/	/	23.4	/	/	/	7.2	0.0	51.3	/	/	41.7	/	/	/	/	56.0	/	/	/	1.8	18.6	9.5	13.5	2.3	19.5
H24	361.4	/	0.0	97.9	/	12.8	/	/	2.9	/	/	18.0	/	/	/	3.5	0.0	46.8	/	/	31.4	/	/	/	/	48.4	/	/	/	2.3	3.8	11.2	27.0	2.2	24.3
H25	398.6	/	0.5	154.2	/	32.5	/	/	5.2	/	/	25.7	/	/	/	0.9	0.5	53.6	/	/	37.9	/	/	/	/	44.7	/	/	/	6.2	4.9	9.3	19.3	4.9	14.9
H26	366.3	/	0.0	136.4	/	14.7	/	/	3.7	/	/	29.7	/	/	/	2.2	0.5	37.5	/	/	43.7	/	/	/	/	38.3	/	/	/	11.1	3.2	6.0	11.0	1.8	7.4
H27	301.1	/	0.0	110.0	/	11.3	/	/	7.7	/	/	23.6	/	/	/	1.6	0.4	31.7	/	/	27.3	/	/	/	/	38.8	/	/	/	4.8	4.4	14.9	8.5	3.4	6.4
H28	351.0	/	0.0	125.8	/	7.3	/	/	17.2	/	/	15.2	/	/	/	6.3	0.0	44.9	/	/	23.0	/	/	/	/	19.1	/	/	/	1.6	6.5	16.3	20.0	3.1	4.1
H29	324.7	/	0.4	87.7	/	11.0	/	/	4.7	/	/	25.1	/	/	/	1.8	0.0	47.9	/	/	25.7	/	/	/	/	18.3	/	/	/	3.6	1.2	20.1	34.0	16.9	6.4

志賀町(男)

資料：衛生統計年報(人口10万対：直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血				脳梗塞	胃潰瘍及び十二指腸潰瘍				交通事故				
H17	537.1	0.0	0.0	151.6	4.6	19.2	5.0	7.5	5.3	28.4	5.4	54.6	0.0	3.6	13.7	2.1	78.3	19.4	2.9	47.1	0.0	11.3	35.8	91.5	70.4	0.0	26.4	3.2	5.7	8.2	9.5	33.7	28.5	10.0	
H18	657.6	2.7	0.0	227.1	10.9	23.7	9.0	15.4	12.5	14.6	13.8	71.0	0.0	0.0	0.0	0.0	79.5	19.3	5.2	90.4	13.4	26.0	34.2	107.2	75.0	0.0	18.4	0.0	3.1	25.6	13.7	18.1	0.0	42.4	
H19	541.3	0.0	0.0	159.7	11.3	19.7	2.0	14.9	41.2	3.6	9.6	25.2	0.0	18.9	8.3	0.0	47.3	23.2	2.0	82.2	31.8	21.8	28.6	77.6	64.6	0.0	30.6	0.0	7.5	14.9	8.1	15.2	8.9	8.3	
H20	648.6	/	0.0	169.1	/	31.3	/	/	7.5	/	/	33.0	/	/	7.1	0.0	132.7	/	/	84.8	/	/	/	/	/	70.1	/	/	/	10.0	6.7	10.6	39.3	7.5	41.7
H21	619.8	/	0.0	176.7	/	18.0	/	/	3.8	/	/	43.0	/	/	4.5	0.0	93.5	/	/	35.4	/	/	/	/	/	63.2	/	/	31.3	18.3	12.5	52.9	0.0	19.8	
H22	600.2	/	0.0	170.3	/	21.0	/	/	2.5	/	/	46.8	/	/	5.0	2.5	98.7	/	/	36.1	/	/	/	/	/	75.0	/	/	18.0	8.7	3.7	29.5	20.4	28.5	
H23	556.7	/	0.0	183.8	/	38.6	/	/	8.7	/	/	34.0	/	/	2.4	0.0	70.5	/	/	53.1	/	/	/	/	/	80.7	/	/	3.7	30.0	5.9	25.5	5.4	38.8	
H24	522.1	/	0.0	129.5	/	8.2	/	/	6.4	/	/	32.0	/	/	8.7	0.0	57.5	/	/	44.6	/	/	/	/	/	86.8	/	/	5.8	11.6	10.1	43.7	4.5	43.0	
H25	589.4	/	0.0	236.3	/	46.1	/	/	9.2	/	/	48.0	/	/	0.0	1.8	80.6	/	/	49.1	/	/	/	/	/	71.6	/	/	14.5	2.2	11.1	28.5	10.3	26.7	
H26	485.8	/	0.0	194.9	/	29.5	/	/	3.9	/	/	59.5	/	/	0.0	0.0	54.5	/	/	46.1	/	/	/	/	/	53.4	/	/	16.1	7.7	5.5	18.0	3.1	15.9	
H27	414.8	/	0.0	193.4	/	19.2	/	/	17.3	/	/	39.6	/	/	3.2	0.0	34.6	/	/	27.3	/	/	/	/	/	38.2	/	/	7.3	5.6	7.8	13.5	5.0	0.0	
H28	465.2	/	0.0	162.0	/	6.2	/	/	21.5	/	/	29.3	/	/	12.1	0.0	55.8	/	/	35.8	/	/	/	/	/	32.2	/	/	3.2	11.4	10.5	33.6	3.2	8.6	
H29	479.7	/	0.0	154.9	/	19.3	/	/	5.0	/	/	43.0	/	/	3.0	0.0	73.4	/	/	31.1	/	/	/	/	/	25.9	/	/	5.6	1.5	26.7	32.8	3.0	11.8	

志賀町(女)

資料：衛生統計年報(人口10万対：直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故								
H17	279.6	0.0	0.0	92.0	6.6	17.3	4.0	4.0	8.5	4.8	1.6	1.6	14.6	0.0	2.9	0.0	45.5	3.8	2.5	30.7	2.4	3.7	24.6	32.9	28.8	0.0	20.4	0.0	1.6	2.4	8.0	7.1	0.0	9.5
H18	272.4	0.0	0.0	105.6	0.0	21.4	7.1	6.1	6.0	1.5	8.1	7.3	5.4	1.5	9.8	3.7	24.0	1.5	2.3	24.3	3.7	6.8	13.8	45.3	29.9	0.0	9.1	0.8	0.8	5.4	5.5	11.2	5.4	13.5
H19	349.7	0.0	0.0	82.9	0.8	11.4	5.2	10.0	0.0	8.4	6.6	6.5	9.6	7.2	3.6	0.8	41.2	7.9	8.5	35.4	10.9	10.1	14.4	67.7	31.4	0.0	11.6	0.0	0.8	8.0	17.2	48.2	5.0	0.0
H20	284.3	/	0.0	61.0	/	2.9	/	/	6.5	/	/	10.9	/	/	11.5	0.8	44.4	/	/	21.6	/	/	/	/	33.8	/	/	/	0.0	13.7	6.2	49.5	0.0	1.6
H21	274.7	/	0.0	91.0	/	13.0	/	/	0.0	/	/	9.4	/	/	4.3	0.0	40.4	/	/	29.3	/	/	/	/	14.7	/	/	/	0.0	2.2	9.3	10.9	0.0	22.1
H22	270.6	/	0.0	93.4	/	3.4	/	/	7.1	/	/	27.1	/	/	0.0	0.0	45.2	/	/	16.7	/	/	/	/	24.0	/	/	/	4.4	5.0	13.2	2.9	0.0	12.2
H23	251.5	/	0.0	69.8	/	5.7	/	/	1.4	/	/	16.6	/	/	12.0	0.0	29.9	/	/	34.8	/	/	/	/	42.8	/	/	/	0.0	7.4	10.4	4.2	0.0	0.0
H24	248.3	/	0.0	81.7	/	14.3	/	/	0.0	/	/	9.7	/	/	0.0	0.0	35.2	/	/	21.7	/	/	/	/	26.6	/	/	/	0.0	0.7	11.3	15.7	0.7	3.4
H25	261.1	/	0.6	94.0	/	23.5	/	/	2.3	/	/	9.1	/	/	1.4	0.0	30.3	/	/	28.5	/	/	/	/	29.2	/	/	/	0.0	6.0	8.7	12.3	0.0	4.3
H26	291.1	/	0.0	96.6	/	3.1	/	/	3.5	/	/	6.0	/	/	3.5	0.6	24.3	/	/	47.5	/	/	/	/	27.9	/	/	/	6.6	1.2	6.2	4.8	0.6	0.0
H27	204.9	/	0.0	40.4	/	7.7	/	/	0.0	/	/	8.9	/	/	0.0	0.6	27.1	/	/	28.4	/	/	/	/	39.9	/	/	/	2.5	3.2	17.0	4.4	2.1	13.9
H28	270.4	/	0.0	104.8	/	8.9	/	/	14.2	/	/	5.1	/	/	0.6	0.0	33.0	/	/	12.5	/	/	/	/	11.2	/	/	/	0.0	3.7	18.0	8.3	3.1	0.0
H29	208.9	/	0.6	31.2	/	3.7	/	/	4.7	/	/	10.0	/	/	0.6	0.0	24.8	/	/	23.0	/	/	/	/	13.3	/	/	/	1.4	1.1	15.6	41.5	34.1	0.0

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

宝達志水町(総数)

注) 値は旧志雄町、旧押水町の合計した値を計上した

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患 胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺					
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮				前立腺	くも膜下出血	脳内出血								脳梗塞	急死心筋梗塞		その他の虚血性心疾患	交通事故			
H17	367.4	3.0	0.0	152.3	2.5	32.4	15.8	0.0	17.0	6.5	3.6	38.1	0.0	3.9	4.1	12.6	1.1	52.7	8.6	9.1	37.2	4.4	19.0	13.8	23.0	18.3	0.0	13.0	0.0	3.0	4.6	2.1	14.0	0.0	21.0
H18	471.5	0.0	0.0	158.5	6.7	19.5	21.0	8.5	30.0	0.0	10.2	18.0	3.6	0.0	2.8	0.0	0.0	72.4	17.8	14.0	73.4	35.5	5.9	25.7	63.3	34.5	0.0	29.1	0.0	19.1	6.2	3.0	25.5	3.2	11.0
H19	390.8	0.0	0.0	119.7	3.1	9.0	4.2	5.4	23.7	2.4	5.3	26.0	3.9	13.1	0.0	5.7	1.8	43.3	9.3	9.0	54.1	14.5	12.6	26.1	42.7	34.3	0.0	23.1	1.0	6.5	9.8	6.8	19.5	11.6	18.4
H20	416.6	/	0.0	114.7	/	16.0	/	/	16.0	/	/	17.2	/	/	/	0.0	0.9	75.1	/	/	60.2	/	/	/	/	27.4	/	/	/	12.9	2.8	5.6	11.0	0.0	36.8
H21	475.9	/	0.0	142.4	/	34.2	/	/	11.1	/	/	20.5	/	/	/	6.6	1.8	60.1	/	/	64.5	/	/	/	/	14.6	/	/	/	7.1	2.8	13.8	45.9	11.1	29.1
H22	422.2	/	0.0	127.9	/	28.1	/	/	25.3	/	/	32.8	/	/	/	0.9	0.0	64.0	/	/	43.0	/	/	/	/	22.1	/	/	/	3.2	0.9	8.7	38.3	16.3	43.6
H23	429.1	/	0.0	140.0	/	20.9	/	/	10.6	/	/	19.9	/	/	/	6.5	0.9	54.9	/	/	42.4	/	/	/	/	30.2	/	/	/	5.6	11.4	15.7	9.8	1.7	41.2
H24	360.4	/	0.0	144.7	/	20.1	/	/	8.4	/	/	13.7	/	/	/	6.7	0.9	60.8	/	/	28.3	/	/	/	/	26.3	/	/	/	4.1	4.3	13.5	18.3	9.0	0.0
H25	404.8	/	0.0	133.3	/	19.3	/	/	18.1	/	/	28.5	/	/	/	3.4	2.5	58.1	/	/	60.4	/	/	/	/	30.8	/	/	/	2.5	4.2	28.7	29.2	2.5	3.0
H26	319.9	/	0.0	98.0	/	7.4	/	/	6.5	/	/	23.7	/	/	/	10.8	3.0	57.9	/	/	30.9	/	/	/	/	19.7	/	/	/	9.1	5.9	23.7	10.9	5.9	1.7
H27	301.8	/	0.0	126.6	/	19.6	/	/	11.7	/	/	23.4	/	/	/	0.0	0.8	39.7	/	/	17.2	/	/	/	/	4.0	/	/	/	6.5	2.4	24.3	12.9	0.0	6.0
H28	418.4	/	0.0	137.1	/	18.7	/	/	17.3	/	/	11.4	/	/	/	3.9	0.8	56.3	/	/	27.3	/	/	/	/	15.5	/	/	/	8.3	0.8	15.9	11.9	1.5	53.5
H29	324.0	/	0.7	124.7	/	13.1	/	/	10.2	/	/	33.7	/	/	/	0.0	0.0	63.1	/	/	15.1	/	/	/	/	14.5	/	/	/	0.0	0.0	13.7	7.9	0.0	0.0

宝達志水町(男)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡 総数	腸管 感染症	結核	悪性 新生物	がん										糖尿病	高血 圧性 疾患	心疾患 (高血 圧性を 除く)	脳血管 疾患			呼吸器 系の 疾患	消化器 系の 疾患		肝疾 患	腎不 全	老 衰	不慮の 事故		自殺					
					食道	胃	結腸	直腸 等	肝及び 肝内 胆管	胆のう 等	膵	気管、 気管 支及 び肺	乳房	子宮				前立 腺	くも膜 下出 血	脳内 出血		脳梗塞	肺 炎				急性 気管 支炎	胃潰瘍 及び十 二指腸 潰瘍		交 通 事 故				
H17	495.8	6.9	0.0	185.2	6.6	38.1	20.0	0.0	28.3	0.0	5.1	45.9	0.0	10.7	14.7	0.0	76.9	15.9	13.4	49.3	0.0	38.9	10.4	51.7	45.2	0.0	13.7	0.0	6.9	0.0	3.8	21.4	0.0	38.6
H18	681.7	0.0	0.0	236.3	16.9	35.9	30.3	0.0	46.7	0.0	22.3	37.7	0.0	8.7	0.0	0.0	106.2	28.5	21.6	84.1	37.3	3.6	36.6	97.8	56.0	0.0	56.8	0.0	33.8	5.1	7.2	19.4	0.0	15.4
H19	527.8	0.0	0.0	174.0	6.7	18.0	11.6	13.1	32.8	6.4	6.4	47.9	0.0	0.0	0.0	0.0	39.8	8.7	9.9	85.1	13.8	21.5	46.3	80.3	59.5	0.0	33.0	0.0	13.8	14.5	3.5	23.8	3.5	18.4
H20	586.0	/	0.0	170.9	/	28.4	/	/	24.6	/	/	42.4	/	/	0.0	0.0	84.9	/	/	92.5	/	/	/	/	/	43.8	/	/	21.8	0.0	9.8	15.2	0.0	54.5
H21	736.1	/	0.0	199.8	/	54.6	/	/	14.4	/	/	44.1	/	/	12.1	3.4	101.4	/	/	87.0	/	/	/	/	/	39.0	/	/	10.0	6.7	13.4	88.6	23.9	27.8
H22	664.2	/	0.0	210.4	/	25.4	/	/	37.3	/	/	72.1	/	/	0.0	0.0	66.5	/	/	73.4	/	/	/	/	/	45.3	/	/	5.7	0.0	3.3	52.9	17.4	89.6
H23	574.3	/	0.0	205.2	/	40.4	/	/	19.7	/	/	34.8	/	/	7.9	0.0	87.5	/	/	78.1	/	/	/	/	/	47.6	/	/	4.9	3.4	13.5	14.5	0.0	24.1
H24	523.7	/	0.0	181.3	/	41.5	/	/	15.2	/	/	29.0	/	/	12.4	3.3	98.8	/	/	31.3	/	/	/	/	/	28.5	/	/	12.1	10.2	9.8	41.3	17.8	0.0
H25	652.1	/	0.0	212.8	/	32.3	/	/	19.4	/	/	65.6	/	/	4.6	0.0	102.2	/	/	88.7	/	/	/	/	/	57.4	/	/	0.0	9.1	27.8	56.6	3.5	6.0
H26	434.0	/	0.0	148.3	/	10.4	/	/	3.5	/	/	52.4	/	/	0.0	6.0	77.5	/	/	33.5	/	/	/	/	/	28.6	/	/	19.1	3.5	25.5	0.0	0.0	0.0
H27	407.5	/	0.0	177.8	/	20.5	/	/	13.8	/	/	43.5	/	/	0.0	0.0	47.0	/	/	22.5	/	/	/	/	/	0.0	/	/	0.0	3.2	19.2	28.3	0.0	13.5
H28	569.9	/	0.0	205.2	/	24.5	/	/	29.9	/	/	22.1	/	/	2.9	0.0	89.4	/	/	56.5	/	/	/	/	/	27.3	/	/	15.9	2.9	2.9	15.5	2.9	87.0
H29	513.8	/	0.0	205.8	/	20.9	/	/	22.5	/	/	64.0	/	/	0.0	0.0	117.6	/	/	12.5	/	/	/	/	/	25.4	/	/	0.0	0.0	7.0	22.3	0.0	0.0

宝達志水町(女)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	悪性新生物										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	脳血管疾患		呼吸器系の疾患	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺						
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮				前立腺	くも膜下出血		脳内出血	脳梗塞				肺炎	急性気管支炎		胃潰瘍及び十二指腸潰瘍	交通事故				
H17	270.5	0.0	0.0	139.9	0.0	31.4	14.4	0.0	7.6	11.7	2.8	34.7	0.0	7.6	9.8	1.5	31.3	2.8	5.6	24.2	8.2	1.5	14.5	7.2	4.3	0.0	11.1	0.0	0.0	7.0	1.5	9.7	0.0	2.8
H18	344.6	0.0	0.0	117.8	0.0	10.5	11.3	16.7	16.6	0.0	0.0	10.5	7.1	0.0	0.0	0.0	46.1	11.8	5.6	67.9	33.3	8.8	18.5	44.7	19.5	0.0	6.6	0.0	3.8	6.6	1.4	31.0	5.7	7.1
H19	308.9	0.0	0.0	84.9	0.0	2.8	0.0	0.0	17.1	0.0	4.0	11.4	7.7	25.0	8.9	2.8	42.7	9.6	8.2	38.2	15.6	4.1	18.5	22.0	19.4	0.0	16.5	1.3	0.0	4.0	8.0	20.9	19.6	18.2
H20	290.7	/	0.0	76.0	/	6.6	/	/	9.6	/	/	1.3	/	/	0.0	1.3	64.6	/	/	30.6	/	/	/	/	15.8	/	/	/	4.0	3.9	3.9	10.9	0.0	19.7
H21	300.1	/	0.0	96.2	/	21.4	/	/	7.2	/	/	7.1	/	/	1.3	1.3	25.9	/	/	52.6	/	/	/	/	9.0	/	/	4.0	1.3	13.9	12.1	0.0	25.3	
H22	234.7	/	0.0	61.9	/	35.0	/	/	15.7	/	/	0.0	/	/	1.2	0.0	65.9	/	/	22.2	/	/	/	/	11.0	/	/	1.2	1.2	10.7	22.8	13.6	0.0	
H23	335.1	/	0.0	90.8	/	9.0	/	/	2.3	/	/	6.8	/	/	3.7	1.2	31.4	/	/	21.2	/	/	/	/	18.1	/	/	7.8	18.5	16.4	6.2	2.5	58.0	
H24	258.0	/	0.0	125.3	/	2.3	/	/	4.3	/	/	1.2	/	/	1.2	0.0	38.3	/	/	26.0	/	/	/	/	26.2	/	/	0.0	0.0	15.8	1.2	0.0	0.0	
H25	213.5	/	0.0	72.0	/	7.6	/	/	17.3	/	/	2.2	/	/	2.7	4.2	20.0	/	/	33.2	/	/	/	/	13.6	/	/	4.2	1.1	27.0	5.3	2.7	0.0	
H26	236.1	/	0.0	63.3	/	4.9	/	/	10.1	/	/	3.8	/	/	19.7	0.0	42.0	/	/	27.9	/	/	/	/	13.3	/	/	0.0	7.6	22.9	19.5	11.5	2.7	
H27	206.6	/	0.0	84.0	/	22.8	/	/	10.3	/	/	6.6	/	/	0.0	1.1	26.9	/	/	14.9	/	/	/	/	6.0	/	/	12.4	2.1	28.3	2.1	0.0	0.0	
H28	262.6	/	0.0	78.4	/	13.2	/	/	6.0	/	/	4.0	/	/	5.4	1.0	24.2	/	/	5.1	/	/	/	/	5.0	/	/	0.0	0.0	20.4	9.4	1.0	16.4	
H29	170.0	/	1.0	64.0	/	7.4	/	/	1.0	/	/	8.2	/	/	0.0	0.0	18.9	/	/	16.9	/	/	/	/	7.2	/	/	0.0	0.0	15.5	1.0	0.0	0.0	

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

中能登町(総数)		注) 値は旧鳥屋町、旧鹿島町、旧鹿西町の値を計上した																																	
年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血									脳梗塞	交通事故			
H17	409.3	0.0	0.0	150.4	3.6	45.5	8.3	7.6	3.6	7.8	4.2	25.6	9.4	3.2	5.0	13.9	5.3	68.1	18.5	13.9	22.8	0.0	7.4	14.5	39.8	27.6	0.0	17.5	0.0	0.9	4.6	3.7	30.5	15.2	14.9
H18	368.0	0.0	0.0	97.1	3.5	27.0	2.2	4.7	14.1	6.1	17.3	7.4	0.0	0.0	0.9	16.7	2.6	68.7	18.0	7.1	34.1	1.7	12.5	19.0	43.8	17.4	0.0	15.9	0.0	5.3	3.2	7.6	23.3	14.1	13.1
H19	421.2	4.0	1.4	146.0	2.3	27.9	21.6	7.9	5.1	6.2	6.2	33.0	1.4	1.7	2.2	4.0	5.9	59.9	14.2	7.6	59.0	10.2	24.2	24.5	34.9	22.4	0.0	12.7	0.0	6.3	4.8	6.6	34.4	3.2	14.9
H20	371.9	/	1.4	125.1	/	19.8	/	/	3.8	/	/	18.7	/	/	/	0.8	0.8	74.3	/	/	34.4	/	/	/	/	24.2	/	/	/	8.0	8.3	3.8	13.2	6.9	14.3
H21	386.1	/	0.0	124.5	/	9.8	/	/	16.8	/	/	20.8	/	/	/	8.7	2.7	60.8	/	/	52.9	/	/	/	/	23.7	/	/	/	10.1	1.5	4.6	31.7	13.6	6.5
H22	382.4	/	0.0	134.3	/	31.1	/	/	7.5	/	/	20.6	/	/	/	7.2	0.0	79.0	/	/	28.9	/	/	/	/	10.3	/	/	/	17.5	0.7	10.2	14.1	5.2	13.8
H23	421.9	/	0.0	135.4	/	21.8	/	/	13.0	/	/	20.0	/	/	/	0.7	2.2	76.6	/	/	45.0	/	/	/	/	16.4	/	/	/	17.8	3.2	17.1	16.7	1.7	16.6
H24	412.8	/	0.0	157.3	/	30.6	/	/	8.1	/	/	24.4	/	/	/	7.4	0.0	64.9	/	/	37.2	/	/	/	/	20.8	/	/	/	4.7	5.0	12.9	18.9	0.7	9.5
H25	349.3	/	0.0	108.6	/	22.3	/	/	9.0	/	/	16.9	/	/	/	0.0	2.6	63.5	/	/	54.7	/	/	/	/	22.0	/	/	/	4.8	3.1	14.3	17.0	12.2	3.7
H26	390.9	/	0.7	121.8	/	35.8	/	/	1.9	/	/	11.6	/	/	/	3.6	0.7	65.6	/	/	36.8	/	/	/	/	18.6	/	/	/	11.8	0.7	22.4	15.4	2.3	24.6
H27	379.7	/	0.6	106.9	/	34.2	/	/	13.7	/	/	10.0	/	/	/	7.8	2.6	49.0	/	/	25.1	/	/	/	/	24.5	/	/	/	4.1	1.9	18.5	16.9	3.5	23.9
H28	385.7	/	0.0	141.0	/	13.8	/	/	2.5	/	/	25.4	/	/	/	5.5	0.0	42.9	/	/	34.4	/	/	/	/	23.8	/	/	/	10.4	3.8	16.9	16.6	8.6	18.2
H29	349.0	/	0.0	105.2	/	20.0	/	/	1.8	/	/	16.7	/	/	/	7.1	3.7	32.2	/	/	40.9	/	/	/	/	14.5	/	/	/	7.7	3.5	16.4	17.3	6.8	34.9

中能登町(男)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患									糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患		消化器系の疾患		胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房						子宮	前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎					肺がん	膵がん		交通事故		
H17	629.3	0.0	0.0	254.8	8.7	95.5	12.9	15.7	4.4	7.5	5.3	50.1	0.0	14.6	23.0	7.3	103.3	22.1	26.4	27.2	0.0	5.3	21.9	61.2	45.2	0.0	30.6	0.0	3.1	3.1	3.1	41.1	30.2	24.3	
H18	484.1	0.0	0.0	115.2	7.5	40.1	0.0	0.0	20.7	12.3	10.4	11.3	0.0	2.9	31.7	0.0	76.7	22.4	7.1	40.1	0.0	17.3	22.8	72.6	22.1	0.0	20.9	0.0	5.8	5.9	4.0	43.0	21.9	26.4	
H19	563.1	4.1	0.0	198.8	5.2	40.4	25.2	9.7	3.7	5.2	3.7	64.1	0.0	6.6	9.3	13.3	79.3	19.8	2.9	77.5	0.0	42.3	35.2	51.9	28.4	0.0	14.0	0.0	4.1	6.7	5.8	50.5	0.0	0.0	
H20	511.3	/	0.0	158.4	/	20.5	/	/	7.7	/	/	33.7	/	/	0.0	0.0	108.5	/	/	37.1	/	/	/	/	/	43.3	/	/	/	17.3	7.9	0.0	25.8	13.4	23.2
H21	498.1	/	0.0	137.9	/	5.2	/	/	12.8	/	/	48.1	/	/	10.7	0.0	62.3	/	/	76.5	/	/	/	/	/	41.0	/	/	/	10.5	2.6	2.6	53.8	26.7	13.8
H22	522.7	/	0.0	152.7	/	29.1	/	/	14.8	/	/	40.5	/	/	10.8	0.0	114.0	/	/	38.4	/	/	/	/	/	14.9	/	/	/	29.7	0.0	7.2	27.4	11.6	26.5
H23	629.3	/	0.0	202.3	/	41.5	/	/	21.7	/	/	36.9	/	/	0.0	0.0	85.8	/	/	74.3	/	/	/	/	/	21.7	/	/	/	24.4	7.3	17.8	38.4	4.4	33.6
H24	618.4	/	0.0	242.2	/	59.6	/	/	10.0	/	/	45.9	/	/	13.4	0.0	97.2	/	/	52.1	/	/	/	/	/	37.0	/	/	/	9.8	0.0	13.1	33.1	0.0	19.2
H25	538.5	/	0.0	187.6	/	37.2	/	/	18.3	/	/	39.6	/	/	0.0	3.3	91.7	/	/	88.9	/	/	/	/	/	47.1	/	/	/	6.7	6.6	5.0	36.8	26.0	7.5
H26	532.2	/	2.5	147.9	/	56.6	/	/	5.8	/	/	24.9	/	/	5.0	0.0	95.7	/	/	43.8	/	/	/	/	/	28.3	/	/	/	21.7	0.0	20.9	13.3	0.0	47.7
H27	490.7	/	2.3	139.3	/	42.9	/	/	18.8	/	/	23.9	/	/	0.0	5.6	61.5	/	/	42.9	/	/	/	/	/	29.6	/	/	/	3.4	2.3	14.9	28.7	0.0	38.5
H28	565.6	/	0.0	200.9	/	20.8	/	/	3.3	/	/	44.8	/	/	4.4	0.0	65.4	/	/	61.2	/	/	/	/	/	38.3	/	/	/	14.7	8.3	15.4	31.6	16.9	32.4
H29	473.2	/	0.0	111.8	/	19.9	/	/	0.0	/	/	22.9	/	/	12.6	7.4	47.9	/	/	45.8	/	/	/	/	/	26.5	/	/	/	12.4	2.2	11.2	18.1	0.0	56.0



中能登町(女)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患		急性気管支炎	消化器系の疾患 胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺				
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎						交通事故						
H17	242.9	0.0	0.0	84.0	0.0	7.6	5.4	1.3	3.0	8.5	2.7	6.7	19.1	6.3	/	5.5	4.0	38.7	11.8	5.1	21.9	0.0	8.9	11.6	23.8	14.4	0.0	3.8	0.0	0.0	5.7	4.0	18.6	0.0	6.3	
H18	280.1	0.0	0.0	83.4	0.0	15.3	3.8	8.8	8.9	2.4	25.0	3.8	0.0	0.0	/	1.3	3.8	68.5	15.3	7.6	30.7	2.9	9.0	17.5	27.6	15.7	0.0	7.4	0.0	3.6	2.4	8.8	5.8	5.8	0.0	
H19	307.1	4.0	2.3	100.8	0.0	17.6	14.6	6.3	6.7	6.3	8.1	10.2	2.3	2.9	/	0.0	0.0	40.5	8.6	11.9	43.0	18.5	6.4	18.2	25.8	18.4	0.0	13.6	0.0	8.5	2.3	6.9	21.7	6.5	30.2	
H20	257.7	/	2.2	106.1	/	19.4	/	/	1.1	/	/	9.4	/	/	/	1.1	1.1	40.6	/	/	34.6	/	/	/	/	/	9.0	/	/	/	0.0	7.8	5.6	2.2	0.0	6.9
H21	300.5	/	0.0	114.8	/	9.4	/	/	14.4	/	/	5.0	/	/	/	5.3	5.2	62.3	/	/	34.8	/	/	/	/	/	14.2	/	/	/	5.5	1.1	5.4	6.5	0.0	0.0
H22	266.4	/	0.0	124.5	/	34.9	/	/	1.0	/	/	2.1	/	/	/	3.1	0.0	49.5	/	/	20.8	/	/	/	/	/	7.3	/	/	/	4.0	1.0	11.5	5.4	0.0	1.0
H23	266.7	/	0.0	84.7	/	3.0	/	/	7.4	/	/	5.7	/	/	/	1.0	3.1	76.6	/	/	20.3	/	/	/	/	/	13.1	/	/	/	14.1	0.0	16.6	1.0	0.0	0.0
H24	264.6	/	0.0	92.3	/	8.4	/	/	6.9	/	/	6.5	/	/	/	4.0	0.0	41.6	/	/	26.8	/	/	/	/	/	11.0	/	/	/	0.0	7.1	12.9	7.1	1.0	0.0
H25	201.5	/	0.0	49.4	/	11.8	/	/	0.0	/	/	1.9	/	/	/	0.0	2.0	37.5	/	/	22.2	/	/	/	/	/	6.9	/	/	/	4.3	1.0	19.4	2.0	0.0	1.0
H26	274.5	/	0.0	106.0	/	19.2	/	/	0.0	/	/	1.0	/	/	/	3.0	1.0	35.9	/	/	36.1	/	/	/	/	/	14.1	/	/	/	1.0	1.0	23.0	17.8	4.3	1.9
H27	283.7	/	0.0	78.0	/	26.2	/	/	8.6	/	/	0.0	/	/	/	15.7	0.9	36.8	/	/	11.1	/	/	/	/	/	23.3	/	/	/	5.2	1.8	18.4	7.3	6.4	8.6
H28	240.3	/	0.0	86.8	/	7.0	/	/	2.0	/	/	9.5	/	/	/	8.0	0.0	27.5	/	/	14.9	/	/	/	/	/	16.3	/	/	/	6.8	0.9	18.0	2.8	0.0	0.0
H29	253.7	/	0.0	103.2	/	19.3	/	/	2.5	/	/	12.0	/	/	/	0.8	1.7	17.6	/	/	38.7	/	/	/	/	/	7.0	/	/	/	3.3	5.4	20.5	16.1	13.5	13.4

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

管内(総数)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	脳出血	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故								
H17	415.2	1.1	0.4	131.8	3.6	30.0	8.8	3.6	8.7	7.7	7.0	27.4	6.5	1.6	3.3	7.2	2.1	65.3	17.1	7.6	43.1	8.5	12.0	22.1	51.1	37.5	0.1	17.2	1.1	6.5	4.6	4.9	23.7	9.0	21.4
H18	405.1	0.7	0.2	134.9	4.8	23.9	10.6	6.2	14.8	5.5	10.5	21.7	4.3	0.9	1.3	11.1	2.6	59.3	15.2	6.8	47.3	10.9	12.0	20.9	46.4	28.2	0.1	16.0	0.6	6.9	8.1	5.6	24.4	7.4	18.9
H19	398.1	1.0	0.5	124.9	2.9	17.1	8.3	7.9	12.1	5.6	8.2	22.7	4.2	3.9	4.1	5.7	4.5	59.6	17.1	7.0	45.8	9.6	13.4	22.3	43.1	26.4	0.0	14.5	1.2	5.9	7.3	8.0	20.4	5.4	20.9
H20	407.6	/	0.3	133.0	/	20.8	/	/	9.5	/	/	25.0	/	/	/	4.9	0.8	65.5	/	/	40.4	/	/	/	/	27.5	/	/	/	5.9	5.6	7.4	25.1	6.9	23.7
H21	400.6	/	0.4	130.7	/	21.4	/	/	11.0	/	/	20.2	/	/	/	4.2	1.3	57.4	/	/	41.4	/	/	/	/	27.5	/	/	/	9.4	6.6	9.7	23.4	5.9	15.6
H22	387.9	/	0.3	126.2	/	21.4	/	/	9.2	/	/	25.7	/	/	/	3.2	0.8	59.4	/	/	34.2	/	/	/	/	27.9	/	/	/	9.4	4.7	10.6	17.9	5.9	23.8
H23	390.4	/	0.1	126.2	/	20.4	/	/	8.8	/	/	20.8	/	/	/	7.6	0.8	58.0	/	/	34.8	/	/	/	/	28.0	/	/	/	8.0	8.3	15.3	19.1	3.3	24.2
H24	388.7	/	0.2	132.5	/	21.3	/	/	8.4	/	/	23.3	/	/	/	4.4	1.0	53.5	/	/	37.6	/	/	/	/	26.4	/	/	/	6.5	4.6	11.7	18.6	4.0	20.9
H25	365.7	/	0.2	120.7	/	23.7	/	/	9.0	/	/	19.4	/	/	/	2.9	1.2	56.0	/	/	39.2	/	/	/	/	29.3	/	/	/	4.3	5.8	16.0	20.9	7.1	8.4
H26	374.8	/	0.2	131.4	/	18.4	/	/	6.5	/	/	23.1	/	/	/	3.3	2.0	48.5	/	/	38.5	/	/	/	/	27.4	/	/	/	7.8	4.3	14.1	16.3	4.9	11.9
H27	361.4	/	0.1	127.0	/	20.3	/	/	8.4	/	/	25.9	/	/	/	5.0	1.1	48.7	/	/	31.4	/	/	/	/	24.6	/	/	/	4.7	3.7	16.9	16.8	2.9	16.5
H28	358.0	/	0.2	120.6	/	16.7	/	/	7.9	/	/	21.2	/	/	/	3.9	0.4	47.9	/	/	31.8	/	/	/	/	21.2	/	/	/	6.6	4.4	15.4	16.8	2.2	21.5
H29	358.7	/	0.2	123.5	/	12.8	/	/	6.6	/	/	27.1	/	/	/	3.2	2.1	52.7	/	/	27.1	/	/	/	/	15.7	/	/	/	4.6	4.0	16.8	15.0	3.4	15.9

## 管内(男)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系									糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患		消化器系の疾患			肝疾患	腎不全	老衰	不慮の事故		自殺				
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房			子宮	前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故										
H17	602.1	2.2	0.5	200.6	6.9	52.0	10.8	6.1	11.5	9.7	12.0	50.5	2.1	/	9.3	9.7	3.4	89.6	21.5	13.9	52.4	8.0	17.4	26.9	85.0	62.7	0.0	27.6	1.5	11.7	6.5	5.1	37.6	16.2	26.7	
H18	582.9	1.0	0.6	190.9	9.9	37.7	13.8	8.7	23.3	9.3	11.9	39.4	0.0	/	3.9	12.3	1.6	83.5	20.8	9.2	63.8	8.2	17.3	32.5	78.9	47.8	0.4	26.8	0.9	11.5	11.7	5.8	37.4	8.5	28.3	
H19	537.8	0.6	0.0	179.8	5.8	23.9	11.6	12.1	21.5	8.2	7.7	45.4	0.0	/	10.5	6.7	7.8	76.3	26.2	7.9	62.3	8.2	20.7	33.0	66.1	38.2	0.0	17.4	2.1	7.0	9.9	5.0	28.8	7.3	32.2	
H20	572.4	/	0.0	187.4	/	36.9	/	/	12.7	/	/	47.9	/	/	/	6.6	0.0	91.0	/	/	56.1	/	/	/	/	/	49.0	/	/	/	10.9	6.9	5.3	34.3	9.8	37.4
H21	578.4	/	0.5	182.1	/	31.0	/	/	17.1	/	/	38.0	/	/	/	8.6	1.5	79.8	/	/	55.3	/	/	/	/	/	48.3	/	/	/	14.7	11.9	8.6	38.5	9.1	22.8
H22	563.5	/	0.9	180.6	/	30.3	/	/	13.7	/	/	48.2	/	/	/	5.2	1.5	81.5	/	/	50.4	/	/	/	/	/	47.6	/	/	/	16.9	6.6	7.3	25.7	7.6	37.0
H23	544.4	/	0.0	184.4	/	37.6	/	/	16.4	/	/	35.4	/	/	/	8.9	0.8	73.7	/	/	50.3	/	/	/	/	/	43.6	/	/	/	10.9	9.9	13.8	32.2	5.7	32.6
H24	551.4	/	0.3	183.6	/	32.5	/	/	14.8	/	/	43.7	/	/	/	8.6	1.9	71.9	/	/	48.3	/	/	/	/	/	41.2	/	/	/	7.9	6.9	11.7	31.7	6.4	31.7
H25	523.3	/	0.3	182.3	/	37.1	/	/	12.3	/	/	39.2	/	/	/	4.3	1.4	83.9	/	/	54.7	/	/	/	/	/	47.9	/	/	/	5.3	8.1	13.2	29.7	11.3	15.4
H26	507.8	/	0.7	168.2	/	30.2	/	/	9.4	/	/	39.7	/	/	/	3.1	2.7	66.1	/	/	45.7	/	/	/	/	/	42.9	/	/	/	14.0	5.8	14.1	22.4	6.7	22.0
H27	475.1	/	0.3	170.9	/	27.6	/	/	14.4	/	/	42.9	/	/	/	4.2	1.0	62.1	/	/	36.6	/	/	/	/	/	35.6	/	/	/	5.6	5.2	13.6	23.9	4.2	26.1
H28	518.6	/	0.0	179.3	/	26.1	/	/	12.5	/	/	39.2	/	/	/	5.9	0.3	67.9	/	/	54.1	/	/	/	/	/	33.0	/	/	/	9.6	8.0	12.4	26.9	3.5	34.2
H29	494.7	/	0.0	159.5	/	18.5	/	/	10.8	/	/	43.4	/	/	/	4.9	2.8	76.1	/	/	35.6	/	/	/	/	/	25.7	/	/	/	6.6	3.8	16.5	21.2	0.5	29.3

## 管内(女)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故								
H17	275.0	0.2	0.3	84.9	1.1	14.4	8.0	1.9	6.3	6.2	2.8	9.8	10.5	3.1	4.5	1.4	46.2	13.6	3.2	35.1	8.6	7.5	18.3	30.2	21.8	0.2	8.5	0.8	2.0	3.3	4.8	12.2	2.3	16.2
H18	276.8	0.5	0.0	95.5	0.9	12.8	8.0	4.7	7.2	2.8	10.0	9.8	8.2	1.6	9.3	3.3	41.1	10.9	5.0	35.8	13.0	7.5	14.1	27.3	16.4	0.0	7.2	0.3	2.7	4.8	5.4	14.2	6.6	10.1
H19	294.5	1.4	0.7	84.5	0.4	12.6	5.4	3.9	4.5	3.5	8.5	6.7	7.9	7.4	4.4	1.4	46.0	10.2	6.8	33.8	10.8	6.6	15.8	29.8	18.8	0.0	11.7	0.3	4.8	5.4	9.4	15.2	4.2	10.4
H20	283.0	/	0.4	95.1	/	9.0	/	/	6.6	/	/	8.8	/	/	3.1	1.2	44.7	/	/	27.5	/	/	/	/	13.4	/	/	/	1.5	4.9	8.2	17.2	4.2	10.5
H21	272.1	/	0.0	93.0	/	13.6	/	/	6.5	/	/	8.1	/	/	2.0	1.6	39.8	/	/	30.0	/	/	/	/	15.9	/	/	/	3.4	3.0	9.8	10.7	2.3	8.0
H22	256.0	/	0.0	86.7	/	15.3	/	/	5.6	/	/	8.6	/	/	1.7	0.4	41.4	/	/	22.5	/	/	/	/	15.5	/	/	/	2.1	3.1	12.1	12.0	3.8	11.9
H23	275.8	/	0.1	83.1	/	7.0	/	/	3.1	/	/	10.5	/	/	6.2	0.7	45.3	/	/	23.2	/	/	/	/	18.7	/	/	/	5.9	6.8	15.8	9.5	1.3	15.9
H24	270.4	/	0.1	96.9	/	11.7	/	/	3.7	/	/	7.4	/	/	1.3	0.4	37.7	/	/	30.8	/	/	/	/	18.4	/	/	/	5.7	3.2	11.5	8.4	1.7	10.1
H25	247.7	/	0.1	74.7	/	14.3	/	/	6.1	/	/	4.7	/	/	1.5	1.0	33.3	/	/	26.0	/	/	/	/	19.3	/	/	/	3.6	3.6	17.1	13.8	3.5	2.0
H26	277.9	/	0.0	108.6	/	9.9	/	/	4.6	/	/	10.9	/	/	3.3	1.2	32.6	/	/	35.2	/	/	/	/	17.6	/	/	/	2.1	3.1	13.9	11.6	3.4	1.9
H27	270.2	/	0.0	93.4	/	15.4	/	/	3.4	/	/	13.0	/	/	6.0	1.2	34.4	/	/	27.4	/	/	/	/	18.0	/	/	/	3.9	2.9	17.8	11.7	1.8	6.9
H28	234.3	/	0.3	76.0	/	9.8	/	/	4.2	/	/	7.2	/	/	2.4	0.4	30.3	/	/	14.7	/	/	/	/	14.5	/	/	/	3.6	2.1	16.5	8.4	0.9	9.4
H29	252.1	/	0.3	96.8	/	7.9	/	/	3.6	/	/	13.6	/	/	1.7	1.6	31.8	/	/	21.7	/	/	/	/	9.5	/	/	/	2.6	4.6	16.7	11.5	6.4	2.4

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

石川県(総数)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故									
H17	405.0	0.5	0.6	134.4	4.9	23.9	10.3	5.1	11.9	6.4	9.1	26.8	5.7	2.2	2.7	5.1	1.5	64.0	18.9	7.3	42.0	7.3	10.7	22.9	50.9	33.0	0.3	15.4	0.7	7.3	5.1	4.9	19.9	6.6	20.5
H18	383.5	0.5	0.3	134.6	3.9	23.1	10.1	6.0	13.3	6.8	10.3	26.0	5.7	1.6	2.3	5.7	1.8	56.4	17.2	7.0	39.4	6.5	10.0	21.6	45.0	29.6	0.1	13.9	0.7	6.0	5.5	5.3	19.5	5.3	19.1
H19	385.7	0.7	0.4	131.8	4.0	18.9	10.7	5.7	12.6	6.1	10.0	26.5	5.1	2.7	2.8	5.0	1.9	56.9	15.2	6.5	41.9	7.3	11.0	22.4	44.8	28.8	0.1	15.3	0.8	6.1	4.9	5.6	17.5	5.0	19.4
H20	379.2	/	0.3	130.5	/	19.9	/	/	11.6	/	/	26.2	/	/	/	4.9	0.9	55.3	/	/	38.0	/	/	/	/	/	29.1	/	/	5.1	5.7	5.9	20.4	5.4	17.4
H21	380.1	/	0.6	130.3	/	19.3	/	/	11.3	/	/	26.0	/	/	/	5.1	1.2	53.1	/	/	37.1	/	/	/	/	/	28.2	/	/	6.6	5.6	7.7	18.2	4.7	20.2
H22	380.9	/	0.4	127.7	/	19.1	/	/	11.2	/	/	25.2	/	/	/	4.2	1.0	54.1	/	/	35.4	/	/	/	/	/	29.1	/	/	5.8	5.4	7.8	20.5	5.0	19.7
H23	377.5	/	0.3	128.0	/	18.9	/	/	10.1	/	/	24.0	/	/	/	4.5	1.1	53.5	/	/	33.5	/	/	/	/	/	30.2	/	/	5.5	5.4	8.4	19.9	4.1	20.8
H24	366.1	/	0.1	124.2	/	17.3	/	/	9.2	/	/	24.3	/	/	/	4.5	1.2	51.4	/	/	34.0	/	/	/	/	/	27.6	/	/	5.4	5.2	10.2	16.3	3.6	17.3
H25	358.1	/	0.4	120.4	/	17.1	/	/	9.6	/	/	23.8	/	/	/	3.6	1.1	50.8	/	/	33.9	/	/	/	/	/	26.8	/	/	6.0	4.5	11.3	16.7	4.5	15.0
H26	357.0	/	0.2	124.2	/	15.4	/	/	9.1	/	/	23.9	/	/	/	3.2	1.6	47.0	/	/	30.9	/	/	/	/	/	25.7	/	/	5.2	4.3	10.9	17.4	3.6	13.7
H27	351.7	/	0.3	121.1	/	15.5	/	/	9.1	/	/	24.9	/	/	/	3.3	1.0	46.1	/	/	28.4	/	/	/	/	/	26.4	/	/	6.3	4.1	12.0	15.7	3.5	16.2
H28	345.9	/	0.3	120.0	/	14.8	/	/	9.0	/	/	22.8	/	/	/	3.2	1.0	44.3	/	/	28.8	/	/	/	/	/	23.3	/	/	5.2	4.4	12.3	16.9	4.2	14.0
H29	341.0	/	0.2	116.7	/	12.7	/	/	7.3	/	/	23.1	/	/	/	3.7	1.9	45.1	/	/	27.6	/	/	/	/	/	17.2	/	/	6.8	4.7	12.8	13.2	2.6	14.9

石川県(男)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮	前立腺	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	くも膜下出血	脳内出血	脳梗塞	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺	
H17	569.2	0.8	1.4	189.8	9.3	35.8	11.5	7.3	18.1	7.6	11.8	48.1	0.2	/	6.9	6.9	1.4	86.2	25.9	10.4	53.4	5.6	16.2	30.3	83.6	53.7	0.3	21.7	1.1	11.3	7.9	4.4	29.9	9.6	31.6	
H18	541.1	0.5	0.6	190.0	7.6	36.9	11.0	8.4	18.7	9.1	13.6	45.5	0.0	/	5.9	7.3	2.2	77.3	26.2	9.7	53.9	6.1	14.8	30.7	73.4	46.7	0.2	19.3	0.8	9.2	7.7	4.3	27.9	6.4	29.6	
H19	536.7	0.9	0.4	188.0	7.6	30.1	12.7	9.2	19.1	7.6	12.5	48.0	0.0	/	7.3	5.5	2.8	75.9	21.8	9.1	55.8	7.7	15.7	30.7	73.4	45.6	0.1	20.0	1.4	7.8	6.6	3.8	25.7	7.2	30.4	
H20	536.9	/	0.4	183.8	/	29.7	/	/	17.8	/	/	46.3	/	/	/	6.5	0.8	77.1	/	/	51.2	/	/	/	/	/	48.9	/	/	/	7.7	8.1	3.5	30.7	7.6	27.2
H21	535.7	/	0.9	183.0	/	30.8	/	/	18.0	/	/	46.0	/	/	/	7.5	1.3	72.4	/	/	50.8	/	/	/	/	/	46.8	/	/	/	9.4	7.5	5.4	27.3	7.0	28.7
H22	535.3	/	0.8	182.6	/	29.5	/	/	18.5	/	/	45.5	/	/	/	5.4	1.2	70.8	/	/	49.6	/	/	/	/	/	46.8	/	/	/	9.4	6.1	7.1	27.4	6.1	29.9
H23	524.7	/	0.4	178.7	/	29.7	/	/	16.5	/	/	41.6	/	/	/	6.2	1.1	69.1	/	/	46.5	/	/	/	/	/	47.4	/	/	/	8.8	6.5	7.0	27.9	5.6	30.4
H24	510.3	/	0.3	174.9	/	25.3	/	/	14.8	/	/	43.4	/	/	/	6.0	1.3	70.0	/	/	45.3	/	/	/	/	/	45.0	/	/	/	7.2	7.6	8.5	22.7	4.4	25.5
H25	495.8	/	0.6	167.0	/	26.5	/	/	14.3	/	/	41.6	/	/	/	5.4	1.0	69.8	/	/	45.5	/	/	/	/	/	44.3	/	/	/	9.4	6.2	8.7	24.2	6.9	22.9
H26	495.9	/	0.4	171.7	/	24.5	/	/	14.1	/	/	42.2	/	/	/	3.8	2.0	2.0	/	/	41.7	/	/	/	/	/	42.5	/	/	/	7.7	6.1	9.1	24.9	5.2	22.3
H27	474.8	/	0.6	163.9	/	22.8	/	/	14.1	/	/	42.2	/	/	/	4.9	1.2	60.3	/	/	36.1	/	/	/	/	/	41.3	/	/	/	8.5	4.5	8.8	23.2	5.0	25.8
H28	473.7	/	0.5	168.1	/	23.7	/	/	13.8	/	/	39.9	/	/	/	5.0	1.1	58.9	/	/	40.4	/	/	/	/	/	36.5	/	/	/	7.9	6.7	8.6	25.0	6.3	20.4
H29	464.4	/	0.3	156.5	/	19.1	/	/	11.4	/	/	39.3	/	/	/	5.5	2.3	61.2	/	/	34.6	/	/	/	/	/	28.6	/	/	/	10.5	5.9	11.5	19.6	3.5	22.7

石川県(女)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮	前立腺	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	くも膜下出血	脳内出血	脳梗塞	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H17	285.0	0.2	0.2	95.6	1.4	15.3	9.6	3.5	6.9	5.5	6.9	11.5	10.6	4.1		3.6	1.6	46.5	13.1	5.0	33.6	8.5	6.5	17.8	31.6	21.1	0.4	9.9	0.4	3.7	3.3	5.0	12.0	3.9	10.0
H18	266.2	0.5	0.2	94.6	1.0	12.7	9.5	4.2	8.6	5.2	8.0	12.0	10.8	2.8		4.3	1.5	39.4	10.2	4.7	28.6	6.7	6.0	15.3	28.5	20.0	0.0	9.3	0.6	3.2	4.1	5.6	12.8	4.3	8.9
H19	273.1	0.6	0.3	90.8	1.1	10.3	9.2	2.9	7.3	5.1	8.1	11.1	9.6	5.0		4.3	1.0	41.1	10.0	4.3	32.0	7.1	7.1	17.0	28.0	19.0	0.0	11.5	0.4	4.6	3.6	6.4	11.0	3.0	8.9
H20	260.9	/	0.2	91.8	/	13.0	/	/	6.5	/	/	11.4	/	/	/	3.5	1.0	38.0	/	/	28.2	/	/	/	/	/	17.2	/	/	2.7	4.0	6.9	11.8	3.3	7.8
H21	267.7	/	0.4	94.9	/	10.6	/	/	5.8	/	/	11.7	/	/	/	3.4	1.0	38.0	/	/	26.8	/	/	/	/	16.9	/	/	3.7	4.3	8.5	9.8	2.2	12.0	
H22	265.3	/	0.2	87.5	/	11.5	/	/	5.1	/	/	10.2	/	/	/	3.3	0.8	40.1	/	/	25.3	/	/	/	/	18.5	/	/	2.5	4.9	8.1	15.0	3.9	9.9	
H23	268.7	/	0.2	90.7	/	10.9	/	/	5.0	/	/	11.0	/	/	/	3.2	1.1	41.0	/	/	23.9	/	/	/	/	20.4	/	/	2.7	4.7	8.9	13.7	2.8	11.6	
H24	260.3	/	0.1	88.0	/	11.4	/	/	4.4	/	/	10.0	/	/	/	3.2	1.0	36.5	/	/	25.9	/	/	/	/	17.1	/	/	3.7	3.5	10.8	11.6	3.1	9.2	
H25	254.3	/	0.3	86.1	/	10.4	/	/	5.8	/	/	10.4	/	/	/	2.1	1.2	35.3	/	/	24.5	/	/	/	/	16.9	/	/	2.9	3.0	12.2	10.4	2.3	7.2	
H26	253.7	/	0.1	90.6	/	8.7	/	/	5.4	/	/	10.3	/	/	/	2.7	1.1	34.7	/	/	22.5	/	/	/	/	15.4	/	/	3.0	3.1	11.5	11.5	2.2	5.1	
H27	253.3	/	0.1	88.4	/	10.1	/	/	5.1	/	/	11.4	/	/	/	1.9	0.8	33.5	/	/	22.2	/	/	/	/	16.9	/	/	4.4	3.8	13.2	9.6	2.0	6.7	
H28	245.8	/	0.2	83.4	/	7.8	/	/	4.9	/	/	9.7	/	/	/	1.8	1.0	32.0	/	/	19.6	/	/	/	/	15.3	/	/	2.9	2.7	13.7	9.9	2.0	7.6	
H29	244.6	/	0.2	86.5	/	7.4	/	/	4.0	/	/	10.5	/	/	/	2.1	1.5	31.9	/	/	22.2	/	/	/	/	10.3	/	/	3.2	3.8	13.1	8.1	1.7	7.1	

### 3) 年齢階級別死亡数(選択死因)

七尾市(3年平均:平成27~29年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		830.3	0.0	0.0	0.3	0.7	2.0	1.0	1.7	2.0	4.0	3.0	8.0	19.3	28.7	55.3	62.3	85.7	136.7	173.0	246.7	0.0
結核		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-
悪性新生物		225.0	-	-	-	-	0.7	-	0.3	1.0	1.0	1.3	3.7	9.0	14.3	27.3	29.3	35.7	38.7	38.0	24.7	-
食道		6.3	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	0.7	1.3	2.0	1.0	0.7	-	-
胃		34.0	-	-	-	-	-	-	-	-	-	-	0.3	1.3	2.0	4.7	2.7	6.3	6.0	5.7	5.0	-
結腸		19.7	-	-	-	-	-	-	-	-	0.3	-	0.3	1.7	0.7	1.7	1.3	3.3	3.0	5.7	1.7	-
直腸S状結腸移行部及び直腸		11.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.7	2.0	1.7	2.0	2.0	1.0	-
肝及び肝内胆管		13.7	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.3	0.3	4.3	2.7	2.7	1.0	-
胆のう及びその他の胆道		12.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	2.7	0.7	2.3	2.7	2.7	-
膵		22.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	2.0	2.3	3.7	3.3	3.3	3.7	3.3	-
気管、気管支及び肺		47.3	-	-	-	-	-	-	-	-	0.3	0.3	-	2.3	3.3	9.3	7.3	5.3	9.7	5.7	3.7	-
乳房		5.0	-	-	-	-	-	-	-	-	-	0.3	-	1.0	0.7	0.3	1.7	0.3	-	0.7	-	-
子宮		5.3	-	-	-	-	0.3	-	0.3	-	-	-	1.3	-	0.3	1.0	0.7	-	-	1.0	0.3	-
白血病		5.0	-	-	-	-	0.3	-	-	0.3	-	-	-	0.3	0.3	0.7	0.3	1.3	0.7	0.3	0.3	-
糖尿病		7.0	-	-	-	-	0.3	-	-	-	-	-	-	-	0.3	0.7	1.3	1.0	1.7	1.0	0.7	-
高血圧性疾患		8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	2.3	3.7	-
心疾患(高血圧性を除く)		131.7	-	-	-	-	-	-	-	-	0.3	0.3	1.3	2.7	4.3	6.3	7.3	10.7	19.3	26.7	52.3	-
急性心筋梗塞		17.0	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	2.7	0.7	1.7	2.0	3.7	4.3	-
その他の虚血性心疾患		12.3	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	0.7	0.3	1.7	1.7	2.7	4.0	-
不整脈及び伝導障害		31.7	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.0	1.0	1.7	3.0	3.7	5.7	5.7	9.0	-
心不全		54.7	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	1.0	2.3	1.7	7.3	12.0	28.3	-
脳血管疾患		84.0	-	-	-	0.3	-	-	-	-	1.0	-	0.7	0.7	1.7	5.0	5.0	5.3	19.0	17.0	28.3	-
くも膜下出血		8.7	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	1.3	1.3	1.0	2.3	0.7	1.3	-
脳内出血		20.3	-	-	-	0.3	-	-	-	-	0.7	-	0.7	0.7	1.3	1.7	2.0	0.7	4.3	4.3	3.7	-
脳梗塞		54.0	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	1.7	3.7	12.0	12.0	22.7	-
大動脈瘤及び解離		11.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	1.3	0.7	1.3	2.0	4.0	-
肺炎		64.7	-	-	-	-	-	-	-	-	0.3	0.3	-	-	1.7	3.0	3.3	5.0	10.3	19.0	21.7	-
慢性閉塞性肺疾患		7.0	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	-	0.3	0.7	1.7	3.3	-
喘息		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.7	-
肝疾患		5.7	-	-	-	-	-	-	-	-	-	-	0.3	1.3	0.3	1.0	0.7	-	1.7	-	0.3	-
腎不全		14.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	2.7	4.3	4.7	-
老衰		72.0	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	1.0	4.3	14.3	51.0	-
不慮の事故		31.7	-	-	-	-	-	-	0.3	0.3	-	-	0.3	2.0	1.0	2.7	2.7	3.7	6.0	8.0	4.7	-
交通事故		2.0	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	0.3	0.3	0.7	-	-
自殺		10.3	-	-	0.3	0.3	0.7	1.0	1.0	0.7	1.0	0.7	0.3	0.3	0.3	1.0	1.3	0.3	0.3	0.7	-	-

資料:能登中部保健福祉センター算出



### 3) 年齢階級別死亡数(選択死因)

羽咋市(3年平均:平成27~29年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳	
総数		303.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	1.0	1.7	1.7	2.0	4.0	8.0	18.7	23.7	25.7	49.3	75.7	90.7	-	
結核		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		83.7	-	-	-	-	-	-	-	0.7	0.3	1.0	1.0	1.3	3.7	7.7	9.0	11.0	12.3	22.0	13.7	-	
食道		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.3	0.3	-	
胃		12.3	-	-	-	-	-	-	-	-	-	-	0.7	-	-	1.0	1.7	0.7	1.7	4.0	2.7	-	
結腸		8.3	-	-	-	-	-	-	-	0.3	-	-	-	-	-	1.7	0.3	1.0	1.7	1.3	2.0	-	
直腸S状結腸移行部及び直腸		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.3	-	
肝及び肝内胆管		4.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.7	1.0	1.0	0.7	-	
胆のう及びその他の胆道		4.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.7	1.0	1.0	0.7	-	
膵		9.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	2.3	0.7	2.0	2.0	-	
気管、気管支及び肺		18.7	-	-	-	-	-	-	-	-	-	0.3	-	1.0	1.0	1.0	2.3	2.7	3.0	5.3	2.0	-	
乳房		3.0	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	1.3	-	0.3	-	0.3	0.3	-	
子宮		0.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.3	-	-	
白血病		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.7	0.3	0.7	-	-	
糖尿病		2.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	0.3	0.7	-	
高血圧性疾患		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	
心疾患(高血圧性を除く)		52.7	-	-	-	-	-	-	0.3	-	1.0	-	0.7	1.0	1.7	3.3	3.3	3.0	9.0	12.7	16.7	-	
急性心筋梗塞		8.7	-	-	-	-	-	-	-	-	0.3	-	0.7	-	0.3	1.0	0.3	0.7	1.7	1.7	2.0	-	
その他の虚血性心疾患		8.7	-	-	-	-	-	-	0.3	-	0.3	-	-	-	0.3	0.3	0.3	0.7	1.3	2.3	2.7	-	
不整脈及び伝導障害		11.3	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	0.7	1.0	0.7	3.0	1.3	3.7	-	
心不全		17.0	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.7	1.0	0.7	2.0	5.7	6.3	-	
脳血管疾患		30.0	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	2.0	2.3	3.0	6.0	8.0	7.0	-	
くも膜下出血		6.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.7	0.3	0.7	1.3	1.0	0.3	-	
脳内出血		6.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.7	1.0	2.3	1.7	-	
脳梗塞		14.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.7	1.3	3.3	4.0	4.0	-	
大動脈瘤及び解離		4.3	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	0.3	0.7	1.0	0.7	-	
肺炎		23.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	1.0	3.0	7.3	11.0	-	
慢性閉塞性肺疾患		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	1.0	-	0.3	-	
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	
肝疾患		3.0	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	1.3	0.3	0.3	0.3	-	-	
腎不全		5.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	0.3	0.3	0.7	0.3	3.3	-	
老衰		29.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	4.0	7.7	17.3	-	
不慮の事故		13.0	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.7	2.3	2.0	4.0	2.7	-	
交通事故		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	0.3	-	
自殺		2.7	-	-	-	-	0.7	-	-	0.3	-	-	-	-	-	0.7	0.7	-	-	-	0.3	-	

資料:能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

志賀町(3年平均:平成27~29年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		324.3	0.3	0.0	0.0	0.0	0.0	0.7	0.0	0.3	1.0	0.7	2.7	3.7	13.7	20.3	20.7	27.3	57.0	72.0	104.0	-
結核		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-
悪性新生物		77.3	-	-	-	-	-	0.3	-	-	0.3	0.3	1.0	2.0	7.0	10.7	7.3	10.3	13.3	14.7	10.0	-
食道		3.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	0.3	0.3	-	0.7	0.3	-
胃		11.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.7	1.0	0.7	1.3	2.3	3.7	-
結腸		5.0	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	-	0.3	0.7	1.3	0.7	0.7	-
直腸S状結腸移行部及び直腸		3.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	0.3	-	0.3	0.7	-	-
肝及び肝内胆管		6.0	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.0	0.3	0.7	1.0	1.0	0.7	-
胆のう及びその他の胆道		6.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	1.7	0.7	1.7	1.0	-
膵		9.0	-	-	-	-	-	-	-	-	-	-	-	0.3	1.7	2.0	-	1.3	2.3	0.7	0.7	-
気管、気管支及び肺		13.7	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.7	1.7	2.0	3.0	2.7	1.3	1.3	-
乳房		1.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	-	-	-	-	-	-
子宮		0.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	0.3	-	-
白血病		0.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-
糖尿病		2.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	-	0.7	-	-
高血圧性疾患		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
心疾患(高血圧性を除く)		49.0	-	-	-	-	-	-	-	-	0.3	-	0.3	-	1.0	2.0	4.7	3.0	7.0	10.3	20.3	-
急性心筋梗塞		7.3	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	1.0	1.3	0.7	0.7	1.7	1.3	-
その他の虚血性心疾患		4.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	-	0.3	1.3	1.3	-
不整脈及び伝導障害		12.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	1.0	3.0	2.3	4.0	-
心不全		22.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	1.3	2.3	4.3	12.7	-
脳血管疾患		24.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.7	2.3	1.7	1.0	4.7	7.7	4.7	-
くも膜下出血		4.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	-	-	0.7	1.0	0.3	-
脳内出血		7.0	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	0.7	1.0	0.7	1.3	1.3	0.7	-
脳梗塞		13.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.3	2.7	5.0	3.7	-
大動脈瘤及び解離		4.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	1.3	1.0	-
肺炎		39.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	2.0	2.7	5.7	11.7	17.3	-
慢性閉塞性肺疾患		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.3	0.7	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-
肝疾患		2.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	0.3	0.7	-	-	-
腎不全		6.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	2.7	2.3	-
老衰		35.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	4.0	4.0	27.3	-
不慮の事故		13.7	-	-	-	-	-	0.3	-	-	-	-	0.7	-	0.3	1.7	0.3	1.7	3.3	3.0	2.3	-
交通事故		2.7	-	-	-	-	-	0.3	-	-	-	-	-	-	-	1.0	-	0.3	0.3	0.7	-	-
自殺		1.3	-	-	-	-	-	-	-	-	0.3	0.3	-	-	0.3	-	-	0.3	-	-	-	-

資料:能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

宝達志水町(3年平均:平成27~29年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		190.7	0.0	0.0	0.0	0.0	0.3	0.0	1.3	0.0	1.3	0.3	3.3	3.0	4.3	11.0	9.3	19.0	29.3	45.0	63.0	-
結核		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
悪性新生物		56.7	-	-	-	-	-	-	-	-	0.7	-	1.3	1.3	2.7	6.7	6.0	10.7	8.7	10.0	8.7	-
食道		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	-	-	-
胃		9.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	1.0	0.7	1.7	1.0	3.7	1.3	-
結腸		3.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.3	0.3	0.7	0.7	1.3	-
直腸S状結腸移行部及び直腸		1.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	-	-	-
肝及び肝内胆管		7.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	1.7	2.0	1.7	0.7	-
胆のう及びその他の胆道		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	-	1.3	-
膵		4.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.3	0.3	1.0	0.3	0.3	0.3	-
気管、気管支及び肺		10.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	2.3	2.3	1.3	1.7	1.0	-
乳房		1.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	0.3	-	-	-
子宮		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
白血病		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	-	-	-	-
糖尿病		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	-
高血圧性疾患		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-
心疾患(高血圧性を除く)		29.3	-	-	-	-	-	-	0.3	-	0.7	-	-	0.7	0.3	2.0	1.0	2.0	5.0	8.7	8.7	-
急性心筋梗塞		6.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-	1.3	1.0	2.0	0.7	-
その他の虚血性心疾患		6.3	-	-	-	-	-	-	0.3	-	0.3	-	-	-	-	-	0.3	0.3	0.7	2.3	2.0	-
不整脈及び伝導障害		5.0	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.7	0.7	0.3	1.3	-	1.3	-
心不全		10.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	2.0	4.0	4.0	-
脳血管疾患		15.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	1.3	2.7	4.3	6.3	-
くも膜下出血		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
脳内出血		4.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	0.7	0.7	2.3	-
脳梗塞		10.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.7	3.3	4.0	-
大動脈瘤及び解離		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	-	0.3	-	0.7	-
肺炎		8.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.3	1.3	1.7	4.3	-
慢性閉塞性肺疾患		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	0.3	-
喘息		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
肝疾患		0.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	-	-	-	-	-
腎不全		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	-
老衰		21.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	2.7	17.3	-
不慮の事故		8.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	1.3	2.3	3.3	-
交通事故		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-
自殺		2.3	-	-	-	-	0.3	-	0.3	-	-	0.3	0.3	-	0.3	-	0.3	-	0.3	-	-	-

資料:能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

中能登町(3年平均:平成27~29年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		250.7	0.3	0.0	0.3	0.0	0.7	0.3	0.3	0.3	1.0	1.7	5.3	2.3	8.3	13.0	19.0	23.3	41.7	55.0	77.7	-
結核		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
悪性新生物		63.0	-	-	-	-	-	-	-	-	0.3	1.0	1.3	1.3	3.7	7.3	10.7	9.0	9.7	11.7	7.0	-
食道		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	-	-
胃		11.0	-	-	-	-	-	-	-	-	0.3	-	-	0.7	1.3	1.0	1.3	2.0	1.7	1.7	1.0	-
結腸		4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	0.3	0.3	0.7	2.0	-
直腸S状結腸移行部及び直腸		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	-	-	0.3	0.3	-
肝及び肝内胆管		3.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.7	-	0.7	0.7	0.3	-
胆のう及びその他の胆道		5.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	1.3	0.7	1.3	1.3	-
膵		7.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.7	0.7	2.3	0.7	0.7	-
気管、気管支及び肺		10.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	2.7	2.0	1.7	0.7	1.7	1.0	-
乳房		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	-	-
子宮		2.7	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	0.3	0.7	0.3	0.3	0.3	-	-
白血病		1.7	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.3	-	0.3	-	-
糖尿病		2.7	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	0.3	0.3	-	1.0	0.3	-
高血圧性疾患		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.3	-
心疾患(高血圧性を除く)		39.0	-	-	-	-	-	-	-	-	-	-	0.7	-	1.0	1.0	1.0	1.7	8.0	9.7	16.0	-
急性心筋梗塞		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	1.7	0.7	-
その他の虚血性心疾患		3.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-	1.3	-	1.3	-
不整脈及び伝導障害		9.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	3.0	2.3	3.0	-
心不全		17.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	0.7	2.0	4.3	8.7	-
脳血管疾患		28.0	-	-	-	-	-	-	-	-	-	-	1.0	-	0.7	0.7	1.3	1.3	5.3	7.3	10.3	-
くも膜下出血		2.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	0.3	0.3	0.7	0.3	-
脳内出血		6.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	1.3	0.3	0.7	2.0	1.7	-
脳梗塞		18.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	-	0.7	4.0	4.7	8.0	-
大動脈瘤及び解離		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	1.0	1.7	-
肺炎		18.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.3	1.7	3.0	4.0	7.3	-
慢性閉塞性肺疾患		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.3	0.7	-
喘息		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-
肝疾患		3.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	0.3	0.3	-	0.3	-
腎不全		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	1.3	1.3	-
老衰		23.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	1.7	4.7	16.3	-
不慮の事故		7.7	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.3	-	0.7	0.3	1.0	2.0	1.7	0.7	-
交通事故		1.3	-	-	-	-	-	-	-	0.3	0.3	-	-	-	-	0.3	-	-	0.3	-	-	-
自殺		3.7	-	-	-	-	0.7	0.3	-	-	-	0.3	0.7	-	0.3	0.3	0.3	0.3	0.3	-	-	-

資料:能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

管内 (3年平均:平成27~29年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		1,899.0	0.7	0.0	0.7	0.7	3.7	2.0	3.7	3.7	9.0	7.3	21.3	32.3	63.0	118.3	135.0	181.0	314.0	420.7	582.0	-
結核		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.3	-
悪性新生物		505.7	-	-	-	-	0.7	0.3	0.3	1.7	2.7	3.7	8.3	15.0	31.3	59.7	62.3	76.7	82.7	96.3	64.0	-
食道		13.0	-	-	-	-	-	-	-	0.3	-	-	-	-	1.0	2.0	3.0	3.0	1.3	1.7	0.7	-
胃		78.0	-	-	-	-	-	-	-	-	0.3	-	1.3	2.0	3.7	9.3	7.3	11.3	11.7	17.3	13.7	-
結腸		41.3	-	-	-	-	-	-	-	0.3	0.7	-	0.3	2.0	1.7	4.3	2.7	5.7	7.0	9.0	7.7	-
直腸S状結腸移行部及び直腸		19.0	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	3.0	3.3	2.0	2.7	4.3	1.7	-
肝及び肝内胆管		34.3	-	-	-	-	-	-	-	-	-	-	0.3	1.3	2.0	4.0	1.7	7.3	7.3	7.0	3.3	-
胆のう及びその他の胆道		30.3	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	1.7	3.3	4.7	5.3	6.7	6.7	-
膵		52.0	-	-	-	-	-	-	-	-	-	-	0.7	1.0	4.7	7.0	6.7	8.7	9.0	7.3	7.0	-
気管、気管支及び肺		100.0	-	-	-	-	-	-	-	-	0.3	1.0	0.3	3.7	6.0	15.7	16.0	15.0	17.3	15.7	9.0	-
乳房		10.7	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.7	1.0	2.7	1.7	1.0	0.3	1.0	0.3	-
子宮		9.3	-	-	-	-	0.3	-	0.3	-	0.3	0.7	1.7	-	0.3	1.3	1.3	0.3	0.3	2.0	0.3	-
白血病		10.7	-	-	-	-	0.3	-	-	0.3	-	-	-	0.3	1.7	1.3	1.3	2.7	1.0	1.3	0.3	-
糖尿病		14.7	-	-	-	-	0.3	-	-	-	-	0.3	0.3	0.7	0.3	1.0	2.0	2.0	2.3	3.7	1.7	-
高血圧性疾患		12.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0	3.3	5.7	-
心疾患(高血圧性を除く)		301.7	-	-	-	-	-	-	0.7	-	2.3	0.3	3.0	4.3	8.3	14.7	17.3	20.3	48.3	68.0	114.0	-
急性心筋梗塞		43.0	-	-	-	-	-	-	-	-	0.7	-	1.0	0.3	2.3	5.7	2.3	4.7	6.3	10.7	9.0	-
その他の虚血性心疾患		35.0	-	-	-	-	-	-	0.7	-	0.7	-	0.3	0.7	1.7	1.3	1.7	2.7	5.3	8.7	11.3	-
不整脈及び伝導障害		69.3	-	-	-	-	-	-	-	-	1.0	0.3	0.7	1.3	2.0	3.3	6.0	6.0	16.0	11.7	21.0	-
心不全		122.0	-	-	-	-	-	-	-	-	-	-	0.7	1.3	1.3	3.3	5.0	4.3	15.7	30.3	60.0	-
脳血管疾患		181.7	-	-	-	0.3	-	-	-	-	1.0	-	2.3	1.7	5.0	10.0	10.7	12.0	37.7	44.3	56.7	-
くも膜下出血		21.3	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	1.7	4.3	1.7	2.0	4.7	3.3	2.3	-
脳内出血		45.0	-	-	-	0.3	-	-	-	-	0.7	-	1.7	1.0	2.7	2.7	4.7	2.7	8.0	10.7	10.0	-
脳梗塞		110.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	3.0	4.3	7.0	23.7	29.0	42.3	-
大動脈瘤及び解離		25.0	-	-	-	-	-	-	-	-	-	0.3	-	-	1.7	2.0	3.0	1.7	3.0	5.3	8.0	-
肺炎		155.0	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	2.7	4.0	8.0	10.7	23.3	43.7	61.7	-
慢性閉塞性肺疾患		18.3	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.7	-	2.3	4.0	5.3	5.3	-
喘息		3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.7	1.3	-
肝疾患		14.7	-	-	-	-	-	-	-	-	-	-	1.0	2.0	1.7	2.0	3.0	1.0	3.0	0.3	0.7	-
腎不全		31.0	-	-	-	-	-	-	-	-	0.3	-	-	-	-	1.0	1.7	2.0	4.3	9.3	12.3	-
老衰		182.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.7	2.7	15.0	33.3	129.3	-
不慮の事故		74.7	-	-	-	-	-	0.3	0.3	0.7	0.3	-	1.3	2.3	1.3	6.3	4.3	10.0	14.7	19.0	13.7	-
交通事故		8.0	-	-	-	-	-	0.3	-	0.3	0.3	-	-	0.7	-	1.7	-	0.7	1.0	2.3	0.7	-
自殺		20.3	-	-	0.3	0.3	2.3	1.3	1.3	1.0	1.3	1.7	1.3	0.3	1.3	2.0	2.7	1.0	1.0	0.7	0.3	-

資料:能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

石川県 (3年平均:平成27~29年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		12,476.3	21.0	4.3	6.0	17.0	21.0	20.3	28.3	43.0	74.3	100.7	161.0	240.3	408.3	871.0	994.3	1,305.0	2,067.0	2,572.7	3,520.3	0.3
結核		13.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	1.0	4.3	4.3	3.7	-
悪性新生物		3,525.7	0.3	0.3	1.7	1.7	3.0	3.0	5.3	12.0	20.7	31.0	70.3	113.0	208.3	439.0	459.7	503.7	601.3	595.3	456.0	-
食道		91.7	-	-	-	-	-	-	-	1.0	-	0.7	1.7	5.3	8.0	16.7	16.7	15.3	11.0	11.0	4.3	-
胃		458.3	-	-	-	-	-	0.7	-	0.3	1.7	2.3	6.3	8.0	26.7	51.3	67.7	68.3	68.7	88.7	67.7	-
結腸		331.7	-	-	-	-	0.3	-	0.7	1.0	2.0	2.0	6.0	11.7	16.0	31.7	33.3	40.3	54.7	60.3	71.7	-
直腸S状結腸移行部及び直腸		126.7	-	-	-	-	0.3	0.3	-	1.3	1.3	3.3	7.3	9.3	21.7	20.0	11.0	25.0	16.7	9.0	-	
肝及び肝内胆管		251.7	-	-	-	-	-	-	-	1.0	0.7	0.7	4.0	8.0	16.0	36.3	29.3	43.3	49.7	41.0	21.7	-
胆のう及びその他の胆道		182.3	-	-	-	-	-	-	-	0.3	0.3	1.3	4.0	5.7	13.7	22.3	28.3	33.3	36.0	37.0	-	
膵		341.0	-	-	-	-	-	-	0.3	0.7	1.3	4.3	5.3	11.3	25.7	43.0	50.3	53.3	52.3	39.3	-	
気管、気管支及び肺		715.3	-	-	-	-	0.3	0.3	0.7	2.3	2.3	6.0	18.3	45.7	107.0	102.7	114.3	129.3	116.0	70.0	-	
乳房		128.0	-	-	-	-	0.3	1.3	1.3	3.3	6.0	9.0	12.7	13.0	16.3	14.0	13.0	14.7	11.7	11.3	-	
子宮		57.7	-	-	-	-	0.3	-	0.7	1.0	1.3	2.3	7.7	4.0	4.7	8.0	5.7	5.0	4.7	7.3	5.0	-
白血病		79.3	0.3	-	1.0	0.7	1.3	-	0.3	1.3	1.3	1.0	3.0	2.7	3.7	11.3	8.7	14.0	13.7	10.0	5.0	-
糖尿病		109.0	-	-	-	-	0.3	-	-	0.3	0.3	3.7	1.7	2.3	3.3	11.3	11.0	14.0	19.0	21.7	20.0	-
高血圧性疾患		64.7	-	-	-	-	-	-	-	-	-	-	-	1.0	1.7	4.0	2.7	1.7	11.0	14.0	28.7	-
心疾患(高血圧性を除く)		1,923.3	-	0.3	0.7	1.3	-	-	2.3	2.7	10.0	13.3	19.0	28.7	37.0	96.7	106.3	161.0	308.0	440.0	696.0	-
急性心筋梗塞		350.7	-	-	-	-	-	-	-	0.3	3.7	5.0	6.3	10.7	12.7	30.7	28.7	39.0	64.0	75.7	74.0	-
その他の虚血性心疾患		233.7	-	-	-	0.3	-	-	0.7	0.3	0.7	1.3	4.0	2.7	4.0	15.0	14.7	21.3	46.0	54.0	68.7	-
不整脈及び伝導障害		335.7	-	-	0.3	0.3	-	-	0.7	0.7	3.3	5.0	3.3	8.3	10.3	21.3	23.0	33.3	60.3	73.0	92.3	-
心不全		796.7	-	-	0.3	-	-	-	0.7	0.3	1.3	1.7	3.0	4.0	4.0	19.0	27.3	50.0	108.0	190.0	387.0	-
脳血管疾患		1,126.3	-	-	-	0.3	0.3	0.7	0.7	1.3	7.7	10.7	13.0	18.7	29.3	49.0	72.0	118.7	197.0	263.3	343.7	-
くも膜下出血		123.7	-	-	-	-	0.3	-	-	1.0	3.7	7.0	5.3	6.7	8.0	12.7	15.0	11.3	18.7	18.7	15.3	-
脳内出血		280.3	-	-	-	0.3	-	0.3	0.3	0.3	3.7	3.0	6.3	10.3	16.0	18.3	24.7	36.0	53.3	56.7	50.7	-
脳梗塞		696.0	-	-	-	-	-	-	0.3	-	-	0.7	1.0	1.3	5.3	16.7	30.7	68.3	121.7	181.7	268.3	-
大動脈瘤及び解離		162.7	-	-	-	0.3	-	-	0.7	0.3	0.7	1.7	2.0	2.7	5.7	13.0	16.7	17.7	32.0	36.0	33.3	-
肺炎		1,091.3	1.0	0.7	-	-	-	-	0.3	0.7	1.3	0.7	3.0	4.0	9.3	36.7	54.3	93.0	198.3	277.7	410.3	-
慢性閉塞性肺疾患		153.3	-	-	-	-	-	0.3	-	-	-	-	-	1.7	2.0	7.0	8.7	20.3	38.7	40.0	34.7	-
喘息		17.7	-	-	-	-	-	-	0.3	-	-	0.3	0.3	-	-	0.7	1.7	2.0	4.3	3.3	4.7	-
肝疾患		140.0	-	-	-	-	-	-	0.7	1.3	2.7	4.0	7.7	9.0	13.3	19.7	14.7	17.3	27.0	15.3	7.3	-
腎不全		209.0	-	-	-	-	-	-	-	0.3	0.3	0.7	-	0.7	4.3	9.7	9.7	18.0	37.3	50.3	77.7	-
老衰		884.7	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	5.0	18.0	64.7	174.0	621.0	-
不慮の事故		429.7	3.3	1.0	0.7	3.7	2.0	1.7	5.0	4.7	5.7	5.3	6.3	11.3	15.0	32.7	42.0	57.7	78.0	79.7	73.7	0.3
交通事故		58.7	0.7	0.3	0.7	2.3	1.3	1.0	3.0	1.7	2.0	0.7	2.0	2.7	3.3	6.3	7.3	8.0	7.7	5.3	2.3	-
自殺		191.7	-	-	1.0	6.3	12.3	12.3	8.7	11.7	12.0	16.0	15.3	15.3	14.7	19.0	16.7	10.0	8.3	6.3	5.7	-

資料:能登中部保健福祉センター算出