

6 疾患別死亡の状況

1) 疾患別死亡数・死亡率(七尾市)

死亡数(総数)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	747	748	801	794	785	837	863	804	824	786
結核	1	2	0	1	1	1	0	1	1	3
悪性新生物	217	210	226	230	201	232	239	208	228	205
胃	40	39	37	33	40	32	39	39	24	27
結腸	16	21	27	17	12	17	17	20	22	19
直腸S状結腸移行部	10	10	11	8	9	12	13	6	14	12
肝及び肝内胆管	21	15	18	21	19	19	13	10	18	14
気管、気管支及び肺	40	38	39	45	25	37	50	44	48	46
乳	3	4	5	4	2	9	3	5	7	6
子宮	5	5	1	4	6	4	6	1	9	2
前立腺	2	2	5	6	5	8	4	6	5	6
糖尿病	5	10	14	8	8	5	8	8	5	14
高血圧性疾患	4	4	4	4	4	7	6	4	14	9
心疾患(高血圧性除く)	102	114	128	121	141	122	145	117	133	135
急性心筋梗塞	19	18	14	19	25	20	24	13	14	20
その他虚血性心疾患	17	16	25	22	14	14	13	11	13	16
脳血管疾患	90	95	83	96	95	99	93	88	71	80
<も膜下出血	14	12	8	10	10	11	13	4	9	14
脳内出血	16	13	16	21	20	26	20	24	17	18
脳梗塞	56	67	59	64	63	60	59	59	44	48
肺炎	71	72	51	65	72	83	79	66	49	27
肝疾患	12	7	10	13	6	7	5	7	5	3
腎不全	17	13	20	17	14	14	14	16	12	10
老衰	44	42	62	44	67	55	62	75	79	64
不慮の事故	21	30	46	29	22	41	40	32	23	35
交通事故	4	6	4	5	5	7	5	1	0	3
自殺	9	16	15	15	8	9	13	9	9	13

死亡率(総数)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1283.9	1302.2	1414.9	1420.0	1424.1	1505.9	1571.8	1486.7	1551.5	1503.6
結核	1.7	3.5	0.0	1.8	1.8	1.8	0.0	1.8	1.9	5.7
悪性新生物	373.0	365.6	399.2	411.3	364.6	417.4	435.3	384.6	429.3	392.1
胃	68.8	67.9	65.4	59.0	72.6	57.6	71.0	72.1	45.2	51.6
結腸	27.5	36.6	47.7	30.4	21.8	30.6	31.0	37.0	41.4	36.3
直腸S状結腸移行部	17.2	17.4	19.4	14.3	16.3	21.6	23.7	11.1	26.4	23.0
肝及び肝内胆管	36.1	26.1	31.8	37.6	34.5	34.2	23.7	18.5	33.9	26.8
気管、気管支及び肺	68.8	66.2	68.9	80.5	45.4	66.6	91.1	81.4	90.4	88.0
乳	5.2	7.0	8.8	7.2	3.6	16.2	5.5	9.2	13.2	11.5
子宮	8.6	8.7	1.8	7.2	10.9	7.2	10.9	1.8	16.9	3.8
前立腺	3.4	3.5	8.8	10.7	9.1	14.4	7.3	11.1	9.4	11.5
糖尿病	8.6	17.4	24.7	14.3	14.5	9.0	14.6	14.8	9.4	26.8
高血圧性疾患	6.9	7.0	7.1	7.2	7.3	12.6	10.9	7.4	26.4	17.2
心疾患(高血圧性除く)	175.3	198.5	226.1	216.4	255.8	219.5	264.1	216.4	250.4	258.2
急性心筋梗塞	32.7	31.3	24.7	34.0	45.4	36.0	43.7	24.0	26.4	38.3
その他虚血性心疾患	29.2	27.9	44.2	39.3	25.4	25.2	23.7	20.3	24.5	30.6
脳血管疾患	154.7	165.4	146.6	171.7	172.3	178.1	169.4	162.7	133.7	153.0
<も膜下出血	24.1	20.9	14.1	17.9	18.1	19.8	23.7	7.4	16.9	26.8
脳内出血	27.5	22.6	28.3	37.6	36.3	46.8	36.4	44.4	32.0	34.4
脳梗塞	96.3	116.6	104.2	114.5	114.3	107.9	107.5	109.1	82.8	91.8
肺炎	122.0	125.3	90.1	116.2	130.6	149.3	143.9	122.0	92.3	51.6
肝疾患	20.6	12.2	17.7	23.2	10.9	12.6	9.1	12.9	9.4	5.7
腎不全	29.2	22.6	35.3	30.4	25.4	25.2	25.5	29.6	22.6	19.1
老衰	75.6	73.1	109.5	78.7	121.5	99.0	112.9	138.7	148.7	122.4
不慮の事故	36.1	52.2	81.3	51.9	39.9	73.8	72.9	59.2	43.3	67.0
交通事故	6.9	10.4	7.1	8.9	9.1	12.6	9.1	1.8	0.0	5.7
自殺	15.5	27.9	26.5	26.8	14.5	16.2	23.7	16.6	16.9	24.9

死亡数(男)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	384	384	403	405	366	398	414	429	378	369
結核	0	2	0	0	1	1	0	0	0	1
悪性新生物	123	122	126	133	110	123	129	136	128	112
胃	25	24	26	18	25	20	22	26	15	17
結腸	6	10	11	10	6	4	6	11	9	8
直腸S状結腸移行部	3	5	5	6	3	5	10	4	9	3
肝及び肝内胆管	15	11	14	15	9	12	9	7	13	8
気管、気管支及び肺	26	29	28	34	18	22	38	34	32	36
乳	0	0	0	0	0	0	0	0	0	0
子宮	2	2	5	6	5	8	4	6	5	6
前立腺	5	5	8	5	4	3	6	6	0	8
糖尿病	2	1	2	2	1	4	1	1	4	2
高血圧性疾患	50	51	61	45	66	48	59	53	48	62
心疾患(高血圧性除く)	11	11	8	7	11	13	14	8	6	12
急性心筋梗塞	9	6	12	9	6	4	7	5	5	10
その他虚血性心疾患	36	46	37	45	39	43	35	51	37	29
脳血管疾患	5	6	2	3	4	3	5	1	3	6
<も膜下出血	8	4	8	12	10	14	9	18	10	6
脳内出血	21	35	27	29	24	24	20	31	23	17
脳梗塞	40	40	29	37	41	42	46	40	25	15
肺炎	7	5	6	4	2	5	3	2	2	1
肝疾患	11	5	8	7	6	5	8	9	3	5
腎不全	11	6	20	14	11	12	14	20	21	16
老衰	12	12	28	17	12	23	23	22	14	22
不慮の事故	2	1	3	3	3	4	4	1	0	0
交通事故	8	12	8	10	6	7	11	6	9	9
自殺										

死亡率(男)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1408.2	1418.0	1507.7	1534.4	1405.7	1538.8	1583.5	1676.3	1502.9	1487.4
結核	0.0	7.4	0.0	0.0	3.8	3.9	0.0	0.0	0.0	4.0
悪性新生物	451.1	450.5	471.4	503.9	422.5	475.5	493.4	531.4	508.9	451.5
胃	91.7	88.6	97.3	68.2	96.0	77.3	84.1	101.6	59.6	68.5
結腸	22.0	36.9	41.2	37.9	23.0	15.5	22.9	43.0	35.8	32.2
直腸S状結腸移行部	11.0	18.5	18.7	22.7	11.5	19.3	38.2	15.6	35.8	12.1
肝及び肝内胆管	55.0	40.6	52.4	56.8	34.6	46.4	34.4	27.4	51.7	32.2
気管、気管支及び肺	95.3	107.1	104.8	128.8	69.1	85.1	145.3	132.9	127.2	145.1
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	7.3	7.4	18.7	22.7	19.2	30.9	15.3	23.4	19.9	24.2
前立腺	18.3	18.5	29.9	18.9	15.4	11.6	22.9	23.4	0.0	32.2
糖尿病	7.3	3.7	7.5	7.6	3.8	15.5	3.8	3.9	15.9	8.1
高血圧性疾患	183.4	188.3	228.2	170.5	253.5	185.6	225.7	207.1	190.8	249.9
心疾患(高血圧性除く)	40.3	40.6	29.9	26.5	42.2	50.3	53.5	31.3	23.9	48.4
急性心筋梗塞	33.0	22.2	44.9	34.1	23.0	15.5	26.8	19.5	19.9	40.3
その他虚血性心疾患	132.0	169.9	138.4	170.5	149.8	166.2	133.9	199.3	147.1	116.9
脳血管疾患	18.3	22.2	7.5	11.4	15.4	11.6	19.1	3.9	11.9	24.2
<も膜下出血	29.3	14.8	29.9	45.5	38.4	54.1	34.4	70.3	39.8	24.2
脳内出血	77.0	129.2	101.0	109.9	92.2	92.8	76.5	121.1	91.4	68.5
脳梗塞	146.7	147.7	108.5	140.2	157.5	162.4	175.9	156.3	99.4	60.5
肺炎	25.7	18.5	22.4	15.2	7.7	19.3	11.5	7.8	8.0	4.0
肝疾患	40.3	18.5	29.9	26.5	23.0	19.3	30.6	35.2	11.9	20.2
腎不全	40.3	22.2	74.8	53.0	42.2	46.4	53.5	78.1	83.5	64.5
老衰	44.0	44.3	104.8	64.4	46.1	88.9	88.0	86.0	55.7	88.7
不慮の事故	7.3	3.7	11.2	11.4	11.5	15.5	15.3	3.9	0.0	0.0
交通事故	29.3	44.3	29.9	37.9	23.0	27.1	42.1	23.4	35.8	36.3
自殺										

死亡数(女)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	363	364	398	389	419	439	449	375	446	417
結核	1	0	0	1	0	0	0	1	1	2
悪性新生物	94	88	100	97	91	109	110	72	100	93
胃	15	15	11	15	15	12	17	13	9	10
結腸	10	11	16	7	6	13	11	9	13	11
直腸S状結腸移行部	7	5	6	2	6	7	3	2	5	9
肝及び肝内胆管	6	4	4	6	10	7	4	3	5	6
気管、気管支及び肺	14	9	11	11	7	15	12	10	16	10
乳	3	4	5	4	2	9	3	5	7	6
子宮	5	5	1	4	6	4	6	1	9	2
前立腺	0	5	6	3	4	2	2	2	5	6
糖尿病	2	3	2	2	3	3	5	3	10	7
高血圧性疾患	52	63	67	76	75	74	86	64	85	73
心疾患(高血圧性除く)	8	7	6	12	14	7	10	5	8	8
急性心筋梗塞	8	10	13	13	8	10	6	6	8	6
その他虚血性心疾患	54	49	46	51	56	56	58	37	34	51
脳血管疾患	9	6	6	7	6	8	8	3	6	8
<も膜下出血	8	9								

1) 疾患別死亡数・死亡率(羽咋市)

死亡数(総数)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	303	307	287	302	318	300	313	279	317	328
結核	1	0	1	1	0	0	0	0	0	0
悪性新生物	96	87	86	96	97	75	96	85	81	87
胃	23	14	12	18	17	12	14	12	11	12
結腸	10	9	7	4	5	2	4	9	12	8
直腸S状結腸移行部	2	7	5	1	3	1	1	3	1	4
肝及び肝内胆管	7	5	4	8	2	4	3	5	4	6
気管、気管支及び肺	11	24	19	18	19	21	24	18	14	13
乳	2	3	2	5	3	2	2	3	4	3
子宮	1	0	0	3	1	3	0	1	1	2
前立腺	5	4	5	1	1	1	1	3	0	0
糖尿病	4	0	5	2	4	2	1	1	4	2
高血圧性疾患	1	1	0	2	0	3	0	0	1	0
心疾患(高血圧性除く)	47	38	43	42	49	43	57	44	57	49
急性心筋梗塞	11	5	10	7	9	8	9	6	11	7
その他虚血性心疾患	5	8	8	6	6	11	12	4	10	9
脳血管疾患	34	32	26	37	21	33	35	30	25	39
<も膜下出血	5	1	3	2	0	6	8	6	5	5
脳内出血	7	6	6	10	4	6	7	6	7	9
脳梗塞	22	25	17	24	17	20	17	14	13	25
肺炎	31	42	25	20	34	39	28	20	23	22
肝疾患	5	6	2	2	1	4	1	4	4	3
腎不全	6	5	5	3	8	6	6	2	9	4
老衰	13	21	42	23	34	29	37	23	29	35
不慮の事故	11	18	7	10	23	10	10	17	12	10
交通事故	2	2	2	1	5	1	1	2	1	0
自殺	6	6	7	5	2	2	3	3	2	2

死亡率(総数)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1297.4	1338.3	1263.4	1343.5	1429.9	1343.8	1444.9	1305.4	1506.4	1588.5
結核	4.3	0.0	4.4	4.4	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	411.1	379.3	378.6	427.1	391.2	336.0	397.0	397.7	384.9	421.3
胃	98.5	61.0	52.8	80.1	76.4	53.8	64.6	56.1	52.3	58.1
結腸	42.8	39.2	30.8	17.8	22.5	9.0	18.5	42.1	57.0	38.7
直腸S状結腸移行部	8.6	30.5	22.0	4.4	13.5	4.5	4.6	14.0	4.8	19.4
肝及び肝内胆管	30.0	21.8	17.6	35.6	9.0	17.9	13.8	23.4	19.0	29.1
気管、気管支及び肺	47.1	104.6	83.6	80.1	85.4	94.1	110.8	84.2	66.5	63.0
乳	8.6	13.1	8.8	22.2	13.5	9.0	9.2	14.0	19.0	14.5
子宮	4.3	0.0	0.0	13.3	4.5	13.4	0.0	4.7	4.8	9.7
前立腺	21.4	17.4	22.0	4.4	4.5	0.0	4.6	14.0	0.0	0.0
糖尿病	17.1	0.0	22.0	8.9	18.0	9.0	4.6	4.7	19.0	9.7
高血圧性疾患	4.3	4.4	0.0	8.9	0.0	13.4	0.0	0.0	4.8	0.0
心疾患(高血圧性除く)	201.3	165.7	189.3	186.8	220.3	192.6	263.1	205.9	270.9	237.3
急性心筋梗塞	47.1	21.8	44.0	31.1	40.5	35.8	41.5	28.1	52.3	33.9
その他虚血性心疾患	21.4	34.9	35.2	26.7	27.0	49.3	55.4	18.7	47.5	43.6
脳血管疾患	145.6	139.5	114.5	164.6	94.4	147.8	161.6	140.4	118.8	188.9
<も膜下出血	21.4	4.4	13.2	8.9	0.0	26.9	36.9	28.1	23.8	24.2
脳内出血	30.0	26.2	26.4	44.5	18.0	26.9	32.3	28.1	33.3	43.6
脳梗塞	94.2	109.0	74.8	106.8	76.4	89.6	78.5	65.5	61.8	121.1
肺炎	132.7	183.1	110.1	89.0	152.9	174.7	129.3	93.6	109.3	106.5
肝疾患	21.4	26.2	8.8	8.9	4.5	17.9	4.6	18.7	19.0	14.5
腎不全	25.7	21.8	22.0	13.3	36.0	26.9	27.7	9.4	42.8	19.4
老衰	55.7	91.5	184.9	102.3	152.9	129.9	170.8	107.6	137.8	169.5
不慮の事故	47.1	78.5	30.8	44.5	103.4	44.8	46.2	79.5	57.0	48.4
交通事故	8.6	8.7	8.8	4.4	22.5	4.5	4.6	9.4	4.8	0.0
自殺	25.7	26.2	30.8	22.2	9.0	9.0	13.8	14.0	9.5	9.7

死亡数(男)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	167	159	132	143	160	160	145	139	168	174
結核	1	0	0	1	0	0	0	0	0	0
悪性新生物	61	55	52	56	51	47	49	51	39	49
胃	12	10	9	12	11	9	8	10	6	8
結腸	6	5	4	3	2	1	3	2	6	4
直腸S状結腸移行部	2	4	3	1	3	1	1	2	1	4
肝及び肝内胆管	5	2	4	5	1	2	2	3	3	3
気管、気管支及び肺	8	18	12	14	14	15	15	13	10	8
乳	0	0	0	0	0	0	0	0	1	0
子宮	1	0	0	0	0	0	0	0	0	0
前立腺	5	4	5	1	1	1	1	3	0	0
糖尿病	4	0	2	2	2	1	0	0	4	2
高血圧性疾患	0	1	0	1	0	0	0	0	1	0
心疾患(高血圧性除く)	21	11	13	16	26	18	20	22	30	19
急性心筋梗塞	7	3	2	3	6	3	3	4	8	4
その他虚血性心疾患	4	1	7	2	2	7	7	1	7	3
脳血管疾患	16	17	9	16	12	15	15	14	14	21
<も膜下出血	2	1	2	2	0	1	4	2	2	1
脳内出血	6	3	5	3	2	3	2	1	6	6
脳梗塞	8	13	2	11	10	11	7	8	6	14
肺炎	15	20	15	7	17	19	15	9	16	13
肝疾患	3	4	2	1	0	3	1	3	4	2
腎不全	2	3	0	2	4	13	2	1	6	3
老衰	2	9	7	6	13	5	11	7	10	7
不慮の事故	7	10	7	6	9	5	4	6	7	7
交通事故	2	0	2	0	3	1	0	0	0	0
自殺	4	4	5	1	2	1	2	3	1	1

死亡率(男)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1520.5	1468.6	1232.3	1346.0	1524.4	1541.4	1411.2	1373.1	1685.6	1780.4
結核	9.1	0.0	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	555.4	508.0	485.4	527.1	485.9	452.8	476.9	503.8	391.3	501.4
胃	109.3	92.4	84.0	113.0	104.8	86.7	77.9	98.8	60.2	81.9
結腸	54.6	46.2	37.3	28.2	19.1	9.6	29.2	19.8	60.2	40.9
直腸S状結腸移行部	18.2	36.9	28.0	9.4	28.6	9.6	9.7	19.8	10.0	40.9
肝及び肝内胆管	45.5	18.5	37.3	47.1	9.5	19.3	19.5	29.6	30.1	30.7
気管、気管支及び肺	72.8	166.3	112.0	131.8	133.4	144.5	146.0	128.4	100.3	81.9
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0
子宮	1	0	0	0	0	0	0	0	0	0
前立腺	45.5	36.9	46.7	9.4	9.5	0.0	9.7	29.6	0.0	0.0
糖尿病	36.4	0.0	18.7	18.8	19.1	9.6	0.0	0.0	40.1	20.5
高血圧性疾患	0.0	9.2	0.0	9.4	0.0	0.0	0.0	0.0	10.0	0.0
心疾患(高血圧性除く)	191.2	101.6	121.4	150.6	247.7	173.4	194.6	217.3	301.0	194.4
急性心筋梗塞	63.7	27.7	18.7	28.2	57.2	28.9	29.2	39.5	80.3	40.9
その他虚血性心疾患	36.4	9.2	65.3	18.8	19.1	67.4	68.1	9.9	70.2	30.7
脳血管疾患	145.7	157.0	84.0	150.6	114.3	144.5	146.0	138.3	140.5	214.9
<も膜下出血	18.2	9.2	18.7	18.8	0.0	9.6	38.9	19.8	20.1	10.2
脳内出血	54.6	27.7	46.7	28.2	19.1	28.9	19.5	9.9	60.2	61.4
脳梗塞	72.8	120.1	18.7	103.5	95.3	106.0	68.1	79.0	60.2	143.3
肺炎	136.6	184.7	140.0	65.9	162.0	183.0	146.0	88.9	160.5	133.0
肝疾患	27.3	36.9	18.7	9.4	0.0	28.9	9.7	29.6	40.1	20.5
腎不全	18.2	27.7	0.0	18.8	38.1	125.2	19.5	9.9	60.2	30.7
老衰	18.2	83.1	65.3	56.5	123.9	48.2	107.1	69.1	100.3	71.6
不慮の事故	63.7	92.4	65.3	56.5	85.7	48.2	38.9	59.3	70.2	71.6
交通事故	18.2	0.0	18.7	0.0	28.6	9.6	0.0	0.0	0.0	0.0
自殺	36.4	36.9	46.7	9.4	19.1	9.6	19.5	29.6	10.0	10.2

死亡数(女)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	136	148	155	159	158	140	168	140	149	154
結核	0									

1) 疾患別死亡数・死亡率(志賀町)

死亡数(総数)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	332	338	358	362	374	345	314	343	316	363
結核	0	0	0	0	1	0	0	0	1	1
悪性新生物	91	85	85	86	111	104	73	89	70	82
胃	14	10	15	13	20	15	12	9	12	8
結腸	8	10	8	10	10	7	7	4	4	8
直腸S状結腸移行部	3	3	5	2	2	2	1	4	4	3
肝及び肝内胆管	1	4	3	2	4	2	5	9	4	4
気管、気管支及び肺	22	18	17	17	22	26	13	14	14	19
乳	3	1	2	2	1	4	1	2	0	1
子宮	1	2	2	1	2	1	0	1	1	4
前立腺	1	3	2	3	3	3	1	6	3	0
糖尿病	2	2	4	3	1	3	1	3	2	1
高血圧性疾患	0	1	0	0	1	1	1	0	0	3
心疾患(高血圧性除く)	55	61	48	50	57	45	42	53	52	71
急性心筋梗塞	9	7	9	11	13	11	8	6	8	6
その他虚血性心疾患	4	4	5	3	6	4	3	6	3	14
脳血管疾患	32	29	38	40	33	28	29	22	22	31
くも膜下出血	6	2	6	3	3	2	5	3	4	5
脳内出血	6	12	8	13	13	8	12	5	4	8
脳梗塞	19	15	24	24	16	18	12	13	14	18
肺炎	39	60	76	75	61	58	57	32	30	20
肝疾患	7	6	1	2	4	5	3	1	2	4
腎不全	9	8	12	7	8	6	6	11	3	8
老衰	18	18	19	20	20	13	30	36	41	47
不慮の事故	17	7	13	17	12	10	11	14	16	7
交通事故	1	1	2	3	3	2	4	2	2	1
自殺	5	5	4	6	7	3	1	2	1	5

死亡率(総数)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1496.4	1531.7	1646.7	1692.1	1786.8	1640.1	1545.5	1722.4	1616.7	1905.8
結核	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	5.1	5.3
悪性新生物	410.2	385.2	391.0	402.0	530.3	494.4	359.3	446.9	358.1	430.5
胃	63.1	45.3	69.0	60.8	95.6	71.3	59.1	45.2	61.4	42.0
結腸	36.1	45.3	36.8	46.7	47.8	33.3	34.5	20.1	20.5	42.0
直腸S状結腸移行部	13.5	13.6	23.0	9.3	9.6	9.5	4.9	20.1	20.5	15.8
肝及び肝内胆管	4.5	18.1	13.8	9.3	19.1	9.5	24.6	45.2	20.5	21.0
気管、気管支及び肺	99.2	81.6	78.2	79.5	105.1	123.6	64.0	70.3	71.6	99.8
乳	13.5	4.5	9.2	9.3	4.8	19.0	4.9	10.0	0.0	5.3
子宮	4.5	9.1	9.2	4.7	9.6	4.8	0.0	5.0	5.1	21.0
前立腺	4.5	13.6	9.2	14.0	14.3	14.3	4.9	30.1	15.3	0.0
糖尿病	9.0	9.1	18.4	14.0	4.8	14.3	4.9	15.1	10.2	5.3
高血圧性疾患	0.0	4.5	0.0	0.0	4.8	4.8	4.9	0.0	0.0	15.8
心疾患(高血圧性除く)	247.9	276.4	220.8	233.7	272.3	213.9	206.7	266.1	266.0	372.8
急性心筋梗塞	40.6	31.7	41.4	51.4	62.1	52.3	39.4	30.1	40.9	31.5
その他虚血性心疾患	18.0	18.1	23.0	14.0	28.7	19.0	14.8	30.1	15.3	73.5
脳血管疾患	144.2	131.4	174.8	187.0	157.7	133.1	142.7	110.5	112.6	162.8
くも膜下出血	27.0	9.1	27.6	14.0	14.3	9.5	24.6	15.1	20.5	26.3
脳内出血	27.0	54.4	36.8	60.8	62.1	38.0	59.1	25.1	20.5	42.0
脳梗塞	85.6	68.0	110.4	112.2	76.4	85.6	59.1	65.3	71.6	94.5
肺炎	175.8	271.9	349.6	350.6	291.4	275.7	280.6	160.7	153.5	105.0
肝疾患	31.6	27.2	4.6	9.3	19.1	23.8	14.8	5.0	10.2	21.0
腎不全	40.6	36.3	55.2	32.7	38.2	28.5	29.5	55.2	15.3	42.0
老衰	81.1	81.6	87.4	93.5	95.6	61.8	147.7	180.8	209.8	246.8
不慮の事故	76.6	31.7	59.8	79.5	57.3	47.5	54.1	70.3	81.9	36.8
交通事故	4.5	4.5	9.2	14.0	14.3	9.5	19.7	10.0	10.2	5.3
自殺	22.5	22.7	18.4	28.0	33.4	14.3	4.9	10.0	5.1	26.3

死亡数(男)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	178	180	174	179	200	169	138	167	171	181
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	48	50	55	47	74	60	52	56	46	55
胃	6	6	11	2	16	10	8	3	7	8
結腸	2	5	3	7	6	5	4	3	4	3
直腸S状結腸移行部	3	3	4	2	2	2	1	3	3	2
肝及び肝内胆管	1	1	2	2	3	1	5	6	2	3
気管、気管支及び肺	14	13	11	12	16	19	9	11	11	16
乳	0	0	0	0	0	0	0	0	0	0
子宮	1	2	2	1	2	1	0	1	1	4
前立腺	1	3	2	3	3	3	1	6	3	0
糖尿病	2	2	1	3	0	0	0	2	1	0
高血圧性疾患	0	1	0	0	1	0	0	0	0	2
心疾患(高血圧性除く)	28	35	15	18	26	21	13	18	25	32
急性心筋梗塞	4	6	4	6	8	3	3	2	6	4
その他虚血性心疾患	2	1	3	0	5	4	0	1	1	7
脳血管疾患	12	12	17	18	14	15	11	11	12	20
くも膜下出血	1	2	1	0	0	1	1	1	1	1
脳内出血	2	5	3	5	6	5	7	5	3	4
脳梗塞	8	5	13	13	7	9	3	5	8	15
肺炎	27	31	36	39	31	23	18	16	13	10
肝疾患	6	4	1	2	4	4	2	1	1	1
腎不全	6	4	6	6	1	4	2	6	1	5
老衰	6	2	3	5	6	3	4	6	15	9
不慮の事故	11	5	9	12	9	5	5	9	10	3
交通事故	0	1	2	2	3	1	2	1	1	0
自殺	2	4	4	5	6	3	0	2	1	2

死亡率(男)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1697.2	1730.9	1705.4	1781.3	2029.4	1730.5	1431.7	1771.7	1849.4	2005.3
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	457.7	480.8	539.1	467.7	750.9	614.4	539.5	594.1	497.5	609.4
胃	57.2	57.7	107.8	19.9	162.4	102.4	83.0	31.8	75.7	88.6
結腸	19.1	48.1	29.4	69.7	60.9	51.2	41.5	31.8	43.3	33.2
直腸S状結腸移行部	28.6	28.8	39.2	19.9	20.3	20.5	10.4	31.8	32.4	22.2
肝及び肝内胆管	9.5	9.6	19.6	19.9	30.4	10.2	51.9	63.7	21.6	33.2
気管、気管支及び肺	133.5	125.0	107.8	119.4	162.4	194.6	93.4	116.7	119.0	177.3
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	1	2	2	1	2	1	0	1	1	4
前立腺	9.5	28.8	19.6	29.9	30.4	30.7	10.4	63.7	32.4	0.0
糖尿病	19.1	19.2	9.8	29.9	0.0	0.0	10.4	21.2	10.8	0.0
高血圧性疾患	0.0	9.6	0.0	0.0	10.1	0.0	0.0	0.0	0.0	22.2
心疾患(高血圧性除く)	267.0	336.6	147.0	179.1	263.8	215.0	134.9	191.0	270.4	354.5
急性心筋梗塞	38.1	57.7	39.2	59.7	81.2	30.7	31.1	21.2	64.9	44.3
その他虚血性心疾患	19.1	9.6	29.4	0.0	50.7	41.0	0.0	10.6	10.8	77.6
脳血管疾患	114.4	115.4	166.6	179.1	142.1	153.6	114.1	116.7	129.8	221.6
くも膜下出血	9.5	19.2	9.8	0.0	0.0	10.2	10.4	10.6	10.8	11.1
脳内出血	19.1	48.1	29.4	49.8	60.9	51.2	72.6	53.0	32.4	44.3
脳梗塞	76.3	48.1	127.4	129.4	71.0	92.2	31.1	53.0	86.5	166.2
肺炎	257.4	298.1	352.8	388.1	314.6	235.5	186.7	169.7	140.6	110.8
肝疾患	57.2	38.5	9.8	19.9	40.6	41.0	20.7	10.6	10.8	11.1
腎不全	57.2	38.5	58.8	59.7	10.1	41.0	20.7	63.7	10.8	55.4
老衰	57.2	19.2	29.4	49.8	60.9	30.7	41.5	63.7	162.2	99.7
不慮の事故	104.9	48.1	88.2	119.4	91.3	51.2	51.9	95.5	108.2	33.2
交通事故	0.0	9.6	19.6	19.9	30.4	10.2	20.7	10.6	10.8	0.0
自殺	19.1	38.5	39.2	49.8	60.9	30.7	0.0	21.2	10.8	22.2

死亡数(女)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	154	158	184	183	174	176	176	176	145	182

1) 疾患別死亡数・死亡率(宝達志水町)

死亡数(総数)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	216	179	214	187	214	171	174	210	188	198
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	59	41	56	55	56	42	47	62	61	52
胃	11	7	10	9	9	5	9	11	9	9
結腸	5	1	5	9	3	6	4	5	2	3
直腸S状結腸移行部	2	2	1	3	1	1	2	1	0	1
肝及び肝内胆管	5	9	5	4	8	3	6	10	6	8
気管、気管支及び肺	10	8	7	6	14	12	9	7	15	12
乳	2	0	1	3	2	1	0	1	2	0
子宮	0	0	0	1	1	0	0	0	0	0
前立腺	2	0	0	1	0	1	2	0	2	1
糖尿病	3	1	3	2	2	4	0	3	0	2
高血圧性疾患	2	0	1	1	1	1	1	1	0	1
心疾患(高血圧性除く)	23	25	33	39	25	22	31	29	28	29
急性心筋梗塞	5	6	7	11	9	6	9	3	6	2
その他虚血性心疾患	9	6	8	4	4	5	7	6	6	5
脳血管疾患	29	24	24	16	33	21	15	16	15	20
くも膜下出血	3	1	1	1	4	0	0	0	0	2
脳内出血	7	9	7	4	6	4	4	6	3	4
脳梗塞	18	14	14	11	23	17	10	10	11	13
肺炎	15	19	22	15	19	10	4	7	14	10
肝疾患	2	2	2	3	1	2	1	1	0	2
腎不全	3	1	6	2	3	5	3	1	0	6
老衰	15	10	18	14	31	26	26	21	17	24
不慮の事故	11	10	6	7	7	4	8	10	8	3
交通事故	2	3	1	1	2	1	0	2	0	0
自殺	7	5	5	0	1	1	2	5	0	3

死亡数(男)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	118	97	104	95	108	77	74	100	98	88
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	31	28	34	30	34	26	27	36	41	29
胃	8	4	8	7	5	2	5	5	5	6
結腸	0	1	2	2	3	3	2	4	2	0
直腸S状結腸移行部	1	1	1	2	1	0	2	1	0	0
肝及び肝内胆管	3	6	3	3	3	1	3	6	5	5
気管、気管支及び肺	8	8	5	5	12	10	7	5	12	9
乳	0	0	0	0	0	0	0	0	0	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	2	0	0	1	0	1	2	0	2	1
糖尿病	2	0	0	1	1	0	0	1	0	2
高血圧性疾患	1	0	0	1	0	1	0	0	0	0
心疾患(高血圧性除く)	14	11	16	20	14	10	9	13	19	9
急性心筋梗塞	3	3	4	7	3	4	3	2	4	1
その他虚血性心疾患	6	3	3	1	3	3	3	3	4	3
脳血管疾患	15	14	15	5	13	7	6	11	4	10
くも膜下出血	1	1	1	0	2	0	0	0	0	1
脳内出血	4	5	4	1	4	2	1	4	1	2
脳梗塞	9	8	9	4	7	5	5	7	3	7
肺炎	11	11	10	6	11	4	0	4	7	4
肝疾患	1	1	1	3	0	2	0	1	0	2
腎不全	2	0	1	2	2	1	1	1	0	1
老衰	4	1	4	3	7	7	6	1	2	5
不慮の事故	9	5	3	6	5	0	6	4	7	2
交通事故	2	1	0	1	1	0	0	1	0	0
自殺	3	5	2	0	1	0	2	4	0	2

死亡数(女)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	98	82	110	92	106	94	100	110	90	110
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	28	13	22	25	22	16	20	26	20	23
胃	3	3	2	2	4	3	4	6	4	3
結腸	5	0	3	7	0	3	2	1	0	3
直腸S状結腸移行部	1	1	0	1	0	1	0	0	0	1
肝及び肝内胆管	2	3	2	1	5	2	3	4	1	3
気管、気管支及び肺	2	0	2	1	2	2	2	2	3	3
乳	2	0	1	3	2	1	0	1	2	0
子宮	0	0	0	1	1	0	0	0	0	0
前立腺	0	0	0	0	0	0	0	0	0	0
糖尿病	1	1	2	1	1	4	0	2	0	0
高血圧性疾患	1	0	1	0	1	0	1	1	0	1
心疾患(高血圧性除く)	9	14	17	19	11	12	22	16	9	20
急性心筋梗塞	2	3	3	4	6	2	6	1	2	1
その他虚血性心疾患	3	3	5	3	1	2	4	3	2	2
脳血管疾患	14	10	9	11	20	14	9	5	11	10
くも膜下出血	2	0	0	1	2	0	0	0	0	1
脳内出血	3	4	3	3	2	2	3	2	2	2
脳梗塞	9	6	5	7	16	12	5	3	8	6
肺炎	4	8	12	9	8	6	4	3	7	6
肝疾患	1	1	1	0	1	0	1	0	0	0
腎不全	1	1	5	0	1	4	2	0	0	5
老衰	11	9	14	11	24	19	20	20	15	19
不慮の事故	2	5	3	1	2	4	2	6	1	1
交通事故	0	2	1	0	1	1	0	1	0	0
自殺	4	0	3	0	0	1	0	1	0	1

死亡率(総数)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1503.7	1266.5	1539.7	1368.8	1600.6	1266.4	1331.4	1641.3	1497.5	1603.5
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	410.7	290.1	402.9	402.6	418.8	311.0	359.6	484.6	485.9	421.1
胃	76.6	49.5	71.9	65.9	67.3	37.0	68.9	86.0	71.7	72.9
結腸	34.8	7.1	36.0	65.9	22.4	44.4	30.6	39.1	15.9	24.3
直腸S状結腸移行部	13.9	14.2	7.2	22.0	7.5	7.4	15.3	7.8	0.0	8.1
肝及び肝内胆管	34.8	63.7	36.0	29.3	59.8	22.2	45.9	78.2	47.8	64.8
気管、気管支及び肺	69.6	56.6	50.4	43.9	104.7	88.9	68.9	54.7	119.5	97.2
乳	13.9	0.0	7.2	22.0	15.0	7.4	0.0	7.8	15.9	0.0
子宮	0.0	0.0	0.0	7.3	7.5	0.0	0.0	0.0	0.0	0.0
前立腺	13.9	0.0	0.0	7.3	0.0	7.4	15.3	0.0	15.9	8.1
糖尿病	20.9	7.1	21.6	14.6	15.0	29.6	0.0	23.4	0.0	16.2
高血圧性疾患	13.9	0.0	7.2	7.3	7.5	7.4	7.7	7.8	0.0	8.1
心疾患(高血圧性除く)	160.1	176.9	237.4	285.5	187.0	162.9	237.2	226.7	223.0	234.9
急性心筋梗塞	34.8	42.5	50.4	80.5	67.3	44.4	68.9	23.4	47.8	16.2
その他虚血性心疾患	62.7	42.5	57.6	29.3	29.9	37.0	53.6	46.9	47.8	40.5
脳血管疾患	201.9	169.8	172.7	117.1	246.8	155.5	114.8	125.0	119.5	162.0
くも膜下出血	20.9	7.1	7.2	7.3	29.9	0.0	0.0	0.0	0.0	16.2
脳内出血	48.7	63.7	50.4	29.3	44.9	29.6	30.6	46.9	23.9	32.4
脳梗塞	125.3	99.1	100.7	80.5	172.0	125.9	76.5	78.2	87.6	103.3
肺炎	104.4	134.4	158.3	109.8	142.1	74.1	30.6	54.7	111.5	81.0
肝疾患	13.9	14.2	14.4	22.0	7.5	14.8	7.7	7.8	0.0	16.2
腎不全	20.9	7.1	43.2	14.6	22.4	37.0	23.0	7.8	0.0	48.6
老衰	104.4	70.8	129.5	102.5	231.9	192.5	198.9	164.1	135.4	194.4
不慮の事故	76.6	70.8	43.2	51.2	52.4	29.6	61.2	78.2	63.7	24.3
交通事故	13.9	21.2	7.2	7.3	15.0	7.4	0.0	15.6	0.0	0.0
自殺	48.7	35.4	36.0	0.0	7.5	7.4	15.3	39.1	0.0	24.3

死亡率(男)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1751.0	1461.7	1591.4	1485.1	1722.5	1236.9	1193.2	1648.5	1651.8	1510.7
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	460.0	421.9	520.3	469.0	542.3	417.7	435.3	593.5	691.1	497.9
胃	118.7	60.3	122.4	109.4	79.7	32.1	80.6	82.4	84.3	103.0
結腸	0.0	15.1	30.6	31.3	47.8	48.2	32.2	65.9	33.7	0.0
直腸S状結腸移行部	14.8	15.1	15.3	31.3	15.9	0.0	32.2	16.5	0.0	0.0
肝及び肝内胆管	44.5	90.4	45.9	46.9	47.8	16.1	48.4	98.9	84.3	85.8
気管、気管支及び肺	118.7	120.6	76.5	78.2	191.4	160.6	112.9	82.4	202.3	154.5
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	29.7	0.0	0.0	15.6	0.0	16.1	32.2	0.0	33.7	17.2
糖尿病	29.7	0.0	0.0	15.6	15.9	0.0	0.0	16.5	0.0	34.3
高血圧性疾患	14.8	0.0	0.0	15.6	0.0	16.1	0.0	0.0	0.0	0.0
心疾患(高血圧性除く)	207.7	165.8	244.8	312.6	223.3	160.6	145.1	214.3	320.2	154.5
急性心筋梗塞	44.5	45.2	61.2	109.4	47.8	64.3	48.4	33.0	67.4	17.2
その他虚血性心疾患	89.0	45.2	45.9	15.6	47.8	48.2	48.4	49.5	67.4	51.5
脳血管疾患	222.6	211.0	229.5	78.2	207.3	112.4	96.7	181.3	67.4	171.7
くも膜下出血	14.8	15.1	15.3	0.0	31.9	0.0	0.0	0.0	0.0	17.2
脳内出血	59.4	75.3	61.2	15.6	63.8	32.1	16.1	65.9	16.9	34.3
脳梗塞	133.6	120.6	137.7	62.5	111.6	80.3	80.6	115.4	50.6	120.2
肺炎	163.2	165.8	153.0	93.8	175.4	64.3	0.0	65.9	118.0	68.7
肝疾患	14.8	15.1	15.3	46.9	0.0	32.1	0.0	16.5	0.0	34.3
腎不全	29.7	0.0	15.3	31.3						

1) 疾患別死亡数・死亡率(中能登町)

死亡数(総数)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	236	224	252	285	237	259	237	277	238	235
結核	0	0	0	0	0	1	1	0	0	0
悪性新生物	66	65	69	81	52	63	49	76	64	68
胃	6	15	10	17	11	18	16	7	10	11
結腸	5	2	5	8	4	7	1	7	6	5
直腸S状結腸移行部	1	3	3	1	1	5	1	4	2	3
肝及び肝内胆管	9	4	7	7	2	2	5	2	3	2
気管、気管支及び肺	14	10	10	12	12	7	7	13	10	15
乳	3	7	1	6	1	3	2	0	0	4
子宮	3	0	3	2	2	1	2	5	1	1
前立腺	1	0	3	2	3	0	0	2	2	2
糖尿病	6	3	1	6	0	5	2	4	2	5
高血圧性疾患	1	0	3	0	3	1	3	0	5	1
心疾患(高血圧性除く)	43	46	52	55	43	49	44	43	30	29
急性心筋梗塞	7	10	1	8	6	4	4	5	3	1
その他虚血性心疾患	10	9	11	7	5	10	3	7	1	5
脳血管疾患	39	23	29	30	41	24	23	30	31	26
くも膜下出血	3	5	4	4	1	3	0	1	6	4
脳内出血	10	5	7	4	12	7	6	7	7	7
脳梗塞	26	13	18	20	27	14	17	21	17	13
肺炎	17	12	17	19	21	17	24	21	11	8
肝疾患	4	5	2	3	3	3	4	3	5	5
腎不全	2	1	2	7	3	1	3	4	3	4
老衰	6	14	22	16	17	29	24	25	22	19
不慮の事故	10	9	9	12	9	12	9	7	7	14
交通事故	1	2	1	1	3	1	2	1	1	2
自殺	2	4	3	3	3	6	5	1	5	2

死亡率(総数)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1281.1	1220.2	1387.0	1582.9	1328.4	1437.2	1358.4	1616.8	1405.5	1404.5
結核	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.0	0.0	0.0
悪性新生物	358.3	354.1	379.8	449.9	291.5	349.6	280.9	443.6	377.9	406.4
胃	32.6	81.7	55.0	94.4	61.7	99.9	91.7	40.9	59.1	65.7
結腸	27.1	10.9	27.5	44.4	22.4	38.8	5.7	40.9	35.4	29.9
直腸S状結腸移行部	5.4	16.3	16.5	5.6	5.6	27.7	5.7	23.3	11.8	17.9
肝及び肝内胆管	48.9	21.8	38.5	38.9	11.2	11.1	28.7	11.7	17.7	12.0
気管、気管支及び肺	76.0	54.5	55.0	66.6	67.3	38.8	40.1	75.9	59.1	89.6
乳	16.3	38.1	5.5	33.3	5.6	16.6	11.5	0.0	0.0	23.9
子宮	16.3	0.0	16.5	11.1	11.2	5.5	11.5	29.2	5.9	6.0
前立腺	5.4	0.0	16.5	11.1	16.8	0.0	0.0	11.7	11.8	12.0
糖尿病	32.6	16.3	5.5	33.3	0.0	27.7	11.5	23.3	11.8	29.9
高血圧性疾患	5.4	0.0	16.5	0.0	16.8	5.5	17.2	0.0	29.5	6.0
心疾患(高血圧性除く)	233.4	250.6	286.2	305.5	241.0	271.9	252.2	251.0	177.2	173.3
急性心筋梗塞	38.0	54.5	5.5	44.3	33.6	22.2	22.9	29.2	17.7	6.0
その他虚血性心疾患	54.3	49.0	60.5	38.9	28.0	55.5	17.2	40.9	5.9	29.9
脳血管疾患	211.7	125.3	159.6	166.6	229.8	133.2	131.8	175.1	183.1	155.4
くも膜下出血	16.3	27.2	22.0	22.2	5.6	16.6	0.0	5.8	35.4	23.9
脳内出血	54.3	27.2	38.5	22.2	67.3	38.8	34.4	40.9	41.3	41.8
脳梗塞	141.1	70.8	99.1	111.1	151.3	77.7	97.4	122.6	100.4	77.7
肺炎	92.3	65.4	93.6	105.5	117.7	94.3	137.6	122.6	65.0	47.8
肝疾患	21.7	27.2	27.5	11.1	16.8	16.6	17.2	23.3	17.7	29.9
腎不全	10.9	5.4	11.0	38.9	16.8	5.5	17.2	23.3	17.7	23.9
老衰	32.6	76.3	121.1	88.9	95.3	160.9	137.6	145.9	129.9	113.6
不慮の事故	54.3	49.0	49.5	66.6	50.4	66.6	51.6	40.9	41.3	83.7
交通事故	5.4	10.9	5.5	5.6	16.8	5.5	11.5	5.8	5.9	12.0
自殺	10.9	21.8	16.5	16.7	16.8	33.3	28.7	5.8	29.5	12.0

死亡数(男)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	113	114	139	153	129	123	108	143	117	123
結核	0	0	0	0	0	1	1	0	0	0
悪性新生物	31	34	44	51	41	36	28	42	28	41
胃	1	7	8	13	9	13	9	4	4	6
結腸	1	1	2	6	3	3	0	2	3	2
直腸S状結腸移行部	1	3	2	0	0	2	1	4	1	3
肝及び肝内胆管	3	3	5	3	2	2	3	1	0	2
気管、気管支及び肺	12	8	8	9	11	6	7	10	6	10
乳	0	0	0	0	0	0	0	0	0	0
子宮	3	0	3	2	2	1	2	5	1	1
前立腺	1	0	0	2	3	0	0	2	2	2
糖尿病	2	2	3	4	0	2	0	2	1	2
高血圧性疾患	0	0	0	0	1	0	2	0	3	0
心疾患(高血圧性除く)	16	25	25	27	20	20	16	21	13	18
急性心筋梗塞	2	4	0	3	3	1	1	4	1	1
その他虚血性心疾患	3	5	8	4	3	5	2	4	0	5
脳血管疾患	21	10	16	13	20	13	12	18	13	11
くも膜下出血	0	2	2	1	1	1	0	0	2	0
脳内出血	4	1	4	1	9	4	3	5	1	4
脳梗塞	17	7	10	9	9	8	9	13	9	7
肺炎	12	5	7	11	15	9	11	13	8	3
肝疾患	1	3	4	2	2	2	1	3	2	3
腎不全	1	0	2	0	2	0	1	3	1	1
老衰	1	3	7	5	2	8	5	7	5	4
不慮の事故	6	7	8	7	7	4	6	5	3	9
交通事故	1	2	1	0	3	0	0	1	0	2
自殺	2	3	3	3	2	5	3	1	4	2

死亡率(男)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1282.8	1300.2	1603.4	1783.8	1514.1	1446.4	1283.7	1732.3	1434.9	1528.1
結核	0.0	0.0	0.0	0.0	0.0	11.8	11.9	0.0	0.0	0.0
悪性新生物	351.9	387.8	507.6	594.6	481.2	423.3	332.8	508.8	343.4	509.4
胃	11.4	79.8	92.3	151.6	105.6	152.9	107.0	48.5	49.1	74.5
結腸	11.4	11.4	23.1	70.0	35.2	35.3	0.0	24.2	36.8	24.8
直腸S状結腸移行部	11.4	34.2	23.1	0.0	0.0	23.5	11.9	48.5	12.3	37.3
肝及び肝内胆管	34.1	34.2	57.7	35.0	23.5	23.5	35.7	12.1	0.0	24.8
気管、気管支及び肺	136.2	91.2	92.3	104.9	129.1	70.6	83.2	121.1	73.6	124.2
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	31.2	0.0	31.6	21.2	21.5	10.8	22.1	56.3	11.4	11.5
前立腺	11.4	0.0	0.0	23.3	35.2	0.0	0.0	24.2	24.5	24.8
糖尿病	22.7	22.8	34.6	46.6	0.0	23.5	0.0	24.2	12.3	24.8
高血圧性疾患	0.0	0.0	0.0	0.0	11.7	0.0	23.8	0.0	36.8	0.0
心疾患(高血圧性除く)	181.6	285.1	288.4	314.8	234.7	235.2	190.2	254.4	159.4	223.6
急性心筋梗塞	22.7	45.6	0.0	35.0	35.2	11.8	11.9	48.5	12.3	12.4
その他虚血性心疾患	34.1	57.0	92.3	46.6	35.2	58.8	23.8	48.5	0.0	62.1
脳血管疾患	238.4	114.1	184.6	151.6	234.7	152.9	142.6	218.0	159.4	136.7
くも膜下出血	0.0	22.8	23.1	11.7	11.7	11.8	0.0	0.0	24.5	0.0
脳内出血	45.4	11.4	46.1	11.7	105.6	47.0	35.7	60.6	12.3	49.7
脳梗塞	193.0	79.8	115.4	104.9	105.6	94.1	107.0	157.5	110.4	87.0
肺炎	136.2	57.0	80.7	128.2	176.1	105.8	130.8	157.5	98.1	37.3
肝疾患	11.4	34.2	46.1	23.3	23.5	23.5	11.9	36.3	24.5	37.3
腎不全	11.4	0.0	23.1	0.0	23.5	0.0	11.9	36.3	12.3	12.4
老衰	11.4	34.2	80.7	58.3	23.5	94.1	59.4	84.8	61.3	49.7
不慮の事故	68.1	79.8	92.3	81.6	82.2	47.0	71.3	60.6	36.8	111.8
交通事故	11.4	22.8	11.5	0.0	35.2	0.0	0.0	12.1	0.0	24.8
自殺	22.7	34.2	34.6	35.0	23.5	58.8	35.7	12.1	49.1	24.8

死亡数(女)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	123	110	113	132	108	136	129	134	121	112

1) 疾患別死亡数・死亡率(管内)

死亡数(総数)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1,834	1,796	1,912	1,959	1,928	1,912	1,901	1,913	1,883	1,910
結核	2	2	1	1	2	2	1	1	3	4
悪性新生物	529	488	520	538	507	516	494	519	504	494
胃	94	85	84	90	97	82	90	78	66	67
結腸	44	43	52	49	34	39	33	45	46	43
直腸S状結腸移行部	18	25	25	19	16	21	18	18	21	23
肝及び肝内胆管	43	37	37	44	35	30	32	36	35	34
気管、気管支及び肺	97	98	92	95	92	103	103	96	101	105
乳	13	15	11	16	9	19	8	11	13	14
子宮	10	7	6	11	12	9	8	8	12	9
前立腺	11	3	15	13	12	15	8	17	12	9
糖尿病	20	16	27	24	15	19	12	19	13	24
高血圧性疾患	8	6	8	7	9	13	11	5	20	14
心疾患(高血圧性除く)	270	284	304	303	315	281	319	286	300	313
急性心筋梗塞	51	46	41	57	62	49	54	33	42	36
その他虚血性心疾患	45	43	57	37	35	44	38	34	33	49
脳血管疾患	224	203	200	212	223	205	195	186	164	196
<も膜下出血	31	21	22	19	18	22	26	14	24	30
脳内出血	46	45	44	48	55	51	49	48	38	46
脳梗塞	141	134	132	141	146	129	115	117	99	117
肺炎	173	205	191	201	207	198	192	146	127	87
肝疾患	30	26	20	17	15	21	13	17	14	17
腎不全	37	28	45	37	36	32	32	34	27	32
老衰	96	105	163	147	169	152	179	180	188	189
不慮の事故	70	74	81	83	73	77	78	80	66	69
交通事故	10	14	10	12	18	12	12	8	4	6
自殺	29	36	34	22	21	21	24	20	17	25

死亡数(男)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	960	934	952	975	963	927	879	978	932	935
結核	1	2	0	1	1	2	1	0	0	1
悪性新生物	294	289	311	317	310	292	285	320	282	286
胃	52	51	62	52	66	54	52	48	37	45
結腸	15	22	22	28	20	16	15	22	24	17
直腸S状結腸移行部	10	16	15	11	9	10	15	14	14	12
肝及び肝内胆管	27	23	28	28	18	18	22	23	23	21
気管、気管支及び肺	68	76	64	74	71	72	76	73	71	79
乳	0	0	0	0	0	0	0	0	1	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	11	9	15	13	12	15	8	17	12	9
糖尿病	15	9	12	15	7	6	7	11	6	14
高血圧性疾患	3	3	2	4	3	5	3	1	8	4
心疾患(高血圧性除く)	129	133	130	126	152	117	117	127	135	140
急性心筋梗塞	27	27	18	26	31	24	24	20	25	22
その他虚血性心疾患	24	16	33	16	19	23	19	14	17	28
脳血管疾患	100	99	94	97	98	93	79	105	80	91
<も膜下出血	9	12	8	6	7	6	10	4	8	9
脳内出血	24	18	24	22	31	28	22	33	21	22
脳梗塞	63	68	61	66	57	57	44	64	49	60
肺炎	105	107	97	100	115	97	90	82	69	45
肝疾患	18	17	14	12	8	16	7	10	9	9
腎不全	22	12	17	17	15	13	14	20	11	15
老衰	24	21	41	33	39	43	40	41	53	41
不慮の事故	45	39	55	48	42	37	44	46	41	43
交通事故	7	5	8	6	13	6	6	4	1	2
自殺	19	28	22	19	17	16	18	16	15	16

死亡数(女)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	874	862	960	984	965	985	1,022	935	951	975
結核	1	0	1	0	1	0	0	1	3	3
悪性新生物	235	199	209	221	197	224	209	199	222	208
胃	42	34	22	38	31	28	38	30	29	22
結腸	29	21	30	21	14	23	18	23	22	26
直腸S状結腸移行部	8	9	10	8	7	11	3	4	7	11
肝及び肝内胆管	16	14	9	16	17	12	10	13	12	13
気管、気管支及び肺	29	22	28	21	21	31	27	23	30	26
乳	13	15	11	16	9	19	8	11	12	14
子宮	10	7	6	11	12	9	8	8	12	9
前立腺	0	0	0	0	0	0	0	0	0	0
糖尿病	5	7	15	9	8	13	5	8	7	10
高血圧性疾患	5	3	6	3	6	8	8	4	12	10
心疾患(高血圧性除く)	141	151	174	177	163	164	202	159	165	173
急性心筋梗塞	24	19	23	31	31	25	30	13	17	14
その他虚血性心疾患	21	27	24	21	16	21	19	20	16	21
脳血管疾患	124	104	106	115	125	112	116	81	84	105
<も膜下出血	22	9	14	13	11	16	16	10	16	21
脳内出血	22	27	20	26	24	23	27	15	17	24
脳梗塞	78	66	71	75	89	72	71	53	50	57
肺炎	68	98	94	101	92	101	102	64	58	42
肝疾患	12	9	6	5	7	5	6	7	5	8
腎不全	15	16	28	20	21	19	18	14	16	17
老衰	72	84	122	114	130	109	139	139	135	148
不慮の事故	25	35	26	35	31	40	34	34	25	26
交通事故	3	9	2	6	5	6	6	4	3	4
自殺	10	8	12	3	4	5	6	4	2	9

死亡率(総数)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1343.5	1331.0	1436.1	1490.2	1488.8	1465.5	1492.2	1526.8	1528.6	1577.8
結核	1.5	1.5	0.8	0.8	1.5	1.5	0.8	0.8	2.4	3.3
悪性新生物	387.5	361.7	390.6	409.3	391.5	395.5	387.8	414.2	409.1	408.1
胃	68.9	63.0	63.1	68.5	74.9	62.9	70.6	62.3	53.6	55.3
結腸	32.2	31.9	39.1	37.3	26.3	29.9	25.9	35.9	37.3	35.5
直腸S状結腸移行部	13.2	18.5	18.8	14.5	12.4	16.1	14.1	14.4	17.0	19.0
肝及び肝内胆管	31.5	27.4	27.8	33.5	27.0	23.0	25.1	28.7	28.4	28.1
気管、気管支及び肺	71.1	72.6	69.1	72.3	71.0	78.9	80.8	76.6	82.0	86.7
乳	9.5	11.1	8.3	12.2	6.9	14.6	6.3	8.8	10.6	11.6
子宮	7.3	5.2	4.5	8.4	9.3	6.9	6.3	6.4	9.7	7.4
前立腺	8.1	2.2	11.3	9.9	9.3	11.5	6.3	13.6	9.7	7.4
糖尿病	14.7	11.9	20.3	18.3	11.6	14.6	9.4	15.2	10.6	19.8
高血圧性疾患	5.9	4.4	6.0	5.3	6.9	10.0	8.6	4.0	16.2	11.6
心疾患(高血圧性除く)	197.8	210.5	228.3	230.5	243.2	215.4	250.4	228.3	243.5	258.7
急性心筋梗塞	37.4	34.1	30.8	43.4	47.9	37.6	42.4	26.3	34.1	29.7
その他虚血性心疾患	33.0	31.9	42.8	28.1	27.0	33.7	29.8	27.1	26.8	40.5
脳血管疾患	164.1	150.4	150.2	161.3	172.2	157.1	153.1	148.5	133.1	161.9
<も膜下出血	22.7	15.6	16.5	14.5	13.9	16.9	20.4	11.2	19.5	24.8
脳内出血	33.7	33.3	33.0	36.5	42.5	39.1	38.5	38.3	30.8	38.0
脳梗塞	103.3	99.3	99.1	107.3	112.7	98.9	90.3	93.4	80.4	96.7
肺炎	126.7	151.9	143.5	152.9	159.8	151.8	150.7	116.5	103.1	71.9
肝疾患	22.0	19.3	15.0	12.9	11.6	16.1	10.2	13.6	11.4	14.0
腎不全	27.1	20.8	33.8	28.1	27.8	24.5	25.1	27.1	21.9	26.4
老衰	70.3	77.8	122.4	111.8	130.5	116.5	140.5	143.7	152.6	156.1
不慮の事故	51.3	54.8	60.8	63.1	56.4	59.0	61.2	63.9	53.6	57.0
交通事故	7.3	10.4	7.5	9.1	13.9	9.2	9.4	6.4	3.2	5.0
自殺	21.2	26.7	25.5	16.7	16.2	16.1	18.8	16.0	13.8	20.7

死亡率(男)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1493.3	1466.0	1514.8	1571.5	1574.1	1526.2	1448.7	1644.7	1594.5	1626.6
結核	1.6	3.1	0.0	1.6	1.6	3.3	1.6	0.0	0.0	1.7
悪性新生物	457.3	453.6	494.8							

1) 疾患別死亡数・死亡率(石川県)

死亡数(総数)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	11,246	11,607	11,962	12,223	12,223	12,190	12,280	12,422	12,727	12,723
結核	19	19	15	9	15	11	14	14	13	15
悪性新生物	3,391	3,349	3,454	3,485	3,416	3,535	3,483	3,517	3,577	3,530
胃	525	520	504	506	519	480	487	452	436	461
結腸	275	301	295	300	305	306	311	337	347	317
直腸S状結腸移行部	110	121	145	130	141	130	115	135	130	157
肝及び肝内胆管	286	275	264	259	267	264	257	274	224	190
気管、気管支及び肺	693	705	659	696	696	698	719	706	721	709
乳	120	116	99	122	110	122	126	124	134	147
子宮	50	31	50	52	54	57	62	54	57	63
前立腺	75	67	95	94	88	85	82	86	93	105
糖尿病	141	127	133	130	121	113	104	112	111	134
高血圧性疾患	51	45	52	54	47	64	45	60	89	93
心疾患(高血圧性除く)	1,752	1,818	1,918	1,948	1,934	1,855	1,885	1,891	1,994	2,039
急性心筋梗塞	435	412	439	436	404	379	360	361	331	346
その他虚血性心疾患	244	247	272	271	235	227	247	225	229	259
脳血管疾患	1,206	1,245	1,229	1,278	1,296	1,190	1,132	1,139	1,108	1,135
くも膜下出血	155	129	124	118	129	108	112	123	136	137
脳内出血	275	256	295	299	309	280	281	286	274	300
脳梗塞	746	824	788	821	831	777	721	704	663	681
肺炎	1,132	1,262	1,324	1,246	1,251	1,172	1,233	1,112	929	772
肝疾患	137	124	125	124	132	114	138	121	161	139
腎不全	213	200	228	221	191	187	205	204	218	243
老衰	436	465	530	638	742	721	801	890	963	1,049
不慮の事故	416	491	465	431	405	452	436	449	404	410
交通事故	74	88	69	69	77	71	62	70	44	38
自殺	254	261	261	241	204	180	209	177	189	146

死亡率(総数)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	973.5	1001.8	1035.2	1060.7	1064.2	1055.0	1072.8	1091.0	1122.5	1128.2
結核	1.6	1.6	1.3	0.8	1.3	1.0	1.2	1.2	1.1	1.3
悪性新生物	293.5	289.1	298.9	302.4	297.4	305.9	304.3	308.9	315.5	313.0
胃	45.4	44.9	43.6	43.9	45.2	41.5	42.5	39.7	38.5	40.9
結腸	23.8	26.0	25.5	26.0	26.6	26.5	27.2	29.6	30.6	28.1
直腸S状結腸移行部	9.5	10.4	12.5	11.3	12.3	11.3	10.0	11.9	11.5	13.9
肝及び肝内胆管	24.8	23.7	22.8	22.5	23.2	22.8	22.5	24.1	19.8	16.8
気管、気管支及び肺	60.0	60.9	57.0	60.4	60.6	60.4	62.8	62.0	63.6	62.9
乳	10.4	10.0	8.6	10.6	9.6	10.6	11.0	10.9	11.8	13.0
子宮	4.3	2.7	4.3	4.5	4.7	4.9	5.4	4.7	5.0	5.6
前立腺	6.5	5.8	8.2	8.2	7.7	7.4	7.2	7.6	8.2	9.3
糖尿病	12.2	11.0	11.5	11.3	10.5	9.8	9.1	9.8	9.8	11.9
高血圧性疾患	4.4	3.9	4.5	4.7	4.1	5.5	3.9	5.3	7.8	8.2
心疾患(高血圧性除く)	151.7	156.9	166.0	169.0	168.4	160.5	164.7	166.1	175.9	180.8
急性心筋梗塞	37.7	35.6	38.0	37.8	35.2	32.8	31.5	31.7	29.2	30.7
その他虚血性心疾患	21.1	21.3	23.5	23.5	20.5	19.6	21.6	19.8	20.2	23.0
脳血管疾患	104.4	107.5	106.4	110.9	112.8	103.0	98.9	100.0	97.7	100.6
くも膜下出血	13.4	11.1	10.7	10.2	11.2	9.3	9.8	10.8	12.0	12.1
脳内出血	23.8	22.1	25.5	25.9	26.9	24.2	24.5	25.1	24.2	26.6
脳梗塞	64.6	71.1	68.2	71.2	72.3	67.2	63.0	61.8	58.5	60.4
肺炎	98.0	108.9	114.6	108.1	108.9	101.4	107.7	97.7	81.9	68.5
肝疾患	11.9	10.7	10.8	10.8	11.5	9.9	12.1	10.6	14.2	12.3
腎不全	18.4	17.3	19.7	19.2	16.6	16.2	17.9	17.9	19.2	21.5
老衰	37.7	40.1	45.9	55.4	64.6	62.4	70.0	78.2	84.9	93.0
不慮の事故	36.0	42.4	40.2	37.4	35.3	39.1	38.1	39.4	35.6	36.4
交通事故	6.4	7.6	6.0	6.0	6.7	6.1	5.4	6.1	3.9	3.4
自殺	22.0	22.5	22.6	20.9	17.8	15.6	18.3	15.5	16.7	12.9

死亡数(男)

資料: 衛生統計年報

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	5,843	6,030	6,074	6,203	6,104	6,138	6,047	6,202	6,317	6,256
結核	10	12	7	6	8	7	9	9	6	5
悪性新生物	1,965	1,997	1,983	2,043	1,958	2,045	1,996	2,076	2,001	1,994
胃	332	329	325	300	327	306	296	290	251	287
結腸	124	146	135	157	145	146	131	150	173	139
直腸S状結腸移行部	62	70	89	92	83	72	74	96	90	100
肝及び肝内胆管	183	187	179	164	161	167	165	163	141	124
気管、気管支及び肺	503	515	473	512	496	511	521	520	518	490
乳	1	0	0	1	0	1	0	2	2	1
子宮	1	1	1	1	1	1	1	1	1	1
前立腺	75	67	95	94	88	85	82	86	93	105
糖尿病	78	61	69	64	61	48	58	62	63	81
高血圧性疾患	16	15	17	19	14	25	18	20	32	39
心疾患(高血圧性除く)	801	805	832	877	879	798	801	820	884	878
急性心筋梗塞	229	213	232	251	217	191	199	215	171	189
その他虚血性心疾患	120	114	138	145	123	129	122	101	123	148
脳血管疾患	570	614	580	583	575	541	498	551	493	545
くも膜下出血	51	53	49	39	54	46	33	43	48	47
脳内出血	155	135	157	149	161	154	148	139	163	163
脳梗塞	345	409	363	380	346	327	312	346	291	327
肺炎	625	665	692	669	696	647	667	613	526	428
肝疾患	80	81	82	67	83	71	80	75	101	80
腎不全	92	80	88	105	82	87	74	106	95	117
老衰	87	120	122	148	161	170	169	178	250	248
不慮の事故	254	266	271	244	237	261	257	260	236	230
交通事故	52	45	42	38	53	44	40	41	26	22
自殺	179	195	186	165	145	133	157	127	136	97

死亡率(男)人口10万対

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
死亡総数	1048.2	1077.6	1087.9	1113.6	1098.4	1097.2	1091.2	1125.2	1149.9	1143.9
結核	1.8	2.1	1.3	1.1	1.4	1.3	1.6	1.6	1.1	0.9
悪性新生物	352.5	356.9	355.2	366.8	352.4	365.5	360.2	376.6	364.3	364.6
胃	59.6	58.8	58.2	53.9	58.8	54.7	53.4	52.6	45.7	52.5
結腸	22.2	26.1	24.2	28.2	26.1	26.1	23.6	27.2	31.5	25.4
直腸S状結腸移行部	11.1	12.5	15.9	16.5	14.9	12.9	13.4	17.4	16.4	18.3
肝及び肝内胆管	32.8	33.4	32.1	29.4	29.0	29.9	29.8	29.6	25.7	22.7
気管、気管支及び肺	90.2	92.0	84.7	91.9	89.3	91.3	94.0	94.3	94.3	89.6
乳	0.2	0.0	0.0	0.2	0.0	0.2	0.0	0.4	0.4	0.2
子宮	1	1	1	1	1	1	1	1	1	1
前立腺	13.5	12.0	17.0	16.9	15.8	15.2	14.8	15.6	16.9	19.2
糖尿病	14.0	10.9	12.4	11.5	11.0	8.6	10.5	11.2	11.5	14.8
高血圧性疾患	2.9	2.7	3.0	3.4	2.5	4.5	3.2	3.6	5.8	7.1
心疾患(高血圧性除く)	143.7	143.9	149.0	157.4	158.2	142.6	144.5	148.8	160.9	160.5
急性心筋梗塞	41.1	38.1	41.6	45.1	39.1	34.1	35.9	39.0	31.1	34.6
その他虚血性心疾患	21.5	20.4	24.7	26.0	22.1	23.1	22.0	18.3	22.4	27.1
脳血管疾患	102.3	109.7	103.9	104.7	103.5	96.7	89.9	100.0	89.7	99.7
くも膜下出血	9.1	9.5	8.8	7.0	9.7	8.2	6.0	7.8	8.7	8.6
脳内出血	27.8	24.1	28.1	26.7	29.0	27.5	26.2	26.9	25.3	29.8
脳梗塞	61.9	73.1	65.0	68.2	62.3	58.5	56.3	62.8	53.0	59.8
肺炎	112.1	118.8	123.9	120.1	125.2	115.7	120.4	111.2	95.8	78.3
肝疾患	14.4	14.5	14.7	12.0	14.9	12.7	14.4	13.6	18.4	14.6
腎不全	16.5	14.3	15.8	18.8	14.8	15.6	13.4	19.2	17.3</	

死亡率の分母に用いた人口、日本人人口(推計)

資料:衛生統計年報

総数

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
七尾市	58,180	57,440	56,612	55,917	55,123	55,582	54,905	54,079	53,111	52,276
羽咋市	23,354	22,939	22,716	22,478	22,239	22,324	21,662	21,372	21,043	20,649
志賀町	22,186	22,067	21,741	21,393	20,931	21,035	20,317	19,914	19,546	19,047
宝達志水町	14,365	14,133	13,899	13,662	13,370	13,503	13,069	12,795	12,554	12,348
中能登町	18,422	18,357	18,169	18,005	17,841	18,021	17,447	17,133	16,934	16,732
管内	136,507	134,936	133,137	131,455	129,504	130,465	127,400	125,293	123,188	121,052
石川県	1,155,239	1,158,573	1,155,540	1,152,352	1,148,598	1,155,450	1,144,626	1,138,540	1,133,851	1,127,759

男

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
七尾市	27,269	27,080	26,729	26,394	26,036	25,865	26,145	25,592	25,151	24,808
羽咋市	10,983	10,827	10,712	10,624	10,496	10,380	10,275	10,123	9,967	9,773
志賀町	10,488	10,399	10,203	10,049	9,855	9,766	9,639	9,426	9,246	9,026
宝達志水町	6,739	6,636	6,535	6,397	6,270	6,225	6,202	6,066	5,933	5,825
中能登町	8,809	8,768	8,669	8,577	8,520	8,504	8,413	8,255	8,154	8,049
管内	64,288	63,710	62,848	62,041	61,177	60,740	60,674	59,462	58,451	57,481
石川県	557,447	559,554	558,345	557,036	555,694	559,440	554,168	551,207	549,335	546,891

女

	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30
七尾市	30,911	30,360	29,883	29,523	29,087	28,851	28,760	28,487	27,960	27,468
羽咋市	12,371	12,112	12,004	11,854	11,743	11,636	11,387	11,249	11,076	10,876
志賀町	11,698	11,668	11,538	11,344	11,076	10,934	10,678	10,488	10,300	10,021
宝達志水町	7,626	7,497	7,364	7,265	7,100	7,022	6,867	6,729	6,621	6,523
中能登町	9,613	9,589	9,500	9,428	9,321	9,244	9,034	8,878	8,780	8,683
管内	72,219	71,226	70,289	69,414	68,327	67,687	66,726	65,831	64,737	63,571
石川県	597,792	599,019	597,195	595,316	592,904	596,010	590,458	587,333	584,516	580,868

2)年齢調整死亡率

選択死因の市町別年齢調整死亡率(人口10万対:直接法)(平成30年)

資料:衛生統計年報

(総数)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	348.2	0.5	118.9	14.3	6.7	32.6	6.4	2.6	53.4	29.7	4.4	8.9	4.1	0.2	2.5	3.9	12.3	17.2	0.8	19.0
羽咋市	337.3	0.0	119.6	23.1	5.7	15.0	6.2	0.0	35.9	35.9	0.8	14.9	4.0	1.3	6.9	3.7	18.3	15.1	0.0	7.5
志賀町	331.2	0.4	108.2	10.9	3.6	20.3	0.4	2.8	67.6	32.8	4.9	10.6	2.4	0.0	4.8	5.8	22.0	6.3	0.4	11.9
宝達志水町	264.0	0.0	88.6	8.7	19.2	16.9	5.8	0.8	31.2	29.6	0.8	12.8	1.5	0.0	2.5	4.5	18.2	2.3	0.0	10.9
中能登町	342.6	0.0	123.5	11.6	7.1	29.3	7.4	0.6	57.2	32.2	5.6	4.7	3.0	0.0	6.9	3.0	13.2	29.5	10.7	7.9
管内	334.5	0.3	114.4	14.2	7.3	25.6	5.4	1.7	51.2	31.7	3.7	10.1	3.4	0.3	4.3	4.2	15.8	15.2	1.9	13.7
石川県	325.6	0.2	112.6	13.3	5.9	22.5	3.7	2.1	45.9	27.3	4.3	14.4	3.5	0.3	5.2	5.3	13.6	12.9	1.7	10.7

*人口は、各年次の10月1日現在。

(男)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	472.6	0.6	155.1	22.8	10.8	54.9	10.9	3.0	72.7	35.2	5.9	15.0	8.3	0.0	4.3	5.1	10.4	24.1	0.0	30.3
羽咋市	494.0	0.0	161.7	36.0	7.0	23.3	13.0	0.0	44.8	52.3	1.5	23.8	13.1	0.0	12.9	7.6	13.1	29.1	0.0	9.2
志賀町	472.8	0.0	154.4	24.3	7.5	41.9	0.0	5.4	103.5	56.1	3.7	17.0	2.9	0.0	3.2	10.6	14.7	5.9	0.0	12.6
宝達志水町	372.5	0.0	121.7	19.9	26.8	33.4	13.1	0.0	32.8	50.6	0.0	15.3	5.5	0.0	7.2	2.8	13.8	5.5	0.0	21.7
中能登町	499.7	0.0	170.8	18.3	14.6	36.3	9.7	0.0	104.2	41.3	10.1	6.3	7.2	0.0	10.2	2.1	8.4	44.7	21.4	15.7
管内	471.1	0.3	154.8	24.1	11.7	42.8	9.4	2.3	73.7	44.4	4.8	15.7	7.7	0.0	6.7	5.8	11.8	22.8	3.2	21.2
石川県	440.9	0.2	149.0	20.6	9.2	36.5	6.3	2.9	60.7	37.6	6.3	23.9	7.3	0.5	7.5	7.7	10.9	18.9	2.5	14.8

*人口は、各年次の10月1日現在。

(女)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	246.5	0.5	90.7	7.6	2.7	14.4	2.3	1.7	38.3	24.3	2.9	4.6	1.4	0.2	0.5	3.3	13.2	13.3	1.2	7.6
羽咋市	220.8	0.0	86.6	12.1	5.2	9.4	0.0	0.0	29.5	24.8	0.6	11.5	0.0	2.4	0.6	0.6	20.4	2.9	0.0	5.8
志賀町	224.5	0.6	78.8	0.0	0.6	4.0	0.6	0.6	33.4	14.3	6.4	7.4	2.2	0.0	6.1	2.6	25.2	7.3	0.6	10.8
宝達志水町	190.2	0.0	71.8	3.1	13.6	8.2	0.0	1.0	29.2	14.2	1.0	11.7	0.0	0.0	0.0	5.2	19.8	1.0	0.0	1.0
中能登町	212.0	0.0	87.2	6.8	0.0	27.1	5.5	0.8	12.7	23.8	2.2	4.1	0.8	0.0	4.4	3.8	16.6	15.6	0.0	0.0
管内	227.5	0.3	85.0	6.4	3.5	13.0	1.8	1.0	31.7	21.5	2.8	7.0	1.1	0.5	1.9	3.0	17.7	9.6	0.6	6.1
石川県	236.2	0.2	86.1	7.6	3.2	12.0	1.6	1.3	33.0	19.3	2.9	8.2	1.1	0.2	3.2	3.4	14.7	8.1	1.0	6.7

*人口は、各年次の10月1日現在。

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

七尾市(総数) 注) H16年以前の値は旧七尾市、旧田鶴浜町、旧中島町、旧能登島町を合計した値を計上した

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患		肺炎	急性気管支炎	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺	
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	くも膜下出血	脳内出血	脳梗塞	呼吸器系の疾患			胃潰瘍及び十二指腸潰瘍								
H18	409.0	0.7	0.0	139.0	6.0	26.7	12.1	6.0	15.8	6.6	8.3	19.6	6.2	1.7	1.5	14.6	4.1	67.5	17.6	7.0	40.9	8.2	12.1	20.4	35.2	20.1	0.3	15.1	1.0	7.9	8.4	5.0	23.9	5.6	23.4
H19	384.8	1.0	0.7	124.8	2.4	15.1	7.8	8.9	10.5	7.6	10.9	20.7	4.1	3.5	2.4	6.7	4.0	68.3	20.0	7.2	39.0	4.0	12.2	21.8	30.8	15.4	0.0	12.1	2.7	5.9	6.5	5.6	11.8	2.1	27.5
H20	404.1	/	0.2	149.2	/	22.6	/	/	10.8	/	/	30.3	/	/	/	3.7	0.6	60.4	/	/	32.2	/	/	/	/	/	/	/	/	3.3	5.7	8.7	25.8	7.7	26.3
H21	385.8	/	0.6	131.6	/	22.3	/	/	13.7	/	/	21.3	/	/	/	2.4	1.6	55.6	/	/	36.6	/	/	/	/	/	/	/	7.4	8.6	10.8	13.1	4.5	12.5	
H22	387.5	/	0.8	122.2	/	21.0	/	/	8.1	/	/	19.8	/	/	/	4.3	1.2	61.1	/	/	37.3	/	/	/	/	/	/	/	5.5	5.7	10.3	16.9	4.4	28.2	
H23	393.7	/	0.0	129.8	/	20.4	/	/	9.6	/	/	20.1	/	/	/	10.8	1.0	58.7	/	/	32.5	/	/	/	/	/	/	/	8.8	7.4	14.0	27.4	3.9	23.9	
H24	405.4	/	0.2	132.0	/	20.7	/	/	10.3	/	/	26.2	/	/	/	3.0	1.5	53.1	/	/	36.8	/	/	/	/	/	/	/	10.4	5.3	10.6	17.5	5.3	32.3	
H25	356.3	/	0.2	113.4	/	24.7	/	/	9.7	/	/	12.9	/	/	/	3.7	1.4	55.8	/	/	39.0	/	/	/	/	/	/	/	4.7	4.8	15.4	15.4	7.2	6.8	
H26	397.3	/	0.4	143.3	/	19.4	/	/	9.9	/	/	20.8	/	/	/	2.7	2.9	50.4	/	/	41.8	/	/	/	/	/	/	/	5.7	4.3	11.7	20.5	7.9	15.2	
H27	411.6	/	0.0	146.5	/	20.1	/	/	8.4	/	/	31.1	/	/	/	8.0	1.6	56.2	/	/	36.2	/	/	/	/	/	/	/	5.5	4.1	13.4	24.3	4.2	24.8	
H28	354.9	/	0.4	114.8	/	22.2	/	/	4.0	/	/	23.4	/	/	/	4.0	0.7	44.2	/	/	37.9	/	/	/	/	/	/	/	4.7	5.5	15.6	17.5	0.2	17.4	
H29	399.8	/	0.2	153.4	/	12.9	/	/	9.6	/	/	33.6	/	/	/	2.1	3.4	55.2	/	/	27.5	/	/	/	/	/	/	/	4.6	3.3	17.4	11.3	0.0	22.0	
H30	348.2	/	0.5	118.9	/	14.3	/	/	6.7	/	/	32.6	/	/	/	6.4	2.6	53.4	/	/	29.7	/	/	/	/	/	/	/	2.5	3.9	12.3	17.2	0.8	19.0	

七尾市(男)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患									糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患		消化器系の疾患			肝疾患	腎不全	老衰	不慮の事故		自殺			
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房			子宮	前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故									
H18	593.6	1.2	0.0	195.9	11.4	41.9	14.4	11.4	24.0	11.0	8.8	34.5	0.0	/	4.6	16.9	2.7	98.0	22.2	10.2	52.0	2.2	15.8	34.0	61.3	35.4	1.0	26.2	2.1	12.6	13.6	3.9	38.5	4.9	36.5
H19	514.7	0.0	0.0	175.1	4.0	14.7	12.4	16.2	19.6	13.9	11.7	42.0	0.0	/	6.6	9.4	5.1	93.0	33.1	8.8	46.4	2.3	15.8	28.3	56.8	25.8	0.0	14.3	5.0	5.5	7.4	4.0	17.8	4.8	50.3
H20	543.1	/	0.0	191.4	/	38.0	/	/	13.5	/	/	56.9	/	/	/	5.0	0.0	81.1	/	/	42.3	/	/	/	/	/	/	/	/	4.2	11.2	2.0	33.2	6.7	36.6
H21	548.6	/	0.0	186.4	/	35.9	/	/	24.9	/	/	36.7	/	/	/	6.3	2.7	79.5	/	/	47.5	/	/	/	/	/	/	/	/	10.6	16.0	9.6	16.2	3.7	21.5
H22	551.5	/	2.2	177.5	/	32.7	/	/	14.1	/	/	40.7	/	/	/	6.6	1.4	87.1	/	/	54.9	/	/	/	/	/	/	/	/	9.8	7.5	5.4	17.1	3.4	37.7
H23	547.3	/	0.0	176.4	/	36.0	/	/	18.2	/	/	36.0	/	/	/	14.7	1.9	84.7	/	/	47.0	/	/	/	/	/	/	/	/	11.0	9.0	16.3	40.1	5.5	27.2
H24	578.4	/	0.0	185.4	/	26.8	/	/	19.8	/	/	49.3	/	/	/	5.4	2.4	64.9	/	/	52.7	/	/	/	/	/	/	/	/	8.4	6.5	12.5	28.3	8.8	49.9
H25	473.3	/	0.7	157.9	/	35.5	/	/	11.8	/	/	24.9	/	/	/	6.4	1.6	75.4	/	/	47.9	/	/	/	/	/	/	/	/	4.6	6.6	9.0	21.8	9.5	11.0
H26	542.9	/	1.1	177.3	/	28.7	/	/	15.9	/	/	29.5	/	/	/	4.9	4.9	66.3	/	/	51.1	/	/	/	/	/	/	/	/	10.0	5.2	9.4	34.3	13.0	28.5
H27	538.6	/	0.0	182.2	/	29.7	/	/	15.0	/	/	52.0	/	/	/	8.6	0.7	76.3	/	/	39.4	/	/	/	/	/	/	/	/	7.4	7.0	10.8	31.4	7.6	42.3
H28	528.8	/	0.0	183.4	/	37.8	/	/	7.4	/	/	43.9	/	/	/	7.5	0.7	64.8	/	/	65.4	/	/	/	/	/	/	/	/	4.0	9.7	14.1	29.1	0.7	19.0
H29	518.5	/	0.0	188.9	/	19.6	/	/	15.8	/	/	49.2	/	/	/	0.0	3.4	69.1	/	/	37.4	/	/	/	/	/	/	/	/	4.6	2.8	15.9	20.0	0.0	44.3
H30	472.6	/	0.6	155.1	/	22.8	/	/	10.8	/	/	54.9	/	/	/	10.9	3.0	72.7	/	/	35.2	/	/	/	/	/	/	/	/	4.3	5.1	10.4	24.1	0.0	30.3

七尾市(女)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故								
H18	272.3	0.4	0.0	95.6	2.1	13.3	10.3	1.9	7.4	3.5	8.7	9.4	11.6	3.2	11.7	5.1	43.7	13.8	5.0	35.1	13.3	9.0	12.4	19.8	10.7	0.0	7.2	0.0	4.1	4.2	5.5	12.0	6.4	11.5
H19	291.8	1.6	1.0	89.3	0.7	16.3	5.0	1.9	3.2	2.6	10.5	6.1	7.7	6.7	4.0	2.4	51.2	10.5	6.4	32.3	5.5	8.2	17.0	14.5	8.4	0.0	10.2	0.4	6.5	6.6	6.2	7.9	0.0	6.7
H20	306.8	/	0.3	121.9	/	10.9	/	/	8.0	/	/	11.7	/	/	2.2	1.0	46.1	/	/	24.8	/	/	/	/	/	5.4	/	/	2.6	1.9	11.3	18.6	9.0	16.5
H21	265.9	/	0.0	93.3	/	11.5	/	/	6.6	/	/	10.8	/	/	0.9	0.6	36.6	/	/	27.1	/	/	/	/	/	15.8	/	/	4.9	2.8	10.3	14.5	5.2	4.9
H22	266.5	/	0.0	83.0	/	13.2	/	/	3.9	/	/	4.3	/	/	2.8	0.9	37.2	/	/	25.8	/	/	/	/	/	12.6	/	/	0.9	3.9	12.2	16.4	4.5	20.5
H23	282.8	/	0.0	97.2	/	9.1	/	/	3.9	/	/	9.5	/	/	7.4	0.6	37.6	/	/	21.0	/	/	/	/	/	11.2	/	/	7.4	6.4	13.1	18.9	2.5	20.6
H24	277.0	/	0.3	94.3	/	15.8	/	/	3.5	/	/	7.9	/	/	1.5	0.6	41.5	/	/	26.2	/	/	/	/	/	15.4	/	/	11.9	4.7	9.3	8.7	2.0	16.0
H25	270.4	/	0.0	79.0	/	16.7	/	/	8.1	/	/	4.1	/	/	1.4	0.8	42.3	/	/	32.8	/	/	/	/	/	15.0	/	/	4.4	3.6	18.3	9.9	5.1	2.8
H26	287.5	/	0.0	122.1	/	12.8	/	/	5.4	/	/	15.4	/	/	0.6	1.6	35.2	/	/	37.1	/	/	/	/	/	13.7	/	/	1.7	3.6	12.5	10.2	3.6	1.7
H27	310.8	/	0.0	120.5	/	12.8	/	/	2.7	/	/	15.7	/	/	7.7	2.1	35.8	/	/	33.3	/	/	/	/	/	12.0	/	/	3.6	2.5	14.1	19.9	1.1	7.6
H28	226.8	/	0.6	64.0	/	9.9	/	/	2.0	/	/	7.3	/	/	1.4	0.8	26.3	/	/	17.0	/	/	/	/	/	19.8	/	/	5.1	2.9	16.2	8.4	0.0	16.6
H29	298.8	/	0.3	125.9	/	7.0	/	/	5.2	/	/	20.8	/	/	3.6	3.3	40.3	/	/	21.8	/	/	/	/	/	11.3	/	/	4.4	3.5	17.6	4.2	0.0	0.0
H30	246.5	/	0.5	90.7	/	7.6	/	/	2.7	/	/	14.4	/	/	2.3	1.7	38.3	/	/	24.3	/	/	/	/	/	4.6	/	/	0.5	3.3	13.2	13.3	1.2	7.6

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

羽咋市(総数)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血									脳梗塞	交通事故			
H18	353.3	1.3	1.3	118.6	1.3	20.2	11.5	3.0	9.8	3.9	10.5	25.9	4.8	0.0	1.8	10.4	1.2	37.1	12.3	5.0	51.6	12.2	12.0	20.1	41.6	32.5	0.0	12.8	0.7	3.2	6.2	4.0	36.0	14.1	7.8
H19	394.1	0.7	0.0	120.2	1.8	21.5	6.5	2.0	9.2	1.7	4.9	26.8	5.9	1.4	8.3	4.2	10.8	62.5	19.5	6.5	37.8	9.1	6.9	21.8	54.4	31.6	0.0	10.3	0.0	6.4	5.2	9.6	27.0	9.4	22.8
H20	404.5	/	0.0	133.8	/	26.1	/	/	9.5	/	/	25.8	/	/	/	9.1	1.4	45.3	/	/	43.6	/	/	/	/	/	34.3	/	/	8.3	2.0	8.0	29.0	13.1	17.1
H21	394.0	/	1.0	126.0	/	27.6	/	/	9.2	/	/	13.2	/	/	/	6.4	0.6	52.5	/	/	40.4	/	/	/	/	30.3	/	/	8.1	4.8	8.0	20.8	4.8	19.1	
H22	355.3	/	0.0	135.2	/	20.6	/	/	7.5	/	/	36.5	/	/	/	0.0	1.0	31.4	/	/	32.8	/	/	/	/	31.8	/	/	15.2	6.1	13.4	16.7	2.0	12.3	
H23	342.0	/	0.5	109.7	/	19.9	/	/	6.1	/	/	21.1	/	/	/	5.8	0.0	53.6	/	/	22.6	/	/	/	/	31.2	/	/	5.2	3.6	23.8	10.5	5.1	24.3	
H24	372.8	/	0.5	139.4	/	24.6	/	/	9.8	/	/	26.9	/	/	/	5.2	2.0	49.0	/	/	51.1	/	/	/	/	19.1	/	/	3.6	4.0	12.8	13.7	1.8	9.7	
H25	348.7	/	0.0	109.1	/	18.7	/	/	5.2	/	/	24.7	/	/	/	4.8	0.0	53.8	/	/	17.7	/	/	/	/	30.9	/	/	1.7	11.8	18.3	32.0	7.3	13.7	
H26	345.6	/	0.0	122.9	/	12.5	/	/	5.3	/	/	30.3	/	/	/	1.4	1.5	35.8	/	/	34.4	/	/	/	/	32.0	/	/	5.0	6.9	16.7	14.5	0.9	2.8	
H27	310.9	/	0.0	110.7	/	18.2	/	/	2.9	/	/	30.5	/	/	/	0.5	0.0	53.3	/	/	37.5	/	/	/	/	20.2	/	/	1.7	4.3	21.6	8.6	0.5	3.8	
H28	320.9	/	0.0	108.0	/	14.2	/	/	8.0	/	/	25.0	/	/	/	0.4	0.0	60.7	/	/	27.1	/	/	/	/	12.2	/	/	12.1	2.1	12.8	14.6	0.9	31.9	
H29	318.7	/	0.0	95.1	/	8.0	/	/	2.7	/	/	17.3	/	/	/	6.7	1.0	61.5	/	/	24.5	/	/	/	/	11.9	/	/	5.0	10.7	14.1	11.7	1.8	3.4	
H30	337.3	/	0.0	119.6	/	23.1	/	/	5.7	/	/	15.0	/	/	/	6.2	0.0	35.9	/	/	35.9	/	/	/	/	14.9	/	/	6.9	3.7	18.3	15.1	0.0	7.5	

羽咋市(男)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	悪性新生物										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮							前立腺	くも膜下出血	脳内出血									脳梗塞	交通事故	
H18	503.7	0.0	3.3	171.0	3.3	40.8	18.6	7.4	20.2	3.3	12.4	39.7	0.0	4.2	5.0	3.3	45.6	14.5	5.4	75.1	7.8	21.4	31.4	83.9	63.4	0.0	22.2	0.0	7.4	5.0	2.2	60.9	21.3	4.2
H19	592.0	0.0	0.0	200.1	4.2	42.2	9.9	0.0	15.9	3.0	0.0	60.7	0.0	20.3	0.0	25.0	83.2	27.0	15.4	58.6	3.0	15.5	40.1	78.2	34.1	0.0	9.1	0.0	9.1	9.8	4.3	54.7	18.9	36.5
H20	612.4	/	0.0	225.6	/	57.3	/	/	13.2	/	/	57.7	/	/	18.7	0.0	59.9	/	/	58.1	/	/	/	/	/	/	/	/	17.3	0.0	9.2	53.7	22.9	36.2
H21	597.0	/	2.7	204.4	/	39.9	/	/	16.7	/	/	27.5	/	/	14.8	0.0	68.5	/	/	60.7	/	/	/	/	/	/	/	/	14.2	4.7	4.0	39.6	10.2	32.5
H22	531.7	/	0.0	206.0	/	38.2	/	/	8.6	/	/	64.2	/	/	0.0	2.7	32.0	/	/	50.2	/	/	/	/	/	/	/	29.0	11.3	18.0	29.8	0.0	20.2	
H23	455.3	/	0.0	180.5	/	36.4	/	/	14.5	/	/	35.1	/	/	8.4	0.0	41.4	/	/	22.6	/	/	/	/	/	/	/	10.4	0.0	13.6	24.4	10.8	43.9	
H24	485.6	/	1.7	190.9	/	45.5	/	/	15.9	/	/	49.8	/	/	10.7	3.4	68.4	/	/	47.2	/	/	/	/	/	/	/	3.8	6.9	11.2	22.6	0.0	3.8	
H25	496.0	/	0.0	163.6	/	33.2	/	/	7.4	/	/	49.3	/	/	7.2	0.0	94.6	/	/	32.1	/	/	/	/	/	/	0.0	19.2	23.8	24.5	9.9	27.5		
H26	463.8	/	0.0	148.3	/	23.6	/	/	7.0	/	/	48.7	/	/	2.6	0.0	47.8	/	/	42.0	/	/	/	/	/	/	10.0	11.0	22.7	17.4	2.6	2.6		
H27	392.9	/	0.0	141.0	/	22.8	/	/	6.1	/	/	40.3	/	/	0.0	0.0	63.9	/	/	42.9	/	/	/	/	/	/	3.6	4.3	21.5	10.4	0.0	5.0		
H28	469.1	/	0.0	154.9	/	21.6	/	/	14.2	/	/	45.0	/	/	0.0	0.0	81.7	/	/	39.7	/	/	/	/	/	/	22.0	3.3	13.8	17.4	0.0	66.5		
H29	449.0	/	0.0	101.9	/	12.1	/	/	6.1	/	/	32.7	/	/	15.7	2.6	92.5	/	/	41.8	/	/	/	/	/	/	11.4	12.1	16.2	14.3	0.0	3.6		
H30	494.0	/	0.0	161.7	/	36.0	/	/	7.0	/	/	23.3	/	/	13.0	0.0	44.8	/	/	52.3	/	/	/	/	/	/	12.9	7.6	13.1	29.1	0.0	9.2		

羽咋市(女)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故				
H18	244.5	2.3	0.0	80.0	0.0	4.2	4.2	0.0	1.0	4.2	9.6	16.6	9.5	0.0	14.9	0.0	29.1	9.7	4.8	33.5	16.2	2.9	13.4	14.9	13.9	0.0	5.7	1.0	0.0	6.4	4.9	16.8	9.1	11.9
H19	242.3	0.9	0.0	60.5	0.0	6.4	3.2	3.2	3.2	0.9	8.5	2.8	10.9	2.3	6.6	0.0	44.5	13.5	0.9	25.8	15.3	0.0	10.6	40.8	31.4	0.0	10.3	0.0	4.2	2.3	12.0	5.2	0.0	9.8
H20	242.3	/	0.0	62.3	/	3.4	/	/	5.7	/	/	2.7	/	/	0.0	2.3	32.9	/	/	32.8	/	/	/	/	13.3	/	/	/	0.0	3.2	7.3	7.8	2.5	0.0
H21	256.8	/	0.0	79.1	/	18.4	/	/	6.7	/	/	2.6	/	/	0.0	3.2	40.9	/	/	20.6	/	/	/	/	23.4	/	/	1.8	7.1	9.7	2.6	0.0	3.5	
H22	226.2	/	0.0	83.2	/	6.5	/	/	5.8	/	/	17.1	/	/	0.0	0.0	28.3	/	/	20.6	/	/	/	/	22.6	/	/	1.7	1.7	11.5	8.2	3.2	5.6	
H23	251.6	/	0.8	55.5	/	5.5	/	/	0.0	/	/	12.6	/	/	3.1	0.0	63.3	/	/	22.8	/	/	/	/	15.3	/	/	0.0	5.5	28.0	0.0	0.0	4.7	
H24	285.6	/	0.0	102.2	/	6.6	/	/	5.6	/	/	8.1	/	/	0.0	0.7	28.3	/	/	58.5	/	/	/	/	18.3	/	/	3.4	1.5	13.4	6.3	3.4	14.8	
H25	238.3	/	0.0	69.8	/	9.1	/	/	3.2	/	/	5.4	/	/	2.2	0.0	19.1	/	/	7.2	/	/	/	/	31.1	/	/	3.2	4.4	15.1	39.7	5.7	0.0	
H26	270.5	/	0.0	112.0	/	5.4	/	/	4.4	/	/	16.5	/	/	0.7	2.2	27.3	/	/	29.8	/	/	/	/	20.3	/	/	0.7	2.9	13.7	12.3	0.0	3.7	
H27	254.7	/	0.0	93.4	/	16.2	/	/	0.7	/	/	24.4	/	/	0.7	0.0	41.6	/	/	32.9	/	/	/	/	12.4	/	/	0.0	4.7	21.1	7.3	0.7	3.1	
H28	202.5	/	0.0	74.3	/	11.3	/	/	2.2	/	/	9.2	/	/	0.6	0.0	43.2	/	/	17.2	/	/	/	/	8.7	/	/	3.2	0.6	11.8	11.6	1.3	0.0	
H29	233.0	/	0.0	97.3	/	6.0	/	/	0.6	/	/	4.5	/	/	0.0	0.0	37.0	/	/	10.6	/	/	/	/	4.1	/	/	0.0	12.8	13.4	12.2	3.5	3.0	
H30	220.8	/	0.0	86.6	/	12.1	/	/	5.2	/	/	9.4	/	/	0.0	0.0	29.5	/	/	24.8	/	/	/	/	11.5	/	/	0.6	0.6	20.4	2.9	0.0	5.8	

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

志賀町(総数) 注) 値は旧富来町、旧志賀町の合計した値を計上した

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺	
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮							前立腺	くも膜下出血	脳内出血												脳梗塞
H18	436.0	1.0	0.0	153.7	5.4	22.2	6.8	9.9	9.0	7.4	10.6	34.4	2.7	1.0	0.0	5.5	2.4	47.2	9.5	3.4	55.7	8.9	16.0	21.6	67.3	46.4	0.0	13.7	0.6	1.8	15.5	8.2	13.4	2.7	29.2
H19	431.1	0.0	0.0	114.7	5.6	14.2	3.9	12.3	18.5	6.0	7.9	14.2	4.8	3.7	7.8	6.0	0.6	43.9	14.1	5.4	56.2	20.9	15.2	20.1	68.7	44.8	0.0	21.3	0.0	4.2	10.9	13.5	30.3	6.3	4.0
H20	447.6	/	0.0	107.0	/	14.8	/	/	7.1	/	/	20.6	/	/	/	9.6	0.6	83.7	/	/	51.9	/	/	/	/	48.6	/	/	/	4.4	9.3	7.4	46.3	3.4	23.3
H21	420.1	/	0.0	132.6	/	15.3	/	/	1.7	/	/	24.0	/	/	/	1.4	0.0	63.5	/	/	33.0	/	/	/	/	30.1	/	/	/	16.6	9.1	9.9	31.2	1.3	20.8
H22	407.2	/	0.0	123.0	/	11.8	/	/	4.9	/	/	32.2	/	/	/	1.8	0.9	64.4	/	/	26.6	/	/	/	/	43.3	/	/	/	10.5	5.9	10.1	14.8	9.8	19.6
H23	386.2	/	0.0	119.7	/	20.2	/	/	5.0	/	/	23.4	/	/	/	7.2	0.0	51.3	/	/	41.7	/	/	/	/	56.0	/	/	/	1.8	18.6	9.5	13.5	2.3	19.5
H24	361.4	/	0.0	97.9	/	12.8	/	/	2.9	/	/	18.0	/	/	/	3.5	0.0	46.8	/	/	31.4	/	/	/	/	48.4	/	/	/	2.3	3.8	11.2	27.0	2.2	24.3
H25	398.6	/	0.5	154.2	/	32.5	/	/	5.2	/	/	25.7	/	/	/	0.9	0.5	53.6	/	/	37.9	/	/	/	/	44.7	/	/	/	6.2	4.9	9.3	19.3	4.9	14.9
H26	366.3	/	0.0	136.4	/	14.7	/	/	3.7	/	/	29.7	/	/	/	2.2	0.5	37.5	/	/	43.7	/	/	/	/	38.3	/	/	/	11.1	3.2	6.0	11.0	1.8	7.4
H27	301.1	/	0.0	110.0	/	11.3	/	/	7.7	/	/	23.6	/	/	/	1.6	0.4	31.7	/	/	27.3	/	/	/	/	38.8	/	/	/	4.8	4.4	14.9	8.5	3.4	6.4
H28	351.0	/	0.0	125.8	/	7.3	/	/	17.2	/	/	15.2	/	/	/	6.3	0.0	44.9	/	/	23.0	/	/	/	/	19.1	/	/	/	1.6	6.5	16.3	20.0	3.1	4.1
H29	324.7	/	0.4	87.7	/	11.0	/	/	4.7	/	/	25.1	/	/	/	1.8	0.0	47.9	/	/	25.7	/	/	/	/	18.3	/	/	/	3.6	1.2	20.1	34.0	16.9	6.4
H30	331.2	/	0.4	108.2	/	10.9	/	/	3.6	/	/	20.3	/	/	/	0.4	2.8	67.6	/	/	32.8	/	/	/	/	10.6	/	/	/	4.8	5.8	22.0	6.3	0.4	11.9

志賀町(男)

資料：衛生統計年報(人口10万対：直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺	
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故								
H18	657.6	2.7	0.0	227.1	10.9	23.7	9.0	15.4	12.5	14.6	13.8	71.0	0.0	0.0	0.0	79.5	19.3	5.2	90.4	13.4	26.0	34.2	107.2	75.0	0.0	18.4	0.0	3.1	25.6	13.7	18.1	0.0	42.4	
H19	541.3	0.0	0.0	159.7	11.3	19.7	2.0	14.9	41.2	3.6	9.6	25.2	0.0	18.9	8.3	0.0	47.3	23.2	2.0	82.2	31.8	21.8	28.6	77.6	64.6	0.0	30.6	0.0	7.5	14.9	8.1	15.2	8.9	8.3
H20	648.6	/	0.0	169.1	/	31.3	/	/	7.5	/	/	33.0	/	/	7.1	0.0	132.7	/	/	84.8	/	/	/	/	70.1	/	/	/	10.0	6.7	10.6	39.3	7.5	41.7
H21	619.8	/	0.0	176.7	/	18.0	/	/	3.8	/	/	43.0	/	/	4.5	0.0	93.5	/	/	35.4	/	/	/	/	63.2	/	/	31.3	18.3	12.5	52.9	0.0	19.8	
H22	600.2	/	0.0	170.3	/	21.0	/	/	2.5	/	/	46.8	/	/	5.0	2.5	98.7	/	/	36.1	/	/	/	/	75.0	/	/	18.0	8.7	3.7	29.5	20.4	28.5	
H23	556.7	/	0.0	183.8	/	38.6	/	/	8.7	/	/	34.0	/	/	2.4	0.0	70.5	/	/	53.1	/	/	/	/	80.7	/	/	3.7	30.0	5.9	25.5	5.4	38.8	
H24	522.1	/	0.0	129.5	/	8.2	/	/	6.4	/	/	32.0	/	/	8.7	0.0	57.5	/	/	44.6	/	/	/	/	86.8	/	/	5.8	11.6	10.1	43.7	4.5	43.0	
H25	589.4	/	0.0	236.3	/	46.1	/	/	9.2	/	/	48.0	/	/	0.0	1.8	80.6	/	/	49.1	/	/	/	/	71.6	/	/	14.5	2.2	11.1	28.5	10.3	26.7	
H26	485.8	/	0.0	194.9	/	29.5	/	/	3.9	/	/	59.5	/	/	0.0	0.0	54.5	/	/	46.1	/	/	/	/	53.4	/	/	16.1	7.7	5.5	18.0	3.1	15.9	
H27	414.8	/	0.0	193.4	/	19.2	/	/	17.3	/	/	39.6	/	/	3.2	0.0	34.6	/	/	27.3	/	/	/	/	38.2	/	/	7.3	5.6	7.8	13.5	5.0	0.0	
H28	465.2	/	0.0	162.0	/	6.2	/	/	21.5	/	/	29.3	/	/	12.1	0.0	55.8	/	/	35.8	/	/	/	/	32.2	/	/	3.2	11.4	10.5	33.6	3.2	8.6	
H29	479.7	/	0.0	154.9	/	19.3	/	/	5.0	/	/	43.0	/	/	3.0	0.0	73.4	/	/	31.1	/	/	/	/	25.9	/	/	5.6	1.5	26.7	32.8	3.0	11.8	
H30	472.8	/	0.0	154.4	/	24.3	/	/	7.5	/	/	41.9	/	/	0.0	5.4	103.5	/	/	56.1	/	/	/	/	17.0	/	/	3.2	10.6	14.7	5.9	0.0	12.6	

志賀町(女)

資料：衛生統計年報(人口10万対：直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患		肺炎	急性気管支炎	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎			急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故		
H18	272.4	0.0	0.0	105.6	0.0	21.4	7.1	6.1	6.0	1.5	8.1	7.3	5.4	1.5	9.8	3.7	24.0	1.5	2.3	24.3	3.7	6.8	13.8	45.3	29.9	0.0	9.1	0.8	0.8	5.4	5.5	11.2	5.4	13.5
H19	349.7	0.0	0.0	82.9	0.8	11.4	5.2	10.0	0.0	8.4	6.6	6.5	9.6	7.2	3.6	0.8	41.2	7.9	8.5	35.4	10.9	10.1	14.4	67.7	31.4	0.0	11.6	0.8	8.0	17.2	48.2	5.0	0.0	
H20	284.3	/	0.0	61.0	/	2.9	/	/	6.5	/	/	10.9	/	/	11.5	0.8	44.4	/	/	21.6	/	/	/	/	/	/	/	0.0	13.7	6.2	49.5	0.0	1.6	
H21	274.7	/	0.0	91.0	/	13.0	/	/	0.0	/	/	9.4	/	/	4.3	0.0	40.4	/	/	29.3	/	/	/	/	/	/	/	0.0	2.2	9.3	10.9	0.0	22.1	
H22	270.6	/	0.0	93.4	/	3.4	/	/	7.1	/	/	27.1	/	/	0.0	0.0	45.2	/	/	16.7	/	/	/	/	/	/	4.4	5.0	13.2	2.9	0.0	12.2		
H23	251.5	/	0.0	69.8	/	5.7	/	/	1.4	/	/	16.6	/	/	12.0	0.0	29.9	/	/	34.8	/	/	/	/	/	/	0.0	7.4	10.4	4.2	0.0	0.0		
H24	248.3	/	0.0	81.7	/	14.3	/	/	0.0	/	/	9.7	/	/	0.0	0.0	35.2	/	/	21.7	/	/	/	/	/	/	0.0	0.7	11.3	15.7	0.7	3.4		
H25	261.1	/	0.6	94.0	/	23.5	/	/	2.3	/	/	9.1	/	/	1.4	0.0	30.3	/	/	28.5	/	/	/	/	/	/	0.0	6.0	8.7	12.3	0.0	4.3		
H26	291.1	/	0.0	96.6	/	3.1	/	/	3.5	/	/	6.0	/	/	3.5	0.6	24.3	/	/	47.5	/	/	/	/	/	/	6.6	1.2	6.2	4.8	0.6	0.0		
H27	204.9	/	0.0	40.4	/	7.7	/	/	0.0	/	/	8.9	/	/	0.0	0.6	27.1	/	/	28.4	/	/	/	/	/	/	2.5	3.2	17.0	4.4	2.1	13.9		
H28	270.4	/	0.0	104.8	/	8.9	/	/	14.2	/	/	5.1	/	/	0.6	0.0	33.0	/	/	12.5	/	/	/	/	/	/	0.0	3.7	18.0	8.3	3.1	0.0		
H29	208.9	/	0.6	31.2	/	3.7	/	/	4.7	/	/	10.0	/	/	0.6	0.0	24.8	/	/	23.0	/	/	/	/	/	/	1.4	1.1	15.6	41.5	34.1	0.0		
H30	224.5	/	0.6	78.8	/	0.0	/	/	0.6	/	/	4.0	/	/	0.6	0.6	33.4	/	/	14.3	/	/	/	/	/	/	6.1	2.6	25.2	7.3	0.6	10.8		

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

宝達志水町(総数)

注) 値は旧志雄町、旧押水町の合計した値を計上した

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺				
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮				前立腺	くも膜下出血	脳内出血									脳梗塞	交通事故					
H18	471.5	0.0	0.0	158.5	6.7	19.5	21.0	8.5	30.0	0.0	10.2	18.0	3.6	0.0	2.8	0.0	0.0	72.4	17.8	14.0	73.4	35.5	5.9	25.7	63.3	34.5	0.0	29.1	0.0	19.1	6.2	3.0	25.5	3.2	11.0
H19	390.8	0.0	0.0	119.7	3.1	9.0	4.2	5.4	23.7	2.4	5.3	26.0	3.9	13.1	0.0	5.7	1.8	43.3	9.3	9.0	54.1	14.5	12.6	26.1	42.7	34.3	0.0	23.1	1.0	6.5	9.8	6.8	19.5	11.6	18.4
H20	416.6	/	0.0	114.7	/	16.0	/	/	16.0	/	/	17.2	/	/	/	0.0	0.9	75.1	/	/	60.2	/	/	/	/	27.4	/	/	/	12.9	2.8	5.6	11.0	0.0	36.8
H21	475.9	/	0.0	142.4	/	34.2	/	/	11.1	/	/	20.5	/	/	/	6.6	1.8	60.1	/	/	64.5	/	/	/	/	14.6	/	/	/	7.1	2.8	13.8	45.9	11.1	29.1
H22	422.2	/	0.0	127.9	/	28.1	/	/	25.3	/	/	32.8	/	/	/	0.9	0.0	64.0	/	/	43.0	/	/	/	/	22.1	/	/	/	3.2	0.9	8.7	38.3	16.3	43.6
H23	429.1	/	0.0	140.0	/	20.9	/	/	10.6	/	/	19.9	/	/	/	6.5	0.9	54.9	/	/	42.4	/	/	/	/	30.2	/	/	/	5.6	11.4	15.7	9.8	1.7	41.2
H24	360.4	/	0.0	144.7	/	20.1	/	/	8.4	/	/	13.7	/	/	/	6.7	0.9	60.8	/	/	28.3	/	/	/	/	26.3	/	/	/	4.1	4.3	13.5	18.3	9.0	0.0
H25	404.8	/	0.0	133.3	/	19.3	/	/	18.1	/	/	28.5	/	/	/	3.4	2.5	58.1	/	/	60.4	/	/	/	/	30.8	/	/	/	2.5	4.2	28.7	29.2	2.5	3.0
H26	319.9	/	0.0	98.0	/	7.4	/	/	6.5	/	/	23.7	/	/	/	10.8	3.0	57.9	/	/	30.9	/	/	/	/	19.7	/	/	/	9.1	5.9	23.7	10.9	5.9	1.7
H27	301.8	/	0.0	126.6	/	19.6	/	/	11.7	/	/	23.4	/	/	/	0.0	0.8	39.7	/	/	17.2	/	/	/	/	4.0	/	/	/	6.5	2.4	24.3	12.9	0.0	6.0
H28	418.4	/	0.0	137.1	/	18.7	/	/	17.3	/	/	11.4	/	/	/	3.9	0.8	56.3	/	/	27.3	/	/	/	/	15.5	/	/	/	8.3	0.8	15.9	11.9	1.5	53.5
H29	324.0	/	0.7	124.7	/	13.1	/	/	10.2	/	/	33.7	/	/	/	0.0	0.0	63.1	/	/	15.1	/	/	/	/	14.5	/	/	/	0.0	0.0	13.7	7.9	0.0	0.0
H30	264.0	/	0.0	88.6	/	8.7	/	/	19.2	/	/	16.9	/	/	/	5.8	0.8	31.2	/	/	29.6	/	/	/	/	12.8	/	/	/	2.5	4.5	18.2	2.3	0.0	10.9

宝達志水町(男)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡 総数	腸管 感染症	結核	悪性 新生物	悪性新生物										糖尿病	高血 圧性 疾患	心疾患 (高血 圧性を 除く)	脳血管 疾患			呼吸器 系の 疾患	消化 器系 の 疾患		肝疾 患	腎不 全	老 衰	不慮の 事故		自殺					
					食道	胃	結腸	直腸 等	肝及び 肝内 胆管	胆のう 等	膵	気管、 気管 支及 び肺	乳房	子宮				前立 腺	くも膜 下出 血	脳内 出血		脳梗塞	肺 炎				急性 気管 支炎	胃潰瘍 及び十 二指腸 潰瘍		交通 事故				
H18	681.7	0.0	0.0	236.3	16.9	35.9	30.3	0.0	46.7	0.0	22.3	37.7	0.0	8.7	0.0	0.0	106.2	28.5	21.6	84.1	37.3	3.6	36.6	97.8	56.0	0.0	56.8	0.0	33.8	5.1	7.2	19.4	0.0	15.4
H19	527.8	0.0	0.0	174.0	6.7	18.0	11.6	13.1	32.8	6.4	6.4	47.9	0.0	0.0	0.0	0.0	39.8	8.7	9.9	85.1	13.8	21.5	46.3	80.3	59.5	0.0	33.0	0.0	13.8	14.5	3.5	23.8	3.5	18.4
H20	586.0	/	0.0	170.9	/	28.4	/	/	24.6	/	/	42.4	/	/	0.0	0.0	84.9	/	/	92.5	/	/	/	/	/	43.8	/	/	21.8	0.0	9.8	15.2	0.0	54.5
H21	736.1	/	0.0	199.8	/	54.6	/	/	14.4	/	/	44.1	/	/	12.1	3.4	101.4	/	/	87.0	/	/	/	/	/	39.0	/	/	10.0	6.7	13.4	88.6	23.9	27.8
H22	664.2	/	0.0	210.4	/	25.4	/	/	37.3	/	/	72.1	/	/	0.0	0.0	66.5	/	/	73.4	/	/	/	/	/	45.3	/	/	5.7	0.0	3.3	52.9	17.4	89.6
H23	574.3	/	0.0	205.2	/	40.4	/	/	19.7	/	/	34.8	/	/	7.9	0.0	87.5	/	/	78.1	/	/	/	/	/	47.6	/	/	4.9	3.4	13.5	14.5	0.0	24.1
H24	523.7	/	0.0	181.3	/	41.5	/	/	15.2	/	/	29.0	/	/	12.4	3.3	98.8	/	/	31.3	/	/	/	/	/	28.5	/	/	12.1	10.2	9.8	41.3	17.8	0.0
H25	652.1	/	0.0	212.8	/	32.3	/	/	19.4	/	/	65.6	/	/	4.6	0.0	102.2	/	/	88.7	/	/	/	/	/	57.4	/	/	0.0	9.1	27.8	56.6	3.5	6.0
H26	434.0	/	0.0	148.3	/	10.4	/	/	3.5	/	/	52.4	/	/	0.0	6.0	77.5	/	/	33.5	/	/	/	/	/	28.6	/	/	19.1	3.5	25.5	0.0	0.0	0.0
H27	407.5	/	0.0	177.8	/	20.5	/	/	13.8	/	/	43.5	/	/	0.0	0.0	47.0	/	/	22.5	/	/	/	/	/	0.0	/	3.2	19.2	28.3	0.0	13.5		
H28	569.9	/	0.0	205.2	/	24.5	/	/	29.9	/	/	22.1	/	/	2.9	0.0	89.4	/	/	56.5	/	/	/	/	/	27.3	/	/	15.9	2.9	2.9	15.5	2.9	87.0
H29	513.8	/	0.0	205.8	/	20.9	/	/	22.5	/	/	64.0	/	/	0.0	0.0	117.6	/	/	12.5	/	/	/	/	/	25.4	/	/	0.0	0.0	7.0	22.3	0.0	0.0
H30	372.5	/	0.0	121.7	/	19.9	/	/	26.8	/	/	33.4	/	/	13.1	0.0	32.8	/	/	50.6	/	/	/	/	/	15.3	/	/	7.2	2.8	13.8	5.5	0.0	21.7

宝達志水町(女)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系の疾患									糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	脳血管疾患			呼吸器系の疾患	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺						
					食道	胃	結腸	直腸等	肝及び胆内胆管	胆のう等	膵	気管、気管支及び肺	乳房				子宮	前立腺	くも膜下出血		脳内出血	脳梗塞				肺炎	急性気管支炎		胃潰瘍及び十二指腸潰瘍	交通事故				
H18	344.6	0.0	0.0	117.8	0.0	10.5	11.3	16.7	16.6	0.0	0.0	10.5	7.1	0.0	0.0	0.0	46.1	11.8	5.6	67.9	33.3	8.8	18.5	44.7	19.5	0.0	6.6	0.0	3.8	6.6	1.4	31.0	5.7	7.1
H19	308.9	0.0	0.0	84.9	0.0	2.8	0.0	0.0	17.1	0.0	4.0	11.4	7.7	25.0	8.9	2.8	42.7	9.6	8.2	38.2	15.6	4.1	18.5	22.0	19.4	0.0	16.5	1.3	0.0	4.0	8.0	20.9	19.6	18.2
H20	290.7	/	0.0	76.0	/	6.6	/	/	9.6	/	/	1.3	/	/	0.0	1.3	64.6	/	/	30.6	/	/	/	/	/	15.8	/	/	4.0	3.9	3.9	10.9	0.0	19.7
H21	300.1	/	0.0	96.2	/	21.4	/	/	7.2	/	/	7.1	/	/	1.3	1.3	25.9	/	/	52.6	/	/	/	/	/	9.0	/	/	4.0	1.3	13.9	12.1	0.0	25.3
H22	234.7	/	0.0	61.9	/	35.0	/	/	15.7	/	/	0.0	/	/	1.2	0.0	65.9	/	/	22.2	/	/	/	/	/	11.0	/	/	1.2	1.2	10.7	22.8	13.6	0.0
H23	335.1	/	0.0	90.8	/	9.0	/	/	2.3	/	/	6.8	/	/	3.7	1.2	31.4	/	/	21.2	/	/	/	/	/	18.1	/	/	7.8	18.5	16.4	6.2	2.5	58.0
H24	258.0	/	0.0	125.3	/	2.3	/	/	4.3	/	/	1.2	/	/	1.2	0.0	38.3	/	/	26.0	/	/	/	/	/	26.2	/	/	0.0	0.0	15.8	1.2	0.0	0.0
H25	213.5	/	0.0	72.0	/	7.6	/	/	17.3	/	/	2.2	/	/	2.7	4.2	20.0	/	/	33.2	/	/	/	/	/	13.6	/	/	4.2	1.1	27.0	5.3	2.7	0.0
H26	236.1	/	0.0	63.3	/	4.9	/	/	10.1	/	/	3.8	/	/	19.7	0.0	42.0	/	/	27.9	/	/	/	/	/	13.3	/	/	0.0	7.6	22.9	19.5	11.5	2.7
H27	206.6	/	0.0	84.0	/	22.8	/	/	10.3	/	/	6.6	/	/	0.0	1.1	26.9	/	/	14.9	/	/	/	/	/	6.0	/	/	12.4	2.1	28.3	2.1	0.0	0.0
H28	262.6	/	0.0	78.4	/	13.2	/	/	6.0	/	/	4.0	/	/	5.4	1.0	24.2	/	/	5.1	/	/	/	/	/	5.0	/	/	0.0	0.0	20.4	9.4	1.0	16.4
H29	170.0	/	1.0	64.0	/	7.4	/	/	1.0	/	/	8.2	/	/	0.0	0.0	18.9	/	/	16.9	/	/	/	/	/	7.2	/	/	0.0	0.0	15.5	1.0	0.0	0.0
H30	190.2	/	0.0	71.8	/	3.1	/	/	13.6	/	/	8.2	/	/	0.0	1.0	29.2	/	/	14.2	/	/	/	/	/	11.7	/	/	0.0	5.2	19.8	1.0	0.0	1.0

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

中能登町(総数)		注) 値は旧鳥屋町、旧鹿島町、旧鹿西町の値を計上した																																		
年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	脳血管疾患			呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮							前立腺	くも膜下出血	脳内出血									脳梗塞	交通事故			
H18	368.0	0.0	0.0	97.1	3.5	27.0	2.2	4.7	14.1	6.1	17.3	7.4	0.0	0.0	0.9	16.7	2.6	68.7	18.0	7.1	34.1	1.7	12.5	19.0	43.8	17.4	0.0	15.9	0.0	5.3	3.2	7.6	23.3	14.1	13.1	
H19	421.2	4.0	1.4	146.0	2.3	27.9	21.6	7.9	5.1	6.2	6.2	33.0	1.4	1.7	2.2	4.0	5.9	59.9	14.2	7.6	59.0	10.2	24.2	24.5	34.9	22.4	0.0	12.7	0.0	6.3	4.8	6.6	34.4	3.2	14.9	
H20	371.9	/	1.4	125.1	/	19.8	/	/	3.8	/	/	18.7	/	/	/	0.8	0.8	74.3	/	/	34.4	/	/	/	/	/	24.2	/	/	/	8.0	8.3	3.8	13.2	6.9	14.3
H21	386.1	/	0.0	124.5	/	9.8	/	/	16.8	/	/	20.8	/	/	/	8.7	2.7	60.8	/	/	52.9	/	/	/	/	/	23.7	/	/	/	10.1	1.5	4.6	31.7	13.6	6.5
H22	382.4	/	0.0	134.3	/	31.1	/	/	7.5	/	/	20.6	/	/	/	7.2	0.0	79.0	/	/	28.9	/	/	/	/	/	10.3	/	/	/	17.5	0.7	10.2	14.1	5.2	13.8
H23	421.9	/	0.0	135.4	/	21.8	/	/	13.0	/	/	20.0	/	/	/	0.7	2.2	76.6	/	/	45.0	/	/	/	/	/	16.4	/	/	/	17.8	3.2	17.1	16.7	1.7	16.6
H24	412.8	/	0.0	157.3	/	30.6	/	/	8.1	/	/	24.4	/	/	/	7.4	0.0	64.9	/	/	37.2	/	/	/	/	/	20.8	/	/	/	4.7	5.0	12.9	18.9	0.7	9.5
H25	349.3	/	0.0	108.6	/	22.3	/	/	9.0	/	/	16.9	/	/	/	0.0	2.6	63.5	/	/	54.7	/	/	/	/	/	22.0	/	/	/	4.8	3.1	14.3	17.0	12.2	3.7
H26	390.9	/	0.7	121.8	/	35.8	/	/	1.9	/	/	11.6	/	/	/	3.6	0.7	65.6	/	/	36.8	/	/	/	/	/	18.6	/	/	/	11.8	0.7	22.4	15.4	2.3	24.6
H27	379.7	/	0.6	106.9	/	34.2	/	/	13.7	/	/	10.0	/	/	/	7.8	2.6	49.0	/	/	25.1	/	/	/	/	/	24.5	/	/	/	4.1	1.9	18.5	16.9	3.5	23.9
H28	385.7	/	0.0	141.0	/	13.8	/	/	2.5	/	/	25.4	/	/	/	5.5	0.0	42.9	/	/	34.4	/	/	/	/	/	23.8	/	/	/	10.4	3.8	16.9	16.6	8.6	18.2
H29	349.0	/	0.0	105.2	/	20.0	/	/	1.8	/	/	16.7	/	/	/	7.1	3.7	32.2	/	/	40.9	/	/	/	/	/	14.5	/	/	/	7.7	3.5	16.4	17.3	6.8	34.9
H30	342.6	/	0.0	123.5	/	11.6	/	/	7.1	/	/	29.3	/	/	/	7.4	0.6	57.2	/	/	32.2	/	/	/	/	/	4.7	/	/	/	6.9	3.0	13.2	29.5	10.7	7.9

中能登町(男)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故				
H18	484.1	0.0	0.0	115.2	7.5	40.1	0.0	0.0	20.7	12.3	10.4	11.3	0.0	2.9	31.7	0.0	76.7	22.4	7.1	40.1	0.0	17.3	22.8	72.6	22.1	0.0	20.9	0.0	5.8	5.9	4.0	43.0	21.9	26.4
H19	563.1	4.1	0.0	198.8	5.2	40.4	25.2	9.7	3.7	5.2	3.7	64.1	0.0	6.6	9.3	13.3	79.3	19.8	2.9	77.5	0.0	42.3	35.2	51.9	28.4	0.0	14.0	0.0	4.1	6.7	5.8	50.5	0.0	0.0
H20	511.3	/	0.0	158.4	/	20.5	/	/	7.7	/	/	33.7	/	/	0.0	0.0	108.5	/	/	37.1	/	/	/	/	/	43.3	/	/	17.3	7.9	0.0	25.8	13.4	23.2
H21	498.1	/	0.0	137.9	/	5.2	/	/	12.8	/	/	48.1	/	/	10.7	0.0	62.3	/	/	76.5	/	/	/	/	/	41.0	/	/	10.5	2.6	2.6	53.8	26.7	13.8
H22	522.7	/	0.0	152.7	/	29.1	/	/	14.8	/	/	40.5	/	/	10.8	0.0	114.0	/	/	38.4	/	/	/	/	/	14.9	/	/	29.7	0.0	7.2	27.4	11.6	26.5
H23	629.3	/	0.0	202.3	/	41.5	/	/	21.7	/	/	36.9	/	/	0.0	0.0	85.8	/	/	74.3	/	/	/	/	/	21.7	/	/	24.4	7.3	17.8	38.4	4.4	33.6
H24	618.4	/	0.0	242.2	/	59.6	/	/	10.0	/	/	45.9	/	/	13.4	0.0	97.2	/	/	52.1	/	/	/	/	/	37.0	/	/	9.8	0.0	13.1	33.1	0.0	19.2
H25	538.5	/	0.0	187.6	/	37.2	/	/	18.3	/	/	39.6	/	/	0.0	3.3	91.7	/	/	88.9	/	/	/	/	/	47.1	/	/	6.7	6.6	5.0	36.8	26.0	7.5
H26	532.2	/	2.5	147.9	/	56.6	/	/	5.8	/	/	24.9	/	/	5.0	0.0	95.7	/	/	43.8	/	/	/	/	/	28.3	/	/	21.7	0.0	20.9	13.3	0.0	47.7
H27	490.7	/	2.3	139.3	/	42.9	/	/	18.8	/	/	23.9	/	/	0.0	5.6	61.5	/	/	42.9	/	/	/	/	/	29.6	/	/	3.4	2.3	14.9	28.7	0.0	38.5
H28	565.6	/	0.0	200.9	/	20.8	/	/	3.3	/	/	44.8	/	/	4.4	0.0	65.4	/	/	61.2	/	/	/	/	/	38.3	/	/	14.7	8.3	15.4	31.6	16.9	32.4
H29	473.2	/	0.0	111.8	/	19.9	/	/	0.0	/	/	22.9	/	/	12.6	7.4	47.9	/	/	45.8	/	/	/	/	/	26.5	/	/	12.4	2.2	11.2	18.1	0.0	56.0
H30	499.7	/	0.0	170.8	/	18.3	/	/	14.6	/	/	36.3	/	/	9.7	0.0	104.2	/	/	41.3	/	/	/	/	/	6.3	/	/	10.2	2.1	8.4	44.7	21.4	15.7

中能登町(女)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故				
H18	280.1	0.0	0.0	83.4	0.0	15.3	3.8	8.8	8.9	2.4	25.0	3.8	0.0	0.0	1.3	3.8	68.5	15.3	7.6	30.7	2.9	9.0	17.5	27.6	15.7	0.0	7.4	0.0	3.6	2.4	8.8	5.8	5.8	0.0
H19	307.1	4.0	2.3	100.8	0.0	17.6	14.6	6.3	6.7	6.3	8.1	10.2	2.3	2.9	0.0	0.0	40.5	8.6	11.9	43.0	18.5	6.4	18.2	25.8	18.4	0.0	13.6	0.0	8.5	2.3	6.9	21.7	6.5	30.2
H20	257.7	/	2.2	106.1	/	19.4	/	/	1.1	/	/	9.4	/	/	1.1	1.1	40.6	/	/	34.6	/	/	/	/	9.0	/	/	/	0.0	7.8	5.6	2.2	0.0	6.9
H21	300.5	/	0.0	114.8	/	9.4	/	/	14.4	/	/	5.0	/	/	5.3	5.2	62.3	/	/	34.8	/	/	/	/	14.2	/	/	/	5.5	1.1	5.4	6.5	0.0	0.0
H22	266.4	/	0.0	124.5	/	34.9	/	/	1.0	/	/	2.1	/	/	3.1	0.0	49.5	/	/	20.8	/	/	/	/	7.3	/	/	/	4.0	1.0	11.5	5.4	0.0	1.0
H23	266.7	/	0.0	84.7	/	3.0	/	/	7.4	/	/	5.7	/	/	1.0	3.1	76.6	/	/	20.3	/	/	/	/	13.1	/	/	/	14.1	0.0	16.6	1.0	0.0	0.0
H24	264.6	/	0.0	92.3	/	8.4	/	/	6.9	/	/	6.5	/	/	4.0	0.0	41.6	/	/	26.8	/	/	/	/	11.0	/	/	/	0.0	7.1	12.9	7.1	1.0	0.0
H25	201.5	/	0.0	49.4	/	11.8	/	/	0.0	/	/	1.9	/	/	0.0	2.0	37.5	/	/	22.2	/	/	/	/	6.9	/	/	/	4.3	1.0	19.4	2.0	0.0	1.0
H26	274.5	/	0.0	106.0	/	19.2	/	/	0.0	/	/	1.0	/	/	3.0	1.0	35.9	/	/	36.1	/	/	/	/	14.1	/	/	/	1.0	1.0	23.0	17.8	4.3	1.9
H27	283.7	/	0.0	78.0	/	26.2	/	/	8.6	/	/	0.0	/	/	15.7	0.9	36.8	/	/	11.1	/	/	/	/	23.3	/	/	/	5.2	1.8	18.4	7.3	6.4	8.6
H28	240.3	/	0.0	86.8	/	7.0	/	/	2.0	/	/	9.5	/	/	8.0	0.0	27.5	/	/	14.9	/	/	/	/	16.3	/	/	/	6.8	0.9	18.0	2.8	0.0	0.0
H29	253.7	/	0.0	103.2	/	19.3	/	/	2.5	/	/	12.0	/	/	0.8	1.7	17.6	/	/	38.7	/	/	/	/	7.0	/	/	/	3.3	5.4	20.5	16.1	13.5	13.4
H30	212.0	/	0.0	87.2	/	6.8	/	/	0.0	/	/	27.1	/	/	5.5	0.8	12.7	/	/	23.8	/	/	/	/	4.1	/	/	/	4.4	3.8	16.6	15.6	0.0	0.0

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

管内(総数)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系										糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患			呼吸器系の疾患		消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺				
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮						前立腺	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故						
H18	405.1	0.7	0.2	134.9	4.8	23.9	10.6	6.2	14.8	5.5	10.5	21.7	4.3	0.9	1.3	11.1	2.6	59.3	15.2	6.8	47.3	10.9	12.0	20.9	46.4	28.2	0.1	16.0	0.6	6.9	8.1	5.6	24.4	7.4	18.9	
H19	398.1	1.0	0.5	124.9	2.9	17.1	8.3	7.9	12.1	5.6	8.2	22.7	4.2	3.9	4.1	5.7	4.5	59.6	17.1	7.0	45.8	9.6	13.4	22.3	43.1	26.4	0.0	14.5	1.2	5.9	7.3	8.0	20.4	5.4	20.9	
H20	407.6	/	0.3	133.0	/	20.8	/	/	9.5	/	/	25.0	/	/	/	4.9	0.8	65.5	/	/	40.4	/	/	/	/	/	27.5	/	/	/	5.9	5.6	7.4	25.1	6.9	23.7
H21	400.6	/	0.4	130.7	/	21.4	/	/	11.0	/	/	20.2	/	/	/	4.2	1.3	57.4	/	/	41.4	/	/	/	/	/	27.5	/	/	/	9.4	6.6	9.7	23.4	5.9	15.6
H22	387.9	/	0.3	126.2	/	21.4	/	/	9.2	/	/	25.7	/	/	/	3.2	0.8	59.4	/	/	34.2	/	/	/	/	/	27.9	/	/	/	9.4	4.7	10.6	17.9	5.9	23.8
H23	390.4	/	0.1	126.2	/	20.4	/	/	8.8	/	/	20.8	/	/	/	7.6	0.8	58.0	/	/	34.8	/	/	/	/	/	28.0	/	/	/	8.0	8.3	15.3	19.1	3.3	24.2
H24	388.7	/	0.2	132.5	/	21.3	/	/	8.4	/	/	23.3	/	/	/	4.4	1.0	53.5	/	/	37.6	/	/	/	/	/	26.4	/	/	/	6.5	4.6	11.7	18.6	4.0	20.9
H25	365.7	/	0.2	120.7	/	23.7	/	/	9.0	/	/	19.4	/	/	/	2.9	1.2	56.0	/	/	39.2	/	/	/	/	/	29.3	/	/	/	4.3	5.8	16.0	20.9	7.1	8.4
H26	374.8	/	0.2	131.4	/	18.4	/	/	6.5	/	/	23.1	/	/	/	3.3	2.0	48.5	/	/	38.5	/	/	/	/	/	27.4	/	/	/	7.8	4.3	14.1	16.3	4.9	11.9
H27	361.4	/	0.1	127.0	/	20.3	/	/	8.4	/	/	25.9	/	/	/	5.0	1.1	48.7	/	/	31.4	/	/	/	/	/	24.6	/	/	/	4.7	3.7	16.9	16.8	2.9	16.5
H28	358.0	/	0.2	120.6	/	16.7	/	/	7.9	/	/	21.2	/	/	/	3.9	0.4	47.9	/	/	31.8	/	/	/	/	/	21.2	/	/	/	6.6	4.4	15.4	16.8	2.2	21.5
H29	358.7	/	0.2	123.5	/	12.8	/	/	6.6	/	/	27.1	/	/	/	3.2	2.1	52.7	/	/	27.1	/	/	/	/	/	15.7	/	/	/	4.6	4.0	16.8	15.0	3.4	15.9
H30	334.5	/	0.3	114.4	/	14.2	/	/	7.3	/	/	25.6	/	/	/	5.4	1.7	51.2	/	/	31.7	/	/	/	/	/	10.1	/	/	/	4.3	4.2	15.8	15.2	1.9	13.7

管内(男)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患		消化器系の疾患			肝疾患	腎不全	老衰	不慮の事故		自殺	
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故								
H18	582.9	1.0	0.6	190.9	9.9	37.7	13.8	8.7	23.3	9.3	11.9	39.4	0.0	3.9	12.3	1.6	83.5	20.8	9.2	63.8	8.2	17.3	32.5	78.9	47.8	0.4	26.8	0.9	11.5	11.7	5.8	37.4	8.5	28.3
H19	537.8	0.6	0.0	179.8	5.8	23.9	11.6	12.1	21.5	8.2	7.7	45.4	0.0	10.5	6.7	7.8	76.3	26.2	7.9	62.3	8.2	20.7	33.0	66.1	38.2	0.0	17.4	2.1	7.0	9.9	5.0	28.8	7.3	32.2
H20	572.4	/	0.0	187.4	/	36.9	/	/	12.7	/	/	47.9	/	/	6.6	0.0	91.0	/	/	56.1	/	/	/	/	49.0	/	/	/	10.9	6.9	5.3	34.3	9.8	37.4
H21	578.4	/	0.5	182.1	/	31.0	/	/	17.1	/	/	38.0	/	/	8.6	1.5	79.8	/	/	55.3	/	/	/	/	48.3	/	/	/	14.7	11.9	8.6	38.5	9.1	22.8
H22	563.5	/	0.9	180.6	/	30.3	/	/	13.7	/	/	48.2	/	/	5.2	1.5	81.5	/	/	50.4	/	/	/	/	47.6	/	/	/	16.9	6.6	7.3	25.7	7.6	37.0
H23	544.4	/	0.0	184.4	/	37.6	/	/	16.4	/	/	35.4	/	/	8.9	0.8	73.7	/	/	50.3	/	/	/	/	43.6	/	/	/	10.9	9.9	13.8	32.2	5.7	32.6
H24	551.4	/	0.3	183.6	/	32.5	/	/	14.8	/	/	43.7	/	/	8.6	1.9	71.9	/	/	48.3	/	/	/	/	41.2	/	/	/	7.9	6.9	11.7	31.7	6.4	31.7
H25	523.3	/	0.3	182.3	/	37.1	/	/	12.3	/	/	39.2	/	/	4.3	1.4	83.9	/	/	54.7	/	/	/	/	47.9	/	/	/	5.3	8.1	13.2	29.7	11.3	15.4
H26	507.8	/	0.7	168.2	/	30.2	/	/	9.4	/	/	39.7	/	/	3.1	2.7	66.1	/	/	45.7	/	/	/	/	42.9	/	/	/	14.0	5.8	14.1	22.4	6.7	22.0
H27	475.1	/	0.3	170.9	/	27.6	/	/	14.4	/	/	42.9	/	/	4.2	1.0	62.1	/	/	36.6	/	/	/	/	35.6	/	/	/	5.6	5.2	13.6	23.9	4.2	26.1
H28	518.6	/	0.0	179.3	/	26.1	/	/	12.5	/	/	39.2	/	/	5.9	0.3	67.9	/	/	54.1	/	/	/	/	33.0	/	/	/	9.6	8.0	12.4	26.9	3.5	34.2
H29	494.7	/	0.0	159.5	/	18.5	/	/	10.8	/	/	43.4	/	/	4.9	2.8	76.1	/	/	35.6	/	/	/	/	25.7	/	/	/	6.6	3.8	16.5	21.2	0.5	29.3
H30	471.1	/	0.3	154.8	/	24.1	/	/	11.7	/	/	42.8	/	/	9.4	2.3	73.7	/	/	44.4	/	/	/	/	15.7	/	/	/	6.7	5.8	11.8	22.8	3.2	21.2

管内(女)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	消化器系										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患	呼吸器系の疾患			消化器系の疾患			肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患		くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍				交通事故				
H18	276.8	0.5	0.0	95.5	0.9	12.8	8.0	4.7	7.2	2.8	10.0	9.8	8.2	1.6	9.3	3.3	41.1	10.9	5.0	35.8	13.0	7.5	14.1	27.3	16.4	0.0	7.2	0.3	2.7	4.8	5.4	14.2	6.6	10.1
H19	294.5	1.4	0.7	84.5	0.4	12.6	5.4	3.9	4.5	3.5	8.5	6.7	7.9	7.4	4.4	1.4	46.0	10.2	6.8	33.8	10.8	6.6	15.8	29.8	18.8	0.0	11.7	0.3	4.8	5.4	9.4	15.2	4.2	10.4
H20	283.0	/	0.4	95.1	/	9.0	/	/	6.6	/	/	8.8	/	/	3.1	1.2	44.7	/	/	27.5	/	/	/	/	13.4	/	/	/	1.5	4.9	8.2	17.2	4.2	10.5
H21	272.1	/	0.0	93.0	/	13.6	/	/	6.5	/	/	8.1	/	/	2.0	1.6	39.8	/	/	30.0	/	/	/	/	15.9	/	/	/	3.4	3.0	9.8	10.7	2.3	8.0
H22	256.0	/	0.0	86.7	/	15.3	/	/	5.6	/	/	8.6	/	/	1.7	0.4	41.4	/	/	22.5	/	/	/	/	15.5	/	/	/	2.1	3.1	12.1	12.0	3.8	11.9
H23	275.8	/	0.1	83.1	/	7.0	/	/	3.1	/	/	10.5	/	/	6.2	0.7	45.3	/	/	23.2	/	/	/	/	18.7	/	/	/	5.9	6.8	15.8	9.5	1.3	15.9
H24	270.4	/	0.1	96.9	/	11.7	/	/	3.7	/	/	7.4	/	/	1.3	0.4	37.7	/	/	30.8	/	/	/	/	18.4	/	/	/	5.7	3.2	11.5	8.4	1.7	10.1
H25	247.7	/	0.1	74.7	/	14.3	/	/	6.1	/	/	4.7	/	/	1.5	1.0	33.3	/	/	26.0	/	/	/	/	19.3	/	/	/	3.6	3.6	17.1	13.8	3.5	2.0
H26	277.9	/	0.0	108.6	/	9.9	/	/	4.6	/	/	10.9	/	/	3.3	1.2	32.6	/	/	35.2	/	/	/	/	17.6	/	/	/	2.1	3.1	13.9	11.6	3.4	1.9
H27	270.2	/	0.0	93.4	/	15.4	/	/	3.4	/	/	13.0	/	/	6.0	1.2	34.4	/	/	27.4	/	/	/	/	18.0	/	/	/	3.9	2.9	17.8	11.7	1.8	6.9
H28	234.3	/	0.3	76.0	/	9.8	/	/	4.2	/	/	7.2	/	/	2.4	0.4	30.3	/	/	14.7	/	/	/	/	14.5	/	/	/	3.6	2.1	16.5	8.4	0.9	9.4
H29	252.1	/	0.3	96.8	/	7.9	/	/	3.6	/	/	13.6	/	/	1.7	1.6	31.8	/	/	21.7	/	/	/	/	9.5	/	/	/	2.6	4.6	16.7	11.5	6.4	2.4
H30	227.5	/	0.3	85.0	/	6.4	/	/	3.5	/	/	13.0	/	/	1.8	1.0	31.7	/	/	21.5	/	/	/	/	7.0	/	/	/	1.9	3.0	17.7	9.6	0.6	6.1

2) 年齢調整死亡率(単年)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

石川県(総数)

年	死亡総数	腸管感染症	結核	悪性新生物	がん										糖尿病	高血圧性疾患	心疾患(高血圧性を除く)			脳血管疾患			呼吸器系の疾患			消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺		
					食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮			前立腺	急性心筋梗塞	その他の虚血性心疾患	くも膜下出血	脳内出血	脳梗塞	肺炎	急性気管支炎	胃潰瘍及び十二指腸潰瘍	交通事故									
H18	383.5	0.5	0.3	134.6	3.9	23.1	10.1	6.0	13.3	6.8	10.3	26.0	5.7	1.6	2.3	5.7	1.8	56.4	17.2	7.0	39.4	6.5	10.0	21.6	45.0	29.6	0.1	13.9	0.7	6.0	5.5	5.3	19.5	5.3	19.1
H19	385.7	0.7	0.4	131.8	4.0	18.9	10.7	5.7	12.6	6.1	10.0	26.5	5.0	2.7	2.8	5.0	1.9	56.9	15.2	6.5	41.9	7.3	11.0	22.4	44.8	28.8	0.1	15.3	0.8	6.1	4.9	5.6	17.5	5.0	19.4
H20	379.2	/	0.3	130.5	/	19.9	/	/	11.6	/	/	26.2	4.9	/	/	4.9	0.9	55.3	/	/	38.0	/	/	/	/	29.1	/	/	/	5.1	5.7	5.9	20.4	5.4	17.4
H21	380.1	/	0.6	130.3	/	19.3	/	/	11.3	/	/	26.0	5.1	/	/	5.1	1.2	53.1	/	/	37.1	/	/	/	/	28.2	/	/	/	6.6	5.6	7.7	18.2	4.7	20.2
H22	380.9	/	0.4	127.7	/	19.1	/	/	11.2	/	/	25.2	4.2	/	/	4.2	1.0	54.1	/	/	35.4	/	/	/	/	29.1	/	/	/	5.8	5.4	7.8	20.5	5.0	19.7
H23	377.5	/	0.3	128.0	/	18.9	/	/	10.1	/	/	24.0	4.5	/	/	4.5	1.1	53.5	/	/	33.5	/	/	/	/	30.2	/	/	/	5.5	5.4	8.4	19.9	4.1	20.8
H24	366.1	/	0.1	124.2	/	17.3	/	/	9.2	/	/	24.3	4.5	/	/	4.5	1.2	51.4	/	/	34.0	/	/	/	/	27.6	/	/	/	5.4	5.2	10.2	16.3	3.6	17.3
H25	358.1	/	0.4	120.4	/	17.1	/	/	9.6	/	/	23.8	3.6	/	/	3.6	1.1	50.8	/	/	33.9	/	/	/	/	26.8	/	/	/	6.0	4.5	11.3	16.7	4.5	15.0
H26	357.0	/	0.2	124.2	/	15.4	/	/	9.1	/	/	23.9	3.2	/	/	3.2	1.6	47.0	/	/	30.9	/	/	/	/	25.7	/	/	/	5.2	4.3	10.9	17.4	3.6	13.7
H27	351.7	/	0.3	121.1	/	15.5	/	/	9.1	/	/	24.9	3.3	/	/	3.3	1.0	46.1	/	/	28.4	/	/	/	/	26.4	/	/	/	6.3	4.1	12.0	15.7	3.5	16.2
H28	345.9	/	0.3	120.0	/	14.8	/	/	9.0	/	/	22.8	3.2	/	/	3.2	1.0	44.3	/	/	28.8	/	/	/	/	23.3	/	/	/	5.2	4.4	12.3	16.9	4.2	14.0
H29	341.0	/	0.2	116.7	/	12.7	/	/	7.3	/	/	23.1	3.7	/	/	3.7	1.9	45.1	/	/	27.6	/	/	/	/	17.2	/	/	/	6.8	4.7	12.8	13.2	2.6	14.9
H30	325.6	/	0.2	112.6	/	13.3	/	/	5.9	/	/	22.5	3.7	/	/	3.7	2.1	45.9	/	/	27.3	/	/	/	/	14.4	/	/	/	5.2	5.3	13.6	12.9	1.7	10.7

石川県(男)

資料:衛生統計年報(人口10万対:直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮	前立腺	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	くも膜下出血	脳内出血	脳梗塞	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺	
H18	541.1	0.5	0.6	190.0	7.6	36.9	11.0	8.4	18.7	9.1	13.6	45.5	0.0	/	5.9	7.3	2.2	77.3	26.2	9.7	53.9	6.1	14.8	30.7	73.4	46.7	0.2	19.3	0.8	9.2	7.7	4.3	27.9	6.4	29.6	
H19	536.7	0.9	0.4	188.0	7.6	30.1	12.7	9.2	19.1	7.6	12.5	48.0	0.0	/	7.3	5.5	2.8	75.9	21.8	9.1	55.8	7.7	15.7	30.7	73.4	45.6	0.1	20.0	1.4	7.8	6.6	3.8	25.7	7.2	30.4	
H20	536.9	/	0.4	183.8	/	29.7	/	/	17.8	/	/	46.3	/	/	/	6.5	0.8	77.1	/	/	51.2	/	/	/	/	/	48.9	/	/	/	7.7	8.1	3.5	30.7	7.6	27.2
H21	535.7	/	0.9	183.0	/	30.8	/	/	18.0	/	/	46.0	/	/	/	7.5	1.3	72.4	/	/	50.8	/	/	/	/	/	46.8	/	/	/	9.4	7.5	5.4	27.3	7.0	28.7
H22	535.3	/	0.8	182.6	/	29.5	/	/	18.5	/	/	45.5	/	/	/	5.4	1.2	70.8	/	/	49.6	/	/	/	/	/	46.8	/	/	/	9.4	6.1	7.1	27.4	6.1	29.9
H23	524.7	/	0.4	178.7	/	29.7	/	/	16.5	/	/	41.6	/	/	/	6.2	1.1	69.1	/	/	46.5	/	/	/	/	/	47.4	/	/	/	8.8	6.5	7.0	27.9	5.6	30.4
H24	510.3	/	0.3	174.9	/	25.3	/	/	14.8	/	/	43.4	/	/	/	6.0	1.3	70.0	/	/	45.3	/	/	/	/	/	45.0	/	/	/	7.2	7.6	8.5	22.7	4.4	25.5
H25	495.8	/	0.6	167.0	/	26.5	/	/	14.3	/	/	41.6	/	/	/	5.4	1.0	69.8	/	/	45.5	/	/	/	/	/	44.3	/	/	/	9.4	6.2	8.7	24.2	6.9	22.9
H26	495.9	/	0.4	171.7	/	24.5	/	/	14.1	/	/	42.2	/	/	/	3.8	2.0	2.0	/	/	41.7	/	/	/	/	/	42.5	/	/	/	7.7	6.1	9.1	24.9	5.2	22.3
H27	474.8	/	0.6	163.9	/	22.8	/	/	14.1	/	/	42.2	/	/	/	4.9	1.2	60.3	/	/	36.1	/	/	/	/	/	41.3	/	/	/	8.5	4.5	8.8	23.2	5.0	25.8
H28	473.7	/	0.5	168.1	/	23.7	/	/	13.8	/	/	39.9	/	/	/	5.0	1.1	58.9	/	/	40.4	/	/	/	/	/	36.5	/	/	/	7.9	6.7	8.6	25.0	6.3	20.4
H29	464.4	/	0.3	156.5	/	19.1	/	/	11.4	/	/	39.3	/	/	/	5.5	2.3	61.2	/	/	34.6	/	/	/	/	/	28.6	/	/	/	10.5	5.9	11.5	19.6	3.5	22.7
H30	440.9	/	0.2	149.0	/	20.6	/	/	9.2	/	/	36.5	/	/	/	6.3	2.9	60.7	/	/	37.6	/	/	/	/	/	23.9	/	/	/	7.5	7.7	10.9	18.9	2.5	14.8

石川県(女)

資料: 衛生統計年報(人口10万対: 直接法、標準的な人口は昭和60年モデル人口)

年	死亡総数	腸管感染症	結核	悪性新生物	食道	胃	結腸	直腸等	肝及び肝内胆管	胆のう等	膵	気管、気管支及び肺	乳房	子宮	前立腺	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	その他の虚血性心疾患	脳血管疾患	くも膜下出血	脳内出血	脳梗塞	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	胃潰瘍及び十二指腸潰瘍	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H18	266.2	0.5	0.2	94.6	1.0	12.7	9.5	4.2	8.6	5.2	8.0	12.0	10.8	2.8		4.3	1.5	39.4	10.2	4.7	28.6	6.7	6.0	15.3	28.5	20.0	0.0	9.3	0.6	3.2	4.1	5.6	12.8	4.3	8.9
H19	273.1	0.6	0.3	90.8	1.1	10.3	9.2	2.9	7.3	5.1	8.1	11.1	9.6	5.0		4.3	1.0	41.1	10.0	4.3	32.0	7.1	7.1	17.0	28.0	19.0	0.0	11.5	0.4	4.6	3.6	6.4	11.0	3.0	8.9
H20	260.9		0.2	91.8		13.0			6.5			11.4				3.5	1.0	38.0			28.2					17.2			2.7	4.0	6.9	11.8	3.3	7.8	
H21	267.7		0.4	94.9		10.6			5.8			11.7				3.4	1.0	38.0			26.8					16.9			3.7	4.3	8.5	9.8	2.2	12.0	
H22	265.3		0.2	87.5		11.5			5.1			10.2				3.3	0.8	40.1			25.3					18.5			2.5	4.9	8.1	15.0	3.9	9.9	
H23	268.7		0.2	90.7		10.9			5.0			11.0				3.2	1.1	41.0			23.9					20.4			2.7	4.7	8.9	13.7	2.8	11.6	
H24	260.3		0.1	88.0		11.4			4.4			10.0				3.2	1.0	36.5			25.9					17.1			3.7	3.5	10.8	11.6	3.1	9.2	
H25	254.3		0.3	86.1		10.4			5.8			10.4				2.1	1.2	35.3			24.5					16.9			2.9	3.0	12.2	10.4	2.3	7.2	
H26	253.7		0.1	90.6		8.7			5.4			10.3				2.7	1.1	34.7			22.5					15.4			3.0	3.1	11.5	11.5	2.2	5.1	
H27	253.3		0.1	88.4		10.1			5.1			11.4				1.9	0.8	33.5			22.2					16.9			4.4	3.8	13.2	9.6	2.0	6.7	
H28	245.8		0.2	83.4		7.8			4.9			9.7				1.8	1.0	32.0			19.6					15.3			2.9	2.7	13.7	9.9	2.0	7.6	
H29	244.6		0.2	86.5		7.4			4.0			10.5				2.1	1.5	31.9			22.2					10.3			3.2	3.8	13.1	8.1	1.7	7.1	
H30	236.2		0.2	86.1		7.6			3.2			12.0				1.6	1.3	33.0			19.3					8.2			3.2	3.4	14.7	8.1	1.0	6.7	

3) 年齢階級別死亡数(選択死因)

七尾市(3年平均:平成28~30年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		824.3	0.0	0.0	0.3	0.3	2.0	1.0	1.7	2.0	5.0	4.0	9.7	18.7	25.7	53.0	62.0	85.3	129.3	181.3	243.0	0.0
結核		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	-
悪性新生物		224.0	-	-	-	-	0.7	-	0.7	1.3	2.3	1.0	3.7	8.3	12.7	28.0	31.7	34.0	34.7	38.7	26.3	-
食道		6.0	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	0.7	1.3	1.7	0.3	0.7	0.3	-
胃		30.0	-	-	-	-	-	-	-	-	-	-	0.3	0.7	2.0	5.3	3.3	3.0	5.0	5.7	4.7	-
結腸		19.3	-	-	-	-	-	-	-	-	0.3	-	0.3	1.3	0.7	1.3	2.0	2.7	2.7	5.3	2.7	-
直腸S状結腸移行部及び直腸		13.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	2.0	2.7	2.3	1.7	2.7	1.3	-
肝及び肝内胆管		15.0	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	2.0	1.3	4.3	2.0	2.7	1.3	-
胆のう及びその他の胆道		12.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	2.3	1.0	2.7	2.7	3.0	-
膵		20.3	-	-	-	-	-	-	-	-	-	-	0.3	-	2.0	2.7	4.3	2.7	2.0	3.7	2.7	-
気管、気管支及び肺		48.0	-	-	-	-	-	-	-	0.3	1.0	0.3	-	2.7	3.0	8.0	7.3	7.7	9.7	3.7	4.3	-
乳房		5.3	-	-	-	-	-	-	-	-	-	0.3	-	1.0	0.3	0.3	1.7	0.7	-	1.0	-	-
子宮		5.7	-	-	-	-	0.3	-	0.3	-	-	-	1.3	0.3	0.3	1.3	0.7	-	-	1.0	-	-
白血病		5.7	-	-	-	-	0.3	-	-	0.3	0.3	-	-	0.3	0.3	0.3	0.3	1.3	1.0	0.7	0.3	-
糖尿病		9.0	-	-	-	-	0.3	-	-	-	-	-	-	0.3	0.3	0.7	1.3	1.0	2.0	1.7	1.3	-
高血圧性疾患		9.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	2.0	2.7	4.7	-
心疾患(高血圧性を除く)		137.7	-	-	-	-	-	-	-	-	0.3	0.3	2.0	3.7	3.0	6.0	8.3	10.3	21.3	27.7	54.7	-
急性心筋梗塞		19.3	-	-	-	-	-	-	-	-	-	-	0.3	-	1.7	2.7	1.3	1.7	2.0	4.7	5.0	-
その他の虚血性心疾患		14.0	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-	0.3	1.0	2.3	2.7	3.0	3.7	-
不整脈及び伝導障害		35.0	-	-	-	-	-	-	-	-	0.3	0.3	0.3	2.3	0.3	1.7	3.3	3.7	6.0	8.0	8.7	-
心不全		56.3	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	1.3	1.7	1.7	9.0	9.7	31.3	-
脳血管疾患		81.3	-	-	-	-	-	-	-	-	0.7	0.7	0.3	0.7	2.0	4.3	4.3	6.3	13.3	19.7	29.0	-
くも膜下出血		12.0	-	-	-	-	-	-	-	-	0.3	0.3	-	-	1.0	1.7	1.3	1.0	2.0	2.3	2.0	-
脳内出血		18.3	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.7	1.0	0.7	2.3	1.0	2.7	4.7	4.3	-
脳梗塞		50.3	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	0.7	4.3	8.7	12.7	22.0	-
大動脈瘤及び解離		11.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.7	1.7	2.0	1.0	4.0	-
肺炎		51.7	-	-	-	-	-	-	-	-	0.3	-	-	-	1.0	2.0	2.0	4.3	7.7	17.0	17.3	-
慢性閉塞性肺疾患		8.7	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	0.3	0.7	1.3	1.7	3.7	-
喘息		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	-
肝疾患		4.3	-	-	-	-	-	-	-	-	-	-	0.7	1.0	0.3	0.7	-	-	1.0	0.3	0.3	-
腎不全		12.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	0.7	2.0	4.0	4.0	-
老衰		68.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	0.7	4.7	13.0	49.0	-
不慮の事故		32.7	-	-	-	-	-	-	0.3	0.3	-	0.3	0.3	1.7	-	1.7	3.0	4.7	7.7	8.0	4.7	-
交通事故		2.7	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	0.3	0.7	1.0	-	-
自殺		11.7	-	-	0.3	-	0.7	1.0	0.7	0.3	1.0	1.3	0.7	0.7	0.3	2.0	1.0	0.7	0.7	0.3	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

羽咋市(3年平均:平成28~30年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		319.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.3	2.0	2.7	3.7	9.7	15.7	27.7	28.0	49.0	79.3	99.3	0.0
結核		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		84.7	-	-	-	-	-	-	-	0.7	0.3	1.0	0.7	1.7	3.7	7.0	12.0	11.7	12.7	22.0	11.3	-
食道		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-	-	0.3	-	-
胃		12.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.3	2.3	0.7	2.0	3.7	1.0	-
結腸		8.0	-	-	-	-	-	-	-	0.3	-	-	-	-	-	1.3	0.3	0.7	2.0	1.0	2.3	-
直腸S状結腸移行部及び直腸		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-	1.0	-	-
肝及び肝内胆管		4.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	1.7	0.3	-
胆のう及びその他の胆道		6.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	-	0.7	1.7	1.7	0.7	-
膵		9.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	2.7	1.3	2.0	1.7	-
気管、気管支及び肺		17.0	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.7	1.0	2.7	2.0	2.7	4.7	2.3	-
乳房		3.0	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	1.0	-	0.3	-	0.7	0.3	-
子宮		1.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	0.3	-
白血病		3.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.3	0.7	-	1.0	-	-
糖尿病		2.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	-	1.0	0.3	0.3	-
高血圧性疾患		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-
心疾患(高血圧性を除く)		54.3	-	-	-	-	-	-	0.3	-	0.3	-	1.0	-	1.7	2.0	3.0	2.3	7.7	13.7	22.3	-
急性心筋梗塞		9.0	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	1.0	0.3	0.7	2.0	1.0	3.0	-
その他の虚血性心疾患		10.3	-	-	-	-	-	-	0.3	-	0.3	-	-	-	0.3	-	0.3	1.0	1.3	3.0	3.7	-
不整脈及び伝導障害		10.3	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	-	0.7	-	2.0	2.0	4.3	-
心不全		19.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	0.7	2.0	6.3	9.0	-
脳血管疾患		33.0	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	1.0	1.7	2.7	3.3	5.0	8.7	9.7	-
くも膜下出血		6.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	1.3	0.7	0.7	1.0	1.3	-	-
脳内出血		7.7	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	-	1.0	1.0	1.0	2.0	1.7	-
脳梗塞		18.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.7	3.0	5.0	7.3	-
大動脈瘤及び解離		4.0	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	0.3	0.3	0.7	0.7	1.0	-
肺炎		24.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	0.7	4.0	8.0	10.3	-
慢性閉塞性肺疾患		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	1.7	0.7	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-
肝疾患		2.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	1.0	0.7	-	0.3	0.3	-
腎不全		6.3	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.7	0.7	0.7	0.3	3.7	-
老衰		33.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	3.3	9.0	20.0	-
不慮の事故		10.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	0.7	1.0	2.3	2.7	2.0	-
交通事故		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	-
自殺		2.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.7	-	-	-	0.3	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

志賀町(3年平均:平成28~30年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		340.7	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.3	0.7	3.3	5.3	10.0	19.3	24.0	31.3	54.3	78.0	112.3	0.0
結核		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-
悪性新生物		80.3	-	-	-	-	-	-	-	-	0.7	-	1.3	2.7	4.0	9.7	8.7	12.7	14.3	17.7	8.7	-
食道		3.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.3	0.3	0.3	0.7	-	-
胃		9.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.7	1.0	1.3	2.0	2.3	-
結腸		5.3	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.3	0.7	2.0	1.7	-	-
直腸S状結腸移行部及び直腸		3.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.3	0.3	0.7	0.7	0.3	-
肝及び肝内胆管		5.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.0	0.3	1.0	0.7	1.3	0.7	-
胆のう及びその他の胆道		6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	2.0	0.3	1.7	1.3	-
膵		9.3	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	2.0	0.3	1.0	2.7	1.3	0.7	-
気管、気管支及び肺		15.7	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	1.3	2.0	3.3	4.0	2.3	1.3	-
乳房		1.0	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.3	-	-	-	-	-	-
子宮		2.0	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	0.3	-	-	0.3	0.3	-
白血病		0.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	-	-	-
糖尿病		2.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	-	0.7	0.3	-
高血圧性疾患		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	-	-
心疾患(高血圧性を除く)		58.7	-	-	-	-	-	-	-	-	0.7	-	0.7	0.3	1.0	3.0	6.0	2.7	7.7	13.0	23.7	-
急性心筋梗塞		6.7	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.7	1.3	1.3	0.7	1.3	0.7	-
その他の虚血性心疾患		7.7	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	-	1.3	0.3	1.0	2.0	2.3	-
不整脈及び伝導障害		12.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	1.3	-	3.0	3.0	3.0	-
心不全		28.0	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	1.0	1.0	2.7	6.0	16.0	-
脳血管疾患		25.0	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.3	2.0	2.3	1.3	3.7	7.7	5.7	-
くも膜下出血		4.0	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	0.7	-	-	0.3	1.7	-	-
脳内出血		5.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	1.0	0.7	0.3	0.7	1.3	-
脳梗塞		15.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	0.7	3.0	5.0	4.3	-
大動脈瘤及び解離		4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.7	1.3	1.3	-
肺炎		27.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	2.0	3.0	8.7	12.7	-
慢性閉塞性肺疾患		5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.7	2.0	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-
肝疾患		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.3	0.3	0.3	-	-
腎不全		7.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	3.0	2.3	-
老衰		41.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	4.0	4.7	32.0	-
不慮の事故		12.3	-	-	-	-	-	0.3	-	-	-	-	0.7	-	0.3	1.3	0.3	1.7	3.7	2.0	2.0	-
交通事故		1.7	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.7	-	0.3	-	0.3	-	-
自殺		2.7	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	-	0.3	0.3	0.3	0.3	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

宝達志水町(3年平均:平成28~30年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		198.7	0.0	0.0	0.0	0.0	0.3	0.0	1.3	0.0	1.0	1.0	2.0	2.0	3.3	10.3	9.3	20.3	28.0	48.3	71.3	0.0
結核		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
悪性新生物		58.3	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	1.7	7.7	5.3	11.0	9.3	10.3	11.3	-
食道		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.7	-	-	-	-
胃		9.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	1.7	3.3	2.3	-
結腸		3.3	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.3	0.7	0.3	1.7	-
直腸S状結腸移行部及び直腸		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-
肝及び肝内胆管		8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	0.7	2.0	1.3	1.7	0.7	-
胆のう及びその他の胆道		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	1.3	-
膵		4.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.3	0.3	1.3	0.7	-	0.7	-
気管、気管支及び肺		11.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.3	2.3	2.0	3.0	1.3	-
乳房		1.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	0.3	-	-	-
子宮		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
白血病		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-
糖尿病		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	1.0	-	-
高血圧性疾患		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-
心疾患(高血圧性を除く)		28.7	-	-	-	-	-	-	0.3	-	0.7	-	-	0.7	-	1.3	1.0	2.3	5.0	6.7	10.7	-
急性心筋梗塞		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.3	0.7	1.0	0.3	-
その他の虚血性心疾患		5.7	-	-	-	-	-	-	0.3	-	0.3	-	-	-	-	-	0.3	0.3	0.7	1.7	2.0	-
不整脈及び伝導障害		5.0	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.3	0.7	0.3	1.0	0.7	1.3	-
心不全		12.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	2.3	3.0	6.0	-
脳血管疾患		17.0	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	0.7	1.3	2.7	5.3	6.3	-
くも膜下出血		0.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.3	-	-
脳内出血		4.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	0.7	1.7	1.0	-
脳梗塞		11.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.7	3.0	5.3	-
大動脈瘤及び解離		2.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	-	-	0.3	0.7	-
肺炎		10.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	0.7	1.7	2.0	5.0	-
慢性閉塞性肺疾患		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.7	1.0	-
喘息		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
肝疾患		1.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.3	0.3	-	-
腎不全		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	0.7	-
老衰		20.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	19.0	-
不慮の事故		7.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	2.7	2.7	-
交通事故		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-
自殺		2.7	-	-	-	-	0.3	-	0.3	-	-	0.7	0.3	-	-	-	0.3	-	0.3	-	0.3	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

中能登町(3年平均:平成28~30年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		250.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.0	0.3	1.3	4.3	4.7	7.0	14.3	18.0	23.0	42.0	55.7	77.7	0.0
結核		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		69.3	-	-	-	-	-	-	-	-	-	1.0	1.3	2.3	2.3	9.0	9.3	9.0	12.0	12.0	11.0	-
食道		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	-	-	-
胃		9.3	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	0.3	1.3	2.7	1.0	2.0	-
結腸		6.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.7	0.3	0.7	0.3	0.7	2.0	-
直腸S状結腸移行部及び直腸		3.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	-	0.3	0.7	0.3	-
肝及び肝内胆管		2.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.7	0.7	0.3	-
胆のう及びその他の胆道		6.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	1.7	0.7	1.3	2.0	-
膵		8.7	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.7	0.7	2.0	1.3	1.0	-
気管、気管支及び肺		12.7	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	2.7	3.0	1.0	1.7	1.7	1.7	-
乳房		1.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	0.7	-	-
子宮		2.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	0.3	0.3	-	0.3	-
白血病		1.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.3	-	-
糖尿病		3.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.7	0.3	-	1.3	0.7	-
高血圧性疾患		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	-
心疾患(高血圧性を除く)		34.0	-	-	-	-	-	-	-	0.3	-	-	0.7	0.7	1.0	1.3	1.0	2.3	5.3	7.3	14.0	-
急性心筋梗塞		3.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	0.7	1.0	0.7	-
その他の虚血性心疾患		4.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	1.3	-	1.7	-
不整脈及び伝導障害		7.7	-	-	-	-	-	-	-	0.3	-	-	0.7	0.3	-	-	0.3	0.7	1.3	1.3	2.7	-
心不全		12.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.0	1.0	3.3	6.3	-
脳血管疾患		29.0	-	-	-	-	-	-	-	-	-	-	1.3	-	0.7	0.7	1.0	1.7	5.7	7.3	10.7	-
くも膜下出血		3.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	-	0.3	0.7	1.0	0.7	-
脳内出血		7.0	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.3	0.7	0.7	0.3	2.3	2.0	-
脳梗塞		17.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	0.3	4.3	4.0	7.3	-
大動脈瘤及び解離		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	1.0	1.0	-
肺炎		13.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	0.7	1.0	4.3	5.0	-
慢性閉塞性肺疾患		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.3	1.3	0.3	-
喘息		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-
肝疾患		4.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	0.3	1.0	0.3	-	-
腎不全		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	1.3	1.3	-
老衰		22.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.7	4.3	15.3	-
不慮の事故		9.3	-	-	-	-	-	-	-	0.7	0.3	-	-	0.3	0.3	-	1.0	1.7	2.3	1.3	1.3	-
交通事故		1.3	-	-	-	-	-	-	-	0.7	0.3	-	-	-	-	-	-	-	-	-	0.3	-
自殺		2.7	-	-	-	-	0.7	-	-	-	-	0.3	0.3	0.3	0.3	0.3	-	-	0.3	-	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

管内(3年平均:平成28~30年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		1933.0	0.3	0.0	0.3	0.3	3.0	1.3	3.3	3.7	9.0	9.0	22.0	34.3	55.7	112.7	141.0	188.0	302.7	442.7	603.7	0.0
結核		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	1.0	-
悪性新生物		516.7	-	-	-	-	0.7	-	0.7	2.0	3.7	3.0	7.3	16.0	24.3	61.3	67.0	78.3	83.0	100.7	68.7	-
食道		13.3	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.7	2.7	3.0	3.3	1.0	1.7	0.3	-
胃		71.0	-	-	-	-	-	-	-	-	-	-	0.7	1.7	3.3	9.3	8.3	7.0	12.7	15.7	12.3	-
結腸		42.0	-	-	-	-	-	-	-	0.3	0.7	-	0.3	2.3	0.7	4.3	3.0	5.0	7.7	9.0	8.7	-
直腸S状結腸移行部及び直腸		22.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	3.7	4.0	3.0	3.0	5.0	2.0	-
肝及び肝内胆管		35.3	-	-	-	-	-	-	-	-	-	-	0.3	1.3	0.7	4.7	2.7	8.7	5.7	8.0	3.3	-
胆のう及びその他の胆道		33.3	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	2.7	6.0	5.7	7.7	8.3	-
膵		52.3	-	-	-	-	-	-	-	-	-	-	0.7	1.0	4.0	7.3	7.3	8.3	8.7	8.3	6.7	-
気管、気管支及び肺		104.7	-	-	-	-	-	-	-	0.3	1.0	1.0	0.3	3.7	5.3	14.0	16.3	16.3	20.0	15.3	11.0	-
乳房		11.7	-	-	-	-	-	-	-	-	0.3	0.7	0.7	1.7	0.7	1.7	1.7	1.3	0.3	2.3	0.3	-
子宮		11.0	-	-	-	-	0.3	-	0.3	-	0.3	-	1.7	0.3	0.7	2.3	1.7	0.3	0.3	1.7	1.0	-
白血病		11.3	-	-	-	-	0.3	-	-	0.3	0.3	-	-	0.3	1.3	1.0	2.0	2.3	1.0	2.0	0.3	-
糖尿病		18.7	-	-	-	-	0.3	-	-	-	-	-	0.7	1.0	1.0	0.7	2.3	2.0	3.0	5.0	2.7	-
高血圧性疾患		13.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	3.0	4.0	6.0	-
心疾患(高血圧性を除く)		313.3	-	-	-	-	-	-	0.7	0.3	2.0	0.3	4.3	5.3	6.7	13.7	19.3	20.0	47.0	68.3	125.3	-
急性心筋梗塞		41.7	-	-	-	-	-	-	-	-	0.3	-	1.0	-	2.7	5.0	3.0	5.0	6.0	9.0	9.7	-
その他の虚血性心疾患		42.0	-	-	-	-	-	-	0.7	-	1.0	-	0.7	0.7	0.3	1.0	3.3	4.3	7.0	9.7	13.3	-
不整脈及び伝導障害		70.0	-	-	-	-	-	-	-	0.3	0.7	0.3	1.7	3.0	1.7	3.0	6.3	4.7	13.3	15.0	20.0	-
心不全		129.0	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	4.3	4.0	4.7	17.0	28.3	68.7	-
脳血管疾患		185.3	-	-	-	-	-	-	-	-	1.0	1.3	2.7	1.3	5.0	8.7	11.0	14.0	30.3	48.7	61.3	-
くも膜下出血		26.3	-	-	-	-	-	-	-	-	0.3	1.0	0.7	0.3	3.0	3.7	2.0	2.0	4.0	6.7	2.7	-
脳内出血		43.0	-	-	-	-	-	-	-	-	0.7	0.3	1.7	1.0	1.7	2.0	5.3	3.7	5.0	11.3	10.3	-
脳梗塞		112.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	3.0	3.7	8.0	20.7	29.7	46.3	-
大動脈瘤及び解離		26.3	-	-	-	-	-	-	-	-	-	0.3	-	-	1.3	1.3	3.3	3.3	4.3	4.3	8.0	-
肺炎		127.0	-	-	-	-	-	-	-	-	0.3	-	0.3	-	2.0	3.0	5.3	8.3	17.3	40.0	50.3	-
慢性閉塞性肺疾患		24.0	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	0.3	2.7	5.3	7.0	7.7	-
喘息		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	0.3	1.0	-
肝疾患		14.3	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	1.3	1.7	2.7	1.3	2.7	1.7	0.7	-
腎不全		31.7	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	2.0	2.3	4.0	10.3	12.0	-
老衰		186.0	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.7	2.3	14.0	32.3	135.3	-
不慮の事故		72.0	-	-	-	-	-	0.3	0.3	1.0	0.3	0.3	1.0	2.3	1.0	4.3	5.0	9.7	17.0	16.7	12.7	-
交通事故		7.0	-	-	-	-	-	0.3	-	0.7	0.3	-	-	0.7	-	1.0	-	0.7	0.7	2.0	0.7	-
自殺		22.0	-	-	0.3	-	1.7	1.0	1.0	0.3	1.0	2.7	1.3	2.0	1.3	3.0	2.3	1.0	1.7	0.7	0.7	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

石川県(3年平均:平成28~30年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		12624.0	20.0	3.3	2.7	16.3	19.3	17.7	29.7	36.7	66.0	102.3	151.3	243.7	376.3	826.7	987.3	1299.0	2060.0	2635.7	3730.0	0.0
結核		14.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	3.0	6.0	3.7	-
悪性新生物		3,541.3	0.3	1.0	0.3	1.3	1.7	1.7	7.7	9.7	20.0	32.0	66.3	113.3	189.0	424.3	448.3	505.0	621.3	607.0	491.0	-
食道		81.0	-	-	-	-	-	-	-	0.3	-	1.0	1.3	6.3	5.7	11.3	13.0	15.0	10.3	11.0	5.7	-
胃		449.7	-	-	-	-	-	0.7	-	0.3	1.3	2.7	5.3	8.0	24.0	53.3	56.0	64.3	73.3	86.0	74.3	-
結腸		333.7	-	-	-	-	0.3	-	1.0	1.0	1.7	1.3	5.3	11.3	15.7	34.3	33.0	41.3	57.7	63.0	66.7	-
直腸S状結腸移行部及び直腸		140.7	-	-	-	-	-	-	0.3	-	1.0	1.7	2.7	6.3	11.0	21.3	20.7	13.7	27.7	22.7	11.7	-
肝及び肝内胆管		229.3	-	-	-	-	-	-	-	0.3	-	0.7	3.3	7.3	13.3	31.0	28.0	36.7	46.7	40.0	22.0	-
胆のう及びその他の胆道		189.0	-	-	-	-	-	-	-	-	0.3	0.3	1.0	4.7	5.3	12.3	17.3	27.3	37.7	43.7	39.0	-
膵		348.0	-	-	-	-	-	-	0.3	0.3	1.0	3.7	5.3	9.7	21.3	43.3	52.7	59.3	57.0	50.0	44.0	-
気管、気管支及び肺		712.0	-	-	-	-	-	0.3	0.7	0.7	2.7	2.3	6.7	16.0	38.3	99.7	102.7	114.7	136.3	111.0	80.0	-
乳房		135.0	-	-	-	-	-	-	1.7	2.0	2.7	5.7	10.3	15.0	11.7	15.7	17.0	17.0	11.7	13.7	11.0	-
子宮		58.0	-	-	-	-	-	-	0.7	0.3	1.0	3.0	8.0	3.7	5.3	8.3	4.7	5.7	4.0	7.7	5.7	-
白血病		76.0	0.3	-	-	0.3	0.3	-	0.3	1.3	1.7	1.0	2.7	2.7	3.7	11.3	9.0	11.0	15.7	10.3	4.3	-
糖尿病		119.0	-	-	-	-	-	-	-	0.7	0.3	2.3	2.3	2.7	4.3	8.3	13.3	13.7	23.7	23.7	23.7	-
高血圧性疾患		80.7	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.7	3.0	4.0	3.0	2.3	14.0	16.0	36.7	-
心疾患(高血圧性を除く)		1,974.7	0.3	-	0.3	1.0	0.3	0.7	2.3	1.7	8.3	11.3	22.0	29.3	37.3	92.3	113.3	163.3	308.7	442.0	740.0	-
急性心筋梗塞		346.0	-	-	-	-	-	-	-	-	3.3	5.0	5.3	9.0	11.7	28.0	29.0	44.0	58.3	79.3	73.0	-
その他の虚血性心疾患		237.7	-	-	-	-	-	0.3	0.7	0.3	1.0	0.7	4.3	3.0	4.0	15.3	18.7	22.7	45.3	51.3	70.0	-
不整脈及び伝導障害		335.3	-	-	0.3	0.3	0.3	0.3	0.3	0.3	2.3	3.7	6.3	9.0	9.3	19.3	24.7	32.3	59.0	66.0	101.3	-
心不全		831.3	-	-	-	-	-	-	0.7	0.7	0.7	1.0	2.7	4.3	5.3	18.7	28.0	46.3	114.7	193.0	415.3	-
脳血管疾患		1,127.3	-	-	-	0.7	0.3	1.0	1.0	1.7	7.0	12.7	15.0	19.3	24.3	48.3	75.7	108.7	199.0	258.0	354.7	-
くも膜下出血		132.0	-	-	-	-	0.3	-	-	1.0	3.3	7.7	7.3	6.7	7.3	13.3	16.0	13.3	18.3	21.0	16.3	-
脳内出血		286.7	-	-	-	0.7	-	0.7	0.3	0.3	3.3	4.3	5.7	10.0	13.0	18.7	27.0	31.7	49.7	63.3	58.0	-
脳梗塞		682.7	-	-	-	-	-	-	0.3	0.3	-	0.7	1.7	2.3	4.0	15.0	30.3	60.7	127.3	167.3	272.7	-
大動脈瘤及び解離		167.3	-	-	-	-	-	-	0.7	-	0.3	1.3	1.3	3.7	5.3	11.0	18.0	17.0	33.0	41.3	34.3	-
肺炎		937.7	0.7	0.3	-	-	0.3	-	0.3	0.7	1.0	1.0	2.0	2.7	8.0	27.3	41.7	81.3	157.0	237.3	376.0	-
慢性閉塞性肺疾患		168.7	-	-	-	-	-	-	-	-	-	-	-	1.3	2.0	7.3	10.3	22.0	38.0	44.3	43.3	-
喘息		18.3	-	-	-	-	-	-	0.3	-	-	0.3	0.3	-	-	0.7	0.7	2.0	4.7	3.7	5.7	-
肝疾患		140.3	-	-	-	-	-	-	-	1.7	1.7	4.7	5.3	11.0	10.3	18.3	15.0	16.0	27.7	19.0	9.7	-
腎不全		221.7	-	-	-	-	-	-	0.3	0.7	0.3	1.0	0.7	1.0	4.7	8.3	12.7	20.7	39.7	52.0	79.7	-
老衰		967.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	5.3	14.0	68.3	202.0	676.0	-
不慮の事故		421.0	3.0	0.7	0.7	3.0	2.0	2.0	3.3	4.7	6.0	6.7	5.3	11.3	14.0	29.0	41.0	51.3	70.7	83.7	82.7	-
交通事故		50.7	-	0.7	0.7	2.3	0.7	1.0	2.0	2.0	2.0	0.3	1.3	2.0	3.3	5.3	6.3	5.3	5.3	7.0	3.0	-
自殺		170.7	-	-	0.3	6.7	11.7	9.7	7.7	9.0	10.3	16.0	11.3	14.3	11.7	15.7	17.0	9.7	8.0	6.3	5.3	-

資料:能登中部保健福祉センター算出