

6 疾患別死亡の状況

1) 疾患別死亡数・死亡率(七尾市)

死亡数(総数)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	748	801	794	785	837	863	804	824	786	787
結核	2	0	1	1	1	0	1	1	3	0
悪性新生物	210	226	230	201	232	239	208	228	205	207
胃	39	37	33	40	32	39	39	24	27	34
結腸	21	27	17	12	17	17	20	22	19	19
直腸S状結腸移行部	10	11	8	9	12	13	6	14	12	8
肝及び肝内胆管	15	18	21	19	19	13	10	18	14	9
気管、気管支及び肺	38	39	45	25	37	50	44	48	46	40
乳	4	5	4	2	9	3	5	7	6	12
子宮	5	1	4	6	4	6	1	9	2	2
前立腺	2	5	6	5	8	4	6	5	6	3
糖尿病	10	14	8	8	5	8	8	5	14	7
高血圧性疾患	4	4	4	4	7	6	4	14	9	10
心疾患(高血圧性除く)	114	128	121	141	122	145	117	133	135	118
急性心筋梗塞	18	14	19	25	20	24	13	14	20	17
その他虚血性心疾患	16	25	22	14	14	13	11	13	16	13
脳血管疾患	95	83	96	95	99	93	88	71	80	73
<も膜下出血	12	8	10	10	11	13	4	9	14	10
脳内出血	13	16	21	20	26	20	24	17	18	13
脳梗塞	67	59	64	63	60	59	59	44	48	49
肺炎	72	51	65	72	83	79	66	49	27	33
肝疾患	7	10	13	6	7	5	7	5	3	9
腎不全	13	20	17	14	14	14	16	12	10	17
老衰	42	62	44	67	55	62	75	79	64	75
不慮の事故	30	46	29	22	41	40	32	23	35	32
交通事故	6	4	5	5	7	5	1	0	3	2
自殺	16	15	15	8	9	13	9	9	13	9

死亡率(総数)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1302.2	1414.9	1420.0	1424.1	1505.9	1571.8	1486.7	1551.5	1503.6	1532.1
結核	3.5	0.0	1.8	1.8	1.8	0.0	1.8	1.9	5.7	0.0
悪性新生物	365.6	399.2	411.3	364.6	417.4	435.3	384.6	429.3	392.1	403.0
胃	67.9	65.4	59.0	72.6	57.6	71.0	72.1	45.2	51.6	66.2
結腸	36.6	47.7	30.4	21.8	30.6	31.0	37.0	41.4	36.3	37.0
直腸S状結腸移行部	17.4	19.4	14.3	16.3	21.6	23.7	11.1	26.4	23.0	15.6
肝及び肝内胆管	26.1	31.8	37.6	34.5	34.2	23.7	18.5	33.9	26.8	17.5
気管、気管支及び肺	66.2	68.9	80.5	45.4	66.6	91.1	81.4	90.4	88.0	77.9
乳	7.0	8.8	7.2	3.6	16.2	5.5	9.2	13.2	11.5	23.4
子宮	8.7	1.8	7.2	10.9	7.2	10.9	1.8	16.9	3.8	3.9
前立腺	3.5	8.8	10.7	9.1	14.4	7.3	11.1	9.4	11.5	5.8
糖尿病	17.4	24.7	14.3	14.5	9.0	14.6	14.8	9.4	26.8	13.6
高血圧性疾患	7.0	7.1	7.2	7.3	12.6	10.9	7.4	26.4	17.2	19.5
心疾患(高血圧性除く)	198.5	226.1	216.4	255.8	219.5	264.1	216.4	250.4	258.2	229.7
急性心筋梗塞	31.3	24.7	34.0	45.4	36.0	43.7	24.0	26.4	38.3	33.1
その他虚血性心疾患	27.9	44.2	39.3	25.4	25.2	23.7	20.3	24.5	30.6	25.3
脳血管疾患	165.4	146.6	171.7	172.3	178.1	169.4	162.7	133.7	153.0	142.1
<も膜下出血	20.9	14.1	17.9	18.1	19.8	23.7	7.4	16.9	26.8	19.5
脳内出血	22.6	28.3	37.6	36.3	46.8	36.4	44.4	32.0	34.4	25.3
脳梗塞	116.6	104.2	114.5	114.3	107.9	107.5	109.1	82.8	91.8	95.4
肺炎	125.3	90.1	116.2	130.6	149.3	143.9	122.0	92.3	51.6	64.2
肝疾患	12.2	17.7	23.2	10.9	12.6	9.1	12.9	9.4	5.7	17.5
腎不全	22.6	35.3	30.4	25.4	25.2	25.5	29.6	22.6	19.1	33.1
老衰	73.1	109.5	78.7	121.5	99.0	112.9	138.7	148.7	122.4	146.0
不慮の事故	52.2	81.3	51.9	39.9	73.8	72.9	59.2	43.3	67.0	62.3
交通事故	10.4	7.1	8.9	9.1	12.6	9.1	1.8	0.0	5.7	3.9
自殺	27.9	26.5	26.8	14.5	16.2	23.7	16.6	16.9	24.9	17.5

死亡数(男)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	384	403	405	366	398	414	429	378	369	372
結核	2	0	0	1	1	0	0	0	1	0
悪性新生物	122	126	133	110	123	129	136	128	112	116
胃	24	26	18	25	20	22	26	15	17	23
結腸	10	11	10	6	4	6	11	9	8	10
直腸S状結腸移行部	5	5	6	3	5	10	4	9	3	4
肝及び肝内胆管	11	14	15	9	12	9	7	13	8	4
気管、気管支及び肺	29	28	34	18	22	38	34	32	36	31
乳	0	0	0	0	0	0	0	0	0	0
子宮	5	1	4	6	4	6	1	9	2	2
前立腺	2	5	6	5	8	4	6	5	6	3
糖尿病	5	8	5	4	3	6	6	0	8	4
高血圧性疾患	1	2	2	1	4	1	1	4	2	3
心疾患(高血圧性除く)	51	61	45	66	48	59	53	48	62	59
急性心筋梗塞	11	8	7	11	13	14	8	6	12	8
その他虚血性心疾患	6	12	9	6	4	7	5	5	10	7
脳血管疾患	46	37	45	39	43	35	51	37	29	34
<も膜下出血	6	2	3	4	3	5	1	3	6	5
脳内出血	4	8	12	10	14	9	18	10	6	9
脳梗塞	35	27	29	24	24	20	31	23	17	19
肺炎	40	29	37	41	42	46	40	25	15	15
肝疾患	5	6	4	2	5	3	2	2	1	6
腎不全	5	8	7	6	5	8	9	3	5	5
老衰	6	20	14	11	12	14	20	21	16	19
不慮の事故	12	28	17	12	23	23	22	14	22	13
交通事故	1	3	3	3	4	4	1	0	0	1
自殺	12	8	10	6	7	11	6	9	9	6

死亡率(男)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1418.0	1507.7	1534.4	1405.7	1538.8	1583.5	1676.3	1502.9	1487.4	1524.8
結核	7.4	0.0	0.0	3.8	3.9	0.0	0.0	0.0	4.0	0.0
悪性新生物	450.5	471.4	503.9	422.5	475.5	493.4	531.4	508.9	451.5	475.5
胃	88.6	97.3	68.2	96.0	77.3	84.1	101.6	59.6	68.5	94.3
結腸	36.9	41.2	37.9	23.0	15.5	22.9	43.0	35.8	32.2	41.0
直腸S状結腸移行部	18.5	18.7	22.7	11.5	19.3	38.2	15.6	35.8	12.1	16.4
肝及び肝内胆管	40.6	52.4	56.8	34.6	46.4	34.4	27.4	51.7	32.2	16.4
気管、気管支及び肺	107.1	104.8	128.8	69.1	85.1	145.3	132.9	127.2	145.1	127.1
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	7.4	18.7	22.7	19.2	30.9	15.3	23.4	19.9	24.2	12.3
前立腺	18.5	29.9	18.9	15.4	11.6	22.9	23.4	0.0	32.2	16.4
糖尿病	3.7	7.5	7.6	3.8	15.5	3.8	3.9	15.9	8.1	12.3
高血圧性疾患	188.3	228.2	170.5	253.5	185.6	225.7	207.1	190.8	249.9	241.8
心疾患(高血圧性除く)	40.6	29.9	26.5	42.2	50.3	53.5	31.3	23.9	48.4	32.8
急性心筋梗塞	22.2	44.9	34.1	23.0	15.5	26.8	19.5	19.9	40.3	28.7
その他虚血性心疾患	169.9	138.4	170.5	149.8	166.2	133.9	199.3	147.1	116.9	139.4
脳血管疾患	22.2	7.5	11.4	15.4	11.6	19.1	3.9	11.9	24.2	20.5
<も膜下出血	14.8	29.9	45.5	38.4	54.1	34.4	70.3	39.8	24.2	36.9
脳内出血	129.2	101.0	109.9	92.2	92.8	76.5	121.1	91.4	68.5	77.9
脳梗塞	147.7	108.5	140.2	157.5	162.4	175.9	156.3	99.4	60.5	61.5
肺炎	18.5	22.4	15.2	7.7	19.3	11.5	7.8	8.0	4.0	24.6
肝疾患	18.5	29.9	26.5	23.0	19.3	30.6	35.2	11.9	20.2	20.5
腎不全	22.2	74.8	53.0	42.2	46.4	53.5	78.1	83.5	64.5	77.9
老衰	44.3	104.8	64.4	46.1	88.9	88.0	86.0	55.7	88.7	53.3
不慮の事故	3.7	11.2	11.4	11.5	15.5	15.3	3.9	0.0	0.0	4.1
交通事故	44.3	29.9	37.9	23.0	27.1	42.1	23.4	35.8	36.3	24.6
自殺	44.3	29.9	37.9	23.0	27.1	42.1	23.4	35.8	36.3	24.6

死亡数(女)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	364	398	389	419	439	449	375	446	417	415
結核	0	0	1	0	0	0	1	1	2	0
悪性新生物	88	100	97	91	109	110	72	100	93	91
胃	15	11	15	15	12	17	13	9	10	11
結腸	11	16	7	6	13	11	9	13	11	9
直腸S状結腸移行部	5	6	2	6	7	3	2	5	9	4
肝及び肝内胆管	4	4	6	10	7	4	3	5	6	5
気管、気管支及び肺	9	11	11	7	15	12	10	16	10	9
乳	4	5	4	2	9	3	5	7	6	12
子宮	5	1	4	6	4	6	1	9	2	2
前立腺	2	5	6	5	8	4	6	5	6	3
糖尿病	5	6	3	4	2	2	2	5	6	3
高血圧性疾患	3	2	2	3	3	5	3	10	7	7
心疾患(高血圧性除く)	63	67	76	75	74	86	64	85	73	59
急性心筋梗塞	7	6	12	14	7	10	5	8	8	9
その他虚血性心疾患	10	13	13	8	10	6	6	8	6	6
脳血管疾患	49	46	51	56	5					

1) 疾患別死亡数・死亡率(羽咋市)

死亡数(総数)

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	307	287	302	318	300	313	279	317	328	303
結核	0	1	1	0	0	0	0	0	0	0
悪性新生物	87	84	96	87	75	86	84	81	87	87
胃	14	12	18	17	12	14	12	11	12	9
結腸	9	7	4	5	2	4	9	12	8	4
直腸S状結腸移行部	7	5	1	3	1	1	3	1	4	5
肝及び肝内胆管	5	4	8	2	4	3	5	4	6	4
気管、気管支及び肺	24	19	18	19	21	24	18	14	13	15
乳	3	2	5	3	2	2	3	4	3	7
子宮	0	0	3	1	3	0	1	1	2	3
前立腺	4	5	1	1	2	1	3	0	0	3
糖尿病	0	5	2	4	2	1	1	4	2	4
高血圧性疾患	1	0	2	0	3	0	0	1	0	1
心疾患(高血圧性除く)	38	43	42	49	43	57	44	57	49	39
急性心筋梗塞	5	10	7	9	8	9	6	11	7	4
その他虚血性心疾患	8	8	6	6	11	12	4	10	9	6
脳血管疾患	32	26	37	21	33	35	30	25	39	29
<も膜下出血	1	3	2	0	6	8	6	5	5	3
脳内出血	6	6	10	4	6	7	6	7	9	8
脳梗塞	25	17	24	17	20	17	14	13	25	18
肺炎	42	25	20	34	30	28	20	23	22	18
肝疾患	6	2	2	1	4	1	4	4	3	4
腎不全	5	5	3	8	16	6	2	9	4	5
老衰	21	42	23	34	21	37	23	29	35	34
不慮の事故	18	7	10	23	10	10	17	12	10	10
交通事故	2	2	1	5	1	1	2	1	0	1
自殺	6	7	5	2	2	3	3	2	2	5

資料: 衛生統計年報

死亡率(総数)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1338.3	1263.4	1343.5	1429.9	1343.8	1444.9	1305.4	1506.4	1588.5	1489.4
結核	0.0	0.0	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	379.3	378.6	427.1	391.2	336.0	397.0	397.7	384.9	421.3	427.6
胃	61.0	52.8	80.1	76.4	53.8	64.6	56.1	52.3	58.1	44.2
結腸	39.2	30.8	17.8	22.5	9.0	18.5	42.1	57.0	38.7	19.7
直腸S状結腸移行部	30.5	22.0	4.4	13.5	4.5	4.6	14.0	4.8	19.4	24.6
肝及び肝内胆管	21.8	17.6	35.6	9.0	17.9	13.8	23.4	19.0	29.1	19.7
気管、気管支及び肺	104.6	83.6	80.1	85.4	94.1	110.8	84.2	66.5	63.0	73.7
乳	13.1	8.8	22.2	13.5	9.0	9.2	14.0	19.0	14.5	34.4
子宮	0.0	0.0	13.3	4.5	13.4	0.0	4.7	4.8	9.7	14.7
前立腺	17.4	22.0	4.4	4.5	0.0	4.6	14.0	0.0	0.0	14.7
糖尿病	0.0	22.0	8.9	18.0	9.0	4.6	4.7	19.0	9.7	19.7
高血圧性疾患	4.4	0.0	8.9	0.0	13.4	0.0	0.0	4.8	0.0	4.9
心疾患(高血圧性除く)	165.7	189.3	186.8	220.3	192.6	263.1	205.9	270.9	237.3	191.7
急性心筋梗塞	21.8	44.0	31.1	40.5	35.8	41.5	28.1	52.3	33.9	19.7
その他虚血性心疾患	34.9	35.2	26.7	27.0	49.3	55.4	18.7	47.5	43.6	29.5
脳血管疾患	139.5	114.5	164.6	94.4	147.8	161.6	140.4	118.8	188.9	142.5
<も膜下出血	4.4	13.2	8.9	0.0	26.9	36.9	28.1	23.8	24.2	14.7
脳内出血	26.2	26.4	44.5	18.0	26.9	32.3	28.1	33.3	43.6	39.3
脳梗塞	109.0	74.8	106.8	76.4	89.6	78.5	65.5	61.8	121.1	88.5
肺炎	183.1	110.1	89.0	152.9	134.4	129.3	93.6	109.3	106.5	88.5
肝疾患	26.2	8.8	8.9	4.5	17.9	4.6	18.7	19.0	14.5	19.7
腎不全	21.8	22.0	13.3	36.0	71.7	27.7	9.4	42.8	19.4	24.6
老衰	91.5	184.9	102.3	152.9	94.1	170.8	107.6	137.8	169.5	167.1
不慮の事故	78.5	30.8	44.5	103.4	44.8	46.2	79.5	57.0	48.4	49.2
交通事故	8.7	8.8	4.4	22.5	4.5	4.6	9.4	4.8	0.0	4.9
自殺	26.2	30.8	22.2	9.0	9.0	13.8	14.0	9.5	9.7	24.6

死亡数(男)

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	159	132	143	160	160	145	139	168	174	139
結核	0	0	1	0	0	0	0	0	0	0
悪性新生物	55	52	56	51	47	49	50	39	49	48
胃	10	9	12	11	9	8	10	6	8	7
結腸	5	4	3	2	1	3	2	6	4	1
直腸S状結腸移行部	4	3	1	3	1	1	2	1	4	2
肝及び肝内胆管	2	4	5	1	2	2	3	3	3	2
気管、気管支及び肺	18	12	14	14	15	15	13	10	8	14
乳	0	0	0	0	0	0	0	1	0	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	4	5	1	1	2	1	3	0	0	3
糖尿病	0	2	2	2	1	0	0	4	2	3
高血圧性疾患	1	0	1	0	0	0	0	1	0	0
心疾患(高血圧性除く)	11	13	16	26	18	20	22	30	19	12
急性心筋梗塞	3	2	3	6	3	3	4	8	4	2
その他虚血性心疾患	1	7	2	2	7	7	1	7	3	3
脳血管疾患	17	9	16	12	15	15	14	14	21	13
<も膜下出血	1	2	2	0	1	4	2	2	1	3
脳内出血	3	5	3	2	3	2	1	6	6	5
脳梗塞	13	2	11	10	11	7	8	6	14	5
肺炎	20	15	7	17	19	15	9	16	13	10
肝疾患	4	2	1	0	3	1	3	4	2	2
腎不全	3	0	2	4	13	2	1	6	3	2
老衰	9	7	6	13	5	11	7	10	7	13
不慮の事故	10	7	6	9	5	4	6	7	7	3
交通事故	0	2	0	3	1	0	0	0	0	0
自殺	4	5	1	2	1	2	3	1	1	4

資料: 衛生統計年報

死亡率(男)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1468.6	1232.3	1346.0	1524.4	1541.4	1411.2	1373.1	1685.6	1780.4	1442.1
結核	0.0	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	508.0	485.4	527.1	485.9	452.8	476.9	503.8	391.3	501.4	498.0
胃	92.4	84.0	113.0	104.8	86.7	77.9	98.8	60.2	81.9	72.6
結腸	46.2	37.3	28.2	19.1	9.6	29.2	19.8	60.2	40.9	10.4
直腸S状結腸移行部	36.9	28.0	9.4	28.6	9.6	9.7	19.8	10.0	40.9	20.7
肝及び肝内胆管	18.5	37.3	47.1	9.5	19.3	19.5	29.6	30.1	30.7	20.7
気管、気管支及び肺	166.3	112.0	131.8	133.4	144.5	146.0	128.4	100.3	81.9	145.2
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0
子宮	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	36.9	46.7	9.4	9.5	0.0	9.7	29.6	0.0	0.0	31.1
糖尿病	0.0	18.7	18.8	19.1	9.6	0.0	0.0	40.1	20.5	31.1
高血圧性疾患	9.2	0.0	9.4	0.0	0.0	0.0	0.0	10.0	0.0	0.0
心疾患(高血圧性除く)	101.6	121.4	150.6	247.7	173.4	194.6	217.3	301.0	194.4	124.5
急性心筋梗塞	27.7	18.7	28.2	57.2	28.9	29.2	39.5	80.3	40.9	20.7
その他虚血性心疾患	9.2	65.3	18.8	19.1	67.4	68.1	9.9	70.2	30.7	31.1
脳血管疾患	157.0	84.0	150.6	114.3	144.5	146.0	138.3	140.5	214.9	134.9
<も膜下出血	9.2	18.7	18.8	0.0	9.6	38.9	19.8	20.1	10.2	31.1
脳内出血	27.7	46.7	28.2	19.1	28.9	19.5	9.9	60.2	61.4	51.9
脳梗塞	120.1	18.7	103.5	95.3	106.0	68.1	79.0	60.2	143.3	51.9
肺炎	184.7	140.0	65.9	162.0	183.0	146.0	88.9	160.5	133.0	103.7
肝疾患	36.9	18.7	9.4	0.0	28.9	9.7	29.6	40.1	20.5	20.7
腎不全	27.7	0.0	18.8	38.1	125.2	19.5	9.9	60.2	30.7	20.7
老衰	83.1	65.3	56.5	123.9	48.2	107.1	69.1	100.3	71.6	134.9
不慮の事故	92.4	65.3	56.5	85.7	48.2	38.9	59.3	70.2	71.6	31.1
交通事故	0.0	18.7	0.0	28.6	9.6	0.0	0.0	0.0	0.0	0.0
自殺	36.9	46.7	9.4	19.1	9.6	19.5	29.6	10.0	10.2	41.5

死亡数(女)

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	148	155	159	158	140	168	140	149	154	164
結核	0	1	0	0	0					

1) 疾患別死亡数・死亡率(志賀町)

死亡数(総数)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	338	358	362	374	345	314	343	316	363	358
結核	0	0	0	1	0	0	0	1	1	1
悪性新生物	85	85	86	111	104	73	89	70	82	87
胃	10	15	13	20	15	12	9	12	8	10
結腸	10	8	10	10	7	7	4	4	8	6
直腸S状結腸移行部	3	5	2	2	2	1	4	4	3	2
肝及び肝内胆管	4	3	2	4	2	5	9	4	4	5
気管、気管支及び肺	18	17	17	22	26	13	14	14	19	21
乳	1	2	2	1	4	1	2	0	1	3
子宮	2	2	1	2	1	0	1	1	4	0
前立腺	3	2	3	3	3	1	6	3	0	1
糖尿病	2	4	3	1	3	1	3	2	1	1
高血圧性疾患	1	0	0	1	1	1	0	0	3	1
心疾患(高血圧性除く)	61	48	50	57	45	42	53	52	71	51
急性心筋梗塞	7	9	11	13	11	8	6	8	6	5
その他虚血性心疾患	4	5	3	6	4	3	6	3	14	6
脳血管疾患	29	38	40	33	28	29	22	22	31	37
くも膜下出血	2	6	3	3	2	5	3	4	5	4
脳内出血	12	8	13	13	8	12	5	4	8	7
脳梗塞	15	24	24	16	18	12	13	14	18	26
肺炎	60	76	75	61	58	57	32	30	20	28
肝疾患	6	1	2	4	5	3	1	2	4	3
腎不全	8	12	7	8	6	6	11	3	8	5
老衰	18	19	20	20	13	30	36	41	47	42
不慮の事故	7	13	17	12	10	11	14	16	7	9
交通事故	1	2	3	3	2	4	2	2	1	2
自殺	5	4	6	7	3	1	2	1	5	3

死亡率(総数)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1531.7	1646.7	1692.1	1786.8	1640.1	1545.5	1722.4	1616.7	1905.8	1917.0
結核	0.0	0.0	0.0	4.8	0.0	0.0	0.0	5.1	5.3	5.4
悪性新生物	385.2	391.0	402.0	530.3	494.4	359.3	446.9	358.1	430.5	465.9
胃	45.3	69.0	60.8	95.6	71.3	59.1	45.2	61.4	42.0	53.5
結腸	45.3	36.8	46.7	47.8	33.3	34.5	20.1	20.5	42.0	32.1
直腸S状結腸移行部	13.6	23.0	9.3	9.6	9.5	4.9	20.1	20.5	15.8	10.7
肝及び肝内胆管	18.1	13.8	9.3	19.1	9.5	24.6	45.2	20.5	21.0	26.8
気管、気管支及び肺	81.6	78.2	79.5	105.1	123.6	64.0	70.3	71.6	99.8	112.4
乳	4.5	9.2	9.3	4.8	19.0	4.9	10.0	0.0	5.3	16.1
子宮	9.1	9.2	4.7	9.6	4.8	0.0	5.0	5.1	21.0	0.0
前立腺	13.6	9.2	14.0	14.3	14.3	4.9	30.1	15.3	0.0	5.4
糖尿病	9.1	18.4	14.0	4.8	14.3	4.9	15.1	10.2	5.3	5.4
高血圧性疾患	4.5	0.0	0.0	4.8	4.8	4.9	0.0	0.0	15.8	5.4
心疾患(高血圧性除く)	276.4	220.8	233.7	272.3	213.9	206.7	266.1	266.0	372.8	273.1
急性心筋梗塞	31.7	41.4	51.4	62.1	52.3	39.4	30.1	40.9	31.5	26.8
その他虚血性心疾患	18.1	23.0	14.0	28.7	19.0	14.8	30.1	15.3	73.5	32.1
脳血管疾患	131.4	174.8	187.0	157.7	133.1	142.7	110.5	112.6	162.8	198.1
くも膜下出血	9.1	27.6	14.0	14.3	9.5	24.6	15.1	20.5	26.3	21.4
脳内出血	54.4	36.8	60.8	62.1	38.0	59.1	25.1	20.5	42.0	37.5
脳梗塞	68.0	110.4	112.2	76.4	85.6	59.1	65.3	71.6	94.5	139.2
肺炎	271.9	349.6	350.6	291.4	275.7	280.6	160.7	153.5	105.0	149.9
肝疾患	27.2	4.6	9.3	19.1	23.8	14.8	5.0	10.2	21.0	16.1
腎不全	36.3	55.2	32.7	38.2	28.5	29.5	55.2	15.3	42.0	26.8
老衰	81.6	87.4	93.5	95.6	61.8	147.7	180.8	209.8	246.8	224.9
不慮の事故	31.7	59.8	79.5	57.3	47.5	54.1	70.3	81.9	36.8	48.2
交通事故	4.5	9.2	14.0	14.3	9.5	19.7	10.0	10.2	5.3	10.7
自殺	22.7	18.4	28.0	33.4	14.3	4.9	10.0	5.1	26.3	16.1

死亡数(男)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	180	174	179	200	169	138	167	171	181	163
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	50	55	47	74	60	52	56	46	55	50
胃	6	11	2	16	10	8	3	7	8	6
結腸	5	3	7	6	5	4	3	4	3	3
直腸S状結腸移行部	3	4	2	2	2	1	3	3	2	1
肝及び肝内胆管	1	2	2	3	1	5	6	2	3	3
気管、気管支及び肺	13	11	12	16	19	9	11	11	16	17
乳	0	0	0	0	0	0	0	0	0	0
子宮	2	2	1	2	1	0	1	1	4	0
前立腺	3	2	3	3	3	1	6	3	0	1
糖尿病	2	1	3	0	0	1	2	1	0	1
高血圧性疾患	1	0	0	1	0	0	0	0	2	1
心疾患(高血圧性除く)	35	15	18	26	21	13	18	25	32	20
急性心筋梗塞	6	4	6	8	3	3	2	6	4	1
その他虚血性心疾患	1	3	0	5	4	0	1	1	7	4
脳血管疾患	12	17	18	14	15	11	11	12	20	16
くも膜下出血	2	1	0	0	1	1	1	1	1	2
脳内出血	5	3	5	6	5	7	5	3	4	3
脳梗塞	5	13	13	7	9	3	5	8	15	11
肺炎	31	36	39	31	23	18	16	13	10	15
肝疾患	4	1	2	4	4	2	1	1	1	1
腎不全	4	6	6	1	4	2	6	1	5	1
老衰	2	3	5	6	3	4	6	15	9	9
不慮の事故	5	9	12	9	5	5	9	10	3	4
交通事故	1	2	2	3	1	2	1	1	0	1
自殺	4	4	5	6	3	0	2	1	2	1

死亡率(男)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1730.9	1705.4	1781.3	2029.4	1730.5	1431.7	1771.7	1849.4	2005.3	1845.1
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	480.8	539.1	467.7	750.9	614.4	539.5	594.1	497.5	609.4	566.0
胃	57.7	107.8	19.9	162.4	102.4	83.0	31.8	75.7	88.6	67.9
結腸	48.1	29.4	69.7	60.9	51.2	41.5	31.8	43.3	33.2	34.0
直腸S状結腸移行部	28.8	39.2	19.9	20.3	20.5	10.4	31.8	32.4	22.2	11.3
肝及び肝内胆管	9.6	19.6	19.9	30.4	10.2	51.9	63.7	21.6	33.2	34.0
気管、気管支及び肺	125.0	107.8	119.4	162.4	194.6	93.4	116.7	119.0	177.3	192.4
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	2.8	2.8	1.7	2.8	2.8	1.7	2.8	2.8	11.3	0.0
前立腺	28.8	19.6	29.9	30.4	30.7	10.4	63.7	32.4	0.0	11.3
糖尿病	19.2	9.8	29.9	0.0	0.0	10.4	21.2	10.8	0.0	11.3
高血圧性疾患	9.6	0.0	0.0	10.1	0.0	0.0	0.0	0.0	22.2	11.3
心疾患(高血圧性除く)	336.6	147.0	179.1	263.8	215.0	134.9	191.0	270.4	354.5	226.4
急性心筋梗塞	57.7	39.2	59.7	81.2	30.7	31.1	21.2	64.9	44.3	11.3
その他虚血性心疾患	9.6	29.4	0.0	50.7	41.0	0.0	10.6	10.8	77.6	45.3
脳血管疾患	115.4	166.6	179.1	142.1	153.6	114.1	116.7	129.8	221.6	181.1
くも膜下出血	19.2	9.8	0.0	0.0	10.2	10.4	10.6	10.8	11.1	22.6
脳内出血	48.1	29.4	49.8	60.9	51.2	72.6	53.0	32.4	44.3	34.0
脳梗塞	48.1	127.4	129.4	71.0	92.2	31.1	53.0	86.5	166.2	124.5
肺炎	298.1	352.8	388.1	314.6	235.5	186.7	169.7	140.6	110.8	169.8
肝疾患	38.5	9.8	19.9	40.6	41.0	20.7	10.6	10.8	11.1	11.3
腎不全	38.5	58.8	59.7	10.1	41.0	20.7	63.7	10.8	55.4	11.3
老衰	19.2	29.4	49.8	60.9	30.7	41.5	63.7	162.2	99.7	101.9
不慮の事故	48.1	88.2	119.4	91.3	51.2	51.9	95.5	108.2	33.2	45.3
交通事故	9.6	19.6	19.9	30.4	10.2	20.7	10.6	10.8	0.0	11.3
自殺	38.5	39.2	49.8	60.9	30.7	0.0	21.2	10.8	22.2	11.3

死亡数(女)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	158	184	183	174	176	176	176	1		

1) 疾患別死亡数・死亡率(宝達志水町)

死亡数(総数)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	179	214	187	214	171	174	210	188	198	177
結核	0	0	0	0	0	0	0	1	0	0
悪性新生物	41	56	55	56	42	47	62	61	52	50
胃	7	10	9	9	5	9	11	9	9	1
結腸	1	5	9	3	6	4	5	2	3	5
直腸S状結腸移行部	2	1	3	1	1	2	1	0	1	1
肝及び肝内胆管	9	5	4	8	3	6	10	6	8	3
気管、気管支及び肺	8	7	6	14	12	9	7	15	12	5
乳	0	1	3	2	1	0	1	2	0	2
子宮	0	0	1	1	0	0	0	0	0	1
前立腺	0	0	1	0	1	2	0	2	1	2
糖尿病	1	3	2	2	4	0	3	0	2	4
高血圧性疾患	0	1	1	1	1	1	1	0	1	1
心疾患(高血圧性除く)	25	33	39	25	22	31	29	28	29	27
急性心筋梗塞	6	7	11	9	6	9	3	6	2	6
その他虚血性心疾患	6	8	4	4	5	7	6	6	5	3
脳血管疾患	24	24	16	33	21	15	16	15	20	9
<も膜下出血	1	1	1	4	0	0	0	0	2	0
脳内出血	9	7	4	6	4	4	6	3	4	1
脳梗塞	14	14	11	23	17	10	10	11	13	8
肺炎	19	22	15	19	10	4	7	14	10	13
肝疾患	2	2	3	1	2	1	1	0	2	4
腎不全	1	6	2	3	5	3	1	0	6	4
老衰	10	18	14	31	26	26	21	17	24	13
不慮の事故	10	6	7	7	4	8	10	8	3	5
交通事故	3	1	1	2	1	0	2	0	0	0
自殺	5	5	0	1	1	2	5	0	3	2

死亡数(男)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	97	104	95	108	77	74	100	98	88	82
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	28	34	30	34	26	27	36	41	29	27
胃	4	8	7	5	2	5	5	5	6	1
結腸	1	2	2	3	3	2	4	2	0	2
直腸S状結腸移行部	1	1	2	1	0	2	1	0	0	0
肝及び肝内胆管	6	3	3	3	1	3	6	5	5	2
気管、気管支及び肺	8	5	5	12	10	7	5	12	9	5
乳	0	0	0	0	0	0	0	0	0	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	0	0	1	1	1	2	0	2	1	2
糖尿病	0	1	1	1	0	0	1	0	2	1
高血圧性疾患	0	0	1	0	1	0	0	0	0	0
心疾患(高血圧性除く)	11	16	20	14	10	9	13	19	9	11
急性心筋梗塞	3	4	7	3	4	3	2	4	1	3
その他虚血性心疾患	3	3	1	3	3	3	3	4	3	2
脳血管疾患	14	15	5	13	7	6	11	4	10	2
<も膜下出血	1	1	0	2	0	0	0	0	1	0
脳内出血	5	4	1	4	2	1	4	1	2	1
脳梗塞	8	9	4	7	5	5	7	3	7	1
肺炎	11	10	6	11	4	0	4	7	4	8
肝疾患	1	1	3	0	2	0	1	0	2	2
腎不全	0	1	2	2	1	1	1	0	1	2
老衰	1	4	3	7	7	6	1	2	5	3
不慮の事故	5	3	6	5	0	6	4	7	2	3
交通事故	1	0	1	1	0	0	1	0	0	0
自殺	5	2	0	1	0	2	4	0	2	2

死亡数(女)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	82	110	92	106	94	100	110	90	110	95
結核	0	0	0	0	0	0	0	1	0	0
悪性新生物	13	22	25	22	16	20	26	20	23	23
胃	3	2	2	4	3	4	6	4	3	0
結腸	0	3	7	0	3	2	1	0	3	3
直腸S状結腸移行部	1	0	1	0	1	0	0	0	1	1
肝及び肝内胆管	3	2	1	5	2	3	4	1	3	1
気管、気管支及び肺	0	2	1	2	2	2	2	3	3	0
乳	0	1	3	2	1	0	1	2	0	2
子宮	0	0	1	1	0	0	0	0	0	1
前立腺	0	0	0	0	0	0	0	0	0	0
糖尿病	1	2	1	1	4	0	2	0	0	3
高血圧性疾患	0	1	0	1	0	1	1	0	1	1
心疾患(高血圧性除く)	14	17	19	11	12	22	16	9	20	16
急性心筋梗塞	3	3	4	6	2	6	1	2	1	3
その他虚血性心疾患	3	5	3	1	2	4	3	2	2	1
脳血管疾患	10	9	11	20	14	9	5	11	10	7
<も膜下出血	0	0	1	2	0	0	0	0	1	0
脳内出血	4	3	3	2	2	3	2	2	2	0
脳梗塞	6	5	7	16	12	5	3	8	6	7
肺炎	8	12	9	8	6	4	3	7	6	5
肝疾患	1	1	0	1	0	1	0	0	0	2
腎不全	1	5	0	1	4	2	0	0	5	2
老衰	9	14	11	24	19	20	20	15	19	10
不慮の事故	5	3	1	2	4	2	6	1	1	2
交通事故	2	1	0	1	1	0	1	0	0	0
自殺	0	3	0	0	1	0	1	0	1	0

死亡率(総数)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1266.5	1539.7	1368.8	1600.6	1266.4	1331.4	1641.3	1497.5	1603.5	1462.3
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0
悪性新生物	290.1	402.9	402.6	418.8	311.0	359.6	484.6	485.9	421.1	413.1
胃	49.5	71.9	65.9	67.3	37.0	68.9	86.0	71.7	72.9	8.3
結腸	7.1	36.0	65.9	22.4	44.4	30.6	39.1	15.9	24.3	41.3
直腸S状結腸移行部	14.2	7.2	22.0	7.5	7.4	15.3	7.8	0.0	8.1	8.3
肝及び肝内胆管	63.7	36.0	29.3	59.8	22.2	45.9	78.2	47.8	64.8	24.8
気管、気管支及び肺	56.6	50.4	43.9	104.7	88.9	68.9	54.7	119.5	97.2	41.3
乳	0.0	7.2	22.0	15.0	7.4	0.0	7.8	15.9	0.0	16.5
子宮	0.0	0.0	7.3	7.5	0.0	0.0	0.0	0.0	0.0	8.3
前立腺	0.0	0.0	7.3	0.0	7.4	15.3	0.0	15.9	8.1	16.5
糖尿病	7.1	14.4	14.6	15.0	29.6	0.0	23.4	0.0	16.2	33.0
高血圧性疾患	0.0	7.2	7.3	7.5	7.4	7.7	7.8	0.0	8.1	8.3
心疾患(高血圧性除く)	176.9	237.4	285.5	187.0	162.9	237.2	226.7	223.0	234.9	223.1
急性心筋梗塞	42.5	50.4	80.5	67.3	44.4	68.9	23.4	47.8	16.2	49.6
その他虚血性心疾患	42.5	57.6	29.3	29.9	37.0	53.6	46.9	47.8	40.5	24.8
脳血管疾患	169.8	172.7	117.1	246.8	155.5	114.8	125.0	119.5	162.0	74.4
<も膜下出血	7.1	7.2	7.3	29.9	0.0	0.0	0.0	0.0	16.2	0.0
脳内出血	63.7	50.4	29.3	44.9	29.6	30.6	46.9	23.9	32.4	8.3
脳梗塞	99.1	100.7	80.5	172.0	125.9	76.5	78.2	87.6	105.3	66.1
肺炎	134.4	158.3	109.8	142.1	74.1	30.6	54.7	111.5	81.0	107.4
肝疾患	14.2	14.4	22.0	7.5	14.8	7.7	7.8	0.0	16.2	33.0
腎不全	7.1	43.2	14.6	22.4	37.0	23.0	7.8	0.0	48.6	33.0
老衰	70.8	129.5	102.5	231.9	192.5	198.9	164.1	135.4	194.4	107.4
不慮の事故	70.8	43.2	51.2	52.4	29.6	61.2	78.2	63.7	24.3	41.3
交通事故	21.2	7.2	7.3	15.0	7.4	0.0	15.6	0.0	0.0	0.0
自殺	35.4	36.0	0.0	7.5	7.4	15.3	39.1	0.0	24.3	16.5

死亡率(男)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1461.7	1591.4	1485.1	1722.5	1238.9	1193.2	1648.5	1651.8	1510.7	1430.1
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	421.9	520.3	469.0	542.3	417.7	435.3	593.5	691.1	497.9	470.9
胃	60.3	122.4	109.4	79.7	32.1	80.6	82.4	84.3	103.0	17.4
結腸	15.1	30.6	31.3	47.8	48.2	32.2	65.9	33.7	0.0	34.9
直腸S状結腸移行部	15.1	15.3	31.3	15.9	0.0	32.2	16.5	0.0	0.0	0.0
肝及び肝内胆管	90.4	45.9	46.9	47.8	16.1	48.4	98.9	84.3	85.8	34.9
気管、気管支及び肺	120.6	76.5	78.2	191.4	160.6	112.9	82.4	202.3	154.5	87.2
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	0.0	0.0	15.6	0.0	16.1	32.2	0.0	33.7	17.2	34.9
糖尿病	0.0	0.0	15.6	15.9	0.0	0.0	16.5	0.0	34.3	17.4
高血圧性疾患	0.0	0.0	15.6	0.0	16.1	0.0	0.0	0.0	0.0	0.0
心疾患(高血圧性除く)	165.8	244.8	312.6	223.3	160.6	145.1	214.3	320.2	154.5	191.8
急性心筋梗塞	45.2	61.2	109.4	47.8	64.3	48.4	33.0	67.4	17.2	52.3
その他虚血性心疾患	45.2	45.9	15.6	47.8	48.2	48.4	49.5	67.4	51.5	34.9
脳血管疾患	211.0	229.5	78.2	207.3	112.4	96.7	181.3	67.4	171.7	34.9
<も膜下出血	15.1	15.3	0.0	31.9	0.0	0.0	0.0	0.0	17.2	0.0
脳内出血	75.3	61.2	15.6	63.8	32.1	16.1	65.9	16.9	34.3	17.4
脳梗塞	120.6	137.7	62.5	111.6	80.3	80.6	115.4	50.6	120.2	17.4
肺炎	165.8	153.0	93.8	175.4	64.3	0.0	65.9	118.0	68.7	139.5
肝疾患	15.1	15.3	46.9	0.0	32.1	0.0	16.5	0.0	34.3	34.9
腎不全	0.0	15.3	31.3	31.9	16.1	16.1	16.5	0.0	17.2	34.9
老衰	15.1	61.2	46.9	111.6	112.4	96.				

1) 疾患別死亡数・死亡率(中能登町)

死亡数(総数)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	224	252	285	237	259	237	277	238	235	238
結核	0	0	0	0	1	1	0	0	0	0
悪性新生物	65	69	81	52	63	49	76	64	68	85
胃	15	10	17	11	18	16	7	10	11	15
結腸	2	5	8	4	7	1	7	6	5	8
直腸S状結腸移行部	3	3	1	1	5	1	4	2	3	3
肝及び肝内胆管	4	7	7	2	2	5	2	3	2	3
気管、気管支及び肺	10	10	12	12	7	7	13	10	15	10
乳	7	1	6	1	3	2	0	0	4	2
子宮	0	3	2	2	1	2	5	1	1	1
前立腺	0	3	2	3	1	0	2	2	2	0
糖尿病	3	1	6	0	5	2	4	2	5	2
高血圧性疾患	0	3	0	3	1	3	0	5	1	2
心疾患(高血圧性除く)	46	52	55	43	49	44	43	30	29	29
急性心筋梗塞	10	1	8	6	4	4	5	3	1	1
その他虚血性心疾患	9	11	7	5	10	3	7	1	5	5
脳血管疾患	23	29	30	41	24	23	30	31	26	23
<も膜下出血	5	4	4	1	3	0	1	6	4	3
脳内出血	5	7	4	12	7	6	7	7	7	7
脳梗塞	13	18	20	27	14	17	21	17	13	12
肺炎	12	17	19	21	17	24	21	11	8	13
肝疾患	5	5	2	3	3	3	4	3	5	3
腎不全	1	2	7	3	1	3	4	3	4	5
老衰	14	22	16	17	29	24	25	22	19	16
不慮の事故	9	9	12	9	12	9	7	7	14	6
交通事故	2	1	1	3	1	2	1	1	2	0
自殺	4	3	3	3	6	5	1	5	2	2

死亡率(総数)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1220.2	1387.0	1582.9	1328.4	1437.2	1358.4	1616.8	1405.5	1404.5	1442.1
結核	0.0	0.0	0.0	0.0	5.5	5.7	0.0	0.0	0.0	0.0
悪性新生物	354.1	379.8	449.9	291.5	349.6	280.9	443.6	377.9	406.4	515.0
胃	81.7	55.0	94.4	61.7	99.9	91.7	40.9	59.1	65.7	90.9
結腸	10.9	27.5	44.4	22.4	38.8	5.7	40.9	35.4	29.9	48.5
直腸S状結腸移行部	16.3	16.5	5.6	5.6	27.7	5.7	23.3	11.8	17.9	18.2
肝及び肝内胆管	21.8	38.5	38.9	11.2	11.1	28.7	11.7	17.7	12.0	18.2
気管、気管支及び肺	54.5	55.0	66.6	67.3	38.8	40.1	75.9	59.1	89.6	60.6
乳	38.1	5.5	33.3	5.6	16.6	11.5	0.0	0.0	23.9	12.1
子宮	0.0	16.5	11.1	11.2	5.5	11.5	29.2	5.9	6.0	6.1
前立腺	0.0	16.5	11.1	16.8	0.0	0.0	11.7	11.8	12.0	0.0
糖尿病	16.3	5.5	33.3	0.0	27.7	11.5	23.3	11.8	29.9	12.1
高血圧性疾患	0.0	16.5	0.0	16.8	5.5	17.2	0.0	29.5	6.0	12.1
心疾患(高血圧性除く)	250.6	286.2	305.5	241.0	271.9	252.2	251.0	177.2	173.3	175.7
急性心筋梗塞	54.5	5.5	44.4	33.6	22.2	22.9	29.2	17.7	6.0	6.1
その他虚血性心疾患	49.0	60.5	38.9	28.0	55.5	17.2	40.9	5.9	29.9	30.3
脳血管疾患	125.3	159.6	166.6	229.8	133.2	131.8	175.1	183.1	155.4	139.4
<も膜下出血	27.2	22.0	22.2	5.6	16.6	0.0	5.8	35.4	23.9	18.2
脳内出血	27.2	38.5	22.2	67.3	38.8	34.4	40.9	41.3	41.8	42.4
脳梗塞	70.8	99.1	111.1	151.3	77.7	97.4	122.6	100.4	77.7	72.7
肺炎	65.4	93.6	105.5	117.7	94.3	137.6	122.6	65.0	47.8	78.8
肝疾患	27.2	27.5	11.1	16.8	16.6	17.2	23.3	17.7	29.9	18.2
腎不全	5.4	11.0	38.9	16.8	5.5	17.2	23.3	17.7	23.9	30.3
老衰	76.3	121.1	88.9	95.3	160.9	137.6	145.9	129.9	113.6	96.9
不慮の事故	49.0	49.5	66.6	50.4	66.6	51.6	40.9	41.3	83.7	36.4
交通事故	10.9	5.5	5.6	16.8	5.5	11.5	5.8	5.9	12.0	0.0
自殺	21.8	16.5	16.7	16.8	33.3	28.7	5.8	29.5	12.0	12.1

死亡数(男)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	114	139	153	129	123	108	143	117	123	121
結核	0	0	0	0	1	1	0	0	0	0
悪性新生物	34	44	51	41	36	28	42	28	41	47
胃	7	8	13	9	13	9	4	4	6	10
結腸	1	2	6	3	3	0	2	3	2	5
直腸S状結腸移行部	3	2	0	0	2	1	4	1	3	0
肝及び肝内胆管	3	5	3	2	2	3	1	0	2	1
気管、気管支及び肺	8	8	9	11	6	7	10	6	10	8
乳	0	0	0	0	0	0	0	0	0	0
子宮	0	3	2	2	1	0	2	2	2	0
前立腺	0	3	2	3	1	0	2	2	2	0
糖尿病	2	0	4	0	2	0	2	1	2	0
高血圧性疾患	0	0	0	1	0	2	0	3	0	1
心疾患(高血圧性除く)	25	25	27	20	20	16	21	13	18	14
急性心筋梗塞	4	0	3	3	1	1	4	1	1	1
その他虚血性心疾患	5	8	4	3	5	2	4	0	5	3
脳血管疾患	10	16	13	20	13	12	18	13	11	11
<も膜下出血	2	2	1	1	1	0	0	2	0	1
脳内出血	1	4	1	9	4	3	5	1	4	4
脳梗塞	7	10	9	9	8	9	13	9	7	5
肺炎	5	7	11	15	9	11	13	8	3	7
肝疾患	3	4	2	2	2	1	3	2	3	2
腎不全	0	2	0	2	0	1	3	1	1	5
老衰	3	7	5	2	8	5	7	5	4	4
不慮の事故	7	8	7	7	4	6	5	3	9	4
交通事故	2	1	0	3	0	0	1	0	2	0
自殺	3	3	3	2	5	3	1	4	2	1

死亡率(男)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1300.2	1603.4	1783.8	1514.1	1464.4	1283.7	1732.3	1434.9	1528.1	1523.7
結核	0.0	0.0	0.0	0.0	11.8	11.9	0.0	0.0	0.0	0.0
悪性新生物	387.8	507.6	594.6	481.2	423.3	332.8	508.8	343.4	509.4	591.9
胃	79.8	92.3	151.6	105.6	152.9	107.0	48.5	49.1	74.5	125.9
結腸	11.4	23.1	70.0	35.2	35.3	0.0	24.2	36.8	24.8	63.0
直腸S状結腸移行部	34.2	23.1	0.0	0.0	23.5	11.9	48.5	12.3	37.3	0.0
肝及び肝内胆管	34.2	57.7	35.0	23.5	23.5	37.7	12.1	0.0	24.8	12.6
気管、気管支及び肺	91.2	92.3	104.9	129.1	70.6	83.2	121.1	73.6	124.2	100.7
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	0.0	34.6	23.3	35.2	0.0	0.0	24.2	24.5	24.8	0.0
前立腺	0.0	34.6	23.3	35.2	0.0	0.0	24.2	24.5	24.8	0.0
糖尿病	22.8	0.0	46.6	0.0	23.5	0.0	24.2	12.3	24.8	0.0
高血圧性疾患	0.0	0.0	0.0	11.7	0.0	23.8	0.0	36.8	0.0	12.6
心疾患(高血圧性除く)	285.1	288.4	314.8	234.7	235.2	190.2	254.4	159.4	223.6	176.3
急性心筋梗塞	45.6	0.0	35.0	35.2	11.8	11.9	48.5	12.3	12.4	12.6
その他虚血性心疾患	57.0	92.3	46.6	35.2	58.8	23.8	48.5	0.0	62.1	37.8
脳血管疾患	114.1	184.6	151.6	234.7	152.9	142.6	218.0	159.4	136.7	138.5
<も膜下出血	22.8	23.1	11.7	11.7	11.8	0.0	0.0	24.5	0.0	12.6
脳内出血	11.4	46.1	11.7	105.6	47.0	35.7	60.6	12.3	49.7	50.4
脳梗塞	79.8	115.4	104.9	105.6	94.1	107.0	157.5	110.4	87.0	63.0
肺炎	57.0	80.7	128.2	176.1	105.8	130.8	157.5	98.1	37.3	88.2
肝疾患	34.2	46.1	23.3	23.5	23.5	11.9	36.3	24.5	37.3	25.2
腎不全	0.0	23.1	0.0	23.5	0.0	11.9	36.3	12.3	12.4	63.0
老衰	34.2	80.7	58.3	23.5	94.1	59.4	84.8	61.3	49.7	50.4
不慮の事故	79.8	92.3	81.6	82.2	47.0	71.3	60.6	36.8	111.8	50.4
交通事故	22.8	11.5	0.0	35.2	0.0	0.0	12.1	0.0	24.8	0.0
自殺	34.2	34.6	35.0	23.5	58.8	35.7	12.1	49.1	24.8	12.6

死亡数(女)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	110	113	132	108	136	129	134	121	112	117
結										

1) 疾患別死亡数・死亡率(管内)

死亡数(総数)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1,796	1,912	1,930	1,928	1,912	1,901	1,913	1,883	1,910	1,863
結核	2	1	2	2	2	1	1	3	4	1
悪性新生物	488	520	548	507	516	494	519	504	494	516
胃	85	84	90	97	82	90	78	66	67	69
結腸	43	52	48	34	39	33	45	46	43	42
直腸S状結腸移行部	25	25	15	16	21	18	18	21	23	19
肝及び肝内胆管	37	37	42	35	30	32	36	35	34	24
気管、気管支及び肺	98	92	98	92	103	103	96	101	105	91
乳	15	11	20	9	19	8	11	13	14	26
子宮	7	6	11	12	9	8	8	12	9	7
前立腺	9	15	13	12	15	8	17	12	9	9
糖尿病	16	26	21	15	19	12	19	13	24	18
高血圧性疾患	6	8	7	9	13	11	5	20	14	15
心疾患(高血圧性除く)	284	304	307	315	281	319	286	300	313	284
急性心筋梗塞	46	41	56	62	49	54	33	42	36	33
その他虚血性心疾患	43	57	42	35	44	38	34	33	49	33
脳血管疾患	203	200	219	223	205	195	186	164	196	171
<も膜下出血	21	22	20	18	22	26	14	24	30	20
脳内出血	45	44	52	55	51	49	48	38	46	36
脳梗塞	134	132	143	146	129	115	117	99	117	113
肺炎	205	191	194	207	198	192	146	127	87	105
肝疾患	26	20	22	15	21	13	17	14	17	23
腎不全	28	45	36	36	42	32	34	27	32	36
老衰	105	163	117	169	144	179	180	188	189	180
不慮の事故	74	81	75	73	77	78	80	66	69	62
交通事故	14	10	11	18	12	12	8	4	6	5
自殺	36	34	29	21	21	24	20	17	25	21

死亡率(総数)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1331.0	1436.1	1468.2	1488.8	1465.5	1492.2	1526.8	1528.6	1577.8	1565.6
結核	1.5	0.0	1.5	1.5	1.5	0.8	0.8	2.4	3.3	0.8
悪性新生物	361.7	392.1	416.9	391.5	395.5	387.8	415.0	409.1	408.1	433.6
胃	63.0	63.1	68.5	74.9	62.9	70.6	62.3	53.6	55.3	58.0
結腸	31.9	39.1	36.5	26.3	29.9	25.9	35.9	37.3	35.5	35.3
直腸S状結腸移行部	18.5	18.8	11.4	12.4	16.1	14.1	14.4	17.0	19.0	16.0
肝及び肝内胆管	27.4	27.8	32.0	27.0	23.0	25.1	28.7	28.4	28.1	20.2
気管、気管支及び肺	72.6	69.1	74.6	71.0	78.9	80.8	76.6	82.0	86.7	76.5
乳	11.1	8.3	15.2	6.9	14.6	6.3	8.8	10.6	11.6	21.8
子宮	5.2	4.5	8.4	9.3	6.9	6.3	6.4	9.7	7.4	5.9
前立腺	6.7	11.3	9.9	9.3	9.2	6.3	13.6	9.7	7.4	7.6
糖尿病	11.9	19.5	16.0	11.6	14.6	9.4	15.2	10.6	19.8	15.1
高血圧性疾患	4.4	6.0	5.3	6.9	10.0	8.6	4.0	16.2	11.6	12.6
心疾患(高血圧性除く)	210.5	228.3	233.5	243.2	215.4	250.4	228.3	243.5	258.6	221.9
急性心筋梗塞	34.1	30.8	42.6	47.9	37.6	42.4	26.3	34.1	29.7	27.7
その他虚血性心疾患	31.9	42.8	32.0	27.0	33.7	29.8	27.1	26.8	40.5	27.7
脳血管疾患	150.4	150.2	166.6	172.2	157.1	153.1	148.5	133.1	161.9	143.7
<も膜下出血	15.6	16.5	15.2	13.9	16.9	20.4	11.2	19.5	24.8	16.8
脳内出血	33.3	33.0	39.6	42.5	39.1	38.5	38.3	30.8	38.0	30.3
脳梗塞	99.3	99.1	108.8	112.7	98.9	90.3	93.4	80.4	96.7	95.0
肺炎	151.9	143.5	147.6	159.8	151.8	150.7	116.5	103.1	71.9	88.2
肝疾患	19.3	15.0	16.7	11.6	16.1	10.2	13.6	11.4	14.0	19.3
腎不全	20.8	33.8	27.4	27.8	32.2	25.1	27.1	21.9	26.4	30.3
老衰	77.8	122.4	89.0	130.5	110.4	140.5	143.7	152.6	156.1	151.3
不慮の事故	54.8	60.8	57.1	56.4	59.0	61.2	63.9	53.6	57.0	52.1
交通事故	10.4	7.5	8.4	13.9	9.2	9.4	6.4	3.2	5.0	4.2
自殺	26.7	25.5	22.1	16.2	16.1	18.8	16.0	13.8	20.7	17.6

死亡数(男)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	934	952	975	963	927	879	978	932	935	877
結核	2	0	1	1	2	1	0	0	1	0
悪性新生物	289	311	317	310	292	285	320	282	286	288
胃	51	62	52	66	54	52	48	37	45	47
結腸	22	22	28	20	16	15	22	24	17	21
直腸S状結腸移行部	16	15	11	9	10	15	14	14	12	7
肝及び肝内胆管	23	28	28	18	18	22	23	23	21	12
気管、気管支及び肺	76	64	74	71	72	76	73	71	79	75
乳	0	0	0	0	0	0	0	1	0	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	9	15	13	12	15	8	17	12	9	9
糖尿病	9	11	15	7	6	7	11	6	14	9
高血圧性疾患	3	2	4	3	5	3	1	8	4	5
心疾患(高血圧性除く)	133	130	126	152	117	117	127	135	140	116
急性心筋梗塞	27	18	26	31	24	24	20	25	22	15
その他虚血性心疾患	16	33	16	19	23	19	14	17	28	19
脳血管疾患	99	94	97	98	93	79	105	80	91	76
<も膜下出血	12	8	6	7	6	10	4	8	9	11
脳内出血	18	24	22	31	28	22	33	21	22	22
脳梗塞	68	61	66	57	57	44	64	49	60	41
肺炎	107	97	100	115	97	90	82	69	45	55
肝疾患	17	14	12	8	16	7	10	9	9	13
腎不全	12	17	17	15	23	14	20	11	15	15
老衰	21	41	33	39	35	40	41	53	41	48
不慮の事故	39	55	48	42	37	44	46	41	43	27
交通事故	5	8	6	13	6	6	4	1	2	2
自殺	28	22	19	17	16	18	16	15	16	14

死亡率(男)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1466.0	1514.8	1571.5	1574.1	1526.2	1448.7	1644.7	1594.5	1626.6	1551.0
結核	3.1	0.0	1.6	1.6	3.3	1.6	0.0	0.0	1.7	0.0
悪性新生物	453.6	494.8	511.0	506.7	480.7	469.7	539.8	482.5	497.6	509.3
胃	80.1	98.7	83.8	107.9	88.9	85.7	80.7	63.3	78.3	83.1
結腸	34.5	35.0	45.1	32.7	26.3	24.7	37.0	41.1	29.6	37.1
直腸S状結腸移行部	25.1	23.9	17.7	14.7	16.5	24.7	23.5	24.0	20.9	12.4
肝及び肝内胆管	36.1	44.6	45.1	29.4	29.6	36.3	38.7	39.3	36.5	21.2
気管、気管支及び肺	119.3	101.8	119.3	116.1	118.5	125.3	122.8	121.5	137.4	132.6
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	14.1	23.9	21.0	19.6	19.8	13.2	28.6	20.5	15.7	15.9
糖尿病	14.1	17.5	24.2	11.4	9.9	11.5	18.5	10.3	24.4	15.9
高血圧性疾患	4.7	3.2	6.4	4.9	8.2	4.9	1.7	13.7	7.0	8.8
心疾患(高血圧性除く)	208.8	206.8	203.1	248.5	192.6	192.8	213.6	231.0	243.6	205.1
急性心筋梗塞	42.4	28.6	41.9	50.7	39.5	39.6	33.6	42.8	38.3	26.5
その他虚血性心疾患	25.1	52.5	25.8	31.1	37.9	31.3	23.5	29.1	48.7	33.6
脳血管疾患	155.4	149.6	156.3	160.2	153.1	130.2	176.6	136.9	158.3	134.4
<も膜下出血	18.8	12.7	9.7	11.4	9.9	16.5	6.7	13.7	15.7	19.5
脳内出血	28.3	38.2	35.5	50.7	46.1	36.3	55.5	35.9	38.3	38.9
脳梗塞	106.7	97.1	106.4	93.2	93.8	72.5	107.6	83.8	104.4	72.5
肺炎	167.9	154.3	161.2	188.0	159.7	148.3	137.9	118.0	78.3	97.3
肝疾患	26.7	22.3	19.3	13.1	26.3	11.5	16.8	15.4	15.7	23.0
腎不全	18.8	27.0	27.4	24.5	37.9	23.1	33.6	18.8	26.1	26.5
老衰	33.0	65.2	53.2	63.7	57.6	65.9	69.0	90.7	71.3	84.9
不慮の事故	61.2	87.5	77.4	68.7	60.9	72.5	77.4	70.1	74.8	47.7
交通事故	7.8	12.7	9.7	21.2	9.9	9.9	6.7	1.7	3.5	3.5
自殺	43.9	35.0	30.6	27.8	26.3	29.7	26.9	25.7	27.8	24.8

死亡数(女)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	862	960	955	965	985	1,022	935	951	975	986
結核	0	1	1	1	0	0	1	3	3	1
悪性新生物	199	211	231	197	224	209	199	222	208	228
胃	34	22	38	31	28	38	30	29	22	22
結腸	21	30	20	14	23	18	23	22	26	21
直腸S状結腸移行部	9	10	4	7	11	3	4	7	11	12
肝及び肝内胆管	14	9	14	17	12	10	13	12	13	12
気管、気管支及び肺	22	28	24	21	31	27	23	30	26	16
乳	15	11	20	9	19	8	11	12	14	26
子宮	7	6	11	12	9	8	8	12	9	7
前立腺	0	0	0	0	0	0	0	0	0	0
糖尿病	7	15	6	8	13	5	8	7	10	9
高血圧性疾患	3	6	3	6	8	8	4	12	10	10
心疾患(高血圧性除く)	151	174	181	163	164	202	159	1		

1) 疾患別死亡数・死亡率(石川県)

死亡数(総数)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	11,607	11,962	12,223	12,223	12,190	12,280	12,422	12,727	12,723	12,900
結核	19	15	9	15	11	14	14	13	15	8
悪性新生物	3,349	3,454	3,485	3,416	3,535	3,483	3,517	3,577	3,530	3,525
胃	520	504	506	519	480	487	452	436	461	435
結腸	275	275	275	275	275	275	275	275	275	326
直腸S状結腸移行部	110	110	110	110	110	110	110	110	110	143
肝及び肝内胆管	275	264	259	267	264	257	274	224	190	197
気管、気管支及び肺	705	659	696	696	698	719	706	721	709	707
乳	120	120	120	120	120	120	120	120	120	135
子宮	50	50	50	50	50	50	50	50	50	45
前立腺	75	75	75	75	75	75	75	75	75	88
糖尿病	127	133	130	121	113	104	112	111	134	126
高血圧性疾患	45	34	54	47	64	45	60	89	93	98
心疾患(高血圧性除く)	1,818	1,918	1,948	1,934	1,855	1,885	1,891	1,994	2,039	1,995
急性心筋梗塞	435	435	435	435	435	435	435	435	435	339
その他虚血性心疾患	244	244	244	244	244	244	244	244	244	217
脳血管疾患	1,245	1,229	1,278	1,296	1,190	1,132	1,139	1,108	1,135	1,046
<も膜下出血	155	155	155	155	155	155	155	155	155	112
脳内出血	275	275	275	275	275	275	275	275	275	271
脳梗塞	746	746	746	746	746	746	746	746	746	651
肺炎	1,262	1,324	1,246	1,251	1,172	1,233	1,112	929	772	837
肝疾患	124	125	124	132	114	138	121	161	139	138
腎不全	200	228	221	191	187	205	204	218	243	234
老衰	465	530	638	742	721	801	890	963	1,049	1,056
不慮の事故	491	465	431	405	452	436	449	404	410	381
交通事故	88	69	69	77	71	62	70	44	38	37
自殺	261	261	241	204	180	209	177	189	146	160

死亡率(総数)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1001.8	1035.2	1060.7	1064.2	1055.0	1072.8	1091.0	1122.5	1128.2	1151.1
結核	1.6	1.3	0.8	1.3	1.0	1.2	1.2	1.1	1.3	0.7
悪性新生物	289.1	298.9	302.4	297.4	305.9	304.3	308.9	315.5	313.0	314.5
胃	44.9	43.6	43.9	45.2	41.5	42.5	39.7	38.5	40.9	38.8
結腸	23.7	23.8	23.9	23.9	23.8	24.0	24.2	24.3	24.4	29.1
直腸S状結腸移行部	9.5	9.5	9.5	9.6	9.5	9.6	9.7	9.7	9.8	12.8
肝及び肝内胆管	23.7	22.8	22.5	23.2	22.8	22.5	24.1	19.8	16.8	17.6
気管、気管支及び肺	60.9	57.0	60.4	60.6	60.4	62.8	62.0	63.6	62.9	63.1
乳	10.4	10.4	10.4	10.4	10.4	10.5	10.5	10.6	10.6	12.0
子宮	4.3	4.3	4.3	4.4	4.3	4.4	4.4	4.4	4.4	4.0
前立腺	6.5	6.5	6.5	6.5	6.5	6.6	6.6	6.6	6.7	7.9
糖尿病	11.0	11.5	11.3	10.5	9.8	9.1	9.8	9.8	11.9	11.2
高血圧性疾患	3.9	2.9	4.7	4.1	5.5	3.9	5.3	7.8	8.2	8.7
心疾患(高血圧性除く)	156.9	166.0	169.0	168.4	160.5	164.7	166.1	175.9	180.8	178.0
急性心筋梗塞	37.5	37.6	37.7	37.9	37.6	38.0	38.2	38.4	38.6	30.2
その他虚血性心疾患	21.1	21.1	21.2	21.2	21.1	21.3	21.4	21.5	21.6	19.4
脳血管疾患	107.5	106.4	110.9	112.8	103.0	98.9	100.0	97.7	100.6	93.3
<も膜下出血	13.4	13.4	13.5	13.5	13.4	13.5	13.6	13.7	13.7	10.0
脳内出血	23.7	23.8	23.9	23.9	23.8	24.0	24.2	24.3	24.4	24.2
脳梗塞	64.4	64.6	64.7	64.9	64.6	65.2	65.5	65.8	66.1	58.1
肺炎	108.9	114.6	108.1	108.9	101.4	107.7	97.7	81.9	68.5	74.7
肝疾患	10.7	10.8	10.8	11.5	9.9	12.1	10.6	14.2	12.3	12.3
腎不全	17.3	19.7	19.2	16.6	16.2	17.9	17.9	19.2	21.5	20.9
老衰	40.1	45.9	55.4	64.6	62.4	70.0	78.2	84.9	93.0	94.2
不慮の事故	42.4	40.2	37.4	35.3	39.1	38.1	39.4	35.6	36.4	34.0
交通事故	7.6	6.0	6.0	6.7	6.1	5.4	6.1	3.9	3.4	3.3
自殺	22.5	22.6	20.9	17.8	15.6	18.3	15.5	16.7	12.9	14.3

死亡数(男)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	6,030	6,074	6,203	6,104	6,138	6,047	6,202	6,317	6,256	6,358
結核	12	7	6	8	7	9	9	6	5	6
悪性新生物	1,997	1,983	2,043	1,958	2,045	1,996	2,076	2,001	1,994	1,989
胃	329	325	300	327	306	296	250	281	287	282
結腸	146	135	157	145	146	131	150	173	139	147
直腸S状結腸移行部	70	89	92	83	72	74	96	90	100	82
肝及び肝内胆管	187	179	164	161	167	165	163	141	124	125
気管、気管支及び肺	515	473	512	496	511	521	520	518	490	517
乳	0	0	1	0	1	0	2	2	1	2
子宮	/	/	/	/	/	/	/	/	/	/
前立腺	67	95	94	88	85	82	86	93	105	88
糖尿病	61	69	64	61	48	58	62	63	81	63
高血圧性疾患	15	17	19	14	25	18	20	32	39	38
心疾患(高血圧性除く)	805	832	877	879	798	801	820	884	878	888
急性心筋梗塞	213	232	251	217	191	199	215	171	189	183
その他虚血性心疾患	114	138	145	123	129	122	101	123	148	119
脳血管疾患	614	580	583	575	541	498	551	493	545	491
<も膜下出血	53	49	39	54	46	33	43	48	47	50
脳内出血	135	157	149	161	154	145	148	139	163	156
脳梗塞	409	363	380	346	327	312	346	291	327	278
肺炎	665	692	669	696	647	667	613	526	428	479
肝疾患	81	82	67	83	71	80	75	101	80	90
腎不全	80	88	105	82	87	74	106	95	117	104
老衰	120	122	148	161	170	169	178	250	248	255
不慮の事故	266	271	244	237	261	257	260	236	230	226
交通事故	45	42	38	53	44	40	41	26	22	23
自殺	195	186	165	145	133	157	127	136	97	114

死亡率(男)人口10万対

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	1077.6	1087.9	1113.6	1098.4	1097.2	1091.2	1125.2	1149.9	1143.9	1168.7
結核	2.1	1.3	1.1	1.4	1.3	1.6	1.6	1.1	0.9	1.1
悪性新生物	356.9	355.2	366.8	352.4	365.5	360.2	376.6	364.3	364.6	365.6
胃	58.8	58.2	53.9	58.8	54.7	53.4	52.6	45.7	52.5	51.8
結腸	26.1	24.2	28.2	26.1	26.1	23.6	27.2	31.5	25.4	27.0
直腸S状結腸移行部	12.5	15.9	16.5	14.9	12.9	13.4	17.4	16.4	18.3	15.1
肝及び肝内胆管	33.4	32.1	29.4	29.0	29.9	29.8	29.6	25.7	22.7	23.0
気管、気管支及び肺	92.0	84.7	91.9	89.3	91.3	94.0	94.3	94.3	89.6	95.0
乳	0.0	0.0	0.2	0.0	0.2	0.0	0.4	0.4	0.2	0.4
子宮	/	/	/	/	/	/	/	/	/	/
前立腺	12.0	17.0	16.9	15.8	15.2	14.8	15.6	16.9	19.2	16.2
糖尿病	10.9	12.4	11.5	11.0	8.6	10.5	11.2	11.5	14.8	11.6
高血圧性疾患	2.7	3.0	3.4	2.5	4.5	3.2	3.6	5.8	7.1	7.0
心疾患(高血圧性除く)	143.9	149.0	157.4	158.2	142.6	144.5	148.8	160.9	160.5	163.2
急性心筋梗塞	38.1	41.6	45.1	39.1	34.1	35.9	39.0	31.1	34.6	33.6
その他虚血性心疾患	20.4	24.7	26.0	22.1	23.1	22.0	18.3	22.4	27.1	21.9
脳血管疾患	109.7	103.9	104.7	103.5	96.7	89.9	100.0	89.7	99.7	90.2
<も膜下出血	9.5	8.8	7.0	9.7	8.2	6.0	7.8	8.7	8.6	9.2
脳内出血	24.1	28.1	26.7	29.0	27.5	26.2	26.9	25.3	29.8	28.7
脳梗塞	73.1	65.0	68.2	62.3	58.5	56.3	62.8	53.0	59.8	51.1
肺炎	118.8	123.9	120.1	125.2	115.7	120.4	111.2	95.8	78.3	88.0
肝疾患	14.5	14.7	12.0	14.9	12.7	14.4	13.6	18.4	14.6	16.5
腎不全	14.3	15.8	18.8	14.8	15.6	13.4	19.2	17.3	21.4	19.1
老衰	21.4	21.9	26.6	29.0	30.4	30.5	32.3	45.5	45.3	46.9
不慮の事故	47.5	48.5	43.8	42.6	46.7	46.4	47.2	43.0	42.1	41.5
交通事故	8.0	7.5	6.8	9.5	7.9	7.2	7.4	4.7	4.0	4.2
自殺	34.8	33.3	29.6	26.1	23.8	28.3	23.0	24.8	17.7	21.0

死亡数(女)

資料: 衛生統計年報

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
死亡総数	5,577	5,888	6,020	6,119	6,052	6,233	6,220	6,410	6,467	6,542
結核	7	8	3	7	4	5	5	7	10	2
悪性新生物	1,352	1,471	1,442	1,458	1,490	1,487	1,441	1,576	1,536	1,536
胃	191	179	206	192	174	191	162	185	174	153
結腸	155	160	143	160	160	180	187	174	178	179
直腸S状結腸移行部	51	56	38	58	58	41	39	40	57	61
肝及び肝内胆管	88	85	95	106	97	92	111	83	66	72
気管、気管支及び肺	190	186	184	200	187	198	186	2		

死亡率の分母に用いた人口、日本人人口(推計)

資料:衛生統計年報

総数	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
七尾市	57,440	56,612	55,917	55,123	55,582	54,905	54,079	53,111	52,276	51,367
羽咋市	22,939	22,716	22,478	22,239	22,324	21,662	21,372	21,043	20,649	20,344
志賀町	22,067	21,741	21,393	20,931	21,035	20,317	19,914	19,546	19,047	18,675
宝達志水町	14,133	13,899	13,662	13,370	13,503	13,069	12,795	12,554	12,348	12,104
中能登町	18,357	18,169	18,005	17,841	18,021	17,447	17,133	16,934	16,732	16,504
管内	134,936	133,137	131,455	129,504	130,465	127,400	125,293	123,188	121,052	118,994
石川県	1,158,573	1,155,540	1,152,352	1,148,598	1,155,450	1,144,626	1,138,540	1,133,851	1,127,759	1,120,707

男

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
七尾市	27,080	26,729	26,394	26,036	25,865	26,145	25,592	25,151	24,808	24,397
羽咋市	10,827	10,712	10,624	10,496	10,380	10,275	10,123	9,967	9,773	9,639
志賀町	10,399	10,203	10,049	9,855	9,766	9,639	9,426	9,246	9,026	8,834
宝達志水町	6,636	6,535	6,397	6,270	6,225	6,202	6,066	5,933	5,825	5,734
中能登町	8,768	8,669	8,577	8,520	8,504	8,413	8,255	8,154	8,049	7,941
管内	63,710	62,848	62,041	61,177	60,740	60,674	59,462	58,451	57,481	56,545
石川県	559,554	558,345	557,036	555,694	559,440	554,168	551,207	549,335	546,891	544,045

女

	H22	H23	H24	H25	H26	H27	H28	H29	H30	R1
七尾市	30,360	29,883	29,523	29,087	28,851	28,760	28,487	27,960	27,468	26,970
羽咋市	12,112	12,004	11,854	11,743	11,636	11,387	11,249	11,076	10,876	10,705
志賀町	11,668	11,538	11,344	11,076	10,934	10,678	10,488	10,300	10,021	9,841
宝達志水町	7,497	7,364	7,265	7,100	7,022	6,867	6,729	6,621	6,523	6,370
中能登町	9,589	9,500	9,428	9,321	9,244	9,034	8,878	8,780	8,683	8,563
管内	71,226	70,289	69,414	68,327	67,687	66,726	65,831	64,737	63,571	62,449
石川県	599,019	597,195	595,316	592,904	596,010	590,458	587,333	584,516	580,868	576,662

2)年齢調整死亡率

選択死因の市町別年齢調整死亡率(人口10万対:直接法)(令和元年)

資料:衛生統計年報

(総数)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	348.3	0.0	117.1	16.0	4.7	18.6	2.7	1.7	48.1	28.2	3.1	8.8	2.8	0.0	9.1	8.4	14.3	18.2	1.0	16.5
羽咋市	314.8	0.0	119.3	14.6	4.5	20.3	3.3	1.0	25.3	31.8	1.7	12.0	1.7	0.0	3.5	2.9	14.9	6.0	1.0	28.1
志賀町	303.1	0.4	100.0	9.6	4.6	24.2	1.4	0.9	39.4	24.9	1.3	20.2	3.5	0.0	6.9	2.0	19.9	10.7	2.3	12.5
宝達志水町	318.2	0.0	102.3	2.3	5.7	10.5	6.5	0.8	45.4	6.8	0.8	19.9	0.8	0.0	7.2	5.5	9.8	13.1	0.0	13.1
中能登町	369.6	0.0	140.2	22.8	6.6	10.3	1.1	1.9	47.6	31.6	4.9	10.7	0.6	0.6	9.0	7.5	10.4	18.1	0.0	9.9
管内	335.9	0.1	116.4	14.1	5.1	17.9	2.7	1.4	42.3	26.8	2.6	12.7	2.2	0.1	7.5	6.0	14.5	14.6	1.0	16.4
石川県	325.5	0.1	108.9	12.3	6.3	20.6	3.2	2.1	42.8	24.7	4.2	15.4	2.5	0.2	6.0	5.3	13.5	12.1	1.8	13.4

*人口は、各年次の10月1日現在。

(男)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	430.4	0.0	143.5	25.6	6.5	37.5	4.1	1.8	65.5	44.0	4.2	13.2	6.8	0.0	11.2	7.0	12.8	13.1	1.7	20.8
羽咋市	421.4	0.0	155.2	28.1	5.2	44.9	7.0	0.0	30.3	48.1	2.7	20.9	6.2	0.0	4.5	4.3	21.0	5.6	0.0	40.8
志賀町	400.8	0.0	148.2	16.6	5.9	45.1	2.9	2.2	39.3	33.6	2.2	36.5	8.2	0.0	12.2	1.4	14.7	9.7	3.1	4.1
宝達志水町	448.0	0.0	133.5	5.0	8.9	24.2	4.3	0.0	67.6	5.3	0.0	30.5	0.0	0.0	9.9	7.6	7.9	24.8	0.0	25.6
中能登町	492.7	0.0	174.3	30.3	5.5	22.6	0.0	3.0	79.3	47.8	9.7	17.8	2.0	0.0	16.9	17.3	9.9	21.4	0.0	7.7
管内	433.6	0.0	148.8	23.0	6.5	36.6	3.9	1.6	57.1	40.0	3.9	20.8	5.5	0.0	10.7	7.0	13.5	13.6	1.2	20.5
石川県	441.1	0.3	144.4	19.7	9.5	36.3	4.5	2.6	58.9	34.1	5.6	25.4	5.8	0.3	9.5	6.6	11.0	17.4	2.5	19.1

*人口は、各年次の10月1日現在。

(女)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	293.7	0.0	102.2	8.6	2.8	4.0	1.5	1.7	35.0	14.0	2.4	5.3	0.0	0.0	7.4	9.5	14.6	24.4	0.2	12.0
羽咋市	231.5	0.0	97.7	3.4	3.9	0.6	0.6	1.7	19.0	17.1	0.6	6.3	0.0	0.0	2.8	1.7	12.2	6.3	1.7	13.8
志賀町	232.6	0.6	62.5	4.2	4.4	8.7	0.0	0.0	43.2	17.7	0.6	8.2	0.6	0.0	1.1	2.2	22.4	12.1	1.6	21.3
宝達志水町	202.0	0.0	78.5	0.0	2.8	0.0	8.2	1.1	22.2	7.4	1.1	14.1	1.1	0.0	5.3	3.9	10.5	2.1	0.0	0.0
中能登町	268.9	0.0	117.6	19.4	7.5	1.6	1.6	0.8	15.6	18.4	0.8	6.2	0.0	0.8	0.8	0.0	9.5	15.5	0.0	12.7
管内	261.6	0.1	94.7	7.5	3.9	3.5	1.7	1.2	29.5	15.1	1.4	7.1	0.2	0.1	4.5	5.2	14.6	16.2	0.7	12.3
石川県	234.8	0.0	83.0	6.7	3.6	8.5	2.2	1.6	29.2	16.8	2.8	9.1	0.5	0.2	2.9	4.2	14.5	8.0	1.0	7.8

*人口は、各年次の10月1日現在。

2) 年齢調整死亡率(単年)

七尾市(総数)

資料: 衛生統計年報

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H22	387.5	0.8	122.2	21.0	/	/	8.1	/	19.8	/	/	4.3	1.2	61.1	/	37.3	/	26.5	/	/	5.5	5.7	10.3	16.9	4.4	28.2
H23	393.7	0.0	129.8	20.4	/	/	9.6	/	20.1	/	/	10.8	1.0	58.7	/	32.5	/	17.4	/	/	8.8	7.4	14.0	27.4	3.9	23.9
H24	405.4	0.2	132.0	20.7	/	/	10.3	/	26.2	/	/	3.0	1.5	53.1	/	36.8	/	21.7	/	/	10.4	5.3	10.6	17.5	5.3	32.3
H25	356.3	0.2	113.4	24.7	/	/	9.7	/	12.9	/	/	3.7	1.4	55.8	/	39.0	/	23.8	/	/	4.7	4.8	15.4	15.4	7.2	6.8
H26	397.3	0.4	143.3	19.4	/	/	9.9	/	20.8	/	/	2.7	2.9	50.4	18.1	41.8	10.1	25.4	3.8	0.2	5.7	4.3	11.7	20.5	7.9	15.2
H27	411.6	0.0	146.5	20.1	/	/	8.4	/	31.1	/	/	8.0	1.6	56.2	19.0	36.2	5.2	25.1	0.6	0.6	5.5	4.1	13.4	24.3	4.2	24.8
H28	354.9	0.4	114.8	22.2	/	/	4.0	/	23.4	/	/	4.0	0.7	44.2	9.6	37.9	2.5	26.3	1.9	0.8	4.7	5.5	15.6	17.5	0.2	17.4
H29	399.8	0.2	153.4	12.9	13.4	6.2	9.6	10.0	33.6	6.6	11.2	2.1	3.4	55.2	12.2	27.5	5.6	16.6	5.5	0.2	4.6	3.3	17.4	11.3	-	22.0
H30	348.2	0.5	118.9	14.3	7.5	5.7	6.7	9.5	32.6	5.3	2.4	6.4	2.6	53.4	14.4	29.7	4.4	8.9	4.1	0.2	2.5	3.9	12.3	17.2	0.8	19.0
R1	348.3	-	117.1	16.0	8.1	7.8	4.7	9.3	18.6	11.8	2.9	2.7	1.7	48.1	11.2	28.2	3.1	8.8	2.8	-	9.1	8.4	14.3	18.2	1.0	16.5

七尾市(男)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	消化器系の疾患							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺	
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房							肺炎	急性気管支炎				交通事故			
H22	551.5	2.2	177.5	32.7	/	/	14.1	/	40.7	/	6.6	1.4	87.1	/	54.9	/	46.9	/	9.8	7.5	5.4	17.1	3.4	37.7	
H23	547.3	0.0	176.4	36.0	/	/	18.2	/	36.0	/	14.7	1.9	84.7	/	47.0	/	29.4	/	11.0	9.0	16.3	40.1	5.5	27.2	
H24	578.4	0.0	185.4	26.8	/	/	19.8	/	49.3	/	5.4	2.4	64.9	/	52.7	/	35.7	/	8.4	6.5	12.5	28.3	8.8	49.9	
H25	473.3	0.7	157.9	35.5	/	/	11.8	/	24.9	/	6.4	1.6	75.4	/	47.9	/	40.5	/	4.6	6.6	9.0	21.8	9.5	11.0	
H26	542.9	1.1	177.3	28.7	/	/	15.9	/	29.5	/	4.9	4.9	66.3	28.5	51.1	11.4	43.5	8.1	-	10.0	5.2	9.4	34.3	13.0	28.5
H27	538.6	0.0	182.2	29.7	/	/	15.0	/	52.0	/	8.6	0.7	76.3	31.9	39.4	4.8	45.4	1.3	0.0	7.4	7.0	10.8	31.4	7.6	42.3
H28	528.8	-	183.4	37.8	/	/	7.4	/	43.9	/	7.5	0.7	64.8	16.9	65.4	2.0	38.9	4.3	1.1	4.0	9.7	14.1	29.1	0.7	19.0
H29	518.5	-	188.9	19.6	15.6	10.8	15.8	15.9	49.2	-	-	3.4	69.1	17.1	37.4	4.6	24.3	8.5	-	4.6	2.8	15.9	20.0	-	44.3
H30	472.6	0.6	155.1	22.8	8.9	4.0	10.8	8.8	54.9	-	10.9	3.0	72.7	25.6	35.2	5.9	15.0	8.3	-	4.3	5.1	10.4	24.1	-	30.3
R1	430.4	-	143.5	25.6	10.9	7.1	6.5	8.8	37.5	-	4.1	1.8	65.5	14.5	44.0	4.2	13.2	6.8	-	11.2	7.0	12.8	13.1	1.7	20.8

七尾市(女)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H22	266.5	0.0	83.0	13.2	/	/	3.9	/	4.3	/	/	2.8	0.9	37.2	/	25.8	/	12.6	/	/	0.9	3.9	12.2	16.4	4.5	20.5
H23	282.8	0.0	97.2	9.1	/	/	3.9	/	9.5	/	/	7.4	0.6	37.6	/	21.0	/	11.2	/	/	7.4	6.4	13.1	18.9	2.5	20.6
H24	277.0	0.3	94.3	15.8	/	/	3.5	/	7.9	/	/	1.5	0.6	41.5	/	26.2	/	15.4	/	/	11.9	4.7	9.3	8.7	2.0	16.0
H25	270.4	0.0	79.0	16.7	/	/	8.1	/	4.1	/	/	1.4	0.8	42.3	/	32.8	/	15.0	/	/	4.4	3.6	18.3	9.9	5.1	2.8
H26	287.5	-	122.1	12.8	/	/	5.4	/	15.4	/	/	0.6	1.6	35.2	8.3	37.1	8.6	13.7	0.6	0.3	1.7	3.6	12.5	10.2	3.6	1.7
H27	310.8	0.0	120.5	12.8	/	/	2.7	/	15.7	/	/	7.7	2.1	35.8	7.0	33.3	5.5	12.0	0.3	1.1	3.6	2.5	14.1	19.9	1.1	7.6
H28	226.8	0.6	64.0	9.9	/	/	2.0	/	7.3	/	/	1.4	0.8	26.3	3.2	17.0	2.7	19.8	0.9	0.5	5.1	2.9	16.2	8.4	-	16.6
H29	298.8	0.3	125.9	7.0	11.1	2.5	5.2	4.6	20.8	12.9	21.9	3.6	3.3	40.3	6.9	21.8	6.3	11.3	3.6	0.3	4.4	3.5	17.6	4.2	-	-
H30	246.5	0.5	90.7	7.6	6.3	7.1	2.7	9.8	14.4	10.2	4.6	2.3	1.7	38.3	5.8	24.3	2.9	4.6	1.4	0.2	0.5	3.3	13.2	13.3	1.2	7.6
R1	293.7	-	102.2	8.6	6.3	9.0	2.8	10.1	4.0	22.9	5.9	1.5	1.7	35.0	9.0	14.0	2.4	5.3	-	-	7.4	9.5	14.6	24.4	0.2	12.0

2) 年齢調整死亡率(単年)

羽咋市(総数)

資料: 衛生統計年報

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H22	355.3	0.0	135.2	20.6	/	/	7.5	/	36.5	/	/	0.0	1.0	31.4	/	32.8	/	31.8	/	/	15.2	6.1	13.4	16.7	2.0	12.3
H23	342.0	0.5	109.7	19.9	/	/	6.1	/	21.1	/	/	5.8	0.0	53.6	/	22.6	/	31.2	/	/	5.2	3.6	23.8	10.5	5.1	24.3
H24	372.8	0.5	139.4	24.6	/	/	9.8	/	26.9	/	/	5.2	2.0	49.0	/	51.1	/	19.1	/	/	3.6	4.0	12.8	13.7	1.8	9.7
H25	348.7	0.0	109.1	18.7	/	/	5.2	/	24.7	/	/	4.8	0.0	53.8	/	17.7	/	30.9	/	/	1.7	11.8	18.3	32.0	7.3	13.7
H26	345.6	-	122.9	12.5	/	/	5.3	/	30.3	/	/	1.4	1.5	35.8	17.1	34.4	5.6	32.0	1.4	-	5.0	6.9	16.7	14.5	0.9	2.8
H27	310.9	0.0	110.7	18.2	/	/	2.9	/	30.5	/	/	0.5	0.0	53.3	27.6	37.5	12.4	20.2	0.0	0.0	1.7	4.3	21.6	8.6	0.5	3.8
H28	320.9	-	108.0	14.2	/	/	8.0	/	25.0	/	/	0.4	-	60.7	13.4	27.1	2.4	12.2	2.1	0.4	12.1	2.1	12.8	14.6	0.9	31.9
H29	318.7	-	95.1	8.0	10.3	0.4	2.7	14.0	17.3	9.2	0.4	6.7	1.0	61.5	32.1	24.5	3.2	11.9	3.0	-	5.0	10.7	14.1	11.7	1.8	3.4
H30	337.3	-	119.6	23.1	7.0	5.8	5.7	12.4	15.0	6.0	3.5	6.2	-	35.9	11.1	35.9	0.8	14.9	4.0	1.3	6.9	3.7	18.3	15.1	-	7.5
R1	314.8	-	119.3	14.6	6.2	5.3	4.5	7.0	20.3	17.5	2.9	3.3	1.0	25.3	10.3	31.8	1.7	12.0	1.7	-	3.5	2.9	14.9	6.0	1.0	28.1

羽咋市(男)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	悪性新生物							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故	自殺		
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房							肺炎	急性気管支炎							
H22	531.7	0.0	206.0	38.2	/	/	8.6	/	64.2	/	0.0	2.7	32.0	/	50.2	/	48.2	/	29.0	11.3	18.0	29.8	0.0	20.2	
H23	455.3	0.0	180.5	36.4	/	/	14.5	/	35.1	/	8.4	0.0	41.4	/	22.6	/	53.3	/	10.4	0.0	13.6	24.4	10.8	43.9	
H24	485.6	1.7	190.9	45.5	/	/	15.9	/	49.8	/	10.7	3.4	68.4	/	47.2	/	19.9	/	3.8	6.9	11.2	22.6	0.0	3.8	
H25	496.0	0.0	163.6	33.2	/	/	7.4	/	49.3	/	7.2	0.0	94.6	/	32.1	/	37.3	/	0.0	19.2	23.8	24.5	9.9	27.5	
H26	463.8	-	148.3	23.6	/	/	7.0	/	48.7	/	2.6	-	47.8	25.9	42.0	2.6	51.2	2.6	-	10.0	11.0	22.7	17.4	2.6	2.6
H27	392.9	0.0	141.0	22.8	/	/	6.1	/	40.3	/	0.0	0.0	63.9	40.6	42.9	22.8	32.9	0.0	0.0	3.6	4.3	21.5	10.4	0.0	5.0
H28	469.1	-	154.9	21.6	/	/	14.2	/	45.0	/	-	-	81.7	13.0	39.7	3.3	17.5	4.8	1.5	22.0	3.3	13.8	17.4	-	66.5
H29	449.0	-	101.9	12.1	15.5	1.5	6.1	20.0	32.7	1.5	15.7	2.6	92.5	55.1	41.8	6.7	27.9	5.2	-	11.4	12.1	16.2	14.3	-	3.6
H30	494.0	-	161.7	36.0	10.9	12.6	7.0	20.7	23.3	-	13.0	-	44.8	15.7	52.3	1.5	23.8	13.1	-	12.9	7.6	13.1	29.1	-	9.2
R1	421.4	-	155.2	28.1	2.5	5.4	5.2	12.4	44.9	-	7.0	-	30.3	17.2	48.1	2.7	20.9	6.2	-	4.5	4.3	21.0	5.6	-	40.8

羽咋市(女)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H22	226.2	0.0	83.2	6.5	/	/	5.8	/	17.1	/	/	0.0	0.0	28.3	/	20.6	/	22.6	/	/	1.7	1.7	11.5	8.2	3.2	5.6
H23	251.6	0.8	55.5	5.5	/	/	0.0	/	12.6	/	/	3.1	0.0	63.3	/	22.8	/	15.3	/	/	0.0	5.5	28.0	0.0	0.0	4.7
H24	285.6	0.0	102.2	6.6	/	/	5.6	/	8.1	/	/	0.0	0.7	28.3	/	58.5	/	18.3	/	/	3.4	1.5	13.4	6.3	3.4	14.8
H25	238.3	0.0	69.8	9.1	/	/	3.2	/	5.4	/	/	2.2	0.0	19.1	/	7.2	/	31.1	/	/	3.2	4.4	15.1	39.7	5.7	0.0
H26	270.5	-	112.0	5.4	/	/	4.4	/	16.5	/	/	0.7	2.2	27.3	11.4	29.8	8.8	20.3	0.7	-	0.7	2.9	13.7	12.3	-	3.7
H27	254.7	0.0	93.4	16.2	/	/	0.7	/	24.4	/	/	0.7	0.0	41.6	15.0	32.9	3.8	12.4	0.0	0.0	0.0	4.7	21.1	7.3	0.7	3.1
H28	202.5	-	74.3	11.3	/	/	2.2	/	9.2	/	/	0.6	-	43.2	16.2	17.2	1.3	8.7	-	-	3.2	0.6	11.8	11.6	1.3	-
H29	233.0	-	97.3	6.0	6.6	-	0.6	8.4	4.5	17.6	0.6	-	-	37.0	13.7	10.6	-	4.1	1.7	-	-	12.8	13.4	12.2	3.5	3.0
H30	220.8	-	86.6	12.1	3.4	-	5.2	4.5	9.4	11.8	6.3	-	-	29.5	7.5	24.8	0.6	11.5	-	2.4	0.6	0.6	20.4	2.9	-	5.8
R1	231.5	-	97.7	3.4	9.7	5.1	3.9	2.3	0.6	36.9	5.1	0.6	1.7	19.0	4.0	17.1	0.6	6.3	-	-	2.8	1.7	12.2	6.3	1.7	13.8

2) 年齢調整死亡率(単年)

志賀町(総数)

資料: 衛生統計年報

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H22	407.2	0.0	123.0	11.8	/	/	4.9	/	32.2	/	/	1.8	0.9	64.4	/	26.6	/	43.3	/	/	10.5	5.9	10.1	14.8	9.8	19.6
H23	386.2	0.0	119.7	20.2	/	/	5.0	/	23.4	/	/	7.2	0.0	51.3	/	41.7	/	56.0	/	/	1.8	18.6	9.5	13.5	2.3	19.5
H24	361.4	0.0	97.9	12.8	/	/	2.9	/	18.0	/	/	3.5	0.0	46.8	/	31.4	/	48.4	/	/	2.3	3.8	11.2	27.0	2.2	24.3
H25	398.6	0.5	154.2	32.5	/	/	5.2	/	25.7	/	/	0.9	0.5	53.6	/	37.9	/	44.7	/	/	6.2	4.9	9.3	19.3	4.9	14.9
H26	366.3	-	136.4	14.7	/	/	3.7	/	29.7	/	/	2.2	0.5	37.5	16.0	43.7	2.3	38.3	2.7	-	11.1	3.2	6.0	11.0	1.8	7.4
H27	301.1	0.0	110.0	11.3	/	/	7.7	/	23.6	/	/	1.6	0.4	31.7	9.0	27.3	4.3	38.8	0.4	0.0	4.8	4.4	14.9	8.5	3.4	6.4
H28	351.8	-	125.8	7.3	/	/	17.2	/	15.2	/	/	6.3	-	44.9	13.7	23.0	5.0	19.1	1.7	-	1.6	6.5	16.3	20.0	3.1	4.1
H29	324.7	0.4	87.7	11.0	7.4	7.9	4.7	9.5	25.1	-	0.4	1.8	-	47.9	20.9	25.7	1.2	18.3	4.3	1.4	3.6	1.2	20.1	34.0	16.9	6.4
H30	331.2	0.4	108.2	10.9	8.8	2.7	3.6	13.6	20.3	6.2	5.6	0.4	2.8	67.6	23.9	32.8	4.9	10.6	2.4	-	4.8	5.8	22.0	6.3	0.4	11.9
R1	303.1	0.4	100.0	9.6	8.7	1.8	4.6	10.5	24.2	6.4	-	1.4	0.9	39.4	11.6	24.9	1.3	20.2	3.5	-	6.9	2.0	19.9	10.7	2.3	12.5

志賀町(男)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	がん							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺	
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房							肺炎	急性気管支炎							
H22	600.2	0.0	170.3	21.0	/	/	2.5	/	46.8	/	5.0	2.5	98.7	/	36.1	/	75.0	/	18.0	8.7	3.7	29.5	20.4	28.5	
H23	556.7	0.0	183.8	38.6	/	/	8.7	/	34.0	/	2.4	0.0	70.5	/	53.1	/	80.7	/	3.7	30.0	5.9	25.5	5.4	38.8	
H24	522.1	0.0	129.5	8.2	/	/	6.4	/	32.0	/	8.7	0.0	57.5	/	44.6	/	86.8	/	5.8	11.6	10.1	43.7	4.5	43.0	
H25	589.4	0.0	236.3	46.1	/	/	9.2	/	48.0	/	0.0	1.8	80.6	/	49.1	/	71.6	/	14.5	2.2	11.1	28.5	10.3	26.7	
H26	485.8	-	194.9	29.5	/	/	3.9	/	59.5	/	-	-	54.5	20.6	46.1	5.7	53.4	6.8	-	16.1	7.7	5.5	18.0	3.1	15.9
H27	414.8	0.0	193.4	19.2	/	/	17.3	/	39.6	/	3.2	0.0	34.6	9.3	27.3	6.9	38.2	1.7	0.0	7.3	5.6	7.8	13.5	5.0	0.0
H28	465.2	-	162.0	6.2	/	/	21.5	/	29.3	/	12.1	-	55.8	17.5	35.8	10.7	32.2	5.2	-	3.2	11.4	10.5	33.6	3.2	8.6
H29	479.7	-	154.9	19.3	16.2	16.0	5.0	20.6	43.0	-	3.0	-	73.4	34.5	31.1	3.0	25.9	11.9	3.0	5.6	1.5	26.7	32.8	3.0	11.8
H30	472.8	-	154.4	24.3	5.9	5.3	7.5	17.8	41.9	-	-	5.4	103.5	36.4	56.1	3.7	17.0	2.9	-	3.2	10.6	14.7	5.9	-	12.6
R1	400.8	-	148.2	16.6	14.1	3.1	5.9	10.8	45.1	-	2.9	2.2	39.3	13.8	33.6	2.2	36.5	8.2	-	12.2	1.4	14.7	9.7	3.1	4.1

志賀町(女)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H22	270.6	0.0	93.4	3.4	/	/	7.1	/	27.1	/	/	0.0	0.0	45.2	/	16.7	/	24.0	/	/	4.4	5.0	13.2	2.9	0.0	12.2
H23	251.5	0.0	69.8	5.7	/	/	1.4	/	16.6	/	/	12.0	0.0	29.9	/	34.8	/	42.8	/	/	0.0	7.4	10.4	4.2	0.0	0.0
H24	248.3	0.0	81.7	14.3	/	/	0.0	/	9.7	/	/	0.0	0.0	35.2	/	21.7	/	26.6	/	/	0.0	0.7	11.3	15.7	0.7	3.4
H25	261.1	0.6	94.0	23.5	/	/	2.3	/	9.1	/	/	1.4	0.0	30.3	/	28.5	/	29.2	/	/	0.0	6.0	8.7	12.3	0.0	4.3
H26	291.1	-	96.6	3.1	/	/	3.5	/	6.0	/	/	3.5	0.6	24.3	11.9	47.5	-	27.9	0.6	-	6.6	1.2	6.2	4.8	0.6	-
H27	204.9	0.0	40.4	7.7	/	/	0.0	/	8.9	/	/	0.0	0.6	27.1	7.4	28.4	2.1	39.9	0.0	0.0	2.5	3.2	17.0	4.4	2.1	13.9
H28	270.4	-	104.8	8.9	/	/	14.2	/	5.1	/	/	0.6	-	33.0	8.9	12.5	0.6	11.2	-	-	-	3.7	18.0	8.3	3.1	-
H29	208.9	0.6	31.2	3.7	-	0.6	4.7	0.6	10.0	-	0.6	0.6	-	24.8	6.9	23.0	0.6	13.3	-	-	1.4	1.1	15.6	41.5	34.1	-
H30	224.5	0.6	78.8	-	11.9	0.6	0.6	10.7	4.0	12.5	10.6	0.6	0.6	33.4	12.5	14.3	6.4	7.4	2.2	-	6.1	2.6	25.2	7.3	0.6	10.8
R1	232.6	0.6	62.5	4.2	3.8	0.6	4.4	10.0	8.7	12.5	-	-	-	43.2	9.8	17.7	0.6	8.2	0.6	-	1.1	2.2	22.4	12.1	1.6	21.3

2) 年齢調整死亡率(単年)

宝達志水町(総数)

資料: 衛生統計年報

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H22	422.2	0.0	127.9	28.1	/	/	25.3	/	32.8	/	/	0.9	0.0	64.0	/	43.0	/	22.1	/	/	3.2	0.9	8.7	38.3	16.3	43.6
H23	429.1	0.0	140.0	20.9	/	/	10.6	/	19.9	/	/	6.5	0.9	54.9	/	42.4	/	30.2	/	/	5.6	11.4	15.7	9.8	1.7	41.2
H24	360.4	0.0	144.7	20.1	/	/	8.4	/	13.7	/	/	6.7	0.9	60.8	/	28.3	/	26.3	/	/	4.1	4.3	13.5	18.3	9.0	0.0
H25	404.8	0.0	133.3	19.3	/	/	18.1	/	28.5	/	/	3.4	2.5	58.1	/	60.4	/	30.8	/	/	2.5	4.2	28.7	29.2	2.5	3.0
H26	319.9	-	98.3	7.4	/	/	6.5	/	23.7	/	/	10.8	3.0	57.9	26.0	30.9	3.2	19.7	0.8	-	9.1	5.9	23.7	10.9	5.9	1.7
H27	301.8	0.0	126.6	19.6	/	/	11.7	/	23.4	/	/	0.0	0.8	39.7	23.1	17.2	4.3	4.0	0.8	0.0	6.5	2.4	24.3	12.9	0.0	6.0
H28	418.4	-	137.1	18.7	/	/	17.3	/	11.4	/	/	3.9	0.8	56.3	26.8	27.3	3.9	15.5	5.7	-	8.3	0.8	15.9	11.9	1.5	53.5
H29	324.0	0.7	124.7	13.1	2.5	-	10.2	8.3	33.7	8.5	-	-	-	63.1	26.2	15.1	10.7	14.5	3.1	-	-	-	13.7	7.9	-	-
H30	264.0	-	88.6	8.7	3.9	2.4	19.2	4.9	16.9	-	-	5.8	0.8	31.2	8.6	29.6	0.8	12.8	1.5	-	2.5	4.5	18.2	2.3	-	10.9
R1	318.2	-	102.3	2.3	6.2	0.8	5.7	19.2	10.5	2.5	2.3	6.5	0.8	45.4	29.0	6.8	0.8	19.9	0.8	-	7.2	5.5	9.8	13.1	-	13.1

宝達志水町(男)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	消化器系の疾患							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺	
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房							肺炎	急性気管支炎				交通事故	自殺		
H22	664.2	0.0	210.4	25.4	/	/	37.3	/	72.1	/	0.0	0.0	66.5	/	73.4	/	45.3	/	5.7	0.0	3.3	52.9	17.4	89.6	
H23	574.3	0.0	205.2	40.4	/	/	19.7	/	34.8	/	7.9	0.0	87.5	/	78.1	/	47.6	/	4.9	3.4	13.5	14.5	0.0	24.1	
H24	523.7	0.0	181.3	41.5	/	/	15.2	/	29.0	/	12.4	3.3	98.8	/	31.3	/	28.5	/	12.1	10.2	9.8	41.3	17.8	0.0	
H25	652.1	0.0	212.8	32.3	/	/	19.4	/	65.6	/	4.6	0.0	102.2	/	88.7	/	57.4	/	0.0	9.1	27.8	56.6	3.5	6.0	
H26	434.0	-	148.3	10.4	/	/	3.5	/	52.4	/	-	6.0	77.5	50.8	33.5	6.9	28.6	3.5	-	19.1	3.5	25.5	-	-	-
H27	407.5	0.0	177.8	20.5	/	/	13.8	/	43.5	/	0.0	0.0	47.1	33.3	22.5	5.3	0.0	0.0	0.0	0.0	3.2	19.2	28.3	0.0	13.5
H28	596.9	-	205.2	24.5	/	/	29.9	/	22.1	/	2.9	-	89.4	47.6	56.5	-	27.3	15.5	-	15.9	2.9	2.9	15.5	2.9	87.0
H29	513.8	-	205.8	20.9	7.0	-	22.5	10.6	64.0	-	-	-	117.6	45.8	12.5	20.9	25.4	2.7	-	-	-	7.0	22.3	-	-
H30	372.5	-	121.7	19.9	-	-	26.8	9.8	33.4	-	13.1	-	32.8	15.7	50.6	-	15.3	5.5	-	7.2	2.8	13.8	5.5	-	21.7
RI	448.0	-	133.5	5.0	7.2	-	8.9	33.7	24.2	-	4.3	-	67.6	50.0	5.3	-	30.5	-	-	9.9	7.6	7.9	24.8	-	25.6

宝達志水町(女)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故		自殺
																								交通事故		
H22	234.7	0.0	61.9	35.0	/	/	15.7	/	0.0	/	/	1.2	0.0	65.9	/	22.2	/	11.0	/	/	1.2	1.2	10.7	22.8	13.6	0.0
H23	335.1	0.0	90.8	9.0	/	/	2.3	/	6.8	/	/	3.7	1.2	31.4	/	21.2	/	18.1	/	/	7.8	18.5	16.4	6.2	2.5	58.0
H24	258.0	0.0	125.3	2.3	/	/	4.3	/	1.2	/	/	1.2	0.0	38.3	/	26.0	/	26.2	/	/	0.0	0.0	15.8	1.2	0.0	0.0
H25	213.5	0.0	72.0	7.6	/	/	17.3	/	2.2	/	/	2.7	4.2	20.0	/	33.2	/	13.6	/	/	4.2	1.1	27.0	5.3	2.7	0.0
H26	236.1	-	63.3	4.9	/	/	10.1	/	3.8	/	/	19.7	-	42.0	6.0	27.9	-	13.3	-	-	-	7.6	22.9	19.5	11.5	2.7
H27	206.6	0.0	84.1	22.8	/	/	10.3	/	6.6	/	/	0.0	1.1	26.9	12.4	14.9	2.7	6.0	1.1	0.0	12.4	2.1	28.3	2.1	0.0	0.0
H28	262.6	-	78.4	13.2	/	/	6.0	/	4.0	/	/	5.4	1.0	24.2	6.0	5.1	7.2	5.0	-	-	-	-	20.4	9.4	1.0	16.4
H29	170.0	1.0	64.0	7.4	-	-	1.0	6.6	8.2	15.9	-	-	-	18.9	11.9	16.9	1.0	7.2	4.3	-	-	-	15.5	1.0	-	-
H30	190.2	-	71.8	3.1	6.5	4.4	13.6	1.0	8.2	-	-	-	1.0	29.2	3.1	14.2	1.0	11.7	-	-	-	5.2	19.8	1.0	-	1.0
R1	202.0	-	78.5	-	4.9	1.1	2.8	6.6	-	3.9	4.5	8.2	1.1	22.2	6.0	7.4	1.1	14.1	1.1	-	5.3	3.9	10.5	2.1	-	-

2) 年齢調整死亡率(単年)

中能登町(総数)

資料: 衛生統計年報

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H22	382.4	0.0	134.3	31.1	/	/	7.5	/	20.6	/	/	7.2	0.0	79.0	/	28.9	/	10.3	/	/	17.5	0.7	10.2	14.1	5.2	13.8
H23	421.9	0.0	135.4	21.8	/	/	13.0	/	20.0	/	/	0.7	2.2	76.6	/	45.0	/	16.4	/	/	17.8	3.2	17.1	16.7	1.7	16.6
H24	412.8	0.0	157.3	30.6	/	/	8.1	/	24.4	/	/	7.4	0.0	64.9	/	37.2	/	20.8	/	/	4.7	5.0	12.9	18.9	0.7	9.5
H25	349.3	0.0	108.6	22.3	/	/	9.0	/	16.9	/	/	0.0	2.6	63.5	/	54.7	/	22.0	/	/	4.8	3.1	14.3	17.0	12.2	3.7
H26	390.9	0.7	121.8	35.8	/	/	1.9	/	11.6	/	/	3.6	0.7	65.6	16.8	36.8	4.9	18.6	3.7	9.5	11.8	0.7	22.4	15.4	2.3	24.6
H27	379.7	0.6	106.9	34.2	/	/	13.7	/	10.0	/	/	7.8	2.6	49.0	12.4	25.1	1.3	24.5	2.6	0.0	4.1	1.9	18.5	16.9	3.5	23.9
H28	385.7	-	141.0	13.8	/	/	2.5	/	25.4	/	/	5.5	-	42.9	12.0	34.4	6.7	23.8	3.1	-	10.4	3.8	16.9	16.6	8.6	18.2
H29	349.0	-	105.2	20.0	6.9	2.9	1.8	16.0	16.7	-	1.2	7.1	3.7	32.2	4.1	40.9	1.8	14.5	7.3	1.2	7.7	3.5	16.4	17.3	6.8	34.9
H30	342.6	-	123.5	11.6	13.4	8.4	7.1	13.6	29.3	8.3	0.6	7.4	0.6	57.2	11.8	32.2	5.6	4.7	3.0	-	6.9	3.0	13.2	29.5	10.7	7.9
R1	369.6	-	140.2	22.8	10.8	3.8	6.6	32.6	10.3	3.6	1.9	1.1	1.9	47.6	7.0	31.6	4.9	10.7	0.6	0.6	9.0	7.5	10.4	18.1	-	9.9

中能登町(男)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	消化器系の疾患							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故		自殺	
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房							肺炎	急性気管支炎				交通事故	自殺		
H22	522.7	0.0	152.7	29.1	/	/	14.8	/	40.5	/	10.8	0.0	114.0	/	38.4	/	14.9	/	29.7	0.0	7.2	27.4	11.6	26.5	
H23	629.3	0.0	202.3	41.5	/	/	21.7	/	36.9	/	0.0	0.0	85.8	/	74.3	/	21.7	/	24.4	7.3	17.8	38.4	4.4	33.6	
H24	618.4	0.0	242.2	59.6	/	/	10.0	/	45.9	/	13.4	0.0	97.2	/	52.1	/	37.0	/	9.8	0.0	13.1	33.1	0.0	19.2	
H25	538.5	0.0	187.6	37.2	/	/	18.3	/	39.6	/	0.0	3.3	91.7	/	88.9	/	47.1	/	6.7	6.6	5.0	36.8	26.0	7.5	
H26	532.2	2.5	147.9	56.6	/	/	5.8	/	24.9	/	5.0	-	95.7	22.3	43.8	7.4	28.3	9.9	17.7	21.7	-	20.9	13.3	-	47.7
H27	490.7	2.3	139.3	42.9	/	/	18.8	/	23.9	/	0.0	5.6	61.5	18.1	42.9	0.0	29.6	4.5	0.0	3.4	2.3	14.9	28.7	0.0	38.5
H28	565.6	-	200.9	20.8	/	/	3.3	/	44.8	/	4.4	-	65.4	22.9	61.2	5.2	38.3	8.3	-	14.7	8.3	15.4	31.6	16.9	32.4
H29	473.2	-	111.8	19.9	9.2	2.2	-	18.6	22.9	-	12.6	7.4	47.9	4.5	45.8	4.5	26.5	16.8	4.5	12.4	2.2	11.2	18.1	-	56.0
H30	499.7	-	170.8	18.3	9.0	17.9	14.6	21.6	36.3	-	9.7	-	104.2	25.8	41.3	10.1	6.3	7.2	-	10.2	2.1	8.4	44.7	21.4	15.7
R1	492.7	-	174.3	30.3	16.3	-	5.5	38.3	22.6	-	-	3.0	79.3	13.4	47.8	9.7	17.8	2.0	-	16.9	17.3	9.9	21.4	-	7.7

中能登町(女)

資料:衛生統計年報

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患 (高血圧 性を除く)	急性心 筋梗塞	脳血管 疾患	呼吸器 系の 疾患	肺炎	急性気 管支炎	消化器 系の 疾患	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H22	266.4	0.0	124.5	34.9	/	/	1.0	/	2.1	/	/	3.1	0.0	49.5	/	20.8	/	7.3	/	/	4.0	1.0	11.5	5.4	0.0	1.0
H23	266.7	0.0	84.7	3.0	/	/	7.4	/	5.7	/	/	1.0	3.1	76.6	/	20.3	/	13.1	/	/	14.1	0.0	16.6	1.0	0.0	0.0
H24	264.6	0.0	92.3	8.4	/	/	6.9	/	6.5	/	/	4.0	0.0	41.6	/	26.8	/	11.0	/	/	0.0	7.1	12.9	7.1	1.0	0.0
H25	201.5	0.0	49.4	11.8	/	/	0.0	/	1.9	/	/	0.0	2.0	37.5	/	22.2	/	6.9	/	/	4.3	1.0	19.4	2.0	0.0	1.0
H26	274.5	-	106.0	19.2	/	/	-	/	1.0	/	/	3.0	1.0	35.9	12.0	36.1	2.9	14.1	-	-	1.0	1.0	23.0	17.8	4.3	1.9
H27	283.7	0.0	78.0	26.2	/	/	8.6	/	0.0	/	/	15.7	0.9	36.8	5.9	11.1	1.8	23.3	1.8	0.0	5.2	1.8	18.4	7.3	6.4	8.6
H28	240.3	-	86.8	7.0	/	/	2.0	/	9.5	/	/	8.0	-	27.5	5.7	14.9	7.1	16.3	-	-	6.8	0.9	18.0	2.8	-	-
H29	253.7	-	103.2	19.3	6.3	4.6	2.5	13.1	12.0	-	2.1	0.8	1.7	17.6	2.5	38.7	0.8	7.0	-	-	3.3	5.4	20.5	16.1	13.5	13.4
H30	212.0	-	87.2	6.8	17.9	-	-	9.4	27.1	15.6	0.8	5.5	0.8	12.7	-	23.8	2.2	4.1	0.8	-	4.4	3.8	16.6	15.6	-	-
R1	268.9	-	117.6	19.4	6.8	6.8	7.5	27.6	1.6	6.8	3.7	1.6	0.8	15.6	1.6	18.4	0.8	6.2	-	0.8	0.8	-	9.5	15.5	-	12.7

2) 年齢調整死亡率(単年)

管内(総数)

資料: 衛生統計年報

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H22	387.9	0.3	126.2	21.4	/	/	9.2	/	25.7	/	/	3.2	0.8	59.4	/	34.2	/	27.9	/	/	9.4	4.7	10.6	17.9	5.9	23.8
H23	390.4	0.1	126.2	20.4	/	/	8.8	/	20.8	/	/	7.6	0.8	58.0	/	34.8	/	28.0	/	/	8.0	8.3	15.3	19.1	3.3	24.2
H24	388.7	0.2	132.5	21.3	/	/	8.4	/	23.3	/	/	4.4	1.0	53.5	/	37.6	/	26.4	/	/	6.5	4.6	11.7	18.6	4.0	20.9
H25	365.7	0.2	120.7	23.7	/	/	9.0	/	19.4	/	/	2.9	1.2	56.0	/	39.2	/	29.3	/	/	4.3	5.8	16.0	20.9	7.1	8.4
H26	374.8	0.2	131.4	18.4	/	/	6.5	/	23.1	/	/	3.3	2.0	48.5	18.2	38.5	6.6	27.4	2.9	1.7	7.8	4.3	14.0	16.3	4.9	11.9
H27	361.4	0.1	127.0	20.3	/	/	8.4	/	25.9	/	/	5.0	1.1	48.7	18.2	31.4	5.7	24.6	0.7	0.3	4.7	3.7	16.9	16.8	2.9	16.5
H28	358.0	0.2	120.6	16.7	/	/	7.9	/	21.2	/	/	3.9	0.4	47.9	12.9	31.8	3.6	21.2	2.4	0.4	6.6	4.4	15.4	16.8	2.2	21.5
H29	358.7	0.2	123.5	12.8	9.8	4.3	6.6	11.2	27.1	5.3	5.1	3.2	2.1	52.7	17.3	27.1	4.4	15.7	5.0	0.5	4.6	4.0	16.8	15.0	3.4	15.9
H30	334.5	0.3	114.4	14.2	8.0	5.2	7.3	10.8	25.6	5.3	2.7	5.4	1.7	51.2	14.4	31.7	3.7	10.1	3.4	0.3	4.3	4.2	15.8	15.2	1.9	13.7
R1	335.9	0.1	116.4	14.1	7.9	5.1	5.1	13.4	17.9	9.9	2.2	2.7	1.4	42.3	12.3	26.8	2.6	12.7	2.2	0.1	7.5	6.0	14.5	14.6	1.0	16.4

管内(男)

資料:衛生統計年報

年	死亡 総数	結核	悪性 新生物	消化器系疾患							糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	呼吸器 系の 疾患	消化器 系の 疾患		肝疾患	腎不全	老衰	不慮の 事故	自殺		
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房							肺炎	急性気 管支炎							
H22	563.5	0.9	180.6	30.3	/	/	13.7	/	48.2	/	5.2	1.5	81.5	/	50.4	/	47.6	/	16.9	6.6	7.3	25.7	7.6	37.0	
H23	544.4	0.0	184.4	37.6	/	/	16.4	/	35.4	/	8.9	0.8	73.7	/	50.3	/	43.6	/	10.9	9.9	13.8	32.2	5.7	32.6	
H24	551.4	0.3	183.6	32.5	/	/	14.8	/	43.7	/	8.6	1.9	71.9	/	48.3	/	41.2	/	7.9	6.9	11.7	31.7	6.4	31.7	
H25	523.3	0.3	182.3	37.1	/	/	12.3	/	39.2	/	4.3	1.4	83.9	/	54.7	/	47.9	/	5.3	8.1	13.2	29.7	11.3	15.4	
H26	507.8	0.7	168.2	30.2	/	/	9.4	/	39.7	/	3.1	2.7	66.1	28.0	45.7	7.9	42.9	6.5	3.2	14.0	5.8	14.1	22.4	6.7	22.0
H27	475.1	0.3	170.9	27.6	/	/	14.4	/	42.9	/	4.2	1.0	62.1	27.7	36.6	7.8	35.6	1.4	0.0	5.6	5.2	13.6	23.9	4.2	26.1
H28	518.6	-	179.3	26.1	/	/	12.5	/	39.2	/	5.9	0.3	67.9	19.8	54.1	4.0	33.0	6.3	0.7	9.6	8.0	12.4	26.9	3.5	34.2
H29	494.7	-	159.5	18.5	13.8	7.6	10.8	17.3	43.4	0.3	4.9	2.8	76.1	27.6	35.6	6.1	25.7	9.3	1.1	6.6	3.8	16.5	21.2	0.5	29.3
H30	471.1	0.3	154.8	24.1	7.8	7.2	11.7	14.0	42.8	-	9.4	2.3	73.7	24.7	44.4	4.8	15.7	7.7	-	6.7	5.8	11.8	22.8	3.2	21.2
R1	433.6	-	148.8	23.0	10.2	4.4	6.5	16.3	36.6	-	3.9	1.6	57.1	18.3	40.0	3.9	20.8	5.5	-	10.7	7.0	13.5	13.6	1.2	20.5

管内(女)

資料:衛生統計年報

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患 (高血圧 性を除く)	急性心 筋梗塞	脳血管 疾患	呼吸器 系の 疾患	肺炎	急性気 管支炎	消化器 系の 疾患	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H22	256.0	0.0	86.7	15.3	/	/	5.6	/	8.6	/	/	1.7	0.4	41.4	/	22.5	/	15.5	/	/	2.1	3.1	12.1	12.0	3.8	11.9
H23	275.8	0.1	83.1	7.0	/	/	3.1	/	10.5	/	/	6.2	0.7	45.3	/	23.2	/	18.7	/	/	5.9	6.8	15.8	9.5	1.3	15.9
H24	270.4	0.1	96.9	11.7	/	/	3.7	/	7.4	/	/	1.3	0.4	37.7	/	30.8	/	18.4	/	/	5.7	3.2	11.5	8.4	1.7	10.1
H25	247.7	0.1	74.7	14.3	/	/	6.1	/	4.7	/	/	1.5	1.0	33.3	/	26.0	/	19.3	/	/	3.6	3.6	17.1	13.8	3.5	2.0
H26	277.9	-	108.6	9.9	/	/	4.6	/	10.9	/	/	3.3	1.2	32.6	9.8	35.2	5.5	17.6	0.5	0.1	2.1	3.1	13.9	11.6	3.4	1.9
H27	270.2	0.0	93.4	15.4	/	/	3.4	/	13.0	/	/	6.0	1.2	34.4	8.8	27.4	3.8	18.0	0.4	0.5	3.9	2.9	17.8	11.7	1.8	6.9
H28	234.3	0.3	76.0	9.8	/	/	4.2	/	7.2	/	/	2.4	0.4	30.3	7.1	14.7	3.1	14.5	0.4	0.2	3.6	2.1	16.5	8.4	0.9	9.4
H29	252.1	0.3	96.8	7.9	6.6	1.7	3.6	5.9	13.6	10.2	10.0	1.7	1.6	31.8	8.0	21.7	3.0	9.5	2.3	0.1	2.6	4.6	16.7	11.5	6.4	2.4
H30	227.5	0.3	85.0	6.4	8.1	3.5	3.5	8.1	13.0	10.3	5.1	1.8	1.0	31.7	6.2	21.5	2.8	7.0	1.1	0.5	1.9	3.0	17.7	9.6	0.6	6.1
R1	261.6	0.1	94.7	7.5	6.3	5.8	3.9	10.8	3.5	19.3	4.3	1.7	1.2	29.5	7.0	15.1	1.4	7.1	0.2	0.1	4.5	5.2	14.6	16.2	0.7	12.3

2) 年齢調整死亡率(単年)

石川県(総数)

資料: 衛生統計年報

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H22	380.9	0.4	127.7	19.1	/	/	11.2	/	25.2	/	4.2	1.0	54.1	/	35.4	/	29.1	/	/	5.8	5.4	7.8	20.5	5.0	19.7	
H23	377.5	0.3	128.0	18.9	/	/	10.1	/	24.0	/	4.5	1.1	53.5	/	33.5	/	30.2	/	/	5.5	5.4	8.4	19.9	4.1	20.8	
H24	366.1	0.1	124.2	17.3	/	/	9.2	/	24.3	/	4.5	1.2	51.4	/	34.0	/	27.6	/	/	5.4	5.2	10.2	16.3	3.6	17.3	
H25	358.1	0.4	120.4	17.1	/	/	9.6	/	23.8	/	3.6	1.1	50.8	/	33.9	/	26.8	/	/	6.0	4.5	11.3	16.7	4.5	15.0	
H26	357.0	0.2	124.2	15.4	/	/	9.1	/	23.9	/	3.2	1.6	47.0	17.7	30.9	5.3	25.7	3.6	0.5	5.2	4.3	10.9	17.4	3.6	13.7	
H27	351.7	0.3	121.1	15.5	/	/	9.1	/	24.9	/	3.3	1.0	46.1	17.2	28.4	4.8	26.4	3.0	0.4	6.3	4.1	12.0	15.7	3.5	16.2	
H28	345.9	0.3	120.0	14.8	/	/	9.0	/	22.8	/	3.2	1.0	44.3	15.8	28.8	4.4	23.3	3.4	0.5	5.2	4.4	12.3	16.9	4.2	14.0	
H29	341.0	0.2	116.7	12.7	10.3	4.6	7.3	12.5	23.1	6.4	2.8	3.7	1.9	45.1	15.4	27.6	4.7	17.2	4.2	0.5	6.8	4.7	12.8	13.2	2.6	14.9
H30	325.6	0.2	112.6	13.3	9.5	5.2	5.9	10.9	22.5	7.0	3.1	3.7	2.1	45.9	16.0	27.3	4.3	14.4	3.5	0.3	5.2	5.3	13.6	12.9	1.7	10.7
R1	325.5	0.1	108.9	12.3	9.1	4.5	6.3	11.4	20.6	6.2	2.1	3.2	2.1	42.8	14.9	24.7	4.2	15.4	2.5	0.2	6.0	5.3	13.5	12.1	1.8	13.4

石川県(男)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	悪性新生物							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	消化器系の疾患		肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺	
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房							肺炎	急性気管支炎							
H22	535.3	0.8	182.6	29.5	/	/	18.5	/	45.5	5.4	1.2	70.8	/	49.6	/	46.8	/	9.4	6.1	7.1	27.4	6.1	29.9		
H23	524.7	0.4	178.7	29.7	/	/	16.5	/	41.6	6.2	1.1	69.1	/	46.5	/	47.4	/	8.8	6.5	7.0	27.9	5.6	30.4		
H24	510.3	0.3	174.9	25.3	/	/	14.8	/	43.4	6.0	1.3	70.0	/	45.3	/	45.0	/	7.2	7.6	8.5	22.7	4.4	25.5		
H25	495.8	0.6	167.0	26.5	/	/	14.3	/	41.6	5.4	1.0	69.8	/	45.5	/	44.3	/	9.4	6.2	8.7	24.2	6.9	22.9		
H26	495.9	0.4	171.7	24.5	/	/	14.1	/	42.2	3.8	2.0	61.7	26.3	41.7	6.9	42.5	8.0	0.5	7.7	6.1	9.1	24.9	5.2	22.3	
H27	474.8	0.6	163.9	22.8	/	/	14.1	/	42.2	4.9	1.2	60.3	26.1	36.1	5.5	41.3	6.5	0.5	8.5	4.5	8.8	23.2	5.0	25.8	
H28	473.7	0.5	168.1	23.7	/	/	13.8	/	39.9	5.0	1.1	58.9	24.6	40.4	6.1	36.5	6.8	0.6	7.9	6.7	8.6	25.0	6.3	20.4	
H29	464.4	0.3	156.5	19.1	13.4	7.6	11.4	15.7	39.3	0.2	5.5	2.3	61.2	23.0	34.6	6.9	28.6	8.7	0.7	10.5	5.9	11.5	19.6	3.5	22.7
H30	440.9	0.2	149.0	20.6	11.1	7.9	9.2	13.2	36.5	0.1	6.3	2.9	60.7	24.8	37.6	6.3	23.9	7.3	0.5	7.5	7.7	10.9	18.9	2.5	14.8
R1	441.1	0.3	144.4	19.7	10.4	6.0	9.5	14.8	36.3	0.1	4.5	2.6	58.9	23.2	34.1	5.6	25.4	5.8	0.3	9.5	6.6	11.0	17.4	2.5	19.1

石川県(女)

資料:衛生統計年報

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H22	265.3	0.2	87.5	11.5	/	/	5.1	/	10.2	/	/	3.3	0.8	40.1	/	25.3	/	18.5	/	2.5	4.9	8.1	15.0	3.9	9.9	
H23	268.7	0.2	90.7	10.9	/	/	5.0	/	11.0	/	/	3.2	1.1	41.0	/	23.9	/	20.4	/	2.7	4.7	8.9	13.7	2.8	11.6	
H24	260.3	0.1	88.0	11.4	/	/	4.4	/	10.0	/	/	3.2	1.0	36.5	/	25.9	/	17.1	/	3.7	3.5	10.8	11.6	3.1	9.2	
H25	254.3	0.3	86.1	10.4	/	/	5.8	/	10.4	/	/	2.1	1.2	35.3	/	24.5	/	16.9	/	2.9	3.0	12.2	10.4	2.3	7.2	
H26	253.7	0.1	90.6	8.7	/	/	5.4	/	10.3	/	/	2.7	1.1	34.7	10.9	22.5	4.1	15.4	1.1	0.5	3.0	3.1	11.5	11.5	2.2	5.1
H27	253.3	0.1	88.6	10.1	/	/	5.1	/	11.4	/	/	1.9	0.8	33.5	9.7	22.2	4.1	16.9	0.7	0.3	4.4	3.8	13.2	9.6	2.0	6.7
H28	245.8	0.2	83.4	7.8	/	/	4.9	/	9.7	/	/	1.8	1.0	32.0	8.7	19.6	3.0	15.3	1.1	0.5	2.9	2.7	13.7	9.9	2.0	7.6
H29	244.6	0.2	86.5	7.4	8.0	2.1	4.0	9.6	10.5	12.1	5.3	2.1	1.5	31.9	8.9	22.2	2.9	10.3	1.4	0.4	3.2	3.8	13.1	8.1	1.7	7.1
H30	236.2	0.2	86.1	7.6	8.1	3.0	3.2	8.9	12.0	13.3	5.9	1.6	1.3	33.0	8.7	19.3	2.9	8.2	1.1	0.2	3.2	3.4	14.7	8.1	1.0	6.7
R1	234.8	0.0	83.0	6.7	8.2	3.5	3.6	8.4	8.5	11.9	4.1	2.2	1.6	29.2	7.7	16.8	2.8	9.1	0.5	0.2	2.9	4.2	14.5	8.0	1.0	7.8

3) 年齢階級別死亡数(選択死因)

七尾市(3年平均:平成29~令和元年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		799.0	1.0	0.0	0.0	0.7	1.0	0.3	1.0	1.7	6.7	5.7	9.7	16.7	19.7	46.0	57.3	79.3	124.0	172.7	255.7	0.0
結核		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	-
悪性新生物		213.3	-	-	-	-	0.3	-	0.3	1.0	3.0	2.3	3.7	6.7	8.7	25.7	27.3	35.7	33.0	35.7	30.0	-
食道		4.7	-	-	-	-	-	-	0.3	-	-	-	0.3	-	-	0.3	0.7	1.7	-	1.0	0.3	-
胃		28.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.7	4.7	4.3	3.0	3.0	6.0	5.0	-
結腸		20.0	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	2.0	1.7	2.7	3.7	5.0	3.7	-
直腸S状結腸移行部及び直腸		11.3	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	1.0	2.0	2.7	1.3	2.0	1.3	-
肝及び肝内胆管		13.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.7	2.0	3.0	1.7	2.7	1.7	-
胆のう及びその他の胆道		11.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.7	1.0	2.7	3.0	2.7	-
膵		19.0	-	-	-	-	-	-	-	-	-	0.3	-	-	1.0	1.7	3.7	3.3	2.7	3.7	2.7	-
気管、気管支及び肺		44.7	-	-	-	-	-	-	-	0.3	1.0	0.3	-	2.0	1.7	7.0	5.0	8.7	8.7	4.3	5.7	-
乳房		8.3	-	-	-	-	-	-	-	-	-	1.0	-	1.7	-	1.3	1.7	0.7	0.7	1.0	0.3	-
子宮		4.3	-	-	-	-	-	-	-	-	-	0.3	1.3	0.3	0.3	1.0	0.3	-	-	0.7	-	-
白血病		5.7	-	-	-	-	0.3	-	-	0.3	0.3	-	-	0.3	-	0.7	-	1.7	1.3	0.3	0.3	-
糖尿病		8.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.3	1.3	1.3	2.0	2.0	-
高血圧性疾患		11.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	1.3	4.0	5.3	-
心疾患(高血圧性を除く)		128.7	-	-	-	-	-	-	-	-	1.0	0.7	1.7	3.0	2.7	6.0	7.3	9.7	20.3	28.0	48.3	-
急性心筋梗塞		17.0	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.3	0.7	1.3	2.0	6.3	4.3	-
その他の虚血性心疾患		14.0	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.3	1.0	2.0	3.3	2.0	3.7	-
不整脈及び伝導障害		35.7	-	-	-	-	-	-	-	-	1.0	0.7	0.3	2.0	0.3	1.3	4.3	3.0	5.7	8.0	9.0	-
心不全		49.3	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	2.0	1.0	2.3	7.3	8.3	26.3	-
脳血管疾患		74.7	-	-	-	-	-	-	-	-	0.7	1.0	0.7	0.7	1.7	3.0	2.7	5.3	11.7	19.3	28.0	-
くも膜下出血		11.0	-	-	-	-	-	-	-	-	0.7	0.7	0.3	-	0.7	1.0	1.0	0.7	2.3	2.0	1.7	-
脳内出血		16.0	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.0	0.7	1.3	1.3	2.0	3.7	4.7	-
脳梗塞		47.0	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.3	3.3	7.3	13.7	21.0	-
大動脈瘤及び解離		10.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	2.3	1.7	2.0	1.3	2.3	-
肺炎		36.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	1.7	3.7	5.3	8.7	15.0	-
慢性閉塞性肺疾患		10.0	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	0.3	2.0	1.3	2.7	2.7	-
喘息		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-
肝疾患		5.7	-	-	-	-	-	-	-	-	-	-	0.7	1.3	0.3	0.3	0.7	0.3	1.0	0.7	0.3	-
腎不全		13.0	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	-	0.7	0.7	2.7	2.7	5.0	-
老衰		72.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.7	4.7	13.0	53.7	-
不慮の事故		30.0	0.3	-	-	-	-	-	-	0.3	-	0.3	-	1.0	0.7	1.0	4.3	2.3	6.3	8.0	5.3	-
交通事故		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	1.0	-	-
自殺		10.3	-	-	-	0.3	0.3	0.3	0.7	0.3	1.0	1.0	1.3	1.3	-	1.3	1.0	0.3	0.7	0.3	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

羽咋市 (3年平均:平成29~令和元年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		316.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	2.3	2.0	2.7	3.7	10.0	13.3	24.0	27.3	47.0	76.7	105.3	0.0
結核		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		85.0	-	-	-	-	-	-	0.3	0.3	0.3	1.3	0.7	2.0	3.7	6.7	11.0	11.7	13.3	21.3	12.3	-
食道		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.3	-	-	0.3	-
胃		10.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	1.3	1.3	0.7	1.7	3.7	0.3	-
結腸		8.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.3	0.3	2.3	1.0	2.7	-
直腸S状結腸移行部及び直腸		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	-	0.7	1.0	-	-
肝及び肝内胆管		4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	1.3	1.3	0.3	-
胆のう及びその他の胆道		5.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	-	0.7	0.7	1.7	0.7	-
膵		9.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	0.3	2.3	0.7	2.3	2.3	-
気管、気管支及び肺		14.0	-	-	-	-	-	-	-	-	-	0.7	-	-	0.7	0.7	2.7	2.0	1.7	3.7	2.0	-
乳房		4.7	-	-	-	-	-	-	0.3	-	0.3	0.3	-	-	-	0.7	0.3	0.7	0.3	1.0	0.7	-
子宮		2.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	0.7	0.3	-
白血病		2.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.3	-	1.0	-	-
糖尿病		3.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	0.3	-	1.3	0.3	0.7	-
高血圧性疾患		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-
心疾患(高血圧性を除く)		48.3	-	-	-	-	-	-	0.3	-	-	-	0.7	-	1.7	1.7	2.7	0.3	7.3	12.3	21.3	-
急性心筋梗塞		7.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.7	0.3	-	1.7	1.0	2.7	-
その他の虚血性心疾患		8.3	-	-	-	-	-	-	0.3	-	-	-	-	-	0.3	0.3	0.3	0.3	1.0	2.3	3.3	-
不整脈及び伝導障害		9.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	0.3	-	2.3	2.7	3.0	-
心不全		18.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	-	1.7	4.3	11.0	-
脳血管疾患		31.0	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.3	-	1.7	1.7	3.7	4.3	7.3	11.0	-
くも膜下出血		4.3	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-	0.3	0.3	1.0	0.7	1.3	-	-
脳内出血		8.0	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.3	1.0	1.3	1.0	2.0	1.7	-
脳梗塞		18.7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	1.3	2.7	4.0	9.3	-
大動脈瘤及び解離		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	-	1.0	-
肺炎		21.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	3.3	6.3	9.7	-
慢性閉塞性肺疾患		5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	2.0	1.7	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-
肝疾患		3.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	1.0	1.0	-	1.0	0.3	-
腎不全		6.0	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.7	0.7	0.3	0.3	3.7	-
老衰		32.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	2.3	9.3	20.3	-
不慮の事故		10.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	0.3	1.0	2.3	3.0	2.3	-
交通事故		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-	-
自殺		3.0	-	-	-	-	-	-	0.3	-	0.7	-	-	0.3	0.7	0.3	0.3	0.3	-	-	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

志賀町 (3年平均:平成29~令和元年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		345.7	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	1.0	1.0	2.3	4.7	8.0	15.7	23.7	32.7	54.0	83.0	119.0	0.0
結核		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-
悪性新生物		79.7	-	-	-	-	-	-	-	-	0.3	-	1.0	2.3	3.7	7.7	8.3	12.0	15.7	17.0	11.7	-
食道		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	0.3	0.3	0.7	-	-
胃		10.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.3	1.3	2.0	2.0	2.0	-
結腸		6.0	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.7	0.3	1.7	1.3	1.0	-
直腸S状結腸移行部及び直腸		3.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	0.7	0.3	1.0	0.3	-
肝及び肝内胆管		4.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	0.7	1.0	0.7	1.0	-
胆のう及びその他の胆道		6.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	0.7	1.3	2.3	-
膵		9.3	-	-	-	-	-	-	-	-	-	-	-	0.7	-	1.3	0.7	1.0	2.3	2.3	1.0	-
気管、気管支及び肺		18.0	-	-	-	-	-	-	-	-	-	-	0.3	-	1.3	1.7	2.7	3.0	5.0	3.0	1.0	-
乳房		1.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	-	-	-	-	-
子宮		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-	0.3	0.3	-
白血病		0.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	-	-	-
糖尿病		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.3	-
高血圧性疾患		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	-	-
心疾患(高血圧性を除く)		58.0	-	-	-	-	-	-	-	-	0.7	0.3	0.3	0.3	0.3	3.0	5.3	3.3	8.3	14.0	22.0	-
急性心筋梗塞		6.3	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	1.0	1.0	1.0	1.3	0.7	0.7	-
その他の虚血性心疾患		7.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	1.7	0.7	1.3	2.0	1.3	-
不整脈及び伝導障害		10.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	0.7	0.7	2.0	2.7	3.7	-
心不全		29.3	-	-	-	-	-	-	-	-	-	0.3	-	-	-	1.0	1.3	1.0	2.7	7.7	15.3	-
脳血管疾患		30.0	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	1.7	3.3	2.0	4.3	8.0	9.0	-
くも膜下出血		4.3	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	0.3	-	0.3	1.7	0.7	-
脳内出血		6.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	1.0	0.3	0.7	2.0	-
脳梗塞		19.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	2.0	1.0	3.7	5.7	6.3	-
大動脈瘤及び解離		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.3	1.0	-
肺炎		26.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	1.7	3.0	8.0	12.0	-
慢性閉塞性肺疾患		5.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	2.0	2.0	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-
肝疾患		3.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.7	0.3	0.3	0.3	0.7	-
腎不全		5.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	3.0	1.3	-
老衰		43.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	4.3	5.7	32.3	-
不慮の事故		10.7	-	-	-	-	-	0.3	-	-	-	-	0.3	-	0.7	-	0.3	2.0	3.7	1.7	1.7	-
交通事故		1.7	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	-	-
自殺		3.0	-	-	-	0.3	-	-	-	-	-	0.3	-	0.7	-	0.3	0.3	0.3	0.3	0.3	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

宝達志水町(3年平均:平成29~令和元年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		187.7	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.3	1.7	0.7	1.7	3.3	8.7	10.0	19.7	26.0	46.7	67.3	0.0
結核		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
悪性新生物		54.3	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	1.3	6.0	5.0	10.7	8.0	11.7	10.0	-
食道		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.7	-	-	-	-
胃		6.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	1.0	2.3	1.7	-
結腸		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.0	1.0	-
直腸S状結腸移行部及び直腸		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-
肝及び肝内胆管		5.7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.7	1.7	1.3	0.7	0.3	-
胆のう及びその他の胆道		3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	1.0	0.7	-
膵		4.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	1.0	0.7	0.3	1.3	-
気管、気管支及び肺		10.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	1.0	2.7	1.7	2.7	1.0	-
乳房		1.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	0.3	-	-
子宮		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-
白血病		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-	-	-	-
糖尿病		2.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	0.3	0.3	-
高血圧性疾患		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-
心疾患(高血圧性を除く)		28.0	-	-	-	-	-	-	-	-	1.0	-	-	0.7	-	1.0	1.3	1.7	4.7	5.7	12.0	-
急性心筋梗塞		4.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	0.3	1.0	1.0	1.0	0.7	-
その他の虚血性心疾患		4.7	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-	0.3	0.3	0.7	1.0	1.7	-
不整脈及び伝導障害		6.0	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.3	0.7	-	1.0	0.7	2.7	-
心不全		10.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.7	2.0	6.3	-
脳血管疾患		14.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	0.7	2.0	4.3	7.0	-
くも膜下出血		0.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.3	-	-
脳内出血		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.3	0.7	-
脳梗塞		10.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	2.3	6.3	-
大動脈瘤及び解離		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	0.3	0.7	-
肺炎		12.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	0.7	2.3	1.7	6.0	-
慢性閉塞性肺疾患		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	-
喘息		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
肝疾患		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	0.3	-
腎不全		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.7	1.0	-
老衰		18.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	2.0	15.7	-
不慮の事故		5.3	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	-	0.7	2.0	2.0	-
交通事故		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
自殺		1.7	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	-	-	-	0.7	-	0.3	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

中能登町(3年平均:平成29~令和元年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		249.0	79.3	0.0	0.0	0.3	0.3	0.0	0.3	0.7	0.3	1.3	3.3	3.3	4.3	9.3	9.3	15.7	30.3	35.0	50.3	5.3
結核		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		72.3	-	-	-	-	-	-	-	-	-	1.3	1.3	2.0	1.7	9.7	8.3	9.3	13.3	14.3	11.0	-
食道		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	0.3	-	0.7	-
胃		12.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.7	1.3	1.0	3.3	1.7	2.3	-
結腸		6.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	1.0	1.0	1.0	0.7	1.3	-
直腸S状結腸移行部及び直腸		2.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	-	-	0.3	1.3	-	-
肝及び肝内胆管		2.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	0.3	0.3	0.7	0.3	-
胆のう及びその他の胆道		4.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	0.7	0.7	1.0	-
膵		10.7	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	1.3	1.3	1.7	2.0	2.0	0.7	-
気管、気管支及び肺		11.7	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	2.0	1.7	0.7	2.7	2.7	1.3	-
乳房		2.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	-	0.7	-	-
子宮		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	-
白血病		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
糖尿病		3.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	-	-	-	1.3	0.7
高血圧性疾患		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.3	-
心疾患(高血圧性を除く)		29.3	-	-	-	-	-	-	-	0.3	0.3	-	1.0	1.0	0.7	1.7	1.3	3.0	2.3	6.3	11.3	-
急性心筋梗塞		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	-	0.3	0.3	-
その他の虚血性心疾患		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	0.3	0.7	1.0	-
不整脈及び伝導障害		6.7	-	-	-	-	-	-	-	0.3	0.3	-	1.0	0.7	-	0.7	0.3	1.0	0.3	0.7	1.3	-
心不全		12.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	1.0	3.3	6.0	-
脳血管疾患		26.7	-	-	-	-	-	-	-	0.3	-	-	1.0	-	0.7	-	1.0	3.0	4.3	5.7	10.7	-
くも膜下出血		4.3	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.7	-	-	1.0	0.7	1.0	0.3	-
脳内出血		7.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.7	0.3	2.7	2.7	-
脳梗塞		14.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	1.0	3.0	2.0	7.0	-
大動脈瘤及び解離		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	0.7	1.0	-
肺炎		10.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	2.0	2.7	4.7	-
慢性閉塞性肺疾患		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	0.7	0.7	-
喘息		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-
肝疾患		3.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	0.3	1.0	0.3	0.3	-
腎不全		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	1.0	1.0	1.0	-
老衰		19.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-	1.0	3.0	14.0	-
不慮の事故		9.0	-	-	-	-	-	-	-	0.3	0.7	0.3	-	0.3	0.3	-	0.7	2.0	1.7	1.3	1.3	-
交通事故		1.0	-	-	-	-	-	-	-	0.3	0.3	-	-	-	-	-	-	-	-	-	0.3	-
自殺		3.0	-	-	-	-	0.3	-	-	-	0.3	0.3	0.3	0.7	0.3	0.3	-	-	0.3	-	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

管内 (3年平均:平成29~令和元年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		1885.3	1.7	0.0	0.0	1.0	1.3	0.7	2.3	3.3	12.3	12.7	20.0	31.7	46.3	98.0	131.7	184.0	290.7	428.0	619.7	0.0
結核		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	1.0	-
悪性新生物		504.7	-	-	-	-	0.3	-	0.7	1.3	3.7	5.3	7.3	13.7	19.0	55.7	60.0	79.3	83.3	100.0	75.0	-
食道		13.0	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	1.7	2.3	3.7	0.7	1.3	1.7	-
胃		67.3	-	-	-	-	-	-	-	-	-	-	0.7	1.0	3.7	8.7	8.3	7.0	11.0	15.7	11.3	-
結腸		43.7	-	-	-	-	-	-	-	-	0.3	-	0.3	1.7	0.7	4.0	4.0	4.7	9.3	9.0	9.7	-
直腸S状結腸移行部及び直腸		21.0	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	0.7	2.3	3.0	3.7	2.7	5.7	1.7	-
肝及び肝内胆管		31.0	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	4.3	3.0	7.0	5.7	6.0	3.7	-
胆のう及びその他の胆道		30.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.3	3.3	4.7	5.0	7.7	7.3	-
膵		53.0	-	-	-	-	-	-	-	-	-	0.7	0.7	1.3	2.7	5.0	6.3	9.3	8.3	10.7	8.0	-
気管、気管支及び肺		99.0	-	-	-	-	-	-	-	0.3	1.0	1.3	0.3	2.3	4.0	12.7	13.0	17.0	19.7	16.3	11.0	-
乳房		17.7	-	-	-	-	-	-	0.3	-	0.3	1.3	0.3	2.3	0.3	2.3	2.7	2.0	1.7	3.0	1.0	-
子宮		9.3	-	-	-	-	-	-	-	-	-	0.3	1.3	0.3	0.7	1.7	1.7	-	0.7	1.7	1.0	-
白血病		10.3	-	-	-	-	0.3	-	-	0.3	0.3	-	-	0.3	0.7	1.7	1.3	2.0	1.3	1.7	0.3	-
糖尿病		18.3	-	-	-	-	-	-	-	-	-	-	0.7	0.7	0.7	0.3	2.3	2.0	3.3	4.3	4.0	-
高血圧性疾患		16.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	3.3	5.7	6.7	-
心疾患(高血圧性を除く)		292.3	-	-	-	-	-	-	0.3	0.3	3.0	1.0	3.7	5.0	5.3	13.3	18.0	18.0	43.0	66.3	115.0	-
急性心筋梗塞		37.0	-	-	-	-	-	-	-	-	0.7	-	0.3	-	2.3	3.7	2.7	3.3	6.0	9.3	8.7	-
その他の虚血性心疾患		38.3	-	-	-	-	-	-	0.3	-	0.7	-	0.3	0.7	0.3	2.3	3.7	4.3	6.7	8.0	11.0	-
不整脈及び伝導障害		68.3	-	-	-	-	-	-	-	0.3	1.7	0.7	2.0	3.0	1.0	3.0	6.3	4.7	11.3	14.7	19.7	-
心不全		120.0	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.0	4.3	3.7	4.7	14.3	25.7	65.0	-
脳血管疾患		177.0	-	-	-	-	-	-	-	0.7	1.0	1.7	2.0	1.3	3.3	6.3	9.0	14.7	26.7	44.7	65.7	-
くも膜下出血		24.7	-	-	-	-	-	-	-	0.7	0.7	1.3	1.0	0.3	1.7	1.7	1.7	2.7	4.0	6.3	2.7	-
脳内出血		40.0	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.0	1.3	2.0	4.0	4.3	4.0	10.3	11.7	-
脳梗塞		109.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	2.7	3.3	7.3	18.0	27.7	50.0	-
大動脈瘤及び解離		21.0	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	3.0	3.3	3.7	3.7	6.0	-
肺炎		106.3	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	2.3	4.0	7.7	16.0	27.3	47.3	-
慢性閉塞性肺疾患		25.7	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	0.3	3.7	5.0	7.7	8.0	-
喘息		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	1.3	-
肝疾患		18.0	-	-	-	-	-	-	-	-	-	0.3	1.3	1.3	1.0	1.0	3.0	2.3	2.7	3.0	2.0	-
腎不全		31.7	-	-	-	-	-	-	-	-	0.3	-	-	0.7	0.7	0.7	1.7	2.3	4.7	8.7	12.0	-
老衰		185.7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.7	2.3	12.7	33.0	136.0	-
不慮の事故		65.7	0.3	-	-	-	-	0.3	-	0.7	0.7	1.0	0.3	1.7	2.0	2.0	6.0	7.3	14.7	16.0	12.7	-
交通事故		5.0	-	-	-	-	-	0.3	-	0.3	0.3	-	-	-	-	0.7	-	0.7	1.0	1.3	0.3	-
自殺		21.0	-	-	-	0.7	0.7	0.3	1.0	0.3	2.0	2.3	1.7	2.7	1.3	2.3	1.7	1.0	2.0	0.7	0.3	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

石川県(3年平均:平成29~令和元年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		12783.3	19.0	2.7	4.3	12.3	16.3	17.7	28.0	34.7	65.7	102.0	148.7	229.3	350.7	744.3	1021.7	1369.7	2023.0	2689.3	3904.0	0.0
結核		12.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	2.3	5.3	3.7	-
悪性新生物		3,544.0	0.3	0.7	1.0	1.0	1.7	1.0	7.0	9.0	19.7	35.0	59.0	102.7	173.7	376.0	465.3	543.0	603.0	610.0	535.0	-
食道		84.0	-	-	-	-	-	-	-	-	0.3	1.0	2.0	3.7	6.0	11.3	13.7	16.7	11.7	9.7	8.0	-
胃		444.0	-	-	-	-	0.3	0.7	-	0.7	1.0	2.3	4.3	5.3	18.7	52.0	54.3	62.3	76.0	84.7	81.3	-
結腸		330.0	-	-	-	-	0.3	-	1.0	1.3	1.0	2.0	3.7	10.7	15.7	28.3	32.0	40.3	58.0	64.7	71.0	-
直腸S状結腸移行部及び直腸		143.3	-	-	-	-	-	-	-	0.7	1.0	1.0	2.0	5.7	8.7	16.3	21.3	21.0	26.7	25.0	14.0	-
肝及び肝内胆管		203.7	-	-	-	-	-	-	-	0.3	-	1.0	3.7	5.3	11.0	23.0	31.0	34.7	38.3	36.3	19.0	-
胆のう及びその他の胆道		203.3	-	-	-	-	-	-	-	-	0.3	1.0	1.0	4.0	5.3	12.0	17.7	27.7	42.7	46.7	45.0	-
膵		353.0	-	-	-	-	-	-	-	0.3	1.0	2.7	5.7	9.7	22.3	39.3	56.7	64.3	57.0	50.0	44.0	-
気管、気管支及び肺		712.3	-	-	-	-	-	-	0.7	0.7	2.7	3.0	6.7	15.3	31.3	85.7	111.3	124.3	129.0	109.0	92.7	-
乳房		138.7	-	-	-	-	-	-	1.3	1.0	2.7	8.0	7.7	13.3	12.7	18.0	19.7	20.0	9.7	13.3	11.3	-
子宮		55.0	-	-	-	-	-	-	0.7	0.3	1.0	3.3	7.3	3.3	4.0	6.7	5.0	6.7	4.3	7.0	5.3	-
白血病		84.3	0.3	-	0.3	0.7	0.7	0.3	0.7	1.3	1.7	1.3	1.7	2.0	3.7	12.0	11.3	12.7	14.3	14.0	5.3	-
糖尿病		123.7	-	-	-	-	-	-	-	0.7	0.7	1.3	3.0	2.3	4.0	8.3	13.7	15.3	23.7	24.7	26.0	-
高血圧性疾患		93.3	-	-	-	-	-	-	-	0.3	0.3	0.7	0.3	0.3	3.7	3.7	6.0	4.3	17.3	19.7	36.7	-
心疾患(高血圧性を除く)		2,009.3	0.3	-	0.7	0.7	0.3	0.7	2.7	2.0	8.0	8.3	21.7	28.3	36.3	84.7	119.7	168.3	309.0	461.0	756.7	-
急性心筋梗塞		338.7	-	-	-	-	-	-	-	-	2.7	3.7	5.0	8.0	14.0	25.0	31.0	45.3	58.3	76.7	69.0	-
その他の虚血性心疾患		235.0	-	-	-	-	-	0.3	0.3	0.3	1.0	1.0	3.0	4.7	3.7	16.3	20.0	25.3	45.3	48.7	65.0	-
不整脈及び伝導障害		325.7	-	-	0.7	0.3	0.3	0.3	0.3	0.7	2.0	2.3	7.7	8.7	7.7	16.7	29.0	29.3	50.3	69.0	100.3	-
心不全		890.3	-	-	-	-	-	-	0.7	0.7	1.3	0.7	2.7	4.0	6.3	18.3	27.3	50.7	121.3	212.0	444.3	-
脳血管疾患		1,096.3	-	-	-	0.3	0.3	0.7	1.0	2.3	7.0	12.3	14.0	18.7	24.3	45.0	73.7	106.0	184.7	249.0	357.0	-
くも膜下出血		128.3	-	-	-	-	0.3	-	0.3	1.3	3.3	7.3	6.7	7.7	7.7	12.7	14.3	13.3	19.0	19.0	15.3	-
脳内出血		281.7	-	-	-	0.3	-	0.3	0.3	0.7	3.3	4.7	5.3	8.7	13.3	17.3	31.0	31.7	46.0	63.3	55.3	-
脳梗塞		665.0	-	-	-	-	-	-	-	0.3	-	-	2.0	2.3	3.3	13.7	26.7	59.7	116.0	161.7	279.3	-
大動脈瘤及び解離		166.3	-	-	-	-	-	-	0.7	-	0.3	1.0	1.0	3.3	5.7	10.0	18.7	21.0	31.7	36.3	36.7	-
肺炎		846.0	0.3	0.3	-	-	0.3	0.3	0.3	-	0.7	0.7	1.7	2.0	6.3	21.3	34.3	72.7	134.3	224.0	346.3	-
慢性閉塞性肺疾患		162.7	-	-	-	-	-	-	-	-	-	-	-	1.0	1.3	6.0	10.0	24.3	32.0	42.3	45.7	-
喘息		17.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	0.3	2.0	4.0	3.0	7.3	-
肝疾患		146.0	-	-	-	-	-	-	0.3	1.3	1.7	5.3	6.3	13.3	10.0	14.7	17.0	18.7	25.0	20.7	11.7	-
腎不全		231.7	-	-	-	-	-	-	0.3	0.7	0.3	1.3	1.0	2.0	4.3	7.7	14.3	26.0	40.3	50.3	83.0	-
老衰		1,022.7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	5.0	15.0	75.3	211.3	714.3	-
不慮の事故		398.3	1.0	0.7	0.7	2.3	2.3	1.3	1.7	6.0	4.0	6.0	4.7	10.7	12.3	23.0	40.0	45.7	67.3	85.0	83.7	-
交通事故		39.7	-	0.3	-	1.7	0.3	0.7	0.7	1.7	1.0	0.3	1.3	1.3	3.3	4.3	4.7	5.3	4.7	5.7	2.3	-
自殺		165.0	-	-	0.7	4.7	9.3	9.7	8.0	6.3	14.7	16.3	14.3	14.3	10.3	16.0	13.7	10.7	8.0	5.7	2.3	-

資料:能登中部保健福祉センター算出