

6 疾患別死亡の状況

1) 疾患別死亡数・死亡率(七尾市)

死亡数(総数)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	785	837	863	804	824	786	787	792	863	835
結核	1	1	0	1	1	3	0	0	1	1
悪性新生物	201	232	239	208	228	205	207	214	218	214
胃	40	32	39	39	24	27	34	16	30	30
結腸	12	17	17	20	22	19	19	18	29	25
直腸S状結腸移行部	9	12	13	6	14	12	8	9	8	6
肝及び肝内胆管	19	19	13	10	18	14	9	11	14	8
気管、気管支及び肺	25	37	50	44	48	46	40	48	42	51
乳	2	9	3	5	7	6	12	9	11	12
子宮	6	4	6	1	9	2	2	4	3	3
前立腺	5	8	4	6	5	6	3	4	6	7
糖尿病	8	5	8	8	5	14	7	14	10	13
高血圧性疾患	4	7	6	4	14	9	10	9	7	11
心疾患(高血圧性除く)	141	122	145	117	133	135	118	116	133	131
急性心筋梗塞	25	20	24	13	14	20	17	21	25	17
その他虚血性心疾患	14	14	13	11	13	16	13	15	23	12
脳血管疾患	95	99	93	88	71	80	73	76	86	72
くも膜下出血	10	11	13	4	9	14	10	12	14	11
脳内出血	20	26	20	24	17	18	13	14	24	16
脳梗塞	63	60	59	59	44	48	49	49	45	44
肺炎	72	83	79	66	49	27	33	32	29	30
肝疾患	6	7	5	7	5	3	9	7	15	10
腎不全	14	14	14	16	12	10	17	14	12	13
老衰	67	55	62	75	79	64	75	76	68	91
不慮の事故	22	41	40	32	23	35	32	16	26	25
交通事故	5	7	5	1	0	3	2	2	3	3
自殺	8	9	13	9	9	13	9	6	4	3

死亡率(総数)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1424.1	1542.0	1571.8	1486.7	1551.5	1503.6	1532.1	1596.2	1770.2	1751.7
結核	1.8	1.8	0.0	1.8	1.9	5.7	0.0	0.0	2.1	2.1
悪性新生物	364.6	427.4	435.3	384.6	429.3	392.1	403.0	431.3	447.2	448.9
胃	72.6	59.0	71.0	72.1	45.2	51.6	66.2	32.2	61.5	62.9
結腸	21.8	31.3	31.0	37.0	41.4	36.3	37.0	36.3	59.5	52.4
直腸S状結腸移行部	16.3	22.1	23.7	11.1	26.4	23.0	15.6	18.1	16.4	12.6
肝及び肝内胆管	34.5	35.0	23.7	18.5	33.9	26.8	17.5	22.2	28.7	16.8
気管、気管支及び肺	45.4	68.2	91.1	81.4	90.4	88.0	77.9	96.7	86.2	107.0
乳	3.6	16.6	5.5	9.2	13.2	11.5	23.4	18.1	22.6	25.2
子宮	10.9	7.4	10.9	1.8	16.9	3.8	3.9	8.1	6.2	6.3
前立腺	9.1	14.7	7.3	11.1	9.4	11.5	5.8	8.1	12.3	14.7
糖尿病	14.5	9.2	14.6	14.8	9.4	26.8	13.6	28.2	20.5	27.3
高血圧性疾患	7.3	12.9	10.9	7.4	26.4	17.2	19.5	18.1	14.4	23.1
心疾患(高血圧性除く)	255.8	224.8	264.1	216.4	250.4	258.2	229.7	233.8	272.8	274.8
急性心筋梗塞	45.4	36.8	43.7	24.0	26.4	38.3	33.1	42.3	51.3	35.7
その他虚血性心疾患	25.4	25.8	23.7	20.3	24.5	30.6	25.3	30.2	47.2	25.2
脳血管疾患	172.3	182.4	169.4	162.7	133.7	153.0	142.1	153.2	176.4	151.0
くも膜下出血	18.1	20.3	23.7	7.4	16.9	26.8	19.5	24.2	28.7	23.1
脳内出血	36.3	47.9	36.4	44.4	32.0	34.4	25.3	28.2	49.2	33.6
脳梗塞	114.3	110.5	107.5	109.1	82.8	91.8	95.4	98.8	92.3	92.3
肺炎	130.6	152.9	143.9	122.0	92.3	51.6	64.2	64.5	59.5	62.9
肝疾患	10.9	12.9	9.1	12.9	9.4	5.7	17.5	14.1	30.8	21.0
腎不全	25.4	25.8	25.5	29.6	22.6	19.1	33.1	28.2	24.6	27.3
老衰	121.5	101.3	112.9	138.7	148.7	122.4	146.0	153.2	139.5	190.9
不慮の事故	39.9	75.5	72.9	59.2	43.3	67.0	62.3	32.2	53.3	52.4
交通事故	9.1	12.9	9.1	1.8	0.0	5.7	3.9	4.0	6.2	6.3
自殺	14.5	16.6	23.7	16.6	16.9	24.9	17.5	12.1	8.2	6.3

死亡数(男)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	366	398	414	429	378	369	372	393	399	392
結核	1	1	0	0	0	1	0	0	0	0
悪性新生物	110	123	129	136	128	112	116	134	119	123
胃	25	20	22	26	15	17	23	13	18	16
結腸	6	4	6	11	9	8	10	10	10	15
直腸S状結腸移行部	3	5	10	4	9	3	4	9	3	5
肝及び肝内胆管	9	12	9	7	13	8	4	7	10	5
気管、気管支及び肺	18	22	38	34	32	36	31	32	29	35
乳	0	0	0	0	0	0	0	0	0	0
子宮	6	4	6	1	9	2	2	4	3	3
前立腺	5	8	4	6	5	6	3	4	6	7
糖尿病	4	3	6	6	0	8	4	10	3	5
高血圧性疾患	1	4	1	1	4	2	3	1	3	4
心疾患(高血圧性除く)	66	48	59	53	48	62	59	55	59	53
急性心筋梗塞	11	13	14	8	6	12	8	15	15	9
その他虚血性心疾患	6	4	7	5	5	10	7	6	15	7
脳血管疾患	39	43	35	51	37	29	34	29	42	27
くも膜下出血	4	3	5	1	3	6	5	5	8	3
脳内出血	10	14	9	18	10	6	9	5	12	7
脳梗塞	24	24	20	31	23	17	19	19	20	16
肺炎	41	42	46	40	25	15	15	24	14	19
肝疾患	2	5	3	2	2	1	6	6	6	7
腎不全	6	5	8	9	3	5	5	6	5	7
老衰	11	12	14	20	21	16	19	15	15	23
不慮の事故	12	23	23	22	14	22	13	10	13	14
交通事故	3	4	4	1	0	0	1	2	1	1
自殺	6	7	11	6	9	9	6	6	4	2

死亡率(男)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1405.7	1551.1	1583.5	1676.3	1502.9	1487.4	1524.8	1653.3	1715.6	1719.7
結核	3.8	3.9	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0
悪性新生物	422.5	479.4	493.4	531.4	508.9	451.5	475.5	563.7	511.7	539.6
胃	96.0	77.9	84.1	101.6	59.6	68.5	94.3	54.7	77.4	70.2
結腸	23.0	15.6	22.9	43.0	35.8	32.2	41.0	42.1	43.0	65.8
直腸S状結腸移行部	11.5	19.5	38.2	15.6	35.8	12.1	16.4	37.9	12.9	21.9
肝及び肝内胆管	34.6	46.8	34.4	27.4	51.7	32.2	16.4	29.4	43.0	21.9
気管、気管支及び肺	69.1	85.7	145.3	132.9	127.2	145.1	127.1	134.6	124.7	153.5
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	19.2	31.2	15.3	23.4	19.9	24.2	12.3	16.8	25.8	30.7
前立腺	15.4	11.7	22.9	23.4	0.0	32.2	16.4	42.1	12.9	21.9
糖尿病	3.8	15.6	3.8	3.9	15.9	8.1	12.3	4.2	12.9	17.5
高血圧性疾患	253.5	187.1	225.7	207.1	190.8	249.9	241.8	231.4	253.7	232.5
心疾患(高血圧性除く)	42.2	50.7	53.5	31.3	23.9	48.4	32.8	63.1	64.5	39.5
急性心筋梗塞	23.0	15.6	26.8	19.5	19.9	40.3	28.7	25.2	64.5	30.7
その他虚血性心疾患	149.8	167.6	133.9	199.3	147.1	116.9	139.4	122.0	180.6	118.4
脳血管疾患	15.4	11.7	19.1	3.8	11.9	24.2	20.5	21.0	34.4	13.2
くも膜下出血	38.4	54.6	34.4	70.3	39.8	24.2	36.9	21.0	51.6	30.7
脳内出血	92.2	93.5	76.5	121.1	91.4	68.5	77.9	79.9	86.0	70.2
脳梗塞	157.5	163.7	175.9	156.3	99.4	60.5	61.5	101.0	60.2	83.4
肺炎	7.7	19.5	11.5	7.8	8.0	4.0	24.6	25.2	25.8	30.7
肝疾患	23.0	19.5	30.6	35.2	11.9	20.2	20.5	25.2	21.5	30.7
腎不全	42.2	46.8	53.5	78.1	83.5	64.5	77.9	63.1	64.5	100.9
老衰	46.1	89.6	88.0	86.0	55.7	88.7	53.3	42.1	55.9	61.4
不慮の事故	11.5	15.6	15.3	3.9	0.0	0.0	4.1	8.4	4.3	4.4
交通事故	23.0	27.3	42.1	23.4	35.8	36.3	24.6	25.2	17.2	8.8
自殺	6.9	7.0	7.0	10.5	0.0	14.6	11.1	0.0	0.0	4.0

死亡数(女)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	419	439	449	375	446	417	415	399	464	443
結核	0	0	0	1	1	2	0	0	1	1
悪性新生物	91	109	110	72	100	93	91	80	99	91
胃	15	12	17	13	9	10	11	3	12	14
結腸	6	13	11	9	13	11	9	8	19	10
直腸S状結腸移行部	6	7	3	2	5	9	4	0	5	1
肝及び肝内胆管	10	7	4	3	5	6	5	4	4	3
気管、気管支及び肺	7	15	12	10	16	10	9	16	13	16
乳	2	9	3	5	7	6	12	9	11	12
子宮	6	4	6	1	9	2	2	4	3	3
前立腺	5	8	4	6	5	6	3	4	6	7
糖尿病	4	2	2	2	5	6	3	4	7	8
高血圧性疾患	3	3	5	3	10	7	7	8	4	7
心疾患(高血圧性除く)	75	74	86	64	85	73	59	61	74	78
急性心筋梗塞	14	7	10	5	8	8	9	6	10	8
その他虚血性心疾患	8	10	6	6	8	6	6	9	8	5
脳血管疾患	56	56	58	37	34	51	39	47	44	

1) 疾患別死亡数・死亡率(羽咋市)

死亡数(総数)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	318	300	313	279	317	328	303	352	343	386
結核	0	0	0	0	0	0	0	0	1	2
悪性新生物	87	75	86	84	91	87	87	82	96	87
胃	17	12	14	12	11	12	9	9	14	13
結腸	5	2	4	9	12	8	4	9	10	7
直腸S状結腸移行部	3	1	1	3	1	4	5	3	4	5
肝及び肝内胆管	2	4	3	5	4	6	4	4	10	2
気管、気管支及び肺	19	21	24	18	14	13	15	11	17	19
乳	3	2	2	3	4	3	7	4	5	3
子宮	1	3	0	1	1	2	3	1	1	0
前立腺	1	2	1	3	0	0	3	4	4	5
糖尿病	4	2	1	1	4	2	4	4	7	5
高血圧性疾患	0	3	0	0	1	0	1	2	2	1
心疾患(高血圧性除く)	49	43	57	44	57	49	39	70	40	64
急性心筋梗塞	9	8	9	6	11	7	4	11	12	10
その他虚血性心疾患	6	11	12	4	10	9	6	9	7	4
脳血管疾患	21	33	35	30	25	39	29	23	32	36
くも膜下出血	0	6	8	6	5	5	3	3	5	3
脳内出血	4	6	7	6	7	9	8	7	10	8
脳梗塞	17	20	17	14	13	25	18	13	17	24
肺炎	34	30	28	20	23	22	18	21	12	26
肝疾患	1	4	1	4	4	3	4	3	4	3
腎不全	8	6	6	2	9	4	5	5	4	4
老衰	34	29	37	23	29	35	34	33	50	40
不慮の事故	23	10	10	17	12	10	10	14	6	12
交通事故	5	1	1	2	1	0	1	2	0	2
自殺	2	2	3	3	2	2	5	4	4	7

死亡率(総数)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1429.9	1367.8	1444.9	1305.4	1506.4	1588.5	1489.4	1737.2	1725.3	1979.4
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	391.2	342.0	397.0	393.0	384.9	421.3	427.6	404.7	482.9	446.1
胃	76.4	54.7	64.6	56.1	52.3	58.1	44.2	44.4	70.4	66.7
結腸	22.5	9.1	18.5	42.1	57.0	38.7	19.7	44.4	50.3	35.9
直腸S状結腸移行部	13.5	4.6	4.6	14.0	4.8	19.4	24.6	14.8	20.1	25.6
肝及び肝内胆管	9.0	18.2	13.8	23.4	19.0	29.1	19.7	19.7	50.3	10.3
気管、気管支及び肺	85.4	95.7	110.8	84.2	66.5	63.0	73.7	54.3	85.5	97.4
乳	13.5	9.1	9.2	14.0	19.0	14.5	34.4	19.7	25.1	15.4
子宮	4.5	13.7	0.0	4.7	4.8	9.7	14.7	4.9	5.0	0.0
前立腺	4.5	9.1	4.6	14.0	0.0	0.0	14.7	19.7	20.1	25.6
糖尿病	18.0	9.1	4.6	4.7	19.0	9.7	19.7	19.7	35.2	25.6
高血圧性疾患	0.0	13.7	0.0	0.0	4.8	0.0	4.9	9.9	10.1	5.1
心疾患(高血圧性除く)	220.3	196.1	263.1	205.9	270.9	237.3	191.7	345.5	201.2	328.2
急性心筋梗塞	40.5	36.5	41.5	28.1	52.3	33.9	19.7	54.3	60.4	51.3
その他虚血性心疾患	27.0	50.2	55.4	18.7	47.5	43.6	29.5	44.4	35.2	20.5
脳血管疾患	94.4	150.5	161.6	140.4	118.8	188.9	142.5	113.5	161.0	184.6
くも膜下出血	0.0	27.4	36.9	28.1	23.8	24.2	14.7	14.8	25.1	15.4
脳内出血	18.0	27.4	32.3	28.1	33.3	43.6	39.3	34.5	50.3	41.0
脳梗塞	76.4	91.2	78.5	65.5	61.8	121.1	88.5	64.2	85.5	123.1
肺炎	152.9	136.8	129.3	93.6	109.3	106.5	88.5	103.6	60.4	133.3
肝疾患	4.5	18.2	4.6	18.7	19.0	14.5	19.7	14.8	20.1	15.4
腎不全	36.0	27.4	27.7	9.4	42.8	19.4	24.6	24.7	20.1	20.5
老衰	152.9	132.2	170.8	107.6	137.8	169.5	167.1	162.9	251.5	205.1
不慮の事故	103.4	45.6	46.2	79.5	57.0	48.4	49.2	69.1	30.2	61.5
交通事故	22.5	4.6	4.6	9.4	4.8	0.0	4.9	9.9	0.0	10.3
自殺	9.0	9.1	13.8	14.0	9.5	9.7	24.6	19.7	20.1	35.9

死亡数(男)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	160	160	145	139	168	174	139	193	171	186
結核	0	0	0	0	0	0	0	0	1	1
悪性新生物	51	47	49	50	39	49	48	48	59	56
胃	11	9	8	10	6	8	7	7	11	10
結腸	2	1	3	2	6	4	1	7	2	3
直腸S状結腸移行部	3	1	1	2	1	4	2	1	4	3
肝及び肝内胆管	1	2	2	3	3	3	2	4	7	2
気管、気管支及び肺	14	15	15	13	10	8	14	8	13	14
乳	0	0	0	0	1	0	0	0	0	0
子宮	1	3	0	1	1	2	3	1	1	0
前立腺	1	2	1	3	0	0	3	4	4	5
糖尿病	2	1	0	0	4	2	3	3	3	3
高血圧性疾患	0	0	0	0	1	0	0	2	1	1
心疾患(高血圧性除く)	26	18	20	22	30	19	12	37	21	30
急性心筋梗塞	6	3	3	4	8	4	2	9	6	5
その他虚血性心疾患	2	7	7	1	7	3	3	4	6	4
脳血管疾患	12	15	15	14	14	21	13	13	11	13
くも膜下出血	0	1	4	2	2	1	3	2	1	2
脳内出血	2	3	2	1	6	6	5	3	6	4
脳梗塞	10	11	7	8	6	14	5	8	4	7
肺炎	17	19	15	9	16	13	10	8	7	16
肝疾患	0	3	1	3	4	2	2	2	2	2
腎不全	4	3	2	1	6	3	2	3	1	0
老衰	13	13	11	7	10	7	13	8	16	7
不慮の事故	9	5	4	6	7	7	3	10	0	9
交通事故	3	1	0	0	0	0	0	2	0	1
自殺	2	1	2	3	1	1	4	3	3	7

死亡率(男)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1524.4	1547.2	1411.2	1373.1	1685.6	1780.4	1442.1	2006.0	1817.2	2011.9
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	485.9	454.5	476.9	493.9	391.3	501.4	498.0	498.9	627.0	605.7
胃	104.8	87.0	77.9	98.8	60.2	81.9	72.6	72.8	116.9	108.2
結腸	19.1	9.7	29.2	19.8	60.2	40.9	10.4	72.8	21.3	32.4
直腸S状結腸移行部	28.6	9.7	9.7	19.8	10.0	40.9	20.7	10.4	42.5	32.4
肝及び肝内胆管	9.5	19.3	19.5	29.6	30.1	30.7	20.7	41.6	74.4	21.6
気管、気管支及び肺	133.4	145.1	146.0	128.4	100.3	81.9	145.2	83.2	138.2	151.4
乳	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
子宮	9.5	19.3	9.7	29.6	0.0	0.0	31.1	41.6	42.5	54.1
前立腺	19.1	9.7	0.0	0.0	40.1	20.5	31.1	31.2	31.9	32.4
糖尿病	0.0	0.0	0.0	0.0	10.0	0.0	0.0	20.8	10.6	10.8
高血圧性疾患	0.0	0.0	0.0	0.0	10.0	0.0	0.0	20.8	10.6	10.8
心疾患(高血圧性除く)	247.7	174.1	194.6	217.3	301.0	194.4	124.5	384.6	223.2	324.5
急性心筋梗塞	57.2	29.0	29.2	39.5	80.3	40.9	20.7	93.5	63.8	54.1
その他虚血性心疾患	19.1	67.7	68.1	9.9	70.2	30.7	31.1	41.6	63.8	43.3
脳血管疾患	114.3	145.1	146.0	138.3	140.5	214.9	134.9	135.1	116.9	140.6
くも膜下出血	0.0	9.7	38.0	19.8	20.1	10.2	31.1	20.8	10.6	21.6
脳内出血	19.1	29.0	19.5	9.9	60.2	61.4	51.9	31.2	63.8	43.3
脳梗塞	95.3	106.4	68.1	79.0	60.2	143.3	51.9	83.2	42.5	75.7
肺炎	162.0	183.7	146.0	88.9	160.5	133.0	103.7	83.2	74.4	173.1
肝疾患	0.0	29.0	9.7	29.6	40.1	20.5	20.7	20.8	21.3	21.6
腎不全	38.1	29.0	19.5	9.9	60.2	30.7	20.7	31.2	10.6	0.0
老衰	123.9	125.7	107.1	69.1	100.3	71.6	134.9	83.2	170.0	75.7
不慮の事故	85.7	48.4	38.9	59.3	70.2	71.6	31.1	103.9	0.0	97.3
交通事故	28.6	9.7	0.0	0.0	0.0	0.0	0.0	20.8	0.0	10.8
自殺	19.1	9.7	19.5	29.6	10.0	10.2	41.5	31.2	31.9	75.7

死亡数(女)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	158	140	168	140	149	154	164	159	172	200
結核	0	0	0	0	0	0	0	0	0	1
悪性新生物	36	28	37	34	42	38	39	34	37	31
胃	6	3	6	2	5	4	2	2	3	3
結腸	3	1	1	7	6	4	3	2	8	4
直腸S状結腸移行部	0	0	0	1	0	0	3	2	0	2
肝及び肝内胆管	1	2	1	2	1	3	2	0	3	0
気管、気管支及び肺	5	6	9	5	4	5	1	3	4	5
乳	3	2	2	3	3	3	7	4	5	3
子宮	1	3	0	1	1	2	3	1	1	0
前立腺	1	2	1	3	0	0	3	4	4	5
糖尿病	2	1	1	1	0	0	1	1	4	2
高血圧性疾患	0	3	0	0	0	0	1	0	1	0
心疾患(高血圧性除く)	23	25	37	22	27	30	27	33	19	34
急性心筋梗塞	3	5	6	2	3	3	2	2	6	5
その他虚血性心疾患	4	4	5	3	3	6	3	5	1	0
脳血管疾患	9	18	20	16	11	18	16	10	21	23
くも膜下出血	0	5	4	4	3	4	0	1	4	1
脳内出血	2	3	5	5	1	3	3	4	4	4
脳梗塞	7	9	10	6	7	11	13			

1) 疾患別死亡数・死亡率(志賀町)

死亡数(総数)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	374	345	314	343	316	363	358	321	314	359
結核	1	0	0	0	1	1	1	0	0	1
悪性新生物	111	104	73	89	70	82	87	79	67	63
胃	20	15	12	9	12	8	10	12	11	9
結腸	10	7	7	4	4	8	6	7	5	2
直腸S状結腸移行部	2	2	1	4	4	3	2	5	0	1
肝及び肝内胆管	4	2	5	9	4	4	5	3	5	1
気管、気管支及び肺	22	26	13	14	14	19	21	16	13	16
乳	1	4	1	2	0	1	3	4	2	2
子宮	2	1	0	1	1	4	0	0	0	2
前立腺	3	3	1	6	3	0	1	1	1	2
糖尿病	1	3	1	3	2	1	1	2	3	2
高血圧性疾患	1	1	1	0	0	3	1	4	2	2
心疾患(高血圧性除く)	57	45	42	53	52	71	51	48	59	59
急性心筋梗塞	13	11	8	6	8	6	5	5	6	10
その他虚血性心疾患	6	4	3	6	3	14	6	6	8	7
脳血管疾患	33	28	29	22	22	31	37	29	24	30
くも膜下出血	3	2	5	3	4	5	4	3	2	2
脳内出血	13	8	12	5	4	8	7	8	9	4
脳梗塞	16	18	12	13	14	18	26	18	13	24
肺炎	61	58	57	32	30	20	28	18	10	34
肝疾患	4	5	3	1	2	4	3	2	3	0
腎不全	8	6	6	11	3	8	5	4	4	6
老衰	20	13	30	36	41	47	42	28	26	42
不慮の事故	12	10	11	14	16	7	9	14	7	12
交通事故	3	2	4	2	2	1	2	2	2	1
自殺	7	3	1	2	1	5	3	4	4	5

死亡率(総数)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1786.8	1674.8	1545.5	1722.4	1616.7	1905.8	1917.0	1738.2	1735.5	2028.2
結核	4.8	0.0	0.0	0.0	5.1	5.3	5.4	0.0	0.0	5.6
悪性新生物	530.3	504.9	359.3	446.9	358.1	430.5	465.9	427.8	370.3	355.9
胃	95.6	72.8	59.1	45.2	61.4	42.0	53.5	65.0	60.8	50.8
結腸	47.8	34.0	34.5	20.1	20.5	42.0	32.1	37.9	27.6	11.3
直腸S状結腸移行部	9.6	9.7	4.9	20.1	20.5	15.8	10.7	27.1	0.0	5.6
肝及び肝内胆管	19.1	9.7	24.6	45.2	20.5	21.0	26.8	16.2	27.6	5.6
気管、気管支及び肺	105.1	126.2	64.0	70.3	71.6	99.8	112.4	86.6	71.9	90.4
乳	4.8	19.4	4.9	10.0	0.0	5.3	16.1	21.7	11.1	11.3
子宮	9.6	4.9	0.0	5.0	5.1	21.0	0.0	0.0	0.0	11.3
前立腺	14.3	14.6	4.9	30.1	15.3	0.0	5.4	5.4	5.5	11.3
糖尿病	4.8	14.6	4.9	15.1	10.2	5.3	5.4	10.8	16.6	11.3
高血圧性疾患	4.8	4.9	4.9	0.0	0.0	15.8	5.4	21.7	11.1	11.3
心疾患(高血圧性除く)	272.3	218.5	206.7	266.1	266.0	372.8	273.1	259.9	326.1	333.3
急性心筋梗塞	62.1	53.4	39.4	30.1	40.9	31.5	26.8	27.1	33.2	56.5
その他虚血性心疾患	28.7	19.4	14.8	30.1	15.3	73.5	32.1	32.5	44.2	39.5
脳血管疾患	157.7	135.9	142.7	110.5	112.6	162.8	198.1	157.0	132.6	169.5
くも膜下出血	14.3	9.7	24.6	15.1	20.5	26.3	21.4	16.2	11.1	11.3
脳内出血	62.1	38.8	59.1	25.1	20.5	42.0	37.5	43.3	49.7	22.6
脳梗塞	76.4	87.4	59.1	65.3	71.6	94.5	139.2	97.5	71.9	135.6
肺炎	291.4	281.6	280.6	160.7	153.5	105.0	149.9	97.5	55.3	192.1
肝疾患	19.1	24.3	14.8	5.0	10.2	21.0	16.1	10.8	16.6	0.0
腎不全	38.2	29.1	29.5	55.2	15.3	42.0	26.8	21.7	22.1	33.9
老衰	95.6	63.1	147.7	180.8	209.8	246.8	224.9	151.6	143.7	237.3
不慮の事故	57.3	48.5	54.1	70.3	81.9	36.8	48.2	75.8	38.7	67.8
交通事故	14.3	9.7	19.7	10.0	10.2	5.3	10.7	10.8	11.1	5.6
自殺	33.4	14.6	4.9	10.0	5.1	26.3	16.1	21.7	22.1	28.2

死亡数(男)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	200	169	138	167	171	181	163	146	147	164
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	74	60	52	56	46	55	50	46	32	39
胃	16	10	8	3	7	8	6	8	7	6
結腸	6	5	4	3	4	3	3	6	2	1
直腸S状結腸移行部	2	2	1	3	3	2	1	3	0	1
肝及び肝内胆管	3	1	5	6	2	3	3	2	3	1
気管、気管支及び肺	16	19	9	11	11	16	17	12	7	13
乳	0	0	0	0	0	0	0	0	0	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	3	3	1	6	3	0	1	1	1	2
糖尿病	0	0	1	2	1	0	1	1	3	1
高血圧性疾患	1	0	0	0	0	2	1	1	1	1
心疾患(高血圧性除く)	26	21	13	18	25	32	20	16	25	27
急性心筋梗塞	8	3	3	2	6	4	1	3	5	7
その他虚血性心疾患	5	4	0	1	1	7	4	3	4	3
脳血管疾患	14	15	11	11	12	20	16	12	13	17
くも膜下出血	0	1	1	1	1	1	2	2	1	0
脳内出血	6	5	7	5	3	4	3	4	4	2
脳梗塞	7	9	3	5	8	15	11	6	8	15
肺炎	31	23	18	16	13	10	15	12	4	17
肝疾患	4	4	2	1	1	1	1	1	2	0
腎不全	1	4	2	6	1	5	1	2	1	3
老衰	6	3	4	6	15	9	9	4	4	6
不慮の事故	9	5	5	9	10	3	4	7	5	6
交通事故	3	1	2	1	1	0	1	1	2	0
自殺	6	3	0	2	1	2	1	4	4	3

死亡率(男)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	2029.4	1739.0	1431.7	1771.7	1849.4	2005.3	1845.1	1652.3	1697.7	1933.1
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8
悪性新生物	750.9	617.4	539.5	594.1	497.5	609.4	566.0	520.6	369.6	459.7
胃	162.4	102.9	83.0	31.8	75.7	88.6	67.9	90.5	80.8	70.7
結腸	60.9	51.5	41.5	31.8	43.3	33.2	34.0	67.9	23.1	11.8
直腸S状結腸移行部	20.3	20.6	10.4	31.8	32.4	22.2	11.3	34.0	0.0	11.8
肝及び肝内胆管	30.4	10.3	51.9	63.7	21.6	33.2	34.0	22.6	34.6	11.8
気管、気管支及び肺	162.4	195.5	93.4	116.7	119.0	177.3	192.4	135.8	80.8	153.2
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	30.4	30.9	10.4	63.7	32.4	0.0	11.3	11.3	11.5	23.6
糖尿病	0.0	0.0	10.4	21.2	10.8	0.0	11.3	11.3	34.6	11.8
高血圧性疾患	10.1	0.0	0.0	0.0	0.0	22.2	11.3	11.3	11.5	11.8
心疾患(高血圧性除く)	263.8	216.1	134.9	191.0	270.4	354.5	226.4	181.1	288.7	318.2
急性心筋梗塞	81.2	30.9	31.1	21.2	64.9	44.3	11.3	34.0	57.7	82.5
その他虚血性心疾患	50.7	41.2	0.0	10.6	10.8	77.6	45.3	34.0	46.2	35.4
脳血管疾患	142.1	154.4	114.1	116.7	129.8	221.6	181.1	135.8	150.1	200.4
くも膜下出血	0.0	10.3	10.4	10.6	10.8	11.1	22.6	22.6	11.5	0.0
脳内出血	60.9	51.5	72.6	53.0	32.4	44.3	34.0	45.3	46.2	23.6
脳梗塞	71.0	92.6	31.1	53.0	86.5	166.2	124.5	67.9	92.4	176.8
肺炎	314.6	236.7	186.7	169.7	140.6	110.8	169.8	135.8	46.2	200.4
肝疾患	40.6	41.2	20.7	10.6	10.8	11.1	11.3	11.3	23.1	0.0
腎不全	10.1	41.2	20.7	63.7	10.8	55.4	11.3	22.6	11.5	35.4
老衰	60.9	30.9	41.5	63.7	162.2	99.7	101.9	45.3	46.2	70.7
不慮の事故	91.3	51.5	51.9	95.5	108.2	33.2	45.3	79.2	57.7	70.7
交通事故	30.4	10.3	20.7	10.6	10.8	0.0	11.3	11.3	23.1	0.0
自殺	60.9	30.9	0.0	21.2	10.8	22.2	11.3	45.3	46.2	35.4

死亡数(女)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	174	176	176	176	145	182	195	175</		

1) 疾患別死亡数・死亡率(宝達志水町)

死亡数(総数)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	214	171	174	210	188	198	177	191	189	239
結核	0	0	0	0	1	0	0	0	0	0
悪性新生物	56	42	47	62	61	52	50	61	50	71
胃	9	5	9	11	9	9	1	4	6	8
結腸	3	6	4	5	2	3	5	3	9	6
直腸S状結腸移行部	1	1	2	1	0	1	1	1	1	0
肝及び肝内胆管	8	3	6	10	6	8	3	4	3	5
気管、気管支及び肺	14	12	9	7	15	12	5	13	7	16
乳	2	1	0	1	2	0	2	3	1	6
子宮	1	0	0	0	0	0	1	1	1	2
前立腺	0	1	2	0	2	1	2	1	1	1
糖尿病	2	4	0	3	0	2	4	2	1	3
高血圧性疾患	1	1	1	1	0	1	1	1	2	3
心疾患(高血圧性除く)	25	22	31	29	28	29	27	20	30	23
急性心筋梗塞	9	6	9	3	6	2	6	3	6	8
その他虚血性心疾患	4	5	7	6	6	5	3	3	7	4
脳血管疾患	33	21	15	16	15	20	9	19	13	22
<も膜下出血	4	0	0	0	0	2	0	1	1	2
脳内出血	6	4	4	6	3	4	1	5	8	7
脳梗塞	23	17	10	10	11	13	8	13	4	13
肺炎	19	10	4	7	14	10	13	10	6	12
肝疾患	1	2	1	1	0	2	4	2	2	1
腎不全	3	5	3	1	0	6	4	2	4	3
老衰	31	26	26	21	17	24	13	17	24	24
不慮の事故	7	4	8	10	8	3	5	9	5	8
交通事故	2	1	0	2	0	0	0	1	0	0
自殺	1	1	2	5	0	3	2	2	1	3

死亡数(男)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	108	77	74	100	98	88	82	92	92	96
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	34	26	27	36	41	29	27	30	29	30
胃	5	2	5	5	5	6	1	1	5	3
結腸	3	3	2	4	2	0	2	2	6	0
直腸S状結腸移行部	1	0	2	1	0	0	0	0	0	0
肝及び肝内胆管	3	1	3	6	5	5	2	3	2	3
気管、気管支及び肺	12	10	7	5	12	9	5	9	6	12
乳	0	0	0	0	0	0	0	0	0	0
子宮	1	0	0	0	0	0	0	0	0	0
前立腺	0	1	2	0	2	1	2	1	1	1
糖尿病	1	0	0	1	0	2	1	1	0	1
高血圧性疾患	0	1	0	0	0	0	0	0	0	1
心疾患(高血圧性除く)	14	10	9	13	19	9	11	7	13	11
急性心筋梗塞	3	4	3	2	4	1	3	1	4	6
その他虚血性心疾患	3	3	3	3	4	3	2	0	2	1
脳血管疾患	13	7	6	11	4	10	2	8	10	4
<も膜下出血	2	0	0	0	0	1	0	1	1	1
脳内出血	4	2	1	4	1	2	1	2	6	1
脳梗塞	7	5	5	7	3	7	1	5	3	2
肺炎	11	4	0	4	7	4	8	7	3	4
肝疾患	0	2	0	1	0	2	2	1	0	1
腎不全	2	1	1	1	0	1	2	1	4	1
老衰	7	7	6	1	2	5	3	5	6	5
不慮の事故	5	0	6	4	7	2	3	6	2	3
交通事故	1	0	0	1	0	0	0	1	0	0
自殺	1	0	2	4	0	2	2	1	1	3

死亡数(女)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	106	94	100	110	90	110	95	99	97	143
結核	0	0	0	0	1	0	0	0	0	0
悪性新生物	22	16	20	26	20	23	23	31	21	41
胃	4	3	4	6	4	3	0	3	1	5
結腸	0	3	2	1	0	3	3	1	3	6
直腸S状結腸移行部	0	1	0	0	0	1	1	1	1	0
肝及び肝内胆管	5	2	3	4	1	3	1	1	1	2
気管、気管支及び肺	2	2	2	2	3	3	0	4	1	4
乳	2	1	0	1	2	0	2	3	1	6
子宮	1	0	0	0	0	0	1	1	1	2
前立腺	1	4	0	2	0	0	3	1	1	2
糖尿病	1	0	1	1	0	1	1	1	2	2
高血圧性疾患	1	0	1	1	0	1	1	1	2	2
心疾患(高血圧性除く)	11	12	22	16	9	20	16	13	17	12
急性心筋梗塞	6	2	6	1	2	1	3	2	2	2
その他虚血性心疾患	1	2	4	3	2	2	1	3	5	3
脳血管疾患	20	14	9	5	11	10	7	11	3	18
<も膜下出血	2	0	0	0	0	1	0	0	0	1
脳内出血	2	2	3	2	2	2	0	3	2	6
脳梗塞	16	12	5	3	8	6	7	8	1	11
肺炎	8	6	4	3	7	6	5	3	3	8
肝疾患	1	0	1	0	0	0	2	1	2	0
腎不全	1	4	2	0	0	5	2	1	0	2
老衰	24	19	20	20	15	19	10	12	18	19
不慮の事故	2	4	2	6	1	1	2	3	3	5
交通事故	1	1	0	1	0	0	0	0	0	0
自殺	0	1	0	1	0	1	0	1	0	0

死亡率(総数)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1303.8	1038.3	1331.4	1641.3	1497.5	1603.5	1462.3	1598.6	1615.7	2095.4
結核	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0
悪性新生物	418.8	320.2	359.6	484.6	485.9	421.1	413.1	510.5	427.4	622.5
胃	67.3	38.1	68.9	86.0	71.7	72.9	8.3	33.5	51.3	70.1
結腸	22.4	45.7	30.6	39.1	15.9	24.3	41.3	25.1	76.9	52.6
直腸S状結腸移行部	7.5	7.6	15.3	7.8	0.0	8.1	8.3	8.4	8.5	0.0
肝及び肝内胆管	59.8	22.9	45.9	78.2	47.8	64.8	24.8	33.5	25.6	43.8
気管、気管支及び肺	104.7	91.5	68.9	54.7	119.5	97.2	41.3	108.8	59.8	140.3
乳	15.0	7.6	0.0	7.8	15.9	0.0	16.5	25.1	8.5	52.6
子宮	7.5	0.0	0.0	0.0	0.0	0.0	8.3	8.4	8.5	17.5
前立腺	0.0	7.6	15.3	7.8	0.0	15.9	8.1	16.5	8.4	8.5
糖尿病	15.0	30.5	0.0	23.4	0.0	16.2	33.0	16.7	8.5	26.3
高血圧性疾患	7.5	7.6	7.7	7.8	0.0	8.1	8.3	8.4	17.1	26.3
心疾患(高血圧性除く)	197.0	167.7	237.2	226.7	223.0	234.9	223.1	167.4	256.5	201.6
急性心筋梗塞	67.3	45.7	68.9	23.4	47.8	16.2	49.6	25.1	51.3	70.1
その他虚血性心疾患	29.9	38.1	53.6	46.9	47.8	40.5	24.8	25.1	59.8	35.1
脳血管疾患	246.8	160.1	114.8	125.0	119.5	162.0	74.4	159.0	111.1	192.9
<も膜下出血	29.9	0.0	0.0	0.0	0.0	16.2	0.0	8.4	8.5	17.5
脳内出血	44.9	30.5	30.6	46.9	23.9	32.4	8.3	41.8	68.4	61.4
脳梗塞	172.0	129.6	76.5	78.2	87.6	105.3	66.1	108.8	34.2	114.0
肺炎	142.1	76.2	30.6	54.7	111.5	81.0	107.4	83.7	51.3	105.2
肝疾患	7.5	15.2	7.7	7.8	0.0	16.2	33.0	16.7	17.1	8.8
腎不全	22.4	38.1	23.0	7.8	0.0	48.6	33.0	16.7	34.2	26.3
老衰	231.9	198.2	198.9	164.1	135.4	194.4	107.4	142.3	205.2	210.4
不慮の事故	52.4	30.5	61.2	78.2	63.7	24.3	41.3	75.3	42.7	70.1
交通事故	15.0	7.6	0.0	15.6	0.0	0.0	0.0	8.4	0.0	0.0
自殺	7.5	7.6	15.3	39.1	0.0	24.3	16.5	16.7	8.5	26.3

死亡率(男)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1722.5	1249.4	1193.2	1648.5	1651.8	1510.7	1430.1	1623.7	1667.3	1782.7
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	542.3	421.9	435.3	593.5	691.1	497.9	470.9	529.5	525.6	557.1
胃	79.7	32.5	80.6	82.4	84.3	103.0	17.4	17.6	90.6	55.7
結腸	47.8	48.7	32.2	65.9	33.7	0.0	34.9	35.3	108.7	0.0
直腸S状結腸移行部	15.9	0.0	32.2	16.5	0.0	0.0	0.0	0.0	0.0	0.0
肝及び肝内胆管	47.8	16.2	48.4	98.9	84.3	85.8	34.9	52.9	36.2	55.7
気管、気管支及び肺	191.4	162.3	112.9	82.4	202.3	154.5	87.2	158.8	108.7	222.8
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	0.0	16.2	32.2	0.0	33.7	17.2	34.9	17.6	18.1	18.6
糖尿病	15.9	0.0	0.0	16.5	0.0	34.3	17.4	17.6	0.0	18.6
高血圧性疾患	0.0	16.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6
心疾患(高血圧性除く)	223.3	162.3	145.1	214.3	320.2	154.5	191.8	123.5	235.6	204.3
急性心筋梗塞	47.8	64.9	48.4	33.0	67.4	17.2	52.3	17.6	72.5	111.4
その他虚血性心疾患	47.8	48.7	48.4	49.5	67.4	51.5	34.9	0.0	36.2	18.6
脳血管疾患	207.3	113.6	96.7	181.3	67.4	171.7	34.9	141.2	181.2	74.3
<も膜下出血	31.9	0.0	0.0	0.0	0.0	17.2	0.0	17.6	18.1	18.6
脳内出血	63.8	32.5	16.1	65.9	16.9	34.3	17.4	35.3	108.7	18.6
脳梗塞	111.6	81.1	80.6	115.4	50.6	120.2	17.4	88.2	54.4	37.1
肺炎	175.4	64.9	0.0	65.9	118.0	68.7	139.5	123.5	54.4	74.3
肝疾患	0.0	32.5	0.0	16.5	0.0	34.3	34.9	17.6	0.0	18.6
腎不全	31.9	16.2	16.1	16.5	0.0	17.2	34.9	17.6	72.5</	

1) 疾患別死亡数・死亡率(中能登町)

死亡数(総数)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	237	259	237	277	238	235	238	271	277	247
結核	0	1	1	0	0	0	0	0	0	0
悪性新生物	52	63	49	76	64	68	85	66	62	69
胃	11	18	16	7	10	11	15	12	13	8
結腸	4	7	1	7	6	5	8	7	6	14
直腸S状結腸移行部	1	5	1	4	2	3	3	3	0	5
肝及び肝内胆管	2	2	5	2	3	2	3	4	2	5
気管、気管支及び肺	12	7	7	13	10	15	10	8	8	9
乳	1	3	2	0	0	4	2	3	0	1
子宮	2	1	2	5	1	1	1	2	3	2
前立腺	3	1	0	2	2	2	0	1	1	0
糖尿病	0	5	2	4	2	5	2	1	2	1
高血圧性疾患	3	1	3	0	5	1	2	2	3	1
心疾患(高血圧性除く)	43	49	44	43	30	29	29	40	42	38
急性心筋梗塞	6	4	4	5	3	1	1	3	5	2
その他虚血性心疾患	5	10	3	7	1	5	5	4	5	3
脳血管疾患	41	24	23	30	31	26	23	22	42	16
くも膜下出血	1	3	0	1	6	4	3	2	5	2
脳内出血	12	7	6	7	7	7	7	7	11	6
脳梗塞	27	14	17	21	17	13	12	12	26	8
肺炎	21	17	24	21	11	8	13	16	14	13
肝疾患	3	3	3	4	3	5	3	6	2	2
腎不全	3	1	3	4	3	4	5	3	5	3
老衰	17	29	24	25	22	19	16	24	27	27
不慮の事故	9	12	9	7	7	14	6	8	12	7
交通事故	3	1	2	1	1	2	0	1	0	2
自殺	3	6	5	1	5	2	2	2	5	2

死亡率(総数)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1328.4	1474.0	1358.4	1616.8	1405.5	1404.5	1442.1	1656.4	1717.3	1556.4
結核	0.0	5.7	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	291.5	358.5	280.9	443.6	377.9	406.4	515.0	403.4	384.4	434.8
胃	61.7	102.4	91.7	40.9	59.1	65.7	90.9	73.3	80.6	50.4
結腸	22.4	39.8	5.7	40.9	29.9	48.5	42.8	37.2	88.2	
直腸S状結腸移行部	5.6	28.5	5.7	23.3	11.8	17.9	18.2	18.3	0.0	31.5
肝及び肝内胆管	11.2	11.4	28.7	11.7	17.7	12.0	18.2	24.4	12.4	31.5
気管、気管支及び肺	67.3	39.8	40.1	75.9	59.1	89.6	60.6	48.9	49.6	56.7
乳	5.6	17.1	11.5	0.0	0.0	23.9	12.1	18.3	0.0	6.3
子宮	11.2	5.7	11.5	29.2	5.9	6.0	6.1	12.2	18.6	12.6
前立腺	16.8	5.7	0.0	11.7	11.8	12.0	0.0	6.1	6.2	0.0
糖尿病	0.0	28.5	11.5	23.3	11.8	29.9	12.1	6.1	12.4	6.3
高血圧性疾患	16.8	5.7	17.2	0.0	29.5	6.0	12.1	12.2	18.6	6.3
心疾患(高血圧性除く)	241.0	278.9	252.2	251.0	177.2	173.3	175.7	244.5	260.4	239.4
急性心筋梗塞	33.6	22.8	22.9	29.2	17.7	6.0	6.1	18.3	31.0	12.6
その他虚血性心疾患	28.0	56.9	17.2	40.9	5.9	29.9	30.3	24.4	31.0	18.9
脳血管疾患	229.8	136.6	131.8	175.1	183.1	155.4	139.4	134.5	260.4	100.8
くも膜下出血	5.6	17.1	0.0	5.8	35.4	23.9	18.2	12.2	31.0	12.6
脳内出血	67.3	39.8	34.4	40.9	41.3	41.8	42.4	42.8	68.2	37.8
脳梗塞	151.3	79.7	97.4	122.6	100.4	77.7	72.7	73.3	161.2	50.4
肺炎	117.7	96.8	137.6	122.6	65.0	47.8	78.8	97.8	86.8	81.9
肝疾患	16.8	17.1	17.2	23.3	17.7	29.9	18.2	36.7	12.4	12.6
腎不全	16.8	5.7	17.2	23.3	17.7	23.9	30.3	18.3	31.0	18.9
老衰	95.3	165.0	137.6	145.9	129.9	113.6	96.9	146.7	167.4	170.1
不慮の事故	50.4	68.3	51.6	40.9	41.3	83.7	36.4	48.9	74.4	44.1
交通事故	16.8	5.7	11.5	5.8	5.9	12.0	0.0	6.1	0.0	12.6
自殺	16.8	34.1	28.0	5.8	29.5	12.0	12.1	12.2	31.0	12.6

死亡数(男)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	129	123	108	143	117	123	121	130	128	118
結核	0	1	1	0	0	0	0	0	0	0
悪性新生物	41	36	28	42	28	41	47	38	31	31
胃	9	13	9	4	4	6	10	8	8	5
結腸	3	3	0	2	3	2	5	4	3	6
直腸S状結腸移行部	0	2	1	4	1	3	0	2	0	1
肝及び肝内胆管	2	2	3	1	0	2	1	1	0	2
気管、気管支及び肺	11	6	7	10	6	10	8	6	6	4
乳	0	0	0	0	0	0	0	0	0	0
子宮	2	1	2	5	1	1	1	2	3	2
前立腺	3	1	0	2	2	2	0	1	1	0
糖尿病	0	2	0	2	1	2	0	0	1	0
高血圧性疾患	1	0	2	0	3	0	1	1	1	0
心疾患(高血圧性除く)	20	20	16	21	13	18	14	17	24	16
急性心筋梗塞	3	1	1	4	1	1	1	1	4	2
その他虚血性心疾患	3	5	2	4	0	5	3	3	1	3
脳血管疾患	20	13	12	18	13	11	11	11	20	8
くも膜下出血	1	1	0	0	2	0	1	1	2	1
脳内出血	9	4	3	5	1	4	4	3	7	3
脳梗塞	9	8	9	13	9	7	5	6	11	4
肺炎	15	9	11	13	8	3	7	9	5	7
肝疾患	2	2	1	3	2	3	2	3	1	0
腎不全	2	0	1	3	1	1	5	0	2	2
老衰	2	8	5	7	5	4	4	4	4	8
不慮の事故	7	4	6	5	3	9	4	4	7	2
交通事故	3	0	0	1	0	2	0	1	0	0
自殺	2	5	3	1	4	2	1	1	2	2

死亡率(男)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1514.1	1461.0	1283.7	1732.3	1434.9	1528.1	1523.7	1640.4	1642.1	1535.7
結核	0.0	11.9	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	481.2	427.6	332.8	508.8	343.4	509.4	591.9	479.5	397.7	403.4
胃	105.6	154.4	107.0	48.5	49.1	74.5	125.9	100.9	102.6	65.1
結腸	35.2	35.6	0.0	24.2	36.8	24.8	63.0	50.5	38.5	78.1
直腸S状結腸移行部	0.0	23.8	11.9	48.5	12.3	37.3	0.0	25.2	0.0	13.0
肝及び肝内胆管	23.5	23.8	35.7	12.1	0.0	24.8	12.6	12.6	0.0	26.0
気管、気管支及び肺	129.1	71.3	83.2	121.1	73.6	124.2	100.7	75.7	77.0	52.1
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	35.2	11.9	0.0	24.2	24.5	24.8	0.0	12.6	12.8	0.0
前立腺	0.0	23.8	0.0	24.2	12.3	24.8	0.0	0.0	12.8	0.0
糖尿病	11.7	0.0	23.8	0.0	36.8	0.0	12.6	12.6	12.8	0.0
高血圧性疾患	11.7	0.0	23.8	0.0	36.8	0.0	12.6	12.6	12.8	0.0
心疾患(高血圧性除く)	234.7	237.6	190.2	254.4	159.4	223.6	176.3	214.5	307.9	208.2
急性心筋梗塞	35.2	11.9	11.9	48.5	12.3	12.4	12.6	12.6	51.3	26.0
その他虚血性心疾患	35.2	59.4	23.8	48.5	0.0	62.1	37.8	37.9	12.8	39.0
脳血管疾患	234.7	154.4	142.6	218.0	159.4	136.7	138.5	138.8	256.6	104.1
くも膜下出血	11.7	11.9	0.0	0.0	24.5	0.0	12.6	12.6	25.7	13.0
脳内出血	105.6	47.5	35.7	60.6	12.3	49.7	50.4	37.9	89.8	39.0
脳梗塞	105.6	95.0	107.0	157.5	110.4	87.0	63.0	75.7	141.1	52.1
肺炎	176.1	106.9	130.8	157.5	98.1	37.3	88.2	113.6	64.1	91.1
肝疾患	23.5	23.8	11.9	36.3	24.5	37.3	25.2	37.9	12.8	0.0
腎不全	23.5	0.0	11.9	36.3	12.3	12.4	63.0	0.0	25.7	26.0
老衰	23.5	95.0	59.4	84.8	61.3	49.7	50.4	50.5	51.3	104.1
不慮の事故	82.2	47.5	71.3	60.6	36.8	111.8	50.4	50.5	89.8	26.0
交通事故	35.2	0.0	0.0	12.1	0.0	24.8	0.0	12.6	0.0	0.0
自殺	23.5	59.4	35.7	12.1	49.1	24.8	12.6	12.6	25.7	26.0

死亡数(女)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	108	136	129	134	121	112	117	141	149	129
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	11	27	21	34	36	27	38	28	31	38
胃	2	5	7	3	6	5	5	4	5	3
結腸	1	4	1	5	3	3	3	3	3	8
直腸S状結腸移行部	1	3	0	0	1	0	3	1	0	4
肝及び肝内胆管	0	0	2	1	3	0	2	3	2	3
気管、気管支及び肺	1	1	0	3	4	5	2	3	2	5
乳	1	3	2	0	0	4	2	3	0	1
子宮	2	1	2	5	1	1	1	2	3	2
前立腺	0	3	2	2	1	3	2	1	1	1
糖尿病	2	1	1	0	2	1	1	1	2	1
高血圧性疾患	2	1	1	0	2	1	1	1	1	2
心疾患(高血圧性除く)	23	29	28	22	17	11	15	23	18	22
急性心筋梗塞	3	3	3	1	2	0	0	2	1	0
その他虚血性心疾患	2	5	1	3	1	0	2	1	4	0
脳血管疾患	21	11	11	12	18	15	12	11	22	8
くも膜下出血	0	2	0	1	4	4	2	1	3	1
脳内出血	3	3	3	2	6	3	3	4	4	3
脳梗塞	18	6	8	8	8	6	7	6	15	4
肺炎	6	8								

1) 疾患別死亡数・死亡率(管内)

死亡数(総数)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1928	1912	1901	1913	1883	1910	1863	1927	1986	2066
結核	2	2	1	1	3	4	1	0	2	4
悪性新生物	507	516	494	519	504	494	516	502	493	504
胃	97	82	90	78	66	67	69	53	74	68
結腸	34	39	33	45	46	43	42	44	59	54
直腸S状結腸移行部	16	21	18	18	21	23	19	21	13	17
肝及び肝内胆管	35	30	32	36	35	34	24	26	34	21
気管、気管支及び肺	92	103	103	96	101	105	91	96	87	111
乳	9	19	8	11	13	14	26	23	19	24
子宮	12	9	8	8	12	9	7	8	8	9
前立腺	12	15	8	17	12	9	9	11	13	15
糖尿病	15	19	12	19	13	24	18	23	23	24
高血圧性疾患	9	13	11	5	20	14	15	18	16	18
心疾患(高血圧性除く)	315	281	319	286	300	313	284	294	304	315
急性心筋梗塞	62	49	54	33	42	36	33	43	54	47
その他虚血性心疾患	35	44	38	34	33	49	33	37	50	30
脳血管疾患	223	205	195	186	164	196	171	169	197	176
<も膜下出血	18	22	26	14	24	30	20	21	27	20
脳内出血	55	51	49	48	38	46	36	41	62	41
脳梗塞	146	129	115	117	99	117	113	105	105	113
肺炎	207	198	192	146	127	87	105	97	71	115
肝疾患	15	21	13	17	14	17	23	20	26	16
腎不全	36	32	32	34	27	32	36	28	29	29
老衰	169	152	179	180	188	189	180	178	195	224
不慮の事故	73	77	78	80	66	69	62	61	56	64
交通事故	18	12	12	8	4	6	5	8	5	8
自殺	21	21	24	20	17	25	21	18	18	20

死亡率(総数)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1488.8	1499.6	1492.2	1526.8	1528.6	1577.8	1565.6	1651.9	1733.7	1842.3
結核	1.5	1.6	0.8	0.8	2.4	3.3	0.8	0.0	1.7	3.6
悪性新生物	391.5	404.7	387.8	414.2	409.1	408.1	433.6	430.3	430.4	449.4
胃	74.9	64.3	70.6	62.3	53.6	55.3	58.0	45.4	64.6	60.6
結腸	26.3	30.6	25.9	35.9	37.3	35.5	35.3	37.7	51.5	48.2
直腸S状結腸移行部	12.4	16.5	14.1	14.4	17.0	19.0	16.0	18.0	11.3	15.2
肝及び肝内胆管	27.0	23.5	25.1	28.7	28.4	28.1	20.2	22.3	29.7	18.7
気管、気管支及び肺	71.0	80.8	80.8	76.6	82.0	86.7	76.5	82.3	75.9	99.0
乳	6.9	14.9	6.3	8.8	10.6	11.6	21.8	19.7	16.6	21.4
子宮	9.3	7.1	6.3	6.4	9.7	7.4	5.9	6.9	7.0	8.0
前立腺	9.3	11.8	6.3	13.6	9.7	7.4	7.6	9.4	11.3	13.4
糖尿病	11.6	14.9	9.4	15.2	10.6	19.8	15.1	19.7	20.1	21.4
高血圧性疾患	6.9	10.2	8.6	4.0	16.2	11.6	12.6	15.4	14.0	16.1
心疾患(高血圧性除く)	243.2	220.4	250.4	228.3	243.5	258.6	221.9	252.0	265.4	280.9
急性心筋梗塞	47.9	38.4	42.4	26.3	34.1	29.7	27.7	36.9	47.1	41.9
その他虚血性心疾患	27.0	34.5	29.8	27.1	26.8	40.5	27.7	31.7	43.6	26.8
脳血管疾患	172.2	160.8	153.1	148.5	133.1	161.9	143.7	144.9	172.0	156.9
<も膜下出血	13.9	17.3	20.4	11.2	19.5	24.8	16.8	18.0	23.6	17.8
脳内出血	42.5	40.0	38.5	38.3	30.8	38.0	30.3	35.1	54.1	36.6
脳梗塞	112.7	101.2	90.3	93.4	80.4	96.7	95.0	90.0	91.7	100.8
肺炎	159.8	155.3	150.7	116.5	103.1	71.9	88.2	83.2	62.0	102.5
肝疾患	11.6	16.5	10.2	13.6	11.4	14.0	19.3	17.1	22.7	14.3
腎不全	27.8	25.1	25.1	27.1	21.9	26.0	30.3	24.0	25.3	25.9
老衰	130.5	119.2	140.5	143.7	152.6	156.1	151.3	152.6	170.2	199.7
不慮の事故	56.4	60.4	61.2	63.9	53.6	57.0	52.1	52.3	48.9	57.1
交通事故	13.9	9.4	9.4	6.4	3.2	5.0	4.2	6.9	4.4	7.1
自殺	16.2	16.5	18.8	16.0	13.8	20.7	17.6	15.4	15.7	17.8

死亡数(男)

資料: 衛生統計年報

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	963	927	879	978	932	935	877	954	937	956
結核	1	2	1	0	0	1	0	0	1	2
悪性新生物	310	292	285	320	282	286	288	296	270	279
胃	66	54	52	48	37	45	47	37	49	40
結腸	20	16	15	22	24	17	21	29	23	25
直腸S状結腸移行部	9	10	15	14	14	12	7	15	7	10
肝及び肝内胆管	18	18	22	23	23	21	12	17	22	13
気管、気管支及び肺	71	72	76	73	71	79	75	67	61	78
乳	0	0	0	0	1	0	0	0	0	0
子宮										
前立腺	12	15	8	17	12	9	9	11	13	15
糖尿病	7	6	7	11	6	14	9	15	10	10
高血圧性疾患	3	5	3	1	8	4	5	5	6	7
心疾患(高血圧性除く)	152	117	117	127	135	140	116	132	142	137
急性心筋梗塞	31	24	24	20	25	22	15	29	34	29
その他虚血性心疾患	19	23	19	14	17	28	19	16	28	18
脳血管疾患	98	93	79	105	80	91	76	73	96	69
<も膜下出血	7	6	10	4	8	9	11	11	13	7
脳内出血	31	28	22	33	21	22	22	17	35	17
脳梗塞	57	57	44	64	49	60	41	44	46	44
肺炎	115	97	90	82	69	45	55	60	33	63
肝疾患	8	16	7	10	9	9	13	13	11	10
腎不全	15	13	14	20	11	15	15	12	13	13
老衰	39	43	40	41	53	41	48	36	45	49
不慮の事故	42	37	44	46	41	43	27	37	27	34
交通事故	13	6	6	4	1	2	2	7	3	2
自殺	17	16	18	16	15	16	14	15	14	17

死亡率(男)人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1574.1	1537.3	1448.7	1644.7	1594.5	1626.6	1551.0	1709.1	1714.9	1783.8
結核	1.6	3.3	1.6	0.0	0.0	1.7	0.0	0.0	1.8	3.7
悪性新生物	506.7	484.2	469.7	538.2	482.5	497.6	509.3	530.3	494.2	520.6
胃	107.9	89.6	85.7	80.7	63.3	78.3	83.1	66.3	89.7	74.6
結腸	32.7	26.5	24.7	37.0	41.1	29.6	37.1	52.0	42.1	46.6
直腸S状結腸移行部	14.7	16.6	24.7	23.5	24.0	20.9	12.4	26.9	12.8	18.7
肝及び肝内胆管	29.4	29.9	36.3	38.3	39.3	36.5	21.2	30.5	40.3	24.3
気管、気管支及び肺	116.1	119.4	125.3	122.8	121.5	137.4	132.6	120.0	111.6	145.5
乳	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0
子宮										
前立腺	19.6	24.9	13.2	28.6	20.5	15.7	15.9	19.7	23.8	28.0
糖尿病	11.4	10.0	11.5	18.5	10.3	24.4	15.9	26.9	18.3	18.7
高血圧性疾患	4.9	8.3	4.9	1.7	13.7	7.0	8.8	9.0	11.0	13.1
心疾患(高血圧性除く)	248.5	194.0	192.8	213.6	231.0	243.6	205.1	236.5	259.9	255.6
急性心筋梗塞	50.7	39.8	39.6	33.6	42.8	38.3	26.5	52.0	62.2	54.1
その他虚血性心疾患	31.1	38.1	31.3	23.5	29.1	48.7	33.6	28.7	51.2	33.6
脳血管疾患	160.2	154.2	130.2	176.6	136.9	158.3	134.4	130.8	175.7	128.7
<も膜下出血	11.4	10.0	16.5	6.7	13.7	15.7	19.5	19.7	23.8	13.1
脳内出血	50.7	46.4	36.3	55.5	35.9	38.3	38.9	30.5	64.1	31.7
脳梗塞	93.2	94.5	72.5	107.6	83.8	104.4	72.5	78.8	84.2	82.1
肺炎	188.0	160.9	148.3	137.9	118.0	78.3	97.3	107.5	60.4	117.6
肝疾患	13.1	26.5	11.5	16.8	15.4	15.7	23.0	23.3	20.1	18.7
腎不全	24.5	21.6	23.1	33.6	18.8	26.1	26.5	21.5	23.8	24.3
老衰	63.7	71.3	65.9	69.0	90.7	71.3	84.9	64.5	82.4	91.4
不慮の事故	68.7	61.4	72.5	77.4	70.1	74.8	47.7	66.3	49.4	63.4
交通事故	21.2	10.0	9.8	6.7	1.7	3.5	3.5	12.5	5.5	3.7
自殺	27.8	26.5	29.7	26.9	25.7	27.8	24.8	26.9	25.6	31.7

1) 疾患別死亡数・死亡率(石川県)

死亡数(総数)

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	12,223	12,190	12,280	12,422	12,727	12,723	12,900	12,721	13,214	14,316
結核	15	11	14	14	13	15	8	15	16	18
悪性新生物	3,416	3,535	3,483	3,517	3,577	3,530	3,525	3,625	3,509	3,587
胃	519	480	487	452	436	461	435	416	402	417
結腸	275	275	275	275	275	275	275	358	361	377
直腸S状結腸移行部	110	110	110	110	110	110	110	143	128	149
肝及び肝内胆管	267	264	257	274	224	190	197	215	202	192
気管、気管支及び肺	696	698	719	706	721	709	707	729	703	740
乳	120	120	120	120	120	120	120	119	137	146
子宮	50	50	50	50	50	50	50	55	52	50
前立腺	75	75	75	75	75	75	75	89	104	89
糖尿病	121	113	104	112	111	134	126	125	142	156
高血圧性疾患	47	64	45	60	89	93	98	86	95	118
心疾患(高血圧性除く)	1,934	1,855	1,885	1,891	1,994	2,039	1,995	1,894	1,968	2,099
急性心筋梗塞	435	435	435	435	435	435	435	321	370	481
その他虚血性心疾患	244	244	244	244	244	244	244	223	257	220
脳血管疾患	1,296	1,190	1,132	1,139	1,108	1,135	1,046	1,013	1,117	1,081
<も膜下出血	155	155	155	155	155	155	155	88	118	105
脳内出血	275	275	275	275	275	275	275	268	337	294
脳梗塞	746	746	746	746	746	746	746	638	642	660
肺炎	1,251	1,172	1,233	1,112	929	772	837	691	655	660
肝疾患	132	114	138	121	161	139	138	134	155	131
腎不全	191	187	205	204	218	243	234	215	222	227
老衰	742	721	801	890	963	1,049	1,056	1,130	1,253	1,654
不慮の事故	405	452	436	449	404	410	381	369	389	389
交通事故	77	71	62	70	44	38	37	43	33	38
自殺	204	180	209	177	189	146	160	168	152	185

資料: 衛生統計年報

死亡率(総数) 人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1064.2	1064.8	1072.8	1091.0	1122.5	1128.2	1151.1	1138.5	1189.7	1300.0
結核	1.3	1.0	1.2	1.2	1.1	1.3	0.7	1.3	1.4	1.6
悪性新生物	297.4	308.8	304.3	309.9	315.5	313.0	314.5	324.4	315.9	325.7
胃	45.2	41.9	42.5	39.7	38.5	40.9	38.8	37.2	36.2	37.9
結腸	23.9	24.0	24.0	24.2	24.3	24.4	24.5	32.0	32.5	34.2
直腸S状結腸移行部	9.6	9.6	9.6	9.7	9.7	9.8	9.8	12.8	11.5	13.5
肝及び肝内胆管	23.2	23.1	22.5	24.1	19.8	16.8	17.6	19.2	18.2	17.4
気管、気管支及び肺	60.6	61.0	62.8	62.0	63.6	62.9	63.1	65.2	63.3	67.2
乳	10.4	10.5	10.5	10.5	10.6	10.6	10.7	10.7	12.3	13.3
子宮	4.4	4.4	4.4	4.4	4.4	4.4	4.5	4.9	4.7	4.5
前立腺	6.5	6.6	6.6	6.6	6.6	6.7	6.7	8.0	9.4	8.1
糖尿病	10.5	9.9	9.1	9.8	9.8	11.9	11.2	11.2	12.8	14.2
高血圧性疾患	4.1	5.6	3.9	5.3	7.8	8.2	8.7	7.7	8.6	10.7
心疾患(高血圧性除く)	169.4	162.0	164.7	166.1	175.9	180.8	178.0	169.5	177.2	190.6
急性心筋梗塞	37.9	38.0	38.0	38.2	38.4	38.6	38.8	28.7	33.3	43.7
その他虚血性心疾患	21.2	21.3	21.3	21.4	21.5	21.6	21.8	20.0	23.1	20.0
脳血管疾患	112.8	103.9	98.9	100.0	97.7	100.6	93.3	90.7	100.6	98.2
<も膜下出血	13.5	13.5	13.5	13.6	13.7	13.7	13.8	7.9	10.6	9.5
脳内出血	23.9	24.0	24.0	24.2	24.3	24.4	24.5	24.0	30.3	26.7
脳梗塞	64.9	65.2	65.2	65.5	65.8	66.1	66.6	51.1	57.8	59.9
肺炎	108.9	102.4	107.7	97.7	81.9	68.5	74.7	61.8	59.0	59.9
肝疾患	11.5	10.0	12.1	10.6	14.2	12.3	12.3	12.0	14.0	11.9
腎不全	16.6	16.3	17.9	17.9	19.2	21.5	20.9	19.2	20.0	20.6
老衰	64.6	63.0	70.0	78.2	84.9	93.0	94.2	101.1	112.8	150.2
不慮の事故	35.3	39.5	38.1	39.4	35.6	36.4	34.0	33.0	35.0	35.3
交通事故	6.7	6.2	5.4	6.1	3.9	3.4	3.3	3.8	3.0	3.5
自殺	17.8	15.7	18.3	15.5	16.7	12.9	14.3	15.0	13.7	16.8

死亡数(男)

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	6,104	6,138	6,047	6,202	6,317	6,256	6,358	6,385	6,498	7,046
結核	8	7	9	9	6	5	6	8	9	11
悪性新生物	1,958	2,045	1,996	2,076	2,001	1,994	1,989	2,100	1,984	2,001
胃	327	306	296	290	251	287	282	275	251	255
結腸	145	146	131	150	173	139	147	184	156	183
直腸S状結腸移行部	83	72	74	96	90	100	82	84	79	94
肝及び肝内胆管	161	167	165	163	141	124	125	139	125	121
気管、気管支及び肺	496	511	521	520	518	490	517	507	496	516
乳	0	1	0	2	2	1	2	2	1	1
子宮	/	/	/	/	/	/	/	/	/	/
前立腺	88	85	82	86	93	105	88	89	104	89
糖尿病	61	48	58	62	63	81	63	69	75	83
高血圧性疾患	14	25	18	20	32	39	38	32	27	46
心疾患(高血圧性除く)	879	798	801	820	884	878	888	856	887	960
急性心筋梗塞	217	191	199	215	171	189	183	195	213	286
その他虚血性心疾患	123	129	122	101	123	148	119	120	144	116
脳血管疾患	575	541	498	551	493	545	491	472	512	519
<も膜下出血	54	46	33	43	48	47	50	36	48	37
脳内出血	161	154	145	148	139	163	156	137	177	154
脳梗塞	346	327	312	346	291	327	278	294	277	314
肺炎	696	647	667	613	526	428	479	405	375	394
肝疾患	83	71	80	75	101	80	90	81	86	78
腎不全	82	87	74	106	95	117	104	118	101	113
老衰	161	170	169	178	250	248	255	266	315	420
不慮の事故	237	261	257	260	236	230	226	213	223	234
交通事故	53	44	40	41	26	22	23	38	25	26
自殺	145	133	157	127	136	97	114	124	100	126

資料: 衛生統計年報

死亡率(男) 人口10万対

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
死亡総数	1098.4	1107.4	1091.2	1125.2	1149.9	1143.9	1168.7	1178.7	1205.3	1318.1
結核	1.4	1.3	1.6	1.6	1.1	0.9	1.1	1.5	1.7	2.1
悪性新生物	352.4	368.9	360.2	376.6	364.3	364.6	365.6	387.7	368.0	374.3
胃	58.8	55.2	53.4	52.6	45.7	52.5	51.8	50.8	46.6	47.7
結腸	26.1	26.3	23.6	27.2	31.5	25.4	27.0	34.0	28.9	34.2
直腸S状結腸移行部	14.9	13.0	13.4	17.4	16.4	18.3	15.1	15.5	14.7	17.6
肝及び肝内胆管	29.0	30.1	29.8	29.6	25.7	22.7	23.0	25.7	23.2	22.6
気管、気管支及び肺	89.3	92.2	94.0	94.3	94.3	89.6	95.0	93.6	92.0	96.5
乳	0.0	0.2	0.0	0.4	0.4	0.2	0.4	0.4	0.2	0.2
子宮	/	/	/	/	/	/	/	/	/	/
前立腺	15.8	15.3	14.8	15.6	16.9	19.2	16.2	16.4	19.3	16.6
糖尿病	11.0	8.7	10.5	11.2	11.5	14.8	11.6	12.7	13.9	15.5
高血圧性疾患	2.5	4.5	3.2	3.6	5.8	7.1	7.0	5.9	5.0	8.6
心疾患(高血圧性除く)	158.2	144.0	144.5	148.8	160.9	160.5	163.2	158.0	164.5	179.6
急性心筋梗塞	39.1	34.5	35.9	39.0	31.1	34.6	33.6	36.0	39.5	53.5
その他虚血性心疾患	22.1	23.3	22.0	18.3	22.4	27.1	21.9	22.2	26.7	21.7
脳血管疾患	103.5	97.6	89.9	100.0	89.7	99.7	90.2	87.1	95.0	97.1
<も膜下出血	9.7	8.3	6.0	7.8	8.7	8.6	9.2	6.6	8.9	6.9
脳内出血	29.0	27.8	26.2	26.8	25.3	29.8	28.7	25.3	32.8	28.8
脳梗塞	62.3	59.0	56.3	62.8	53.0	59.8	51.1	54.3	51.4	58.7
肺炎	125.2	116.7	120.4	111.2	95.8	78.3	88.0	74.8	69.6	73.7
肝疾患	14.9	12.8	14.4	13.6	18.4	14.6	16.5	15.0	16.0	14.6
腎不全	14.8	15.7	13.4	19.2	17.3	21.4	19.1	21.8	18.7	21.1
老衰	29.0									

死亡率の分母に用いた人口、日本人人口(推計)

資料:衛生統計年報

総数

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
七尾市	55,123	54,280	54,905	54,079	53,111	52,276	51,367	49,618	48,751	47,667
羽咋市	22,239	21,933	21,662	21,372	21,043	20,649	20,344	20,262	19,881	19,501
志賀町	20,931	20,599	20,317	19,914	19,546	19,047	18,675	18,467	18,093	17,700
宝達志水町	13,370	13,116	13,069	12,795	12,554	12,348	12,104	11,948	11,698	11,406
中能登町	17,841	17,571	17,447	17,133	16,934	16,732	16,504	16,361	16,130	15,870
管内	129,504	127,499	127,400	125,293	123,188	121,052	118,994	116,656	114,553	112,144
石川県	1,148,598	1,144,795	1,144,626	1,138,540	1,133,851	1,127,759	1,120,707	1,117,364	1,110,734	1,101,229

男

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
七尾市	26,036	25,659	26,145	25,592	25,151	24,808	24,397	23,770	23,257	22,795
羽咋市	10,496	10,341	10,275	10,123	9,967	9,773	9,639	9,621	9,410	9,245
志賀町	9,855	9,718	9,639	9,426	9,246	9,026	8,834	8,836	8,659	8,484
宝達志水町	6,270	6,163	6,202	6,066	5,933	5,825	5,734	5,666	5,518	5,385
中能登町	8,520	8,419	8,413	8,255	8,154	8,049	7,941	7,925	7,795	7,684
管内	61,177	60,300	60,674	59,462	58,451	57,481	56,545	55,818	54,639	53,593
石川県	555,694	554,278	554,168	551,207	549,335	546,891	544,045	541,717	539,121	534,547

女

	H25	H26	H27	H28	H29	H30	R1	R2	R3	R4
七尾市	29,087	28,621	28,760	28,487	27,960	27,468	26,970	25,848	25,494	24,872
羽咋市	11,743	11,592	11,387	11,249	11,076	10,876	10,705	10,641	10,471	10,256
志賀町	11,076	10,881	10,678	10,488	10,300	10,021	9,841	9,631	9,434	9,216
宝達志水町	7,100	6,953	6,867	6,729	6,621	6,523	6,370	6,282	6,180	6,021
中能登町	9,321	9,152	9,034	8,878	8,780	8,683	8,563	8,436	8,335	8,186
管内	68,327	67,199	66,726	65,831	64,737	63,571	62,449	60,838	59,914	58,551
石川県	592,904	590,517	590,458	587,333	584,516	580,868	576,662	575,647	571,613	566,682

2)年齢調整死亡率

選択死因の市町別年齢調整死亡率(人口10万対:直接法) (令和4年)

注)基準人口 平成27年モデル人口(平成27年国勢調査人口を基に補正した人口)を使用

資料:衛生統計年報

(総数)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	1,000.0	1.3	285.9	41.8	11.1	67.7	16.7	11.6	152.7	84.6	16.5	34.6	5.2	0.0	13.4	13.7	87.3	29.9	4.7	3.3
羽咋市	1,107.4	4.4	279.6	43.0	5.3	68.6	13.1	1.8	185.0	93.8	12.0	68.8	12.5	0.0	10.5	11.1	84.2	35.4	6.0	38.4
志賀町	993.7	1.9	196.5	22.5	3.0	52.4	5.4	4.9	169.5	78.7	19.7	85.3	2.5	2.4	0.0	15.6	94.7	49.5	7.1	20.2
宝達志水町	1,197.3	0.0	393.6	39.5	22.6	88.7	13.2	18.7	113.0	103.4	25.6	51.8	4.9	0.0	4.9	14.1	91.3	38.8	0.0	27.4
中能登町	972.2	0.0	293.6	30.9	19.0	39.6	4.1	2.6	145.3	64.0	10.3	45.4	18.8	0.0	10.5	11.5	86.8	25.2	7.6	9.8
管内	1,032.2	1.7	280.9	36.9	10.8	63.3	12.2	8.2	155.6	84.4	16.3	52.7	7.8	0.4	9.3	13.3	88.5	33.7	5.0	15.6
石川県	1,011.5	1.1	271.8	31.4	13.9	56.6	11.9	8.1	144.9	76.0	14.7	44.2	10.0	0.5	10.7	15.6	100.0	29.0	3.2	16.8

*人口は、各年次の10月1日現在。

(男)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	1,330.3	0.0	406.6	51.3	16.8	114.0	19.5	13.9	179.9	91.6	27.9	64.4	12.0	0.0	24.3	24.0	82.2	46.3	3.2	6.4
羽咋市	1,691.4	9.5	456.3	80.5	16.2	119.0	22.4	16.1	292.6	135.3	15.1	141.1	34.3	0.0	20.2	0.0	91.9	83.6	6.5	80.0
志賀町	1,349.1	14.7	299.7	44.6	7.0	103.4	7.0	7.6	232.4	130.3	32.4	154.5	7.6	0.0	0.0	22.4	46.2	69.5	0.0	29.8
宝達志水町	1,453.3	0.0	407.8	41.7	38.4	164.2	11.3	12.3	178.0	58.0	58.9	54.7	13.7	0.0	13.7	20.6	94.7	39.8	0.0	53.2
中能登町	1,313.8	0.0	343.7	60.6	17.5	46.6	0.0	0.0	187.4	85.4	17.4	77.9	52.4	0.0	0.0	18.6	92.0	18.6	0.0	20.4
管内	1,391.0	3.6	387.0	55.3	17.4	109.2	14.6	10.4	202.1	99.0	28.6	93.0	20.5	0.0	15.4	19.2	78.7	50.5	2.4	29.3
石川県	1,430.5	2.6	380.0	48.1	22.7	97.6	16.0	9.2	193.6	102.9	20.1	82.8	23.0	0.2	15.2	23.2	94.8	46.7	4.8	23.6

*人口は、各年次の10月1日現在。

(女)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	775.7	2.4	204.4	36.0	6.9	34.7	14.5	10.2	129.4	81.5	8.8	18.6	0.0	0.0	3.3	9.8	89.6	21.5	6.1	1.0
羽咋市	792.4	2.8	163.3	17.0	0.0	27.7	7.2	0.0	128.5	85.9	10.4	33.7	2.8	0.0	2.0	17.6	89.8	10.8	4.4	0.0
志賀町	747.8	0.0	107.4	8.7	0.0	8.7	3.3	3.3	119.8	46.9	17.8	60.2	0.0	3.3	0.0	11.9	104.9	35.7	14.5	11.5
宝達志水町	1,046.0	0.0	387.9	27.1	8.7	41.8	12.9	23.6	79.9	118.3	9.2	43.7	0.0	0.0	0.0	15.3	87.7	37.0	0.0	0.0
中能登町	787.2	0.0	287.5	17.3	16.6	38.9	8.0	3.1	115.9	57.2	3.1	28.9	0.0	0.0	19.7	4.3	77.0	26.4	13.0	0.0
管内	800.4	1.6	210.6	24.5	5.8	30.1	10.2	7.4	120.5	76.7	9.8	32.6	0.5	0.5	4.3	11.1	90.7	23.8	6.9	2.4
石川県	758.9	0.8	199.2	19.8	7.8	28.1	8.6	6.6	112.6	58.1	10.8	25.2	2.2	0.7	7.2	11.8	100.4	18.1	1.8	10.4

*人口は、各年次の10月1日現在。

2) 年齢調整死亡率(単年)

七尾市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん								糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故		自殺
				胃	結腸	直腸S状 結腸移 行部及 び直腸	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮													交通事故		
H25	356.3	0.2	113.4	24.7	/	/	9.7	/	12.9	/	/	3.7	1.4	55.8	/	39.0	/	23.8	/	/	4.7	4.8	15.4	15.4	7.2	6.8
H26	397.3	0.4	143.3	19.4	/	/	9.9	/	20.8	/	/	2.7	2.9	50.4	18.1	41.8	10.1	25.4	3.8	0.2	5.7	4.3	11.7	20.5	7.9	15.2
H27	411.6	-	146.5	20.1	/	/	8.4	/	31.1	/	/	8.0	1.6	56.2	19.0	36.2	5.2	25.1	0.6	0.6	5.5	4.1	13.4	24.3	4.2	24.8
H28	354.9	0.4	114.8	22.2	/	/	4.0	/	23.4	/	/	4.0	0.7	44.2	9.6	37.9	2.5	26.3	1.9	0.8	4.7	5.5	15.6	17.5	0.2	17.4
H29	399.8	0.2	153.4	12.9	13.4	6.2	9.6	10.0	33.6	6.6	11.2	2.1	3.4	55.2	12.2	27.5	5.6	16.6	5.5	0.2	4.6	3.3	17.4	11.3	-	22.0
H30	348.2	0.5	118.9	14.3	7.5	5.7	6.7	9.5	32.6	5.3	2.4	6.4	2.6	53.4	14.4	29.7	4.4	8.9	4.1	0.2	2.5	3.9	12.3	17.2	0.8	19.0
R1	348.3	-	117.1	16.0	8.1	7.8	4.7	9.3	18.6	11.8	2.9	2.7	1.7	48.1	11.2	28.2	3.1	8.8	2.8	-	9.1	8.4	14.3	18.2	1.0	16.5
R2	1,003.5	-	305.4	21.2	25.9	13.3	14.4	33.9	66.7	11.5	6.4	20.2	8.6	143.9	45.5	95.1	13.4	36.2	2.4	1.4	11.7	16.5	75.0	23.0	3.6	13.5
R3	1,056.4	0.8	292.1	41.7	38.2	10.4	17.1	23.0	55.2	16.0	3.9	10.9	8.3	158.1	61.6	105.7	18.6	33.0	11.3	-	22.3	13.5	66.5	38.0	4.6	9.4
R4	1,000.0	1.3	285.9	41.8	33.1	8.8	11.1	24.8	67.7	16.5	3.5	16.7	11.6	152.7	37.0	84.6	16.5	34.6	5.2	-	13.4	13.7	87.3	29.9	4.7	3.3

2) 年齢調整死亡率(単年)

七尾市(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H25	473.3	0.7	157.9	35.5	/	/	11.8	/	24.9	/	6.4	1.6	75.4	/	47.9	/	40.5	/	/	4.6	6.6	9.0	21.8	9.5	11.0
H26	542.9	1.1	177.3	28.7	/	/	15.9	/	29.5	/	4.9	4.9	66.3	28.5	51.1	11.4	43.5	8.1	-	10.0	5.2	9.4	34.3	13.0	28.5
H27	538.6	-	182.2	29.7	/	/	15.0	/	52.0	/	8.6	0.7	76.3	31.9	39.4	4.8	45.4	1.3	0.0	7.4	7.0	10.8	31.4	7.6	42.3
H28	528.8	-	183.4	37.8	/	/	7.4	/	43.9	/	7.5	0.7	64.8	16.9	65.4	2.0	38.9	4.3	1.1	4.0	9.7	14.1	29.1	0.7	19.0
H29	518.5	-	188.9	19.6	15.6	10.8	15.8	15.9	49.2	-	-	3.4	69.1	17.1	37.4	4.6	24.3	8.5	-	4.6	2.8	15.9	20.0	-	44.3
H30	472.6	0.6	155.1	22.8	8.9	4.0	10.8	8.8	54.9	-	10.9	3.0	72.7	25.6	35.2	5.9	15.0	8.3	-	4.3	5.1	10.4	24.1	-	30.3
R1	430.4	-	143.5	25.6	10.9	7.1	6.5	8.8	37.5	-	4.1	1.8	65.5	14.5	44.0	4.2	13.2	6.8	-	11.2	7.0	12.8	13.1	1.7	20.8
R2	1,384.1	-	452.7	41.9	34.0	28.8	23.8	47.6	109.0	-	36.0	3.6	197.7	71.8	106.3	24.7	85.7	3.9	3.1	20.3	20.5	56.6	35.2	7.1	26.8
R3	1,393.7	-	401.1	61.2	35.2	10.9	33.4	39.5	96.8	-	9.8	11.1	205.1	100.3	146.1	17.0	47.5	31.3	-	19.7	18.2	55.6	48.9	3.7	19.0
R4	1,330.3	-	406.6	51.3	49.1	18.1	16.8	24.5	114.0	-	19.5	13.9	179.9	53.5	91.6	27.9	64.4	12.0	-	24.3	24.0	82.2	46.3	3.2	6.4

2) 年齢調整死亡率(単年)

七尾市(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん								糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H25	270.4	-	79.0	16.7	/	/	8.1	/	4.1	/	/	1.4	0.8	42.3	/	32.8	/	15.0	/	4.4	3.6	18.3	9.9	5.1	2.8	
H26	287.5	-	122.1	12.8	/	/	5.4	/	15.4	/	/	0.6	1.6	35.2	8.3	37.1	8.6	13.7	0.6	0.3	1.7	3.6	12.5	10.2	3.6	1.7
H27	310.8	-	120.5	12.8	/	/	2.7	/	15.7	/	/	7.7	2.1	35.8	7.0	33.3	5.5	12.0	0.3	1.1	3.6	2.5	14.1	19.9	1.1	7.6
H28	226.8	0.6	64.0	9.9	/	/	2.0	/	7.3	/	/	1.4	0.8	26.3	3.2	17.0	2.7	19.8	0.9	0.5	5.1	2.9	16.2	8.4	-	16.6
H29	298.8	0.3	125.9	7.0	11.1	2.5	5.2	4.6	20.8	12.9	21.9	3.6	3.3	40.3	6.9	21.8	6.3	11.3	3.6	0.3	4.4	3.5	17.6	4.2	-	-
H30	246.5	0.5	90.7	7.6	6.3	7.1	2.7	9.8	14.4	10.2	4.6	2.3	1.7	38.3	5.8	24.3	2.9	4.6	1.4	0.2	0.5	3.3	13.2	13.3	1.2	7.6
R1	293.7	-	102.2	8.6	6.3	9.0	2.8	10.1	4.0	22.9	5.9	1.5	1.7	35.0	9.0	14.0	2.4	5.3	-	-	7.4	9.5	14.6	24.4	0.2	12.0
R2	717.1	-	191.2	6.3	19.3	-	7.4	21.3	36.1	19.2	12.3	9.1	9.9	103.5	25.9	87.4	5.7	12.2	2.6	-	4.6	12.8	80.7	11.1	-	-
R3	822.1	1.0	216.6	25.4	41.0	12.9	7.5	7.7	26.8	27.9	7.3	11.4	6.8	121.6	32.6	74.6	19.2	26.8	-	-	23.2	11.4	70.7	29.6	4.7	-
R4	775.7	2.4	204.4	36.0	18.1	2.3	6.9	24.1	34.7	28.9	6.2	14.5	10.2	129.4	26.7	81.5	8.8	18.6	-	-	3.3	9.8	89.6	21.5	6.1	1.0

2) 年齢調整死亡率(単年)

羽咋市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部及 び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H25	348.7	-	109.1	18.7	/	/	5.2	/	24.7	/	/	4.8	-	53.8	/	17.7	/	30.9	/	/	1.7	11.8	18.3	32.0	7.3	13.7
H26	345.6	-	122.9	12.5	/	/	5.3	/	30.3	/	/	1.4	1.5	35.8	17.1	34.4	5.6	32.0	1.4	-	5.0	6.9	16.7	14.5	0.9	2.8
H27	310.9	-	110.7	18.2	/	/	2.9	/	30.5	/	/	0.5	-	53.3	27.6	37.5	12.4	20.2	-	-	1.7	4.3	21.6	8.6	0.5	3.8
H28	320.9	-	108.0	14.2	/	/	8.0	/	25.0	/	/	0.4	-	60.7	13.4	27.1	2.4	12.2	2.1	0.4	12.1	2.1	12.8	14.6	0.9	31.9
H29	318.7	-	95.1	8.0	10.3	0.4	2.7	14.0	17.3	9.2	0.4	6.7	1.0	61.5	32.1	24.5	3.2	11.9	3.0	-	5.0	10.7	14.1	11.7	1.8	3.4
H30	337.3	-	119.6	23.1	7.0	5.8	5.7	12.4	15.0	6.0	3.5	6.2	-	35.9	11.1	35.9	0.8	14.9	4.0	1.3	6.9	3.7	18.3	15.1	-	7.5
R1	314.8	-	119.3	14.6	6.2	5.3	4.5	7.0	20.3	17.5	2.9	3.3	1.0	25.3	10.3	31.8	1.7	12.0	1.7	-	3.5	2.9	14.9	6.0	1.0	28.1
R2	1,028.5	-	270.5	33.0	25.9	8.0	13.3	31.4	35.5	18.2	4.3	10.7	8.5	190.5	60.5	70.4	17.9	59.7	16.9	-	8.9	12.9	77.4	42.0	8.2	19.6
R3	966.4	2.7	285.8	39.0	28.6	13.4	28.8	21.6	51.2	15.6	1.8	17.4	4.1	117.1	62.5	93.8	12.2	31.3	16.0	2.7	17.8	8.1	107.0	17.3	-	20.5
R4	1,107.4	4.4	279.6	43.0	22.5	13.8	5.3	19.9	68.6	14.8	-	13.1	1.8	185.0	44.3	93.8	12.0	68.8	12.5	-	10.5	11.1	84.2	35.4	6.0	38.4

2) 年齢調整死亡率(単年)

羽咋市(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H25	496.0	-	163.6	33.2	/	/	7.4	/	49.3	/	7.2	-	94.6	/	32.1	/	37.3	/	/	-	19.2	23.8	24.5	9.9	27.5
H26	463.8	-	148.3	23.6	/	/	7.0	/	48.7	/	2.6	-	47.8	25.9	42.0	2.6	51.2	2.6	-	10.0	11.0	22.7	17.4	2.6	2.6
H27	392.9	-	141.0	22.8	/	/	6.1	/	40.3	/	-	-	63.9	40.6	42.9	22.8	32.9	-	-	3.6	4.3	21.5	10.4	-	5.0
H28	469.1	-	154.9	21.6	/	/	14.2	/	45.0	/	-	-	81.7	13.0	39.7	3.3	17.5	4.8	1.5	22.0	3.3	13.8	17.4	-	66.5
H29	449.0	-	101.9	12.1	15.5	1.5	6.1	20.0	32.7	1.5	15.7	2.6	92.5	55.1	41.8	6.7	27.9	5.2	-	11.4	12.1	16.2	14.3	-	3.6
H30	494.0	-	161.7	36.0	10.9	12.6	7.0	20.7	23.3	-	13.0	-	44.8	15.7	52.3	1.5	23.8	13.1	-	12.9	7.6	13.1	29.1	-	9.2
R1	421.4	-	155.2	28.1	2.5	5.4	5.2	12.4	44.9	-	7.0	-	30.3	17.2	48.1	2.7	20.9	6.2	-	4.5	4.3	21.0	5.6	-	40.8
R2	1,657.0	-	395.0	60.0	58.8	7.7	32.2	14.7	68.8	-	21.4	19.0	332.9	112.1	110.4	14.0	69.8	51.0	-	17.0	25.5	70.7	83.5	16.2	30.7
R3	1,460.4	8.4	455.9	87.1	20.8	31.5	50.8	23.1	93.8	-	24.8	9.1	185.0	107.5	97.0	26.0	59.2	48.7	8.4	20.0	9.1	169.8	-	-	28.9
R4	1,691.4	9.5	456.3	80.5	21.8	21.8	16.2	39.7	119.0	-	22.4	161.1	292.6	73.1	135.3	15.1	141.1	34.3	-	20.2	-	91.9	83.6	6.5	80.0

2) 年齢調整死亡率(単年)

羽咋市(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん								糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H25	238.3	-	69.8	9.1	/	/	3.2	/	5.4	/	/	2.2	-	19.1	/	7.2	/	31.1	/	3.2	4.4	15.1	39.7	5.7	0.0	
H26	270.5	-	112.0	5.4	/	/	4.4	/	16.5	/	/	0.7	2.2	27.3	11.4	29.8	8.8	20.3	0.7	-	0.7	2.9	13.7	12.3	-	3.7
H27	254.7	-	93.4	16.2	/	/	0.7	/	24.4	/	/	0.7	-	41.6	15.0	32.9	3.8	12.4	-	-	-	4.7	21.1	7.3	0.7	3.1
H28	202.5	-	74.3	11.3	/	/	2.2	/	9.2	/	/	0.6	-	43.2	16.2	17.2	1.3	8.7	-	-	3.2	0.6	11.8	11.6	1.3	-
H29	233.0	-	97.3	6.0	6.6	-	0.6	8.4	4.5	17.6	0.6	-	-	37.0	13.7	10.6	-	4.1	1.7	-	-	12.8	13.4	12.2	3.5	3.0
H30	220.8	-	86.6	12.1	3.4	-	5.2	4.5	9.4	11.8	6.3	-	-	29.5	7.5	24.8	0.6	11.5	-	2.4	0.6	0.6	20.4	2.9	-	5.8
R1	231.5	-	97.7	3.4	9.7	5.1	3.9	2.3	0.6	36.9	5.1	0.6	1.7	19.0	4.0	17.1	0.6	6.3	-	-	2.8	1.7	12.2	6.3	1.7	13.8
R2	659.8	-	186.2	8.7	10.5	8.0	-	44.7	11.8	36.4	8.3	3.2	-	125.6	26.2	42.4	20.2	49.4	-	-	5.8	6.1	76.5	18.3	-	8.3
R3	680.2	-	167.1	15.4	31.6	-	13.5	17.5	14.8	26.3	2.1	13.1	2.1	70.2	31.7	88.5	8.8	18.9	-	-	15.7	7.2	95.4	27.3	-	11.6
R4	792.4	2.8	163.3	17.0	23.5	6.4	-	5.2	27.7	29.6	-	7.2	-	128.5	18.1	85.9	10.4	33.7	2.8	-	2.0	17.6	89.8	10.8	4.4	-

2) 年齢調整死亡率(単年)

志賀町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん								糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸S状 結腸移 行部及 び直腸	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H25	398.6	0.5	154.2	32.5	/	/	5.2	/	25.7	/	/	0.9	0.5	53.6	/	37.9	/	44.7	/	6.2	4.9	9.3	19.3	4.9	14.9	
H26	366.3	-	136.4	14.7	/	/	3.7	/	29.7	/	/	2.2	0.5	37.5	16.0	43.7	2.3	38.3	2.7	-	11.1	3.2	6.0	11.0	1.8	7.4
H27	301.1	-	110.0	11.3	/	/	7.7	/	23.6	/	/	1.6	0.4	31.7	9.0	27.3	4.3	38.8	0.4	-	4.8	4.4	14.9	8.5	3.4	6.4
H28	351.8	-	125.8	7.3	/	/	17.2	/	15.2	/	/	6.3	-	44.9	13.7	23.0	5.0	19.1	1.7	-	1.6	6.5	16.3	20.0	3.1	4.1
H29	324.7	0.4	87.7	11.0	7.4	7.9	4.7	9.5	25.1	-	0.4	1.8	-	47.9	20.9	25.7	1.2	18.3	4.3	1.4	3.6	1.2	20.1	34.0	16.9	6.4
H30	331.2	0.4	108.2	10.9	8.8	2.7	3.6	13.6	20.3	6.2	5.6	0.4	2.8	67.6	23.9	32.8	4.9	10.6	2.4	-	4.8	5.8	22.0	6.3	0.4	11.9
R1	303.1	0.4	100.0	9.6	8.7	1.8	4.6	10.5	24.2	6.4	-	1.4	0.9	39.4	11.6	24.9	1.3	20.2	3.5	-	6.9	2.0	19.9	10.7	2.3	12.5
R2	910.8	-	256.5	37.2	24.3	17.9	8.7	31.4	49.0	14.1	-	5.2	11.1	129.2	32.8	79.6	4.5	47.6	6.9	-	6.1	9.4	62.6	46.5	11.1	15.5
R3	896.3	-	222.0	36.0	21.7	-	13.4	43.3	35.7	9.2	-	12.5	5.2	165.3	42.6	64.9	13.6	28.8	7.7	-	14.2	10.7	59.6	20.0	5.0	14.2
R4	993.7	1.9	196.5	22.5	7.0	3.0	3.0	27.5	52.4	5.6	6.1	5.4	4.9	169.5	52.0	78.7	19.7	85.3	2.5	2.4	-	15.6	94.7	49.5	7.1	20.2

2) 年齢調整死亡率(単年)

志賀町(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故		自殺
																							交通事故		
H25	589.4	-	236.3	46.1	/	/	9.2	/	48.0	/	-	1.8	80.6	/	49.1	/	71.6	/	/	14.5	2.2	11.1	28.5	10.3	26.7
H26	485.8	-	194.9	29.5	/	/	3.9	/	59.5	/	-	-	54.5	20.6	46.1	5.7	53.4	6.8	-	16.1	7.7	5.5	18.0	3.1	15.9
H27	414.8	-	193.4	19.2	/	/	17.3	/	39.6	/	3.2	-	34.6	9.3	27.3	6.9	38.2	1.7	-	7.3	5.6	7.8	13.5	5.0	-
H28	465.2	-	162.0	6.2	/	/	21.5	/	29.3	/	12.1	-	55.8	17.5	35.8	10.7	32.2	5.2	-	3.2	11.4	10.5	33.6	3.2	8.6
H29	479.7	-	154.9	19.3	16.2	16.0	5.0	20.6	43.0	-	3.0	-	73.4	34.5	31.1	3.0	25.9	11.9	3.0	5.6	1.5	26.7	32.8	3.0	11.8
H30	472.8	-	154.4	24.3	5.9	5.3	7.5	17.8	41.9	-	-	5.4	103.5	36.4	56.1	3.7	17.0	2.9	-	3.2	10.6	14.7	5.9	-	12.6
R1	400.8	-	148.2	16.6	14.1	3.1	5.9	10.8	45.1	-	2.9	2.2	39.3	13.8	33.6	2.2	36.5	8.2	-	12.2	1.4	14.7	9.7	3.1	4.1
R2	1257.2	-	375.5	56.3	55.6	26.8	15.4	39.0	100.0	-	7.9	8.7	138.3	49.6	92.7	-	100.4	23.5	-	7.9	21.1	41.7	62.0	12.8	33.9
R3	1233.4	-	252.1	48.6	25.6	-	22.5	37.2	60.6	-	29.6	7.8	209.4	78.2	98.6	28.4	36.3	7.8	-	23.2	7.8	32.7	38.1	17.1	30.8
R4	1349.1	14.7	299.7	44.6	9.4	6.2	7.0	20.8	103.4	-	7.0	7.6	232.4	81.8	130.3	32.4	154.5	7.6	-	-	22.4	46.2	69.5	-	29.8

2) 年齢調整死亡率(単年)

志賀町(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん								糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)		脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故		自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮			急性心 筋梗塞	交通事故											
H25	261.1	0.6	94.0	23.5	/	/	2.3	/	9.1	/	/	1.4	-	30.3	/	28.5	/	29.2	/	-	6.0	8.7	12.3	-	4.3	
H26	291.1	-	96.6	3.1	/	/	3.5	/	6.0	/	/	3.5	0.6	24.3	11.9	47.5	-	27.9	0.6	-	6.6	1.2	6.2	4.8	0.6	-
H27	204.9	-	40.4	7.7	/	/	-	/	8.9	/	/	-	0.6	27.1	7.4	28.4	2.1	39.9	-	-	2.5	3.2	17.0	4.4	2.1	13.9
H28	270.4	-	104.8	8.9	/	/	14.2	/	5.1	/	/	0.6	-	33.0	8.9	12.5	0.6	11.2	-	-	-	3.7	18.0	8.3	3.1	-
H29	208.9	0.6	31.2	3.7	-	0.6	4.7	0.6	10.0	-	0.6	0.6	-	24.8	6.9	23.0	0.6	13.3	-	-	1.4	1.1	15.6	41.5	34.1	-
H30	224.5	0.6	78.8	-	11.9	0.6	0.6	10.7	4.0	12.5	10.6	0.6	0.6	33.4	12.5	14.3	6.4	7.4	2.2	-	6.1	2.6	25.2	7.3	0.6	10.8
R1	232.6	0.6	62.5	4.2	3.8	0.6	4.4	10.0	8.7	12.5	-	-	-	43.2	9.8	17.7	0.6	8.2	0.6	-	1.1	2.2	22.4	12.1	1.6	21.3
R2	710.0	-	183.1	20.7	3.3	8.2	5.1	22.7	20.8	25.4	-	3.3	9.4	105.9	12.6	69.7	6.1	23.8	4.1	-	6.2	6.1	71.0	32.5	8.0	-
R3	729.6	-	207.4	26.4	14.4	-	6.4	48.8	24.2	18.4	-	-	3.8	130.0	18.2	45.6	5.3	32.1	7.7	-	5.3	12.3	67.1	10.6	-	-
R4	747.8	-	107.4	8.7	3.7	-	-	31.9	8.7	9.5	11.2	3.3	3.3	119.8	22.5	46.9	17.8	60.2	-	3.3	-	11.9	104.9	35.7	14.5	11.5

2) 年齢調整死亡率(単年)

宝達志水町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部及 び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H25	404.8	-	133.3	19.3	/	/	18.1	/	28.5	/	/	3.4	2.5	58.1	/	60.4	/	30.8	/	/	2.5	4.2	28.7	29.2	2.5	3.0
H26	319.9	-	98.3	7.4	/	/	6.5	/	23.7	/	/	10.8	3.0	57.9	26.0	30.9	3.2	19.7	0.8	-	9.1	5.9	23.7	10.9	5.9	1.7
H27	301.8	-	126.6	19.6	/	/	11.7	/	23.4	/	/	-	0.8	39.7	23.1	17.2	4.3	4.0	0.8	-	6.5	2.4	24.3	12.9	-	6.0
H28	418.4	-	137.1	18.7	/	/	17.3	/	11.4	/	/	3.9	0.8	56.3	26.8	27.3	3.9	15.5	5.7	-	8.3	0.8	15.9	11.9	1.5	53.5
H29	324.0	0.7	124.7	13.1	2.5	-	10.2	8.3	33.7	8.5	-	-	-	63.1	26.2	15.1	10.7	14.5	3.1	-	-	-	13.7	7.9	-	-
H30	264.0	-	88.6	8.7	3.9	2.4	19.2	4.9	16.9	-	-	5.8	0.8	31.2	8.6	29.6	0.8	12.8	1.5	-	2.5	4.5	18.2	2.3	-	10.9
R1	318.2	-	102.3	2.3	6.2	0.8	5.7	19.2	10.5	2.5	2.3	6.5	0.8	45.4	29.0	6.8	0.8	19.9	0.8	-	7.2	5.5	9.8	13.1	-	13.1
R2	997.5	-	342.8	26.3	16.1	5.7	19.3	39.1	72.1	19.3	5.6	9.2	4.4	101.4	24.7	93.1	14.6	50.3	4.9	-	13.2	10.4	71.7	44.7	7.5	10.4
R3	924.6	-	270.2	32.5	46.0	5.9	14.0	26.8	40.7	7.7	4.0	5.2	8.1	139.1	63.1	66.5	15.8	26.1	15.8	-	10.5	23.1	87.1	24.0	-	4.0
R4	1197.3	-	393.6	39.5	27.8	-	22.6	50.5	88.7	42.8	15.8	13.2	18.7	113.0	68.1	103.4	25.6	51.8	4.9	-	4.9	14.1	91.3	38.8	-	27.4

宝達志水町(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん							糖尿病	高血圧 性疾患	心疾患 (高血 圧性 を除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房															
H25	652.1	-	212.8	32.3	/	/	19.4	/	65.6	/	4.6	-	102.2	/	88.7	/	57.4	/	-	9.1	27.8	56.6	3.5	6.0	
H26	434.0	-	148.3	10.4	/	/	3.5	/	52.4	/	-	6.0	77.5	50.8	33.5	6.9	28.6	3.5	-	19.1	3.5	25.5	-	-	-
H27	407.5	-	177.8	20.5	/	/	13.8	/	43.5	/	-	-	47.1	33.3	22.5	5.3	-	-	-	-	3.2	19.2	28.3	-	13.5
H28	596.9	-	205.2	24.5	/	/	29.9	/	22.1	/	2.9	-	89.4	47.6	56.5	-	27.3	15.5	-	15.9	2.9	2.9	15.5	2.9	87.0
H29	513.8	-	205.8	20.9	7.0	-	22.5	10.6	64.0	-	-	-	117.6	45.8	12.5	20.9	25.4	2.7	-	-	-	7.0	22.3	-	-
H30	372.5	-	121.7	19.9	-	-	26.8	9.8	33.4	-	13.1	-	32.8	15.7	50.6	-	15.3	5.5	-	7.2	2.8	13.8	5.5	-	21.7
R1	448.0	-	133.5	5.0	7.2	-	8.9	33.7	24.2	-	4.3	-	67.6	50.0	5.3	-	30.5	-	-	9.9	7.6	7.9	24.8	-	25.6
R2	1,329.9	-	432.5	13.5	36.3	-	35.7	27.6	131.1	-	9.6	-	101.8	20.6	124.9	13.5	99.2	14.9	-	14.9	9.6	77.3	89.2	14.9	9.6
R3	1,389.5	-	405.6	60.3	92.2	-	22.5	15.3	89.5	-	-	-	212.6	99.8	141.6	12.5	43.2	28.1	-	-	60.9	99.3	33.1	-	19.6
R4	1,453.3	-	407.8	41.7	-	-	38.4	23.6	164.2	-	11.3	12.3	178.0	110.5	58.0	58.9	54.7	13.7	-	13.7	20.6	94.7	39.8	-	53.2

宝達志水町(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H25	213.5	-	72.0	7.6	/	/	17.3	/	2.2	/	/	2.7	4.2	20.0	/	33.2	/	13.6	/	/	4.2	1.1	27.0	5.3	2.7	-
H26	236.1	-	63.3	4.9	/	/	10.1	/	3.8	/	/	19.7	-	42.0	6.0	27.9	-	13.3	-	-	-	7.6	22.9	19.5	11.5	2.7
H27	206.6	-	84.1	22.8	/	/	10.3	/	6.6	/	/	-	1.1	26.9	12.4	14.9	2.7	6.0	1.1	-	12.4	2.1	28.3	2.1	-	-
H28	262.6	-	78.4	13.2	/	/	6.0	/	4.0	/	/	5.4	1.0	24.2	6.0	5.1	7.2	5.0	-	-	-	-	20.4	9.4	1.0	16.4
H29	170.0	1.0	64.0	7.4	-	-	1.0	6.6	8.2	15.9	-	-	-	18.9	11.9	16.9	1.0	7.2	4.3	-	-	-	15.5	1.0	-	-
H30	190.2	-	71.8	3.1	6.5	4.4	13.6	1.0	8.2	-	-	-	1.0	29.2	3.1	14.2	1.0	11.7	-	-	-	5.2	19.8	1.0	-	1.0
R1	202.0	-	78.5	-	4.9	1.1	2.8	6.6	-	3.9	4.5	8.2	1.1	22.2	6.0	7.4	1.1	14.1	1.1	-	5.3	3.9	10.5	2.1	-	-
R2	767.5	-	296.0	36.0	5.7	9.7	3.9	46.2	39.5	36.4	10.1	5.7	5.7	88.9	26.5	77.5	16.8	18.6	-	-	9.7	9.7	66.5	13.5	-	10.1
R3	660.3	-	193.7	7.9	19.7	11.3	5.0	34.9	14.3	14.3	5.0	7.9	11.3	101.1	37.7	20.6	16.8	11.8	7.9	-	15.9	-	78.6	29.4	-	-
R4	1,046.0	-	387.9	27.1	46.2	-	8.7	70.6	41.8	78.7	30.6	12.9	23.6	79.9	37.6	118.3	9.2	43.7	-	-	-	15.3	87.7	37.0	-	-

2) 年齢調整死亡率(単年)

中能登町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部及 び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H25	349.3	-	108.6	22.3	/	/	9.0	/	16.9	/	/	-	2.6	63.5	/	54.7	/	22.0	/	/	4.8	3.1	14.3	17.0	12.2	3.7
H26	390.9	0.7	121.8	35.8	/	/	1.9	/	11.6	/	/	3.6	0.7	65.6	16.8	36.8	4.9	18.6	3.7	9.5	11.8	0.7	22.4	15.4	2.3	24.6
H27	379.7	0.6	106.9	34.2	/	/	13.7	/	10.0	/	/	7.8	2.6	49.0	12.4	25.1	1.3	24.5	2.6	-	4.1	1.9	18.5	16.9	3.5	23.9
H28	385.7	-	141.0	13.8	/	/	2.5	/	25.4	/	/	5.5	-	42.9	12.0	34.4	6.7	23.8	3.1	-	10.4	3.8	16.9	16.6	8.6	18.2
H29	349.0	-	105.2	20.0	6.9	2.9	1.8	16.0	16.7	-	1.2	7.1	3.7	32.2	4.1	40.9	1.8	14.5	7.3	1.2	7.7	3.5	16.4	17.3	6.8	34.9
H30	342.6	-	123.5	11.6	13.4	8.4	7.1	13.6	29.3	8.3	0.6	7.4	0.6	57.2	11.8	32.2	5.6	4.7	3.0	-	6.9	3.0	13.2	29.5	10.7	7.9
R1	369.6	-	140.2	22.8	10.8	3.8	6.6	32.6	10.3	3.6	1.9	1.1	1.9	47.6	7.0	31.6	4.9	10.7	0.6	0.6	9.0	7.5	10.4	18.1	-	9.9
R2	1102.5	-	294.3	55.9	34.9	11.7	17.8	30.1	35.3	16.1	9.7	3.5	9.4	161.5	30.3	84.2	7.8	62.4	10.3	-	30.9	11.1	81.2	30.4	4.0	9.3
R3	1096.0	-	263.1	53.2	26.8	-	8.3	39.3	33.5	-	10.0	10.7	10.3	163.6	41.6	165.9	15.2	50.6	4.6	3.7	8.0	18.5	89.7	45.7	-	24.4
R4	972.2	-	293.6	30.9	59.9	25.3	19.0	7.8	39.6	4.1	8.3	4.1	2.6	145.3	24.1	64.0	10.3	45.4	18.8	-	10.5	11.5	86.8	25.2	7.6	9.8

2) 年齢調整死亡率(単年)

中能登町(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H25	538.5	-	187.6	37.2	/	/	18.3	/	39.6	/	-	3.3	91.7	/	88.9	/	47.1	/	/	6.7	6.6	5.0	36.8	26.0	7.5
H26	532.2	2.5	147.9	56.6	/	/	5.8	/	24.9	/	5.0	-	95.7	22.3	43.8	7.4	28.3	9.9	17.7	21.7	-	20.9	13.3	-	47.7
H27	490.7	2.3	139.3	42.9	/	/	18.8	/	23.9	/	-	5.6	61.5	18.1	42.9	-	29.6	4.5	-	3.4	2.3	14.9	28.7	-	38.5
H28	565.6	-	200.9	20.8	/	/	3.3	/	44.8	/	4.4	-	65.4	22.9	61.2	5.2	38.3	8.3	-	14.7	8.3	15.4	31.6	16.9	32.4
H29	473.2	-	111.8	19.9	9.2	2.2	-	18.6	22.9	-	12.6	7.4	47.9	4.5	45.8	4.5	26.5	16.8	4.5	12.4	2.2	11.2	18.1	-	56.0
H30	499.7	-	170.8	18.3	9.0	17.9	14.6	21.6	36.3	-	9.7	-	104.2	25.8	41.3	10.1	6.3	7.2	-	10.2	2.1	8.4	44.7	21.4	15.7
R1	492.7	-	174.3	30.3	16.3	-	5.5	38.3	22.6	-	-	3.0	79.3	13.4	47.8	9.7	17.8	2.0	-	16.9	17.3	9.9	21.4	-	7.7
R2	1,497.0	-	392.3	78.2	46.5	17.3	14.7	21.5	60.4	-	-	12.7	199.9	45.9	123.8	11.4	111.1	30.8	-	32.9	-	47.1	43.2	9.7	11.0
R3	1,406.7	-	323.4	74.2	32.6	-	-	40.3	71.3	-	14.5	10.6	300.0	63.0	196.1	9.1	53.7	10.5	-	10.5	21.2	53.2	78.4	-	25.5
R4	1,313.8	-	343.7	60.6	58.7	9.2	17.5	9.2	46.6	-	-	-	187.4	60.1	85.4	17.4	77.9	52.4	-	-	18.6	92.0	18.6	-	20.4

2) 年齢調整死亡率(単年)

中能登町(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん								糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H25	201.5	-	49.4	11.8	/	/	0.0	/	1.9	/	/	-	2.0	37.5	/	22.2	/	6.9	/	4.3	1.0	19.4	2.0	-	1.0	
H26	274.5	-	106.0	19.2	/	/	-	/	1.0	/	/	3.0	1.0	35.9	12.0	36.1	2.9	14.1	-	-	1.0	1.0	23.0	17.8	4.3	1.9
H27	283.7	-	78.0	26.2	/	/	8.6	/	-	/	/	15.7	0.9	36.8	5.9	11.1	1.8	23.3	1.8	-	5.2	1.8	18.4	7.3	6.4	8.6
H28	240.3	-	86.8	7.0	/	/	2.0	/	9.5	/	/	8.0	-	27.5	5.7	14.9	7.1	16.3	-	-	6.8	0.9	18.0	2.8	-	-
H29	253.7	-	103.2	19.3	6.3	4.6	2.5	13.1	12.0	-	2.1	0.8	1.7	17.6	2.5	38.7	0.8	7.0	-	-	3.3	5.4	20.5	16.1	13.5	13.4
H30	212.0	-	87.2	6.8	17.9	-	-	9.4	27.1	15.6	0.8	5.5	0.8	12.7	-	23.8	2.2	4.1	0.8	-	4.4	3.8	16.6	15.6	-	-
R1	268.9	-	117.6	19.4	6.8	6.8	7.5	27.6	1.6	6.8	3.7	1.6	0.8	15.6	1.6	18.4	0.8	6.2	-	0.8	0.8	-	9.5	15.5	-	12.7
R2	878.0	-	227.7	40.8	26.0	4.7	24.9	35.5	13.8	30.6	17.6	4.7	3.6	128.9	17.5	64.3	5.9	42.6	7.6	-	29.2	16.3	86.3	24.5	-	7.6
R3	883.3	-	211.8	30.3	17.5	-	15.6	38.3	15.6	-	15.3	4.4	9.3	114.3	34.3	127.3	17.0	47.4	-	5.7	4.4	17.0	104.8	26.4	-	22.2
R4	787.2	-	287.5	17.3	57.6	41.0	16.6	6.0	38.9	7.5	15.0	8.0	3.1	115.9	-	57.2	3.1	28.9	-	-	19.7	4.3	77.0	26.4	13.0	-

2) 年齢調整死亡率(単年)

管内(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん								糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	自殺	
				胃	結腸	直腸S状 結腸移 行部及 び直腸	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H25	365.7	0.2	120.7	23.7	/	/	9.0	/	19.4	/	/	2.9	1.2	56.0	/	39.2	/	29.3	/	4.3	5.8	16.0	20.9	7.1	8.4	
H26	374.8	0.2	131.4	18.4	/	/	6.5	/	23.1	/	/	3.3	2.0	48.5	18.2	38.5	6.6	27.4	2.9	1.7	7.8	4.3	14.0	16.3	4.9	11.9
H27	361.4	0.1	127.0	20.3	/	/	8.4	/	25.9	/	/	5.0	1.1	48.7	18.2	31.4	5.7	24.6	0.7	0.3	4.7	3.7	16.9	16.8	2.9	16.5
H28	358.0	0.2	120.6	16.7	/	/	7.9	/	21.2	/	/	3.9	0.4	47.9	12.9	31.8	3.6	21.2	2.4	0.4	6.6	4.4	15.4	16.8	2.2	21.5
H29	358.7	0.2	123.5	12.8	9.8	4.3	6.6	11.2	27.1	5.3	5.1	3.2	2.1	52.7	17.3	27.1	4.4	15.7	5.0	0.5	4.6	4.0	16.8	15.0	3.4	15.9
H30	334.5	0.3	114.4	14.2	8.0	5.2	7.3	10.8	25.6	5.3	2.7	5.4	1.7	51.2	14.4	31.7	3.7	10.1	3.4	0.3	4.3	4.2	15.8	15.2	1.9	13.7
R1	335.9	0.1	116.4	14.1	7.9	5.1	5.1	13.4	17.9	9.9	2.2	2.7	1.4	42.3	12.3	26.8	2.6	12.7	2.2	0.1	7.5	6.0	14.5	14.6	1.0	16.4
R2	1005.1	-	293.0	31.3	25.8	12.0	14.2	33.2	54.5	14.3	5.3	12.5	8.7	148.3	41.9	86.7	12.0	47.4	7.1	0.6	13.1	13.3	73.6	33.6	6.0	14.2
R3	1001.0	0.8	271.3	40.8	32.8	7.2	17.0	28.7	46.6	11.6	3.5	11.6	7.2	150.4	55.7	100.4	15.7	33.3	11.1	1.0	16.7	13.8	77.3	30.5	2.8	13.9
R4	1032.2	1.7	280.9	36.9	29.8	10.0	10.8	24.6	63.3	15.5	5.2	12.2	8.2	155.6	42.2	84.4	16.3	52.7	7.8	0.4	9.3	13.3	88.5	33.7	5.0	15.6

2) 年齢調整死亡率(単年)

管内(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん							糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房															
H25	523.3	0.3	182.3	37.1	/	/	12.3	/	39.2	/	4.3	1.4	83.9	/	54.7	/	47.9	/	5.3	8.1	13.2	29.7	11.3	15.4	
H26	507.8	0.7	168.2	30.2	/	/	9.4	/	39.7	/	3.1	2.7	66.1	28.0	45.7	7.9	42.9	6.5	3.2	14.0	5.8	14.1	22.4	6.7	22.0
H27	475.1	0.3	170.9	27.6	/	/	14.4	/	42.9	/	4.2	1.0	62.1	27.7	36.6	7.8	35.6	1.4	-	5.6	5.2	13.6	23.9	4.2	26.1
H28	518.6	-	179.3	26.1	/	/	12.5	/	39.2	/	5.9	0.3	67.9	19.8	54.1	4.0	33.0	6.3	0.7	9.6	8.0	12.4	26.9	3.5	34.2
H29	494.7	-	159.5	18.5	13.8	7.6	10.8	17.3	43.4	0.3	4.9	2.8	76.1	27.6	35.6	6.1	25.7	9.3	1.1	6.6	3.8	16.5	21.2	0.5	29.3
H30	471.1	0.3	154.8	24.1	7.8	7.2	11.7	14.0	42.8	-	9.4	2.3	73.7	24.7	44.4	4.8	15.7	7.7	-	6.7	5.8	11.8	22.8	3.2	21.2
R1	433.6	-	148.8	23.0	10.2	4.4	6.5	16.3	36.6	-	3.9	1.6	57.1	18.3	40.0	3.9	20.8	5.5	-	10.7	7.0	13.5	13.6	1.2	20.5
R2	1,417.2	-	418.2	49.9	43.4	19.9	24.1	35.3	95.6	-	21.3	8.0	203.6	66.3	109.3	15.5	91.1	19.2	1.3	19.0	17.4	57.2	55.5	10.7	25.3
R3	1,374.9	1.5	373.4	65.3	35.3	10.1	29.5	33.9	85.0	-	15.5	9.4	213.9	91.8	136.6	19.1	48.6	26.9	1.5	16.5	19.5	73.9	40.6	4.7	23.9
R4	1,391.0	3.6	387.0	55.3	33.9	14.0	17.4	24.1	109.2	-	14.6	10.4	202.1	67.3	99.0	28.6	93.0	20.5	-	15.4	19.2	78.7	50.5	2.4	29.3

2) 年齢調整死亡率(単年)

管内(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん								糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H25	247.7	0.1	74.7	14.3	/	/	6.1	/	4.7	/	/	1.5	1.0	33.3	/	26.0	/	19.3	/	3.6	3.6	17.1	13.8	3.5	2.0	
H26	277.9	-	108.6	9.9	/	/	4.6	/	10.9	/	/	3.3	1.2	32.6	9.8	35.2	5.5	17.6	0.5	0.1	2.1	3.1	13.9	11.6	3.4	1.9
H27	270.2	-	93.4	15.4	/	/	3.4	/	13.0	/	/	6.0	1.2	34.4	8.8	27.4	3.8	18.0	0.4	0.5	3.9	2.9	17.8	11.7	1.8	6.9
H28	234.3	0.3	76.0	9.8	/	/	4.2	/	7.2	/	/	2.4	0.4	30.3	7.1	14.7	3.1	14.5	0.4	0.2	3.6	2.1	16.5	8.4	0.9	9.4
H29	252.1	0.3	96.8	7.9	6.6	1.7	3.6	5.9	13.6	10.2	10.0	1.7	1.6	31.8	8.0	21.7	3.0	9.5	2.3	0.1	2.6	4.6	16.7	11.5	6.4	2.4
H30	227.5	0.3	85.0	6.4	8.1	3.5	3.5	8.1	13.0	10.3	5.1	1.8	1.0	31.7	6.2	21.5	2.8	7.0	1.1	0.5	1.9	3.0	17.7	9.6	0.6	6.1
R1	261.6	0.1	94.7	7.5	6.3	5.8	3.9	10.8	3.5	19.3	4.3	1.7	1.2	29.5	7.0	15.1	1.4	7.1	0.2	0.1	4.5	5.2	14.6	16.2	0.7	12.3
R2	731.7	-	203.9	16.9	14.4	4.4	7.6	30.1	26.6	26.1	10.0	6.1	6.8	110.0	22.8	72.6	9.5	25.5	2.8	-	8.9	10.6	77.2	18.2	1.4	3.5
R3	767.0	0.4	201.6	22.3	29.7	6.5	9.2	23.0	21.5	20.5	5.8	8.4	6.1	110.6	30.7	72.9	14.2	26.8	2.2	0.7	15.4	10.4	79.5	25.2	1.9	4.9
R4	800.4	1.6	210.6	24.5	25.0	7.4	5.8	24.4	30.1	28.6	9.4	10.2	7.4	120.5	22.1	76.7	9.8	32.6	0.5	0.7	4.3	11.1	90.7	23.8	6.9	2.4

2) 年齢調整死亡率(単年)

石川県(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	自殺	
				胃	結腸	直腸S状 結腸移 行部及 び直腸	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															交通事故
H25	358.1	0.4	120.4	17.1	/	/	9.6	/	23.8	/	/	3.6	1.1	50.8	/	33.9	/	26.8	/	6.0	4.5	11.3	16.7	4.5	15.0	
H26	357.0	0.2	124.2	15.4	/	/	9.1	/	23.9	/	/	3.2	1.6	47.0	17.7	30.9	5.3	25.7	3.6	0.5	5.2	4.3	10.9	17.4	3.6	13.7
H27	351.7	0.3	121.1	15.5	/	/	9.1	/	24.9	/	/	3.3	1.0	46.1	17.2	28.4	4.8	26.4	3.0	0.4	6.3	4.1	12.0	15.7	3.5	16.2
H28	345.9	0.3	120.0	14.8	/	/	9.0	/	22.8	/	/	3.2	1.0	44.3	15.8	28.8	4.4	23.3	3.4	0.5	5.2	4.4	12.3	16.9	4.2	14.0
H29	341.0	0.2	116.7	12.7	10.3	4.6	7.3	12.5	23.1	6.4	2.8	3.7	1.9	45.1	15.4	27.6	4.7	17.2	4.2	0.5	6.8	4.7	12.8	13.2	2.6	14.9
H30	325.6	0.2	112.6	13.3	9.5	5.2	5.9	10.9	22.5	7.0	3.1	3.7	2.1	45.9	16.0	27.3	4.3	14.4	3.5	0.3	5.2	5.3	13.6	12.9	1.7	10.7
R1	325.5	0.1	108.9	12.3	9.1	4.5	6.3	11.4	20.6	6.2	2.1	3.2	2.1	42.8	14.9	24.7	4.2	15.4	2.5	0.2	6.0	5.3	13.5	12.1	1.8	13.4
R2	937.4	1.0	281.5	32.3	27.1	11.4	16.6	32.1	56.1	9.6	4.5	9.6	6.2	135.4	41.1	73.5	13.8	49.4	9.6	0.9	10.9	15.7	73.2	27.9	3.7	14.8
R3	957.1	1.0	272.5	31.1	27.6	10.1	15.4	28.4	54.4	11.2	4.2	10.3	6.7	138.0	46.7	80.1	13.5	45.3	10.3	0.5	12.8	15.4	77.0	29.7	2.8	13.9
R4	1,011.5	1.1	271.8	31.4	28.3	11.5	13.9	26.7	56.6	11.9	4.1	11.9	8.1	144.9	52.0	76.0	14.7	44.2	10.0	0.5	10.7	15.6	100.0	29.0	3.2	16.8

2) 年齢調整死亡率(単年)

石川県(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H25	495.8	0.6	167.0	26.5	/	/	14.3	/	41.6	/	5.4	1.0	69.8	/	45.5	/	44.3	/	/	9.4	6.2	8.7	24.2	6.9	22.9
H26	495.9	0.4	171.7	24.5	/	/	14.1	/	42.2	/	3.8	2.0	61.7	26.3	41.7	6.9	42.5	8.0	0.5	7.7	6.1	9.1	24.9	5.2	22.3
H27	474.8	0.6	163.9	22.8	/	/	14.1	/	42.2	/	4.9	1.2	60.3	26.1	36.1	5.5	41.3	6.5	0.5	8.5	4.5	8.8	23.2	5.0	25.8
H28	473.7	0.5	168.1	23.7	/	/	13.8	/	39.9	/	5.0	1.1	58.9	24.6	40.4	6.1	36.5	6.8	0.6	7.9	6.7	8.6	25.0	6.3	20.4
H29	464.4	0.3	156.5	19.1	13.4	7.6	11.4	15.7	39.3	0.2	5.5	2.3	61.2	23.0	34.6	6.9	28.6	8.7	0.7	10.5	5.9	11.5	19.6	3.5	22.7
H30	440.9	0.2	149.0	20.6	11.1	7.9	9.2	13.2	36.5	0.1	6.3	2.9	60.7	24.8	37.6	6.3	23.9	7.3	0.5	7.5	7.7	10.9	18.9	2.5	14.8
R1	441.1	0.3	144.4	19.7	10.4	6.0	9.5	14.8	36.3	0.1	4.5	2.6	58.9	23.2	34.1	5.6	25.4	5.8	0.3	9.5	6.6	11.0	17.4	2.5	19.1
R2	1,316.3	1.7	410.9	53.9	37.1	15.5	27.4	37.8	98.4	0.3	13.5	6.5	183.2	63.3	97.3	19.4	88.4	22.1	1.7	15.6	24.6	64.2	42.6	6.9	23.1
R3	1,323.5	2.1	386.0	48.3	30.6	14.7	24.5	33.2	95.9	0.2	14.7	5.4	183.1	71.4	103.0	15.9	80.9	22.9	0.9	16.8	21.7	74.5	44.7	4.9	19.1
R4	1,403.5	2.6	380.0	48.1	34.2	17.8	22.7	31.7	97.6	0.2	16.0	9.2	193.6	76.8	102.9	20.1	82.8	23.0	0.2	15.2	23.2	94.8	46.7	4.8	23.6

2) 年齢調整死亡率(単年)

石川県(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性 新生物	がん								糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故		自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮													交通事故		
H25	254.3	0.3	86.1	10.4	/	/	5.8	/	10.4	/	/	2.1	1.2	35.3	/	24.5	/	16.9	/	2.9	3.0	12.2	10.4	2.3	7.2	
H26	253.7	0.1	90.6	8.7	/	/	5.4	/	10.3	/	/	2.7	1.1	34.7	10.9	22.5	4.1	15.4	1.1	0.5	3.0	3.1	11.5	11.5	2.2	5.1
H27	253.3	0.1	88.6	10.1	/	/	5.1	/	11.4	/	/	1.9	0.8	33.5	9.7	22.2	4.1	16.9	0.7	0.3	4.4	3.8	13.2	9.6	2.0	6.7
H28	245.8	0.2	83.4	7.8	/	/	4.9	/	9.7	/	/	1.8	1.0	32.0	8.7	19.6	3.0	15.3	1.1	0.5	2.9	2.7	13.7	9.9	2.0	7.6
H29	244.6	0.2	86.5	7.4	8.0	2.1	4.0	9.6	10.5	12.1	5.3	2.1	1.5	31.9	8.9	22.2	2.9	10.3	1.4	0.4	3.2	3.8	13.1	8.1	1.7	7.1
H30	236.2	0.2	86.1	7.6	8.1	3.0	3.2	8.9	12.0	13.3	5.9	1.6	1.3	33.0	8.7	19.3	2.9	8.2	1.1	0.2	3.2	3.4	14.7	8.1	1.0	6.7
R1	234.8	-	83.0	6.7	8.2	3.5	3.6	8.4	8.5	11.9	4.1	2.2	1.6	29.2	7.7	16.8	2.8	9.1	0.5	0.2	2.9	4.2	14.5	8.0	1.0	7.8
R2	690.7	0.6	196.2	17.6	20.9	7.8	9.3	27.0	28.4	16.8	8.2	6.3	5.2	104.0	24.7	57.1	10.4	29.4	3.6	0.5	7.4	10.2	74.7	17.3	0.7	7.5
R3	717.1	0.6	196.3	18.6	25.1	6.3	9.2	24.6	26.1	20.0	7.5	7.4	6.5	106.1	29.1	62.2	12.1	27.9	3.6	0.3	8.9	12.2	77.1	20.2	1.0	9.0
R4	758.9	0.8	199.2	19.8	23.5	7.0	7.8	22.4	28.1	21.3	7.5	8.0	6.6	112.6	33.2	58.1	10.8	25.2	2.2	0.7	7.2	11.8	100.4	18.1	1.8	10.4

3) 年齢階級別死亡数(選択死因)

七尾市(3年平均:令和2年~令和4年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		830.0	0.3	-	-	-	0.7	0.7	-	1.0	2.3	3.7	9.0	8.3	22.0	41.0	75.7	86.0	120.7	158.7	300.0	-
結核		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-
悪性新生物		215.3	-	-	-	-	0.3	-	-	0.7	-	1.7	3.3	3.3	10.0	20.7	33.7	34.0	36.3	36.3	35.0	-
食道		3.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	1.0	1.0	0.3	-	0.3	-
胃		25.3	-	-	-	-	-	-	-	0.3	-	-	0.7	0.3	0.3	3.0	5.7	4.0	4.3	2.3	4.3	-
結腸		24.0	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	2.7	2.3	4.0	4.3	4.7	4.3	-
直腸S状結腸移行部及び直腸		7.7	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	2.0	1.3	0.3	1.7	0.7	1.0	-
肝及び肝内胆管		11.0	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	1.7	3.0	1.3	1.0	3.0	-
胆のう及びその他の胆道		14.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	1.0	1.0	2.0	5.0	2.7	2.3	-
膵		19.0	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.3	2.3	2.0	2.0	4.7	3.3	2.0	-
気管、気管支及び肺		47.0	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.7	4.7	9.0	8.3	7.0	8.7	6.7	-
乳房		10.7	-	-	-	-	-	-	-	-	-	0.7	0.7	-	0.7	0.7	0.3	0.7	2.0	2.7	2.3	-
子宮		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	0.7	-	-	-	-
白血病		5.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	1.0	0.3	2.0	0.3	-
糖尿病		12.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.3	0.7	1.0	1.7	2.3	4.3	-
高血圧性疾患		9.0	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.3	1.0	2.0	5.3	-
心疾患(高血圧性を除く)		126.7	0.3	-	-	-	-	-	-	-	0.7	0.3	1.3	1.0	2.0	4.7	9.3	13.3	15.7	26.3	51.7	-
急性心筋梗塞		21.0	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	1.3	3.3	3.3	3.0	4.0	5.0	-
その他の虚血性心疾患		16.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.3	2.7	2.3	2.7	2.0	5.0	-
不整脈及び伝導障害		27.3	-	-	-	-	-	-	-	0.7	-	-	0.7	-	1.7	1.3	1.3	4.0	4.7	5.3	7.7	-
心不全		50.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.7	2.7	4.3	12.3	28.7	-
脳血管疾患		78.0	-	-	-	-	-	-	-	-	-	-	1.7	1.3	1.7	3.3	6.7	7.7	10.7	14.7	30.3	-
くも膜下出血		15.7	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	1.0	1.7	2.3	2.7	3.7	2.3	-
脳内出血		18.0	-	-	-	-	-	-	-	-	-	-	0.7	1.0	0.7	1.7	3.0	2.0	2.3	2.7	4.0	-
脳梗塞		46.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.3	3.7	6.3	9.3	24.3	-
大動脈瘤及び解離		13.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	1.7	3.3	3.3	2.7	-
肺炎		30.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	3.0	1.7	3.7	9.0	11.7	-
慢性閉塞性肺疾患		5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.7	0.3	0.7	1.3	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-
肝疾患		10.7	-	-	-	-	-	-	-	-	0.7	0.3	0.3	0.7	0.7	0.7	2.0	1.3	1.7	0.3	2.0	-
腎不全		13.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.7	3.7	5.7	-
老衰		78.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	6.0	14.3	57.3	-
不慮の事故		22.3	-	-	-	-	-	-	-	-	-	0.7	0.7	0.3	1.0	1.3	2.3	3.0	5.3	3.3	4.3	-
交通事故		2.7	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	-	-	1.0	0.3	-	-
自殺		4.3	-	-	-	-	0.3	0.7	-	0.3	0.3	-	-	-	0.7	0.3	0.7	0.3	-	0.3	0.3	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

羽咋市 (3年平均: 令和2年~令和4年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		360.3	0.3	-	0.7	-	0.7	0.3	0.7	-	0.7	2.7	2.7	2.7	10.3	13.3	29.7	31.7	55.3	76.3	132.3	-
結核		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-
悪性新生物		88.3	-	-	0.3	-	-	-	0.3	-	-	1.0	0.7	0.3	4.3	6.0	12.7	12.0	16.0	21.7	13.0	-
食道		4.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.3	0.7	0.7	1.0	0.3	-
胃		12.0	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	2.0	1.0	2.0	3.7	1.3	-
結腸		8.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	1.7	1.0	2.0	2.7	-
直腸S状結腸移行部及び直腸		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.3	0.7	1.0	0.7	-
肝及び肝内胆管		5.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	0.7	2.0	0.3	-
胆のう及びその他の胆道		5.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	1.3	0.7	1.3	1.7	-
膵		7.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	2.0	1.0	1.7	1.7	0.3	-
気管、気管支及び肺		15.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	2.0	2.3	2.3	3.0	4.0	1.0	-
乳房		4.0	-	-	-	-	-	-	0.3	-	-	0.7	-	-	0.7	-	0.3	0.3	1.0	0.3	0.3	-
子宮		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-
白血病		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.7	0.3	-
糖尿病		5.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.7	0.3	0.3	2.7	-
高血圧性疾患		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	1.0	-
心疾患(高血圧性を除く)		58.0	-	-	-	-	-	-	-	0.3	-	0.7	0.3	2.0	3.0	2.7	3.7	6.3	14.7	24.3	-	-
急性心筋梗塞		11.0	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	1.3	1.3	1.3	1.3	1.7	3.0	-	-
その他の虚血性心疾患		6.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	0.7	0.7	2.7	1.7	-
不整脈及び伝導障害		9.0	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	-	0.7	1.0	1.3	4.0	-
心不全		23.3	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	0.7	2.3	6.0	13.0	-	-
脳血管疾患		30.3	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	0.7	1.7	2.7	6.7	6.7	10.3	-	-
くも膜下出血		3.7	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	0.3	0.3	0.3	1.0	0.7	-	-
脳内出血		8.3	-	-	-	-	-	-	-	-	-	-	-	-	0.7	3.0	0.7	1.3	3.0	0.3	2.0	-
脳梗塞		18.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	3.3	5.3	7.3	-
大動脈瘤及び解離		4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	0.7	0.7	1.0	-
肺炎		19.7	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-	0.3	0.7	1.3	2.3	5.0	9.0	-
慢性閉塞性肺疾患		5.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	1.3	0.3	1.3	2.0	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
肝疾患		3.3	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	0.3	-	1.0	0.7	0.3	-
腎不全		4.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.3	2.3	-
老衰		41.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	1.3	5.7	32.3	-
不慮の事故		10.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	0.7	1.0	2.7	2.0	3.3	-
交通事故		1.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	-	-	0.3	-	-
自殺		5.0	-	-	-	-	0.3	0.3	-	-	0.3	0.3	0.3	1.0	0.7	0.7	0.3	0.3	-	0.3	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

志賀町(3年平均:令和2年~令和4年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		331.3	0.3	0.3	-	0.3	-	-	-	0.7	1.3	1.0	2.0	4.0	5.7	12.7	22.7	27.3	49.0	71.0	133.0	-
結核		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-
悪性新生物		69.7	-	-	-	-	-	-	-	0.3	-	-	1.3	2.7	1.3	7.0	8.3	9.0	14.0	13.3	12.3	-
食道		2.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	0.3	0.7	-	-
胃		10.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	2.7	1.3	1.7	1.7	2.0	-
結腸		4.7	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-	0.7	-	-	1.3	1.0	0.7	-
直腸S状結腸移行部及び直腸		2.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	0.7	-	-	0.3	-
肝及び肝内胆管		3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	0.3	1.0	-
胆のう及びその他の胆道		5.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	0.7	1.3	1.3	0.7	-
膵		10.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.0	0.7	2.7	2.7	1.7	1.0	-
気管、気管支及び肺		15.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	2.0	1.7	0.7	2.3	3.7	4.0	-
乳房		2.7	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-	-	-	0.3	0.3	1.0	0.3	-
子宮		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-
白血病		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	-	-
糖尿病		2.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	0.7	0.7	-
高血圧性疾患		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	1.3	1.0	-
心疾患(高血圧性を除く)		55.3	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	2.0	2.0	4.0	5.3	5.3	11.0	24.7	-
急性心筋梗塞		7.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	1.0	1.3	0.3	1.7	1.7	-
その他の虚血性心疾患		7.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.3	1.0	0.7	0.7	3.0	-
不整脈及び伝導障害		12.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.3	2.0	1.0	3.0	4.3	-
心不全		24.3	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.7	0.3	3.0	5.3	14.7	-
脳血管疾患		27.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	2.7	2.0	8.3	5.3	9.0	-
くも膜下出血		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.7	0.3	0.7	-
脳内出血		7.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.3	2.3	1.0	2.0	-
脳梗塞		18.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.7	5.3	4.0	6.3	-
大動脈瘤及び解離		4.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.3	1.3	1.7	-
肺炎		20.7	-	0.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.3	4.0	4.3	9.7	-
慢性閉塞性肺疾患		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	0.7	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-
肝疾患		1.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	0.3	0.3	-	-
腎不全		4.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	1.0	1.7	1.3	-
老衰		32.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-	7.7	23.3	-
不慮の事故		11.0	-	-	-	0.3	-	-	-	0.3	0.3	0.3	-	-	0.7	0.7	0.7	1.3	1.3	2.3	2.7	-
交通事故		1.7	-	-	-	0.3	-	-	-	-	0.3	-	-	-	-	0.3	-	-	-	0.3	0.3	-
自殺		4.3	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	-	0.3	1.3	0.7	0.3	0.7	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

宝達志水町(3年平均:令和2~令和4年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		206.3	-	-	-	0.3	-	-	-	0.3	0.7	2.3	2.7	1.7	7.0	8.7	17.3	23.0	25.3	43.0	74.0	-
結核		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		60.7	-	-	-	-	-	-	-	-	0.3	0.3	1.3	0.3	3.7	5.0	9.3	10.0	8.7	10.0	11.7	-
食道		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
胃		6.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	1.0	1.3	0.7	1.7	-
結腸		6.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	1.3	0.3	0.3	2.7	-
直腸S状結腸移行部及び直腸		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-
肝及び肝内胆管		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.3	0.3	1.3	-
胆のう及びその他の胆道		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	0.3	1.0	0.3	-
膵		7.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	1.3	1.0	1.3	2.0	-
気管、気管支及び肺		12.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	2.7	2.0	2.0	2.3	1.0	-
乳房		3.3	-	-	-	-	-	-	-	-	-	-	0.7	-	0.7	0.7	0.7	0.3	-	-	0.3	-
子宮		1.3	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.3	-	-	0.7	-
白血病		1.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	-	0.3	-	-
糖尿病		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	0.3	0.7	-
高血圧性疾患		2.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	1.0	-
心疾患(高血圧性を除く)		24.3	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	0.7	0.7	1.3	2.7	2.0	4.3	11.0	-
急性心筋梗塞		5.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	-	0.3	0.3	1.0	2.7	-
その他の虚血性心疾患		4.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	1.0	-	0.7	2.3	-
不整脈及び伝導障害		5.7	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	-	0.3	0.7	0.3	1.0	2.0	-
心不全		7.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.3	1.7	3.0	-
脳血管疾患		18.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.3	1.0	3.7	4.7	6.3	-
くも膜下出血		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	-	-
脳内出血		6.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.3	2.3	0.7	2.3	-
脳梗塞		10.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.3	1.0	3.3	4.0	-
大動脈瘤及び解離		3.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	0.3	0.7	0.3	0.3	-
肺炎		9.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	3.3	3.7	-
慢性閉塞性肺疾患		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	-	-
喘息		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
肝疾患		1.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.3	1.0	-	-
腎不全		3.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	0.7	0.7	0.7	-
老衰		21.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.3	3.0	17.0	-
不慮の事故		7.3	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	0.3	1.0	1.0	2.0	2.3	-
交通事故		0.3	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-
自殺		2.0	-	-	-	-	-	-	-	-	0.3	0.7	-	-	-	-	0.3	0.3	-	-	0.3	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

中能登町(3年平均:令和2~令和4年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		265.0	0.3	-	-	-	-	0.3	0.3	0.3	1.0	2.0	1.0	4.7	6.0	15.3	25.0	24.0	42.0	55.7	87.0	-
結核		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		65.7	-	-	-	-	-	-	-	0.3	1.0	0.7	2.7	2.0	6.0	11.7	11.3	9.7	9.7	10.7	-	-
食道		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.7	-	-	-
胃		11.0	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	0.3	2.0	1.3	3.3	1.0	1.7	-	-
結腸		9.0	-	-	-	-	-	-	-	-	0.3	0.7	0.7	-	1.0	1.3	1.7	1.0	1.3	1.0	-	-
直腸S状結腸移行部及び直腸		2.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	0.7	-	0.3	0.3	-
肝及び肝内胆管		3.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.0	0.7	-	0.7	1.0	-
胆のう及びその他の胆道		4.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.7	-	-	1.7	0.3	-
膵		5.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	1.7	0.7	0.3	0.7	0.7	-
気管、気管支及び肺		8.3	-	-	-	-	-	-	-	-	0.3	-	-	0.3	1.0	1.0	2.3	0.7	1.0	1.7	-	-
乳房		1.3	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.3	-	0.3	0.3	-	-	-
子宮		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.3	-	0.7	-
白血病		3.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	0.3	0.7	0.3	1.0	-
糖尿病		1.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-	-	0.7	-
高血圧性疾患		2.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	1.0	-
心疾患(高血圧性を除く)		40.0	-	-	-	-	-	-	-	0.7	0.3	0.3	0.7	1.3	1.7	2.3	2.0	5.7	7.3	17.7	-	-
急性心筋梗塞		3.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.3	0.7	1.0	0.3	-
その他の虚血性心疾患		4.0	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-	0.3	-	-	0.3	1.0	1.7	-
不整脈及び伝導障害		9.0	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.7	1.0	1.3	1.3	1.0	1.3	1.3	-	-
心不全		20.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	3.3	4.0	12.3	-	-
脳血管疾患		26.7	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	1.3	3.3	2.0	5.3	5.3	8.3	-
くも膜下出血		3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	-	-	0.3	1.3	-
脳内出血		8.0	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	0.7	0.7	1.0	1.7	1.7	1.3	-
脳梗塞		15.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.7	1.0	3.3	3.3	5.7	-
大動脈瘤及び解離		3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	2.0	0.3	-
肺炎		14.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	3.0	4.3	5.7	-
慢性閉塞性肺疾患		3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	0.7	1.0	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-
肝疾患		3.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	-	1.0	0.3	0.3	0.3	-
腎不全		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.7	1.0	-
老衰		26.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	5.7	18.7	-
不慮の事故		9.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	3.0	2.0	2.7	-
交通事故		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-
自殺		3.0	-	-	-	-	-	-	-	-	-	0.7	-	-	0.3	0.3	0.7	0.3	0.7	-	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

管内 (3年平均: 令和2~令和4年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		1993.0	1.3	0.3	0.7	0.7	1.3	1.3	1.0	2.3	6.0	11.7	17.3	21.3	51.0	91.0	170.3	192.0	292.3	404.7	726.3	-
結核		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	1.3	-
悪性新生物		499.7	-	-	0.3	-	0.3	-	0.3	0.7	1.0	4.0	7.3	9.3	21.3	44.7	75.7	76.3	84.7	91.0	82.7	-
食道		12.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	3.7	2.3	2.0	1.7	0.7	-
胃		65.0	-	-	-	-	-	-	-	0.3	-	0.3	0.7	0.7	2.7	6.0	12.7	8.7	12.7	9.3	11.0	-
結腸		52.3	-	-	-	-	-	-	-	-	-	0.7	1.0	2.0	1.7	5.0	4.7	8.7	8.0	9.3	11.3	-
直腸S状結腸移行部及び直腸		17.0	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	2.7	3.7	2.3	2.7	2.0	2.3	-
肝及び肝内胆管		27.0	-	-	-	-	-	-	-	-	-	-	-	-	1.3	0.3	4.7	5.3	4.3	4.3	6.7	-
胆のう及びその他の胆道		32.0	-	-	-	-	-	-	-	-	-	-	0.7	0.7	0.7	3.0	2.3	4.0	7.3	8.0	5.3	-
膵		50.3	-	-	-	-	-	-	-	-	-	-	1.0	1.7	2.0	5.3	7.7	7.7	10.3	8.7	6.0	-
気管、気管支及び肺		98.0	-	-	-	-	-	-	-	-	-	0.3	0.7	1.0	3.7	11.0	16.7	15.7	15.0	19.7	14.3	-
乳房		22.0	-	-	-	-	-	-	0.3	-	0.7	1.3	1.7	-	2.0	1.7	1.3	2.0	3.7	4.0	3.3	-
子宮		8.3	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	1.0	2.0	2.0	0.7	-	2.0	-
白血病		12.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.7	1.7	2.0	1.3	3.7	1.7	-
糖尿病		23.3	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.3	1.3	3.0	2.0	2.7	3.7	9.0	-
高血圧性疾患		17.3	-	-	-	-	-	-	-	-	-	0.3	-	-	1.0	0.3	-	0.3	1.7	4.3	9.3	-
心疾患(高血圧性を除く)		304.3	0.3	-	-	-	-	-	-	0.3	1.7	1.0	3.3	3.0	8.0	12.0	19.7	27.0	35.0	63.7	129.3	-
急性心筋梗塞		48.0	-	-	-	-	-	-	-	-	0.3	0.3	1.3	0.7	1.3	3.7	6.0	6.7	5.7	9.3	12.7	-
その他の虚血性心疾患		39.0	-	-	-	-	-	-	-	-	0.3	-	0.7	1.0	1.0	2.7	3.3	5.0	4.3	7.0	13.7	-
不整脈及び伝導障害		63.7	-	-	-	-	-	-	-	-	1.0	0.7	1.0	0.7	4.3	3.7	4.3	8.7	8.0	12.0	19.3	-
心不全		126.0	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.7	1.0	4.0	4.3	14.3	29.3	71.7	-
脳血管疾患		180.7	-	-	-	-	-	-	-	0.3	-	-	2.0	2.0	3.7	6.0	15.7	15.3	34.7	36.7	64.3	-
くも膜下出血		22.7	-	-	-	-	-	-	-	-	-	-	1.3	0.7	0.7	1.3	3.3	2.7	3.3	5.0	4.3	-
脳内出血		48.0	-	-	-	-	-	-	-	0.3	-	-	0.7	1.3	2.3	2.7	6.0	5.0	11.7	6.3	11.7	-
脳梗塞		107.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	5.7	7.7	19.3	25.3	47.7	-
大動脈瘤及び解離		28.0	-	-	-	-	-	-	-	-	-	-	-	-	1.3	1.3	3.0	3.3	5.3	7.7	6.0	-
肺炎		94.3	-	0.3	-	-	-	-	-	-	-	0.7	0.3	-	-	2.3	5.3	5.7	14.0	26.0	39.7	-
慢性閉塞性肺疾患		17.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	3.7	1.3	5.7	5.0	-
喘息		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	-
肝疾患		20.7	-	-	-	-	-	-	-	-	0.7	0.7	0.3	2.0	1.3	1.7	2.3	2.7	3.7	2.7	2.7	-
腎不全		28.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	2.3	1.7	3.7	8.7	12.0	-
老衰		199.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	3.0	9.3	36.3	148.7	-
不慮の事故		60.3	-	-	-	0.3	-	-	-	0.3	0.3	1.3	1.3	0.3	1.7	3.0	4.7	6.7	13.3	11.7	15.3	-
交通事故		7.0	-	-	-	0.3	-	-	-	-	0.3	0.7	0.3	-	0.3	1.0	0.7	-	1.7	1.3	0.3	-
自殺		18.7	-	-	-	-	0.7	1.0	-	0.3	1.3	2.0	0.3	1.3	1.7	1.7	3.3	2.0	1.0	1.3	0.7	-

資料: 能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

石川県(3年平均:令和2~令和4年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		13417.0	14.7	4.7	4.7	7.3	18.0	15.7	24.3	33.0	53.3	124.3	148.7	204.7	338.7	564.7	1244.0	1460.3	1960.3	2705.3	4490.3	-
結核		16.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	1.0	4.7	8.7	-
悪性新生物		3573.7	0.7	0.7	0.7	1.3	1.7	2.0	4.3	6.7	16.0	43.0	54.7	84.3	154.0	267.7	556.7	590.0	602.0	620.0	567.3	-
食道		91.3	-	-	-	-	-	-	-	-	-	0.7	0.7	3.7	4.3	10.3	16.3	18.0	16.0	12.7	8.7	-
胃		411.7	-	-	-	-	0.3	0.3	0.3	1.0	2.7	4.3	3.3	7.0	15.7	34.0	65.3	65.7	70.3	78.0	63.7	-
結腸		365.3	-	-	-	-	-	-	-	0.3	0.7	4.0	5.0	7.3	15.0	25.0	52.0	51.7	63.7	62.3	78.3	-
直腸S状結腸移行部及び直腸		140.0	-	-	-	-	-	-	-	0.3	1.3	1.3	2.0	6.0	7.0	13.0	28.7	20.7	23.0	19.0	17.7	-
肝及び肝内胆管		203.0	-	-	-	-	-	-	0.3	-	0.3	1.3	1.0	3.7	7.3	10.7	29.3	35.0	37.3	41.7	35.0	-
胆のう及びその他の胆道		186.0	-	-	-	-	-	-	-	-	-	0.7	1.7	2.0	5.3	9.0	19.3	31.7	34.7	43.7	38.0	-
膵		374.0	-	-	-	-	-	-	-	0.7	1.0	2.3	5.7	9.7	18.0	31.7	70.0	64.0	68.0	51.7	51.3	-
気管、気管支及び肺		724.0	-	-	-	-	-	-	-	1.3	1.3	5.0	6.0	12.0	26.7	59.7	132.3	141.7	115.3	121.3	101.3	-
乳房		134.0	-	-	-	-	-	-	0.7	0.7	2.7	6.3	9.0	6.0	11.7	14.0	20.7	15.0	13.7	15.3	18.3	-
子宮		52.3	-	-	-	-	-	-	0.3	0.3	1.0	3.0	2.7	5.3	4.0	3.3	6.7	6.0	7.0	6.0	6.7	-
白血病		85.7	-	0.3	0.3	0.3	0.3	0.3	0.7	-	0.7	1.0	2.0	2.0	3.0	8.3	14.7	15.3	16.0	12.3	8.0	-
糖尿病		141.0	-	-	-	-	-	-	0.3	-	-	1.3	3.0	3.3	6.0	7.0	18.3	19.7	22.7	28.7	30.7	-
高血圧性疾患		99.7	-	-	-	-	-	-	0.3	-	0.3	0.7	1.7	0.7	3.0	5.3	7.0	7.0	12.0	17.7	44.0	-
心疾患(高血圧性を除く)		1987.0	0.3	-	0.3	0.3	-	1.3	1.3	1.3	7.0	12.0	20.3	25.7	36.0	64.7	136.3	185.0	261.3	416.0	818.0	-
急性心筋梗塞		390.7	-	-	-	-	-	-	-	0.3	2.7	5.7	9.3	10.0	10.3	24.7	45.3	58.0	65.7	76.0	82.7	-
その他の虚血性心疾患		233.3	-	-	-	-	-	-	-	-	0.7	0.7	3.0	5.0	7.0	13.7	24.3	29.0	36.3	44.3	69.3	-
不整脈及び伝導障害		304.7	-	-	-	-	-	0.3	0.3	0.7	2.7	3.0	4.0	3.7	8.3	14.0	22.3	28.7	41.7	64.7	110.3	-
心不全		854.3	-	-	-	0.3	-	-	0.3	0.3	0.7	1.7	2.3	5.0	4.3	7.7	29.7	48.3	94.7	186.7	472.3	-
脳血管疾患		1070.3	-	0.3	-	0.3	-	0.3	1.0	1.7	2.7	9.7	10.7	11.7	21.0	37.3	94.7	101.0	177.3	235.0	365.7	-
くも膜下出血		103.7	-	-	-	-	-	-	0.3	1.0	1.3	4.7	5.3	3.0	5.0	6.7	15.0	11.7	16.7	17.0	16.0	-
脳内出血		299.7	-	0.3	-	0.3	-	0.3	0.3	0.7	1.0	4.7	4.7	8.0	11.3	17.7	36.7	34.3	55.3	52.7	71.3	-
脳梗塞		646.7	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	0.7	3.7	12.0	39.7	54.0	102.3	160.7	272.3	-
大動脈瘤及び解離		186.0	-	-	-	-	-	-	0.3	0.3	-	1.7	2.0	3.7	7.3	14.3	19.0	17.7	32.3	39.7	47.7	-
肺炎		668.7	0.7	0.3	0.3	-	-	-	0.3	-	0.7	1.7	1.7	3.7	6.0	10.3	33.7	63.0	105.3	164.0	277.0	-
慢性閉塞性肺疾患		137.0	-	-	-	-	-	-	-	-	-	-	0.3	-	2.0	4.7	13.7	18.3	26.0	36.7	35.3	-
喘息		9.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	1.3	0.3	3.0	4.7	-
肝疾患		140.0	0.7	-	-	-	-	-	0.3	1.7	3.7	4.3	8.3	10.7	8.7	13.3	18.3	19.0	19.3	15.7	16.0	-
腎不全		221.3	-	-	-	-	-	-	-	0.3	0.3	1.3	-	2.3	3.0	6.0	19.3	18.7	33.7	54.3	82.0	-
老衰		1345.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.7	11.0	29.7	90.7	255.0	957.0	-
不慮の事故		382.3	1.7	1.0	0.7	1.3	2.3	1.0	2.0	3.3	3.0	8.0	7.3	8.0	14.3	17.3	38.0	42.0	66.7	74.3	90.0	-
交通事故		38.0	-	0.3	-	0.3	2.0	0.7	1.3	1.0	1.0	2.7	2.0	1.7	3.3	2.7	3.7	4.3	5.3	4.0	1.7	-
自殺		168.3	-	-	2.0	3.0	11.0	7.7	11.7	11.0	9.0	20.7	13.0	14.7	12.7	8.7	14.3	13.0	8.7	4.3	3.0	-

資料:能登中部保健福祉センター算出

4)標準化死亡比(ベイズ推定値)

主要死因・性別(平成25年～平成29年)

資料:人口動態統計特殊報告

(男)

市町	全死因	悪性新生物<腫瘍>					心疾患(高血圧性を除く)			脳血管疾患			肺炎	肝疾患	腎不全	老衰	不慮の事故	自殺
		総数	胃	大腸	肝及び肝内胆管	気管、気管支及び肺	総数	急性心筋梗塞	心不全	総数	脳内出血	脳梗塞						
七尾市	98.4	102.7	115.4	103.6	81.9	110.9	101.9	124.0	90.2	114.4	88.0	116.8	77.9	85.5	76.3	77.8	118.3	94.6
羽咋市	103.7	103.3	122.7	100.3	91.0	101.1	99.8	128.5	93.7	115.6	110.1	116.1	97.2	80.9	73.5	98.6	113.4	115.4
志賀町	98.3	94.8	109.8	87.9	77.9	105.6	100.7	93.9	101.8	121.6	92.1	136.9	100.4	68.0	79.9	76.8	104.4	105.5
宝達志水町	97.4	100.9	101.4	86.9	100.5	107.8	88.4	115.8	82.8	106.2	100.3	110.9	93.5	80.6	86.9	90.8	110.5	101.9
中能登町	100.0	100.2	127.5	103.4	72.0	95.0	99.2	77.0	101.2	121.8	115.7	122.4	90.0	83.9	83.1	78.5	123.7	90.4
管内	99.9	101.3	121.5	96.3	83.1	105.8	100.7	114.3	89.9	121.0	101.1	124.7	85.1	81.7	74.9	82.5	117.6	110.2
石川県	97.5	99.6	106.9	98.7	85.2	103.7	95.4	126.9	98.7	107.5	96.2	115.5	96.5	78.8	83.9	85.6	107.9	91.2
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

(女)

市町	全死因	悪性新生物<腫瘍>					心疾患(高血圧性を除く)			脳血管疾患			肺炎	肝疾患	腎不全	老衰	不慮の事故	自殺
		総数	胃	大腸	肝及び肝内胆管	気管、気管支及び肺	総数	急性心筋梗塞	心不全	総数	脳内出血	脳梗塞						
七尾市	101.5	104.3	115.9	109.8	91.4	101.2	100.2	110.4	94.4	130.3	103.0	138.9	62.7	101.6	91.1	83.6	115.6	74.5
羽咋市	94.7	98.9	101.7	99.9	87.0	86.8	96.9	114.0	93.4	116.3	97.0	127.8	88.6	97.3	82.5	93.1	101.8	82.5
志賀町	99.0	92.5	103.4	80.8	82.3	89.8	106.7	93.9	113.3	104.6	98.8	109.7	96.3	97.6	86.5	96.6	103.8	97.4
宝達志水町	102.4	114.1	112.3	110.2	97.7	93.8	96.3	115.8	91.2	113.5	102.5	124.5	87.4	100.4	91.6	92.0	103.3	81.8
中能登町	100.9	110.9	124.7	117.0	99.0	94.1	92.6	77.0	101.1	121.3	105.0	122.7	91.7	109.3	86.5	89.3	112.9	91.6
管内	100.5	104.0	112.5	103.3	92.7	89.0	98.8	93.7	97.0	101.1	106.7	132.9	80.3	108.1	87.0	89.8	115.9	83.5
石川県	97.5	102.6	111.0	104.5	90.2	99.3	100.0	123.6	102.6	107.4	96.6	116.4	85.1	96.9	88.8	88.2	97.8	85.7
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100