

6 疾患別死亡の状況

1) 疾患別死亡数・死亡率(七尾市)

死亡数(総数)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	801	794	785	837	863	804	824	786	787	792
結核	0	1	1	1	0	1	1	3	0	0
悪性新生物	226	230	201	232	239	208	228	205	207	214
胃	37	33	40	32	39	39	24	27	34	16
結腸	27	17	12	17	17	20	22	19	19	18
直腸S状結腸移行部	11	8	9	12	13	6	14	12	8	9
肝及び肝内胆管	18	21	19	19	13	10	18	14	9	11
気管、気管支及び肺	39	45	25	37	50	44	48	46	40	48
乳	5	4	2	9	3	5	7	6	12	9
子宮	1	4	6	4	6	1	9	2	2	4
前立腺	5	6	5	8	4	6	5	6	3	4
糖尿病	14	8	8	5	8	8	5	14	7	14
高血圧性疾患	4	4	4	7	6	4	14	9	10	9
心疾患(高血圧性除く)	128	121	141	122	145	117	133	135	118	116
急性心筋梗塞	14	19	25	20	24	13	14	20	17	21
その他虚血性心疾患	25	22	14	14	13	11	13	16	13	15
脳血管疾患	83	96	95	99	93	88	71	80	73	76
<も膜下出血	8	10	10	11	13	4	9	14	10	12
脳内出血	16	21	20	26	20	24	17	18	13	14
脳梗塞	59	64	63	60	59	59	44	48	49	49
肺炎	51	65	72	83	79	66	49	27	33	32
肝疾患	10	13	6	7	5	7	5	3	9	7
腎不全	20	17	14	14	14	16	12	10	17	14
老衰	62	44	67	55	62	75	79	64	75	76
不慮の事故	46	29	22	41	40	32	23	35	32	16
交通事故	4	5	5	7	5	1	0	3	2	2
自殺	15	15	8	9	13	9	9	13	9	6

死亡率(総数)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1414.9	1420.0	1424.1	1505.9	1571.8	1486.7	1551.5	1503.6	1532.1	1596.2
結核	0.0	1.8	1.8	1.8	0.0	1.8	1.9	5.7	0.0	0.0
悪性新生物	399.2	411.3	364.6	417.4	435.3	384.6	429.3	392.1	403.0	431.3
胃	65.4	59.0	72.6	57.6	71.0	72.1	45.2	51.6	66.2	32.2
結腸	47.7	30.4	21.8	30.6	31.0	37.0	41.4	36.3	37.0	36.3
直腸S状結腸移行部	19.4	14.3	16.3	21.6	23.7	11.1	26.4	23.0	15.6	18.1
肝及び肝内胆管	31.8	37.6	34.5	34.2	23.7	18.5	33.9	26.8	17.5	22.2
気管、気管支及び肺	68.9	80.5	45.4	66.6	91.1	81.4	90.4	88.0	77.9	96.7
乳	8.8	7.2	3.6	16.2	5.5	9.2	13.2	11.5	23.4	18.1
子宮	1.8	7.2	10.9	7.2	10.9	1.8	16.9	3.8	3.9	8.1
前立腺	8.8	10.7	9.1	14.4	7.3	11.1	9.4	11.5	5.8	8.1
糖尿病	24.7	14.3	14.5	9.0	14.6	14.8	9.4	26.8	13.6	28.2
高血圧性疾患	7.1	7.2	7.3	12.6	10.9	7.4	26.4	17.2	19.5	18.1
心疾患(高血圧性除く)	226.1	216.4	255.8	219.5	264.1	216.4	250.4	258.2	229.7	233.8
急性心筋梗塞	24.7	34.0	45.4	36.0	43.7	24.0	26.4	38.3	33.1	42.3
その他虚血性心疾患	44.2	39.3	25.4	25.2	23.7	20.3	24.5	30.6	25.3	30.2
脳血管疾患	146.6	171.7	172.3	178.1	169.4	162.7	133.7	153.0	142.1	153.2
<も膜下出血	14.1	17.9	18.1	19.8	23.7	7.4	16.9	26.8	19.5	24.2
脳内出血	28.3	37.6	36.3	46.8	36.4	44.4	32.0	34.4	25.3	28.2
脳梗塞	104.2	114.5	114.3	107.9	107.5	109.1	82.8	91.8	95.4	98.8
肺炎	90.1	116.2	130.6	149.3	143.9	122.0	92.3	51.6	64.2	64.5
肝疾患	17.7	23.2	10.9	12.6	9.1	12.9	9.4	5.7	17.5	14.1
腎不全	35.3	30.4	25.4	25.2	25.5	29.6	22.6	19.1	33.1	28.2
老衰	109.5	78.7	121.5	99.0	112.9	138.7	148.7	122.4	146.0	153.2
不慮の事故	81.3	51.9	39.9	73.8	72.9	59.2	43.3	67.0	62.3	32.2
交通事故	7.1	8.9	9.1	12.6	9.1	1.8	0.0	5.7	3.9	4.0
自殺	26.5	26.8	14.5	16.2	23.7	16.6	16.9	24.9	17.5	12.1

死亡数(男)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	403	405	366	398	414	429	378	369	372	393
結核	0	0	1	1	0	0	0	1	0	0
悪性新生物	126	133	110	123	129	136	128	112	116	134
胃	26	18	25	20	22	26	15	17	23	13
結腸	11	10	6	4	6	11	9	8	10	10
直腸S状結腸移行部	5	6	3	5	10	4	9	3	4	9
肝及び肝内胆管	14	15	9	12	9	7	13	8	4	7
気管、気管支及び肺	28	34	18	22	38	34	32	36	31	32
乳	0	0	0	0	0	0	0	0	0	0
子宮	1	4	6	4	6	1	9	2	2	4
前立腺	5	6	5	8	4	6	5	6	3	4
糖尿病	8	5	4	3	6	6	0	8	4	10
高血圧性疾患	2	2	1	4	1	1	4	2	3	1
心疾患(高血圧性除く)	61	45	66	48	59	53	48	62	59	55
急性心筋梗塞	8	7	11	13	14	8	6	12	8	15
その他虚血性心疾患	12	9	6	4	7	5	5	10	7	6
脳血管疾患	37	45	39	43	35	51	37	29	34	29
<も膜下出血	2	3	4	3	5	1	3	6	5	5
脳内出血	8	12	10	14	9	18	10	6	9	5
脳梗塞	27	29	24	24	20	31	23	17	19	19
肺炎	29	37	41	42	46	40	25	15	15	24
肝疾患	6	4	2	5	3	2	2	1	6	6
腎不全	8	7	6	5	8	9	3	5	5	6
老衰	20	14	11	12	14	20	21	16	19	15
不慮の事故	28	17	12	23	23	22	14	22	13	10
交通事故	3	3	3	4	4	1	0	0	1	2
自殺	8	10	6	7	11	6	9	9	6	6

死亡率(男)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1507.7	1534.4	1405.7	1538.8	1583.5	1676.3	1502.9	1487.4	1524.8	1653.3
結核	0.0	0.0	3.8	3.9	0.0	0.0	0.0	4.0	0.0	0.0
悪性新生物	471.4	503.9	422.5	475.5	493.4	531.4	508.9	451.5	475.5	563.7
胃	97.3	68.2	96.0	77.3	84.1	101.6	59.6	68.5	94.3	54.7
結腸	41.2	37.9	23.0	15.5	22.9	43.0	35.8	32.2	41.0	42.1
直腸S状結腸移行部	18.7	22.7	11.5	19.3	38.2	15.6	35.8	12.1	16.4	37.9
肝及び肝内胆管	52.4	56.8	34.6	46.4	34.4	27.4	51.7	32.2	16.4	29.4
気管、気管支及び肺	104.8	128.8	69.1	85.1	145.3	132.9	127.2	145.1	127.1	134.6
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	1.8	7.2	10.9	7.2	10.9	1.8	16.9	3.8	3.9	8.1
前立腺	8.8	10.7	9.1	14.4	7.3	11.1	9.4	11.5	5.8	8.1
糖尿病	29.9	18.9	15.4	11.6	22.9	23.4	0.0	32.2	16.4	42.1
高血圧性疾患	7.5	7.6	3.8	15.5	3.8	3.9	15.9	8.1	12.3	4.2
心疾患(高血圧性除く)	228.2	170.5	253.5	185.6	225.7	207.1	190.8	249.9	241.8	231.4
急性心筋梗塞	29.9	26.5	42.2	50.3	53.5	31.3	23.9	48.4	32.8	63.1
その他虚血性心疾患	44.9	34.1	23.0	15.5	26.8	19.5	19.9	40.3	28.7	25.2
脳血管疾患	138.4	170.5	149.8	166.2	133.9	199.3	147.1	116.9	139.4	122.0
<も膜下出血	7.5	11.4	15.4	11.6	19.1	3.9	11.9	24.2	20.5	21.0
脳内出血	29.9	45.5	38.4	54.1	34.4	70.3	39.8	24.2	36.9	21.0
脳梗塞	101.0	109.9	92.2	92.8	76.5	121.1	91.4	68.5	77.9	79.9
肺炎	108.5	140.2	157.5	162.4	175.9	156.3	99.4	60.5	61.5	101.0
肝疾患	22.4	15.2	7.7	19.3	11.5	7.8	8.0	4.0	24.6	25.2
腎不全	29.9	26.5	23.0	19.3	30.6	35.2	11.9	20.2	20.5	25.2
老衰	74.8	53.0	42.2	46.4	53.5	78.1	83.5	64.5	77.9	63.1
不慮の事故	104.8	64.4	46.1	88.9	88.0	86.0	55.7	88.7	53.3	42.1
交通事故	11.2	11.4	11.5	15.5	15.3	3.9	0.0	4.1	8.4	8.4
自殺	29.9	37.9	23.0	27.1	42.1	23.4	35.8	36.3	24.6	25.2

死亡数(女)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	398	389	419	439	449	375	446	417	415	399
結核	0	1	0	0	0	1	1	2	0	0
悪性新生物	100	97	91	109	110	72	100	93	91	80
胃	11	15	15	12	17	13	9	10	11	3
結腸	16	7	6	13	11	9	13	11	9	8
直腸S状結腸移行部	6	2	6	7	3	2	5	9	4	0
肝及び肝内胆管	4	6	10	7	4	3	5	6	5	4
気管、気管支及び肺	11	11	7	15	12	10	16	10	9	16
乳	5	4	2	9	3	5	7	6	12	9
子宮	1	4	6	4	6	1	9	2	2	4
前立腺	5	6	5	8	4	6	5	6	3	4
糖尿病	6	3	4	2	2	2	5	6	3	4
高血圧性疾患	2	2	3	3	5	3	10	7	7	8
心疾患(高血圧性除く)	67	76	75	74	86	64	85	73	59	61
急性心筋梗塞	6	12	14	7	10	5	8	8	9	6
その他虚血性心疾患	13	13	8	10	6	6	6	6	6	9
脳血管疾患	46	51	56	56	58	37	34	51		

1) 疾患別死亡数・死亡率(羽咋市)

死亡数(総数)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	287	302	318	300	313	279	317	328	303	352
結核	1	1	0	0	0	0	0	0	0	0
悪性新生物	84	96	87	75	96	84	91	87	87	82
胃	12	18	17	12	14	12	11	12	9	9
結腸	7	4	5	2	4	9	12	8	4	9
直腸S状結腸移行部	5	1	3	1	1	3	1	4	5	3
肝及び肝内胆管	4	8	2	4	3	5	4	6	4	4
気管、気管支及び肺	19	18	19	21	24	18	14	13	15	11
乳	2	5	3	2	2	3	4	3	7	4
子宮	0	3	1	3	0	1	1	2	3	1
前立腺	5	1	1	2	1	3	0	0	3	4
糖尿病	5	2	4	2	1	1	4	2	4	4
高血圧性疾患	0	2	0	3	0	0	1	0	1	2
心疾患(高血圧性除く)	43	42	49	43	57	44	57	49	39	70
急性心筋梗塞	10	7	9	8	9	6	11	7	4	11
その他虚血性心疾患	8	6	6	11	12	4	10	9	6	9
脳血管疾患	26	37	21	33	35	30	25	39	29	23
<も膜下出血	3	2	0	6	8	6	5	5	3	3
脳内出血	6	10	4	6	7	6	7	9	8	7
脳梗塞	17	24	17	20	17	14	13	25	18	13
肺炎	25	20	34	30	28	20	23	22	18	21
肝疾患	2	2	1	4	1	4	4	3	4	3
腎不全	5	3	8	16	6	2	9	4	5	5
老衰	42	23	34	21	37	23	29	35	34	33
不慮の事故	7	10	23	10	10	17	12	10	10	14
交通事故	2	1	5	1	1	2	1	0	1	2
自殺	7	5	2	2	3	3	2	2	5	4

死亡率(総数)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1263.4	1343.5	1429.9	1343.8	1444.9	1305.4	1506.4	1588.5	1489.4	1737.2
結核	4.4	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	369.8	427.1	391.2	336.0	397.0	393.0	384.9	421.3	427.6	404.7
胃	52.8	80.1	76.4	53.8	64.6	56.1	52.3	58.1	44.2	44.4
結腸	30.8	17.8	22.5	9.0	18.5	42.1	57.0	38.7	19.7	44.4
直腸S状結腸移行部	22.0	4.4	13.5	4.5	4.6	14.0	4.8	19.4	24.6	14.8
肝及び肝内胆管	17.6	35.6	9.0	17.9	13.8	23.4	19.0	29.1	19.7	19.7
気管、気管支及び肺	83.6	80.1	85.4	94.1	110.8	84.2	66.5	63.0	73.7	54.3
乳	8.8	22.2	13.5	9.0	9.2	14.0	19.0	14.5	34.4	19.7
子宮	0.0	13.3	4.5	13.4	0.0	4.7	4.8	9.7	14.7	4.9
前立腺	22.0	4.4	4.5	9.0	4.6	14.0	0.0	0.0	14.7	19.7
糖尿病	22.0	8.9	18.0	9.0	4.6	4.7	19.0	9.7	19.7	19.7
高血圧性疾患	0.0	8.9	0.0	13.4	0.0	0.0	4.8	0.0	4.9	9.9
心疾患(高血圧性除く)	189.3	186.8	220.3	192.6	263.1	205.9	270.9	237.3	191.7	345.5
急性心筋梗塞	44.0	31.1	40.5	35.8	41.5	28.1	52.3	33.9	19.7	54.3
その他虚血性心疾患	35.2	26.7	27.0	49.3	55.4	18.7	47.5	43.6	29.5	44.4
脳血管疾患	114.5	164.6	94.4	147.8	161.6	140.4	118.8	188.9	142.5	113.5
<も膜下出血	13.2	8.9	0.0	26.9	36.9	28.1	23.8	24.2	14.7	14.8
脳内出血	26.4	44.5	18.0	26.9	32.3	28.1	33.3	43.6	39.3	34.5
脳梗塞	74.8	106.8	76.4	89.6	78.5	65.5	61.8	121.1	88.5	64.2
肺炎	110.1	89.0	152.9	134.4	129.3	93.6	109.3	106.5	88.5	103.6
肝疾患	8.8	8.9	4.5	17.9	4.6	18.7	19.0	14.5	19.7	14.8
腎不全	22.0	13.3	36.0	71.7	27.7	9.4	42.8	19.4	24.6	24.7
老衰	184.9	102.3	152.9	94.1	170.8	107.6	137.8	169.5	167.1	162.9
不慮の事故	30.8	44.5	103.4	44.8	46.2	79.5	57.0	48.4	49.2	69.1
交通事故	8.8	4.4	22.5	4.5	4.6	9.4	4.8	0.0	4.9	9.9
自殺	30.8	22.2	9.0	9.0	13.8	14.0	9.5	9.7	24.6	19.7

死亡数(男)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	132	143	160	160	145	139	168	174	139	193
結核	0	1	0	0	0	0	0	0	0	0
悪性新生物	52	56	51	47	49	50	39	49	48	48
胃	9	12	11	9	8	10	6	8	7	7
結腸	4	3	2	1	3	2	6	4	1	7
直腸S状結腸移行部	3	1	3	1	1	2	1	4	2	1
肝及び肝内胆管	4	5	1	2	2	3	3	3	2	4
気管、気管支及び肺	12	14	14	15	15	13	10	8	14	8
乳	0	0	0	0	0	0	1	0	0	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	5	1	1	2	1	3	0	0	3	4
糖尿病	2	2	2	1	0	0	4	2	3	3
高血圧性疾患	0	1	0	0	0	0	1	0	0	2
心疾患(高血圧性除く)	13	16	26	18	20	22	30	19	12	37
急性心筋梗塞	2	3	6	3	3	4	8	4	2	9
その他虚血性心疾患	7	2	2	7	7	1	7	3	3	4
脳血管疾患	9	16	12	15	15	14	14	21	13	13
<も膜下出血	2	2	0	1	4	2	2	1	3	2
脳内出血	5	3	2	3	2	1	6	6	5	3
脳梗塞	2	11	10	11	7	8	6	14	5	8
肺炎	15	7	17	19	15	9	16	13	10	8
肝疾患	2	1	0	3	1	3	4	2	2	2
腎不全	0	2	4	13	2	1	6	3	2	3
老衰	7	6	13	5	11	7	10	7	13	8
不慮の事故	7	6	9	5	4	6	7	7	3	10
交通事故	2	0	3	1	0	0	0	0	0	2
自殺	5	1	2	1	2	3	1	1	4	3

死亡率(男)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1232.3	1346.0	1524.4	1541.4	1411.2	1373.1	1685.6	1780.4	1442.1	2006.0
結核	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	485.4	527.1	485.9	452.8	476.9	493.9	391.3	501.4	498.0	498.9
胃	84.0	113.0	104.8	86.7	77.9	98.8	60.2	81.9	72.6	72.8
結腸	37.3	28.2	19.1	9.6	29.2	19.8	60.2	40.9	10.4	72.8
直腸S状結腸移行部	28.0	9.4	28.6	9.6	9.7	19.8	10.0	40.9	20.7	10.4
肝及び肝内胆管	37.3	47.1	9.5	19.3	19.5	29.6	30.1	30.7	20.7	41.6
気管、気管支及び肺	112.0	131.8	133.4	144.5	146.0	128.4	100.3	81.9	145.2	83.2
乳	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0
子宮	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	46.7	9.4	9.5	19.3	9.7	29.6	0.0	0.0	31.1	41.6
糖尿病	18.7	18.8	19.1	9.6	0.0	0.0	40.1	20.5	31.1	31.2
高血圧性疾患	0.0	9.4	0.0	0.0	0.0	0.0	10.0	0.0	0.0	20.8
心疾患(高血圧性除く)	121.4	150.6	247.7	173.4	194.6	217.3	301.0	194.4	124.5	384.6
急性心筋梗塞	18.7	28.2	57.2	28.9	29.2	39.5	80.3	40.9	20.7	93.5
その他虚血性心疾患	65.3	18.8	19.1	67.4	68.1	9.9	70.2	30.7	31.1	41.6
脳血管疾患	84.0	150.6	114.3	144.5	146.0	138.3	140.5	214.9	134.9	135.1
<も膜下出血	18.7	18.8	0.0	9.6	38.9	19.8	20.1	10.2	31.1	20.8
脳内出血	46.7	28.2	19.1	28.9	19.5	9.9	60.2	61.4	51.9	31.2
脳梗塞	18.7	103.5	95.3	106.0	68.1	79.0	60.2	143.3	51.9	83.2
肺炎	140.0	65.9	162.0	183.0	146.0	88.9	160.5	133.0	103.7	83.2
肝疾患	18.7	9.4	0.0	28.9	9.7	29.6	40.1	20.5	20.7	20.8
腎不全	0.0	18.8	38.1	125.2	19.5	9.9	60.2	30.7	20.7	31.2
老衰	65.3	56.5	123.9	48.2	107.1	69.1	100.3	71.6	134.9	83.2
不慮の事故	65.3	56.5	85.7	48.2	38.9	59.3	70.2	71.6	31.1	103.9
交通事故	18.7	0.0	28.6	9.6	0.0	0.0	0.0	0.0	0.0	20.8
自殺	46.7	9.4	19.1	9.6	19.5	29.6	10.0	10.2	41.5	31.2

死亡数(女)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	155	159	158	140	168	140	149	154	164	159
結										

1) 疾患別死亡数・死亡率(志賀町)

死亡数(総数)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	358	362	374	345	314	343	316	363	358	321
結核	0	0	1	0	0	0	1	1	1	0
悪性新生物	85	86	111	104	73	89	70	82	87	79
胃	15	13	20	15	12	9	12	8	10	12
結腸	8	10	10	7	7	4	4	8	6	7
直腸S状結腸移行部	5	2	2	2	1	4	4	3	2	5
肝及び肝内胆管	3	2	4	2	5	9	4	4	5	3
気管、気管支及び肺	17	17	22	26	13	14	14	19	21	16
乳	2	2	1	4	1	2	0	1	3	4
子宮	2	1	2	1	0	1	1	4	0	0
前立腺	2	3	3	3	1	6	3	0	1	1
糖尿病	4	3	1	3	1	3	2	1	1	2
高血圧性疾患	0	0	1	1	1	0	0	3	1	4
心疾患(高血圧性除く)	48	50	57	45	42	53	52	71	51	48
急性心筋梗塞	9	11	13	11	8	6	8	6	5	5
その他虚血性心疾患	5	3	6	4	3	6	3	14	6	6
脳血管疾患	38	40	33	28	29	22	22	31	37	29
くも膜下出血	6	3	3	2	5	3	4	5	4	3
脳内出血	8	13	13	8	12	5	4	8	7	8
脳梗塞	24	24	16	18	12	13	14	18	26	18
肺炎	76	75	61	58	57	32	30	20	28	18
肝疾患	1	2	4	5	3	1	2	4	3	2
腎不全	12	7	8	6	6	11	3	8	5	4
老衰	19	20	20	13	30	36	41	47	42	28
不慮の事故	13	17	12	10	11	14	16	7	9	14
交通事故	2	3	3	2	4	2	2	1	2	2
自殺	4	6	7	3	1	2	1	5	3	4

死亡数(男)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	174	179	200	169	138	167	171	181	163	146
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	55	47	74	60	52	56	46	55	50	46
胃	11	2	16	10	8	3	7	8	6	8
結腸	3	7	6	5	4	3	4	3	3	6
直腸S状結腸移行部	4	2	2	2	1	3	3	2	1	3
肝及び肝内胆管	2	2	3	1	5	6	2	3	3	2
気管、気管支及び肺	11	12	16	19	9	11	11	16	17	12
乳	0	0	0	0	0	0	0	0	0	0
子宮	2	1	2	1	0	1	1	4	0	0
前立腺	2	3	3	3	1	6	3	0	1	1
糖尿病	1	3	0	0	1	2	1	0	1	1
高血圧性疾患	0	0	1	0	0	0	0	2	1	1
心疾患(高血圧性除く)	15	18	26	21	13	18	25	32	20	16
急性心筋梗塞	4	6	8	3	3	2	6	4	1	3
その他虚血性心疾患	3	0	5	4	0	1	1	7	4	3
脳血管疾患	17	18	14	15	11	11	12	20	16	12
くも膜下出血	1	0	0	1	1	1	1	1	2	2
脳内出血	3	5	6	5	7	5	3	4	3	4
脳梗塞	13	13	7	9	3	5	8	15	11	6
肺炎	36	39	31	23	18	16	13	10	15	12
肝疾患	1	2	4	4	2	1	1	1	1	1
腎不全	6	6	1	4	2	6	1	5	1	2
老衰	3	5	6	3	4	6	15	9	9	4
不慮の事故	9	12	9	5	5	9	10	3	4	7
交通事故	2	2	3	1	2	1	1	0	1	1
自殺	4	5	6	3	0	2	1	2	1	4

死亡数(女)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	184	183	174	176	176	176	145	182	195	175
結核	0	0	1	0	0	0	1	1	1	0
悪性新生物	30	39	37	44	21	33	24	27	37	33
胃	4	11	4	5	4	6	5	0	4	4
結腸	5	3	4	2	3	1	0	5	3	1
直腸S状結腸移行部	1	0	0	0	0	1	1	1	1	2
肝及び肝内胆管	1	0	1	1	0	3	2	1	2	1
気管、気管支及び肺	6	5	6	7	4	3	3	3	4	4
乳	2	2	1	4	1	2	0	1	3	4
子宮	2	1	2	1	0	1	1	4	0	0
前立腺	2	3	3	3	1	6	3	0	1	1
糖尿病	3	0	1	3	0	1	1	1	0	1
高血圧性疾患	0	0	0	1	1	0	0	1	0	3
心疾患(高血圧性除く)	33	32	31	24	29	35	27	39	31	32
急性心筋梗塞	5	5	5	8	5	4	2	2	4	2
その他虚血性心疾患	2	3	1	0	3	5	2	7	2	3
脳血管疾患	21	22	19	13	18	11	10	11	21	17
くも膜下出血	5	3	3	1	4	2	3	4	2	1
脳内出血	5	8	7	3	5	0	1	4	4	4
脳梗塞	11	11	9	9	9	8	6	3	15	12
肺炎	40	36	30	35	39	16	17	10	13	6
肝疾患	0	0	0	1	1	0	1	3	2	1
腎不全	6	1	7	2	4	5	2	3	4	2
老衰	16	15	14	10	26	30	26	38	33	24
不慮の事故	4	5	3	5	6	5	6	4	5	7
交通事故	0	1	0	1	2	1	1	1	1	1
自殺	0	1	1	0	1	0	0	3	2	0

死亡率(総数)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1646.7	1692.1	1786.8	1640.1	1545.5	1722.4	1616.7	1905.8	1917.0	1738.2
結核	0.0	0.0	4.8	0.0	0.0	0.0	5.1	5.3	5.4	0.0
悪性新生物	391.0	402.0	530.3	494.4	359.3	446.9	358.1	430.5	465.9	427.8
胃	69.0	60.8	95.6	71.3	59.1	45.2	61.4	42.0	53.5	65.0
結腸	36.8	46.7	47.8	33.3	34.5	20.1	20.5	42.0	32.1	37.9
直腸S状結腸移行部	23.0	9.3	9.6	9.5	4.9	20.1	20.5	15.8	10.7	27.1
肝及び肝内胆管	13.8	9.3	19.1	9.5	24.6	45.2	20.5	21.0	26.8	16.2
気管、気管支及び肺	78.2	79.5	105.1	123.6	64.0	70.3	71.6	99.8	112.4	86.6
乳	9.2	9.3	4.8	19.0	4.9	10.0	0.0	5.3	16.1	21.7
子宮	9.2	4.7	9.6	4.8	0.0	5.0	5.1	21.0	0.0	0.0
前立腺	9.2	14.0	14.3	14.3	4.9	30.1	15.3	0.0	5.4	5.4
糖尿病	18.4	14.0	4.8	14.3	4.9	15.1	10.2	5.3	5.4	10.8
高血圧性疾患	0.0	0.0	4.8	4.8	4.9	0.0	0.0	15.8	5.4	21.7
心疾患(高血圧性除く)	220.8	233.7	272.3	213.9	206.7	266.1	266.0	372.8	273.1	259.9
急性心筋梗塞	41.4	51.4	62.1	52.3	39.4	30.1	40.9	31.5	26.8	27.1
その他虚血性心疾患	23.0	14.0	28.7	19.0	14.8	30.1	15.3	73.5	32.1	32.5
脳血管疾患	174.8	187.0	157.7	133.1	142.7	110.5	112.6	162.8	198.1	157.0
くも膜下出血	27.6	14.0	14.3	9.5	24.6	15.1	20.5	26.3	21.4	16.2
脳内出血	36.8	60.8	62.1	38.0	59.1	25.1	20.5	42.0	37.5	43.3
脳梗塞	110.4	112.2	76.4	85.6	59.1	65.3	71.6	94.5	139.2	97.5
肺炎	349.6	350.6	291.4	275.7	280.6	160.7	153.5	105.0	149.9	97.5
肝疾患	4.6	9.3	19.1	23.8	14.8	5.0	10.2	21.0	16.1	10.8
腎不全	55.2	32.7	38.2	28.5	29.5	55.2	15.3	42.0	26.8	21.7
老衰	87.4	93.5	95.6	61.8	147.7	180.8	209.8	246.8	224.9	151.6
不慮の事故	59.8	79.5	57.3	47.5	54.1	70.3	81.9	36.8	48.2	75.8
交通事故	9.2	14.0	14.3	9.5	19.7	10.0	10.2	5.3	10.7	10.8
自殺	18.4	28.0	33.4	14.3	4.9	10.0	5.1	26.3	16.1	21.7

死亡率(男)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1705.4	1781.3	2029.4	1730.5	1431.7	1771.7	1849.4	2005.3	1845.1	1652.3
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	539.1	467.7	750.9	614.4	539.5	594.1	497.5	609.4	566.0	520.6
胃	107.8	19.9	162.4	102.4	83.0	31.8	75.7	88.6	67.9	90.5
結腸	29.4	69.7	60.9	51.2	41.5	31.8	43.3	33.2	34.0	67.9
直腸S状結腸移行部	39.2	19.9	20.3	20.5	10.4	31.8	32.4	22.2	11.3	34.0
肝及び肝内胆管	19.6	19.9	30.4	10.2	51.9	63.7	21.6	33.2	34.0	22.6
気管、気管支及び肺	107.8	119.4	162.4	194.6	93.4	116.7	119.0	177.3	192.4	135.8
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	19.6	29.9	30.4	30.7	10.4	63.7	32.4	0.0	11.3	11.3
前立腺	9.8	29.9	0.0	0.0	10.4	21.2	10.8	0.0	11.3	11.3
糖尿病	9.8	29.9	0.0	0.0	10.4	21.2	10.8	0.0	11.3	11.3
高血圧性疾患	0.0	0.0	10.1	0.0	0.0	0.0	0.0	22.2	11.3	11.3
心疾患(高血圧性除く)	147.0	179.1	263.8	215.0	134.9	191.0	270.4	354.5	226.4	181.1
急性心筋梗塞	39.2	59.7	81.2	30.7	31.1	21.2	64.9	44.3	11.3	34.0
その他虚血性心疾患	29.4	0.0	50.7	41.0	0.0	10.6	10.8	77.6	45.3	34.0
脳血管疾患	166.6	179.1	142.1	153.6	114.1	116.7	129.8	221.6	181.1	135.8
くも膜下出血	9.8	0.0	0.0	10.2	10.4	10.6	10.8	11.1	22.6	22.6
脳内出血	29.4	49.8	60.9	51.2	72.6	53.0	32.4	44.3	34.0	45.3
脳梗塞	127.4	129.4	71.0	92.2	31.1	53.0	86.5	166.2	124.5	67.9
肺炎	352.8	388.1	314.6	235.5	186.7	169.7	140.6	110.8	169.8	135.8
肝疾患	9.8	19.9	40.6</							

1) 疾患別死亡数・死亡率(宝達志水町)

死亡数(総数)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	214	187	214	171	174	210	188	198	177	191
結核	0	0	0	0	0	0	0	1	0	0
悪性新生物	56	55	56	42	47	62	61	52	50	61
胃	10	9	9	5	9	11	9	9	1	4
結腸	5	9	3	6	4	5	2	3	5	3
直腸S状結腸移行部	1	3	1	1	2	1	0	1	1	1
肝及び肝内胆管	5	4	8	3	6	10	6	8	3	4
気管、気管支及び肺	7	6	14	12	9	7	15	12	5	13
乳	1	3	2	1	0	1	2	0	2	3
子宮	0	1	1	0	0	0	0	0	1	1
前立腺	0	1	0	1	2	0	2	1	2	1
糖尿病	3	2	2	4	0	3	0	2	4	2
高血圧性疾患	1	1	1	1	1	1	0	1	1	1
心疾患(高血圧性除く)	33	39	25	22	31	29	28	29	27	20
急性心筋梗塞	7	11	9	6	9	3	6	2	6	3
その他虚血性心疾患	8	4	4	5	7	6	6	5	3	3
脳血管疾患	24	16	33	21	15	16	15	20	9	19
くも膜下出血	1	1	4	0	0	0	0	2	0	1
脳内出血	7	4	6	4	4	6	3	4	1	5
脳梗塞	14	11	23	17	10	10	11	13	8	13
肺炎	22	15	19	10	4	7	14	10	13	10
肝疾患	2	3	1	2	1	1	0	2	4	2
腎不全	6	2	3	5	3	1	0	6	4	2
老衰	18	14	31	26	26	21	17	24	13	17
不慮の事故	6	7	7	4	8	10	8	3	5	9
交通事故	1	1	2	1	0	2	0	0	0	1
自殺	5	0	1	1	2	5	0	3	2	2

死亡数(男)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	104	95	108	77	74	100	98	88	82	92
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	34	30	34	26	27	36	41	29	27	30
胃	8	7	5	2	5	5	5	6	1	1
結腸	2	2	3	3	2	4	2	0	2	2
直腸S状結腸移行部	1	2	1	0	2	1	0	0	0	0
肝及び肝内胆管	3	3	3	1	3	6	5	5	2	3
気管、気管支及び肺	5	5	12	10	7	5	12	9	5	9
乳	0	0	0	0	0	0	0	0	0	0
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	0	1	0	1	2	0	2	1	2	1
糖尿病	1	1	1	0	0	1	0	2	1	1
高血圧性疾患	0	1	0	1	0	0	0	0	0	0
心疾患(高血圧性除く)	16	20	14	10	9	13	19	9	11	7
急性心筋梗塞	4	7	3	4	3	2	4	1	3	1
その他虚血性心疾患	3	1	3	3	3	3	4	3	2	0
脳血管疾患	15	5	13	7	6	11	4	10	2	8
くも膜下出血	1	0	2	0	0	0	0	1	0	1
脳内出血	4	1	4	2	1	4	1	2	1	2
脳梗塞	9	4	7	5	5	7	3	7	1	5
肺炎	10	6	11	4	0	4	7	4	8	7
肝疾患	1	3	0	2	0	1	0	2	2	1
腎不全	1	2	2	1	1	1	0	1	2	1
老衰	4	3	7	7	6	1	2	5	3	5
不慮の事故	3	6	5	0	6	4	7	2	3	6
交通事故	0	1	1	0	0	1	0	0	0	1
自殺	2	0	1	0	2	4	0	2	2	1

死亡数(女)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	110	92	106	94	100	110	90	110	95	99
結核	0	0	0	0	0	0	1	0	0	0
悪性新生物	22	25	22	16	20	26	20	23	23	31
胃	2	2	4	3	4	6	4	3	0	3
結腸	3	7	0	3	2	1	0	3	3	1
直腸S状結腸移行部	0	1	0	1	0	0	0	1	1	1
肝及び肝内胆管	2	1	5	2	3	4	1	3	1	1
気管、気管支及び肺	2	1	2	2	2	2	3	3	0	4
乳	1	3	2	1	0	1	2	0	2	3
子宮	0	1	1	0	0	0	0	0	1	1
前立腺	0	0	0	0	0	0	0	0	0	0
糖尿病	2	1	1	4	0	2	0	0	3	1
高血圧性疾患	1	0	1	0	1	1	0	1	1	1
心疾患(高血圧性除く)	17	19	11	12	22	16	9	20	16	13
急性心筋梗塞	3	4	6	2	6	1	2	1	3	2
その他虚血性心疾患	5	3	1	2	4	3	2	2	1	3
脳血管疾患	9	11	20	14	9	5	11	10	7	11
くも膜下出血	0	1	2	0	0	0	0	1	0	0
脳内出血	3	3	2	2	3	2	2	2	0	3
脳梗塞	5	7	16	12	5	3	8	6	7	8
肺炎	12	9	8	6	4	3	7	6	5	3
肝疾患	1	0	1	0	1	0	0	0	2	1
腎不全	5	0	1	4	2	0	0	5	2	1
老衰	14	11	24	19	20	20	15	19	10	12
不慮の事故	3	1	2	4	2	6	1	1	2	3
交通事故	1	0	1	1	0	1	0	0	0	0
自殺	3	0	0	1	0	1	0	1	0	1

死亡率(総数)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1539.7	1368.8	1600.6	1266.4	1331.4	1641.3	1497.5	1603.5	1462.3	1598.6
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0
悪性新生物	402.9	402.6	418.8	311.0	359.6	484.6	485.9	421.1	413.1	510.5
胃	71.9	65.9	67.3	37.0	68.9	86.0	71.7	72.9	8.3	33.5
結腸	36.0	65.9	22.4	44.4	30.6	39.1	15.9	24.3	41.3	25.1
直腸S状結腸移行部	7.2	22.0	7.5	7.4	15.3	7.8	0.0	8.1	8.3	8.4
肝及び肝内胆管	36.0	29.3	59.8	22.2	45.9	78.2	47.8	64.8	24.8	33.5
気管、気管支及び肺	50.4	43.9	104.7	88.9	68.9	54.7	119.5	97.2	41.3	108.8
乳	7.2	22.0	15.0	7.4	0.0	7.8	15.9	0.0	16.5	25.1
子宮	0.0	7.3	7.5	0.0	0.0	0.0	0.0	0.0	8.3	8.4
前立腺	0.0	7.3	0.0	7.4	15.3	0.0	15.9	8.1	16.5	8.4
糖尿病	21.6	14.6	15.0	29.6	0.0	23.4	0.0	16.2	33.0	16.7
高血圧性疾患	7.2	7.3	7.5	7.4	7.7	7.8	0.0	8.1	8.3	8.4
心疾患(高血圧性除く)	237.4	285.5	187.0	162.9	237.2	226.7	223.0	234.9	223.1	167.4
急性心筋梗塞	50.4	80.5	67.3	44.4	68.9	23.4	47.8	16.2	49.6	25.1
その他虚血性心疾患	57.6	29.3	29.9	37.0	53.6	46.9	47.8	40.5	24.8	25.1
脳血管疾患	172.7	117.1	246.8	155.5	114.8	125.0	119.5	162.0	74.4	159.0
くも膜下出血	7.2	7.3	29.9	0.0	0.0	0.0	0.0	16.2	0.0	8.4
脳内出血	50.4	29.3	44.9	29.6	30.6	46.9	23.9	32.4	8.3	41.8
脳梗塞	100.7	80.5	172.0	125.9	76.5	78.2	87.6	105.3	66.1	108.8
肺炎	158.3	109.8	142.1	74.1	30.6	54.7	111.5	81.0	107.4	83.7
肝疾患	14.4	22.0	7.5	14.8	7.7	7.8	0.0	16.2	33.0	16.7
腎不全	43.2	14.6	22.4	37.0	23.0	7.8	0.0	48.6	33.0	16.7
老衰	129.5	102.5	231.9	192.5	198.9	164.1	135.4	194.4	107.4	142.3
不慮の事故	43.2	51.2	52.4	29.6	61.2	78.2	63.7	24.3	41.3	75.3
交通事故	7.2	7.3	15.0	7.4	0.0	15.6	0.0	0.0	0.0	8.4
自殺	36.0	0.0	7.5	7.4	15.3	39.1	0.0	24.3	16.5	16.7

死亡率(男)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1591.4	1485.1	1722.5	1236.9	1193.2	1648.5	1651.8	1510.7	1430.1	1623.7
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	520.3	469.0	542.3	417.7	435.3	593.5	691.1	497.9	470.9	529.5
胃	122.4	109.4	79.7	32.1	80.6	82.4	84.3	103.0	17.4	17.6
結腸	30.6	31.3	47.8	48.2	32.2	65.9	33.7	0.0	34.9	35.3
直腸S状結腸移行部	15.3	31.3	15.9	0.0	32.2	16.5	0.0	0.0	0.0	0.0
肝及び肝内胆管	45.9	46.9	47.8	16.1	48.4	98.9	84.3	85.8	34.9	52.9
気管、気管支及び肺	76.5	78.2	191.4	160.6	112.9	82.4	202.3	154.5	87.2	158.8
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	0.0	15.6	0.0	16.1	32.2	0.0	33.7	17.2	34.9	17.6
糖尿病	15.3	15.6	15.9	0.0	0.0	16.5	0.0	34.3	17.4	17.6
高血圧性疾患	0.0	15.6	0.0	16.1	0.0	0.0	0.0	0.0	0.0	0.0
心疾患(高血圧性除く)	244.8	312.6	223.3	160.6	145.1	214.3	320.2	154.5	191.8	123.5
急性心筋梗塞	61.2	109.4	47.8	64.3	48.4	33.0	67.4	17.2	52.3	17.6
その他虚血性心疾患	45.9	15.6	47.8	48.2	48.4	49.5	67.4	51.5	34.9	0.0
脳血管疾患	229.5	78.2	207.3	112.4	96.7	181.3	67.4	171.7	34.9	141.2
くも膜下出血	15.3	0.0	31.9	0.0	0.0	0.0	0.0	17.2	0.0	17.6
脳内出血	61.2	15.6	63.8	32.1	16.1	65.9	16.9	34.3	17.4	35.3
脳梗塞	137.7	62.5	111.6	80.3	80.6	115.4	50.6	120.2	17.4	88.2
肺炎	153.0	93.8	175.4	64.3	0.0	65.9	118.0	68.7	139.5	123.5
肝疾患	15.3	46.9	0.0	32.1	0.0	16.5	0.0	34.3	34.9	17.6
腎不全	15.3	31.3	31.9	16.1	16.1	16.5	0.0	17.		

1) 疾患別死亡数・死亡率(中能登町)

死亡数(総数)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	252	285	237	259	237	277	238	235	238	271
結核	0	0	0	1	1	0	0	0	0	0
悪性新生物	69	81	52	63	49	76	64	68	85	66
胃	10	17	11	18	16	7	10	11	15	12
結腸	5	8	4	7	1	7	6	5	8	7
直腸S状結腸移行部	3	1	1	5	1	4	2	3	3	3
肝及び肝内胆管	7	7	2	2	5	2	3	2	3	4
気管、気管支及び肺	10	12	12	7	7	13	10	15	10	8
乳	1	6	1	3	2	0	0	4	2	3
子宮	3	2	2	2	2	5	1	1	1	2
前立腺	3	2	3	1	0	2	2	2	0	1
糖尿病	1	6	0	5	2	4	2	5	2	1
高血圧性疾患	3	0	3	1	3	0	5	1	2	2
心疾患(高血圧性除く)	52	55	43	49	44	43	30	29	29	40
急性心筋梗塞	1	8	6	4	4	5	3	1	1	3
その他虚血性心疾患	11	7	5	10	3	7	1	5	5	4
脳血管疾患	29	30	41	24	23	30	31	26	23	22
くも膜下出血	4	4	1	3	0	1	6	4	3	2
脳内出血	7	4	12	7	6	7	7	7	7	7
脳梗塞	18	20	27	14	17	21	17	13	12	12
肺炎	17	19	21	17	24	21	11	8	13	16
肝疾患	5	2	3	3	3	4	3	5	3	6
腎不全	2	7	3	1	3	4	3	4	5	3
老衰	22	16	17	29	24	25	22	19	16	24
不慮の事故	9	12	9	12	9	7	7	14	6	8
交通事故	1	1	3	1	2	1	1	2	0	1
自殺	3	3	3	6	5	1	5	2	2	2

死亡率(総数)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1387.0	1582.9	1328.4	1437.2	1358.4	1616.8	1405.5	1404.5	1442.1	1656.4
結核	0.0	0.0	0.0	0.5	0.7	0.0	0.0	0.0	0.0	0.0
悪性新生物	379.8	449.9	291.5	349.6	280.9	443.6	377.9	406.4	515.0	403.4
胃	55.0	94.4	61.7	99.9	91.7	40.9	59.1	65.7	90.9	73.3
結腸	27.5	44.4	22.4	38.8	5.7	40.9	35.4	29.9	48.5	42.8
直腸S状結腸移行部	16.5	5.6	5.6	27.7	5.7	23.3	11.8	17.9	18.2	18.3
肝及び肝内胆管	38.5	38.9	11.2	11.1	28.7	11.7	17.7	12.0	18.2	24.4
気管、気管支及び肺	55.0	66.6	67.3	38.8	40.1	75.9	59.1	89.6	60.6	48.9
乳	5.5	33.3	5.6	16.6	11.5	0.0	0.0	23.9	12.1	18.3
子宮	16.5	11.1	11.2	5.5	11.5	29.2	5.9	6.0	6.1	12.2
前立腺	16.5	11.1	16.8	5.5	0.0	11.7	11.8	12.0	0.0	6.1
糖尿病	5.5	33.3	0.0	27.7	11.5	23.3	11.8	29.9	12.1	6.1
高血圧性疾患	16.5	0.0	16.8	5.5	17.2	0.0	29.5	6.0	12.1	12.2
心疾患(高血圧性除く)	286.2	305.5	241.0	271.9	252.2	251.0	177.2	173.3	175.7	244.5
急性心筋梗塞	5.5	44.4	33.6	22.2	22.9	29.2	17.7	6.0	6.1	18.3
その他虚血性心疾患	60.5	38.9	28.0	55.5	17.2	40.9	5.9	29.9	30.3	24.4
脳血管疾患	159.6	166.6	229.8	133.2	131.8	175.1	183.1	155.4	139.4	134.5
くも膜下出血	22.0	22.2	5.6	16.6	0.0	5.8	35.4	23.9	18.2	12.2
脳内出血	38.5	22.2	67.3	38.8	34.4	40.9	41.3	41.8	42.4	42.8
脳梗塞	99.1	111.1	151.3	77.7	97.4	122.6	100.4	77.7	72.7	73.3
肺炎	93.6	105.5	117.7	94.3	137.6	122.6	65.0	47.8	78.8	97.8
肝疾患	27.5	11.1	16.8	16.6	17.2	23.3	17.7	29.9	18.2	36.7
腎不全	11.0	38.9	16.8	5.5	17.2	23.3	17.7	23.9	30.3	18.3
老衰	121.1	88.9	95.3	160.9	137.6	145.9	129.9	113.6	96.9	146.7
不慮の事故	49.5	66.6	50.4	66.6	51.6	40.9	41.3	83.7	36.4	48.9
交通事故	5.5	5.6	16.8	5.5	11.5	5.8	5.9	12.0	0.0	6.1
自殺	16.5	16.7	16.8	33.3	28.7	5.8	29.5	12.0	12.1	12.2

死亡数(男)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	139	153	129	123	108	143	117	123	121	130
結核	0	0	0	1	1	0	0	0	0	0
悪性新生物	44	51	41	36	28	42	28	41	47	38
胃	8	13	9	13	9	4	4	6	10	8
結腸	2	6	3	3	0	2	3	2	5	4
直腸S状結腸移行部	2	0	0	2	1	4	1	3	0	2
肝及び肝内胆管	5	3	2	2	3	1	0	2	1	1
気管、気管支及び肺	8	9	11	6	7	10	6	10	8	6
乳	0	0	0	0	0	0	0	0	0	0
子宮	3	2	2	2	2	2	2	2	0	1
前立腺	3	2	3	1	0	2	2	2	0	1
糖尿病	0	4	0	2	0	2	1	2	0	0
高血圧性疾患	0	0	1	0	2	0	3	0	1	1
心疾患(高血圧性除く)	25	27	20	20	16	21	13	18	14	17
急性心筋梗塞	0	3	3	1	1	4	1	1	1	1
その他虚血性心疾患	8	4	3	5	2	4	0	5	3	3
脳血管疾患	16	13	20	13	12	18	13	11	11	11
くも膜下出血	2	1	1	1	0	0	2	0	1	1
脳内出血	4	1	9	4	3	5	1	4	4	3
脳梗塞	10	9	9	8	9	13	9	7	5	6
肺炎	7	11	15	9	11	13	8	3	7	9
肝疾患	4	2	2	2	1	3	2	3	2	3
腎不全	2	0	2	0	1	3	1	1	1	5
老衰	7	5	2	8	5	7	5	4	4	4
不慮の事故	8	7	7	4	6	5	3	9	4	4
交通事故	1	0	3	0	0	1	0	2	0	1
自殺	3	3	2	5	3	1	4	2	1	1

死亡率(男)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1603.4	1783.8	1514.1	1446.4	1283.7	1732.3	1434.9	1528.1	1523.7	7.0
結核	0.0	0.0	0.0	11.8	11.9	0.0	0.0	0.0	0.0	0.0
悪性新生物	507.6	594.6	481.2	423.3	332.8	508.8	343.4	509.4	591.9	479.5
胃	92.3	151.6	105.6	152.9	107.0	48.5	49.1	74.5	125.9	100.9
結腸	23.1	70.0	35.2	35.3	0.0	24.2	36.8	24.8	63.0	50.5
直腸S状結腸移行部	23.1	0.0	0.0	23.5	11.9	48.5	12.3	37.3	0.0	25.2
肝及び肝内胆管	57.7	35.0	23.5	23.5	35.7	12.1	0.0	24.8	12.6	12.6
気管、気管支及び肺	92.3	104.9	129.1	70.6	83.2	121.1	73.6	124.2	100.7	75.7
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	34.6	23.3	35.2	11.8	0.0	24.2	24.5	24.8	0.0	12.6
前立腺	34.6	23.3	35.2	11.8	0.0	24.2	24.5	24.8	0.0	12.6
糖尿病	0.0	46.0	0.0	23.5	0.0	24.2	12.3	24.8	0.0	0.0
高血圧性疾患	0.0	0.0	11.7	0.0	23.8	0.0	36.8	0.0	12.6	12.6
心疾患(高血圧性除く)	288.4	314.8	234.7	235.2	190.2	254.4	159.4	223.6	176.3	214.5
急性心筋梗塞	0.0	35.0	35.2	11.8	11.9	48.5	12.3	12.4	12.6	12.6
その他虚血性心疾患	92.3	46.6	35.2	58.8	23.8	48.5	0.0	62.1	37.8	37.9
脳血管疾患	184.6	151.6	234.7	152.9	142.6	218.0	159.4	136.7	138.5	138.8
くも膜下出血	23.1	11.7	11.7	11.8	0.0	0.0	24.5	0.0	12.6	12.6
脳内出血	46.1	11.7	105.6	47.0	35.7	60.6	12.3	49.7	50.4	37.9
脳梗塞	115.4	104.9	105.6	94.1	107.0	157.5	110.4	87.0	63.0	75.7
肺炎	80.7	128.2	176.1	105.8	130.8	157.5	98.1	37.3	88.2	113.6
肝疾患	46.1	23.3	23.5	23.5	11.9	36.3	24.5	37.3	25.2	37.9
腎不全	23.1	0.0	23.5	0.0	11.9	36.3	12.3	12.4	63.0	0.0
老衰	80.7	58.3	23.5	94.1	59.4	84.8	61.3	49.7	50.4	50.5
不慮の事故	92.3	81.6	82.2	47.0	71.3	60.6	36.8	111.8	50.4	50.5
交通事故	11.5	0.0	35.2	0.0	0.0	12.1	0.0	24.8	0.0	12.6
自殺	34.6	35.0	23.5	58.8	35.7	12.1	49.1	24.8	12.6	12.6

死亡数(女)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	113	132	108	136	129	134	121	112	117	141
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	25	30	11	27	21	34	36	27	38	28
胃	2	4	2	5	7	3	6	5	5	4
結腸	3	2	1	4	1	5	3	3	3	3
直腸S状結腸移行部	1	1	1	3	0	0	1	0	3	1
肝及び肝内胆管	2	4	0	0	2	1	3	0	2	3
気管、気管支及び肺	2	3	1	1	0	3	4	5	2	2
乳	1	6	1	3	2	0	0	4	2	3
子宮	3	2	2	1	2	5	1	1	1	2
前立腺	3	2	2	1	2	5	1	1	1	2
糖尿病	1	2	0	3	2	2	1	3	2	1
高血圧性疾患	3	0	2	1	1	0	2	1	1	1
心疾患(高血圧性除く)	27	28	23	29	28	22	17	11	15	23
急性心筋梗塞	1	5	3	3	3	1	2	0	0	2
その他虚血性心疾患	3	3	2	5	1	3	1	0	2	1
脳血管疾患	13	17	21	11	11	12	18	15	12	11
くも膜下出血	2	3	0	2	0	1	4	4	2	1
脳内出血	3	3	3	3	3	2	6	3	3	4
脳梗塞	8	11	18	6	8	8	8	6	7	

1) 疾患別死亡数・死亡率(管内)

死亡数(総数)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1912	1930	1928	1912	1901	1913	1883	1910	1863	1927
結核	1	2	2	2	1	1	3	4	1	0
悪性新生物	520	548	507	516	494	519	504	494	516	502
胃	84	90	97	82	90	78	66	67	69	53
結腸	52	48	34	39	33	45	46	43	42	44
直腸S状結腸移行部	25	15	16	21	18	18	21	23	19	21
肝及び肝内胆管	37	42	35	30	32	36	35	34	24	26
気管、気管支及び肺	92	98	92	103	103	96	101	105	91	96
乳	11	20	9	19	8	11	13	14	26	23
子宮	6	11	12	9	8	8	12	9	7	8
前立腺	15	13	12	15	8	17	12	9	9	11
糖尿病	27	21	15	19	12	19	13	24	18	23
高血圧性疾患	8	7	9	13	11	5	20	14	15	18
心疾患(高血圧性除く)	304	307	315	281	319	286	300	313	264	294
急性心筋梗塞	41	56	62	49	54	33	42	36	33	43
その他虚血性心疾患	57	42	35	44	38	34	33	49	33	37
脳血管疾患	200	219	223	205	195	186	164	196	171	169
<も膜下出血	22	20	18	22	26	14	24	30	20	21
脳内出血	44	52	55	51	49	48	38	46	36	41
脳梗塞	132	143	146	129	115	117	99	117	113	105
肺炎	191	194	207	198	192	146	127	87	105	97
肝疾患	20	22	15	21	13	17	14	17	23	20
腎不全	45	36	36	42	32	34	27	32	36	28
老衰	163	117	169	144	179	180	188	189	180	178
不慮の事故	81	75	73	77	78	80	66	69	62	61
交通事故	10	11	18	12	12	8	4	6	5	8
自殺	34	29	21	21	24	20	17	25	21	18

死亡率(総数)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1436.1	1468.2	1488.8	1465.5	1492.2	1526.8	1528.56	1577.8	1565.6	1651.9
結核	0.7511	1.5214	1.5444	1.533	0.7849	0.7981	2.4353	3.3044	0.8404	0
悪性新生物	390.58	416.87	391.49	395.51	387.76	414.23	409.131	408.09	433.64	430.33
胃	63.093	68.464	74.901	62.852	70.644	62.254	53.5766	55.348	57.986	45.433
結腸	39.058	36.514	26.254	29.893	25.903	35.916	37.3413	35.522	35.296	37.718
直腸S状結腸移行部	18.778	11.411	12.355	16.096	14.129	14.366	17.0471	19	15.967	18.002
肝及び肝内胆管	27.791	31.95	27.026	22.995	25.118	28.733	28.4119	28.087	20.169	22.288
気管、気管支及び肺	69.102	74.55	71.04	78.948	80.848	76.62	81.9885	86.74	76.474	82.293
乳	8.2622	15.214	6.9496	14.563	6.2794	8.7794	10.553	11.565	21.85	19.716
子宮	4.5066	8.3679	9.2661	6.8984	6.2794	6.385	9.74121	7.4348	5.8826	6.8578
前立腺	11.267	9.8893	9.2661	11.497	6.2794	13.568	9.74121	7.4348	7.5634	9.4294
糖尿病	20.28	15.975	11.583	14.563	9.4192	15.164	10.553	19.826	15.127	19.716
高血圧性疾患	6.0088	5.325	6.9496	9.9644	8.6342	3.9906	16.2353	11.565	12.606	15.43
心疾患(高血圧性除く)	228.34	233.54	243.24	215.38	250.39	228.26	243.53	258.57	221.86	252.02
急性心筋梗塞	30.795	42.6	47.875	37.559	42.386	26.338	34.0942	29.739	27.732	36.861
その他虚血性心疾患	42.813	31.95	27.026	33.726	29.827	27.136	26.7883	40.478	27.732	31.717
脳血管疾患	150.22	166.6	172.2	157.13	153.06	148.45	133.13	161.91	143.7	144.87
<も膜下出血	16.524	15.214	13.899	16.863	20.408	11.174	19.4824	24.783	16.808	18.002
脳内出血	33.049	39.557	42.47	39.091	38.462	38.31	30.8472	38	30.254	35.146
脳梗塞	99.146	108.78	112.74	98.877	90.267	93.381	80.365	96.653	94.963	90.008
肺炎	143.46	147.58	159.84	151.76	150.71	116.53	103.094	71.87	88.24	83.15
肝疾患	15.022	16.736	11.583	16.096	10.204	13.568	11.3647	14.044	19.329	17.144
腎不全	33.8	27.386	27.798	32.193	25.118	27.136	21.9177	26.435	30.254	24.002
老衰	122.43	89.004	130.5	110.37	140.5	143.66	152.612	156.13	151.27	152.59
不慮の事故	60.84	57.054	56.369	59.02	61.224	63.85	53.5766	57	52.103	52.29
交通事故	7.5111	8.3679	13.899	9.1979	9.4192	6.385	3.24707	4.9565	4.7019	6.8578
自殺	25.538	22.061	16.216	16.096	18.838	15.963	13.8	20.652	17.648	15.43

死亡数(男)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	952	975	963	927	879	978	932	935	877	954
結核	0	1	1	2	1	0	0	1	0	0
悪性新生物	311	317	310	292	285	320	282	286	288	296
胃	62	52	66	54	52	48	37	45	47	37
結腸	22	28	20	16	15	22	24	17	21	29
直腸S状結腸移行部	15	11	9	10	15	14	14	12	7	15
肝及び肝内胆管	28	28	18	18	22	23	23	21	12	17
気管、気管支及び肺	64	74	71	72	76	73	71	79	75	67
乳	0	0	0	0	0	0	1	0	0	0
子宮	6	11	12	9	8	8	12	9	7	8
前立腺	15	13	12	15	8	17	12	9	9	11
糖尿病	12	15	7	6	7	11	6	14	9	15
高血圧性疾患	2	4	3	5	3	1	8	4	5	5
心疾患(高血圧性除く)	130	126	152	117	117	127	135	140	116	132
急性心筋梗塞	18	26	31	24	24	20	25	22	15	29
その他虚血性心疾患	33	16	19	23	19	14	17	28	19	16
脳血管疾患	94	97	98	93	79	105	80	91	76	73
<も膜下出血	8	6	7	6	10	4	8	9	11	11
脳内出血	24	22	31	28	22	33	21	22	22	17
脳梗塞	61	66	57	57	44	64	49	60	41	44
肺炎	97	100	115	97	90	82	69	45	55	60
肝疾患	14	12	8	16	7	10	9	9	13	13
腎不全	17	17	15	23	14	20	11	15	15	12
老衰	41	33	39	35	40	41	53	41	48	36
不慮の事故	55	48	42	37	44	46	41	43	27	37
交通事故	8	6	13	6	6	4	1	2	2	7
自殺	22	19	17	16	18	16	15	16	14	15

死亡率(男)人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1514.8	1571.5	1574.1	1526.2	1448.7	1644.7	1594.5	1626.6	1551	1709.1
結核	0	1.6118	1.6346	3.2927	1.6482	0	0	1.7397	0	0
悪性新生物	494.84	510.95	506.73	480.74	469.72	538.16	482.455	497.56	509.33	530.29
胃	98.651	83.816	107.88	88.904	85.704	80.724	63.3009	78.287	83.12	66.287
結腸	35.005	45.131	32.692	26.342	24.722	36.998	41.06	29.575	37.139	51.955
直腸S状結腸移行部	23.867	17.73	14.711	16.644	24.722	23.544	23.9517	20.876	12.38	26.873
肝及び肝内胆管	44.552	45.131	29.423	29.635	36.259	38.68	39.3492	36.534	21.222	30.456
気管、気管支及び肺	101.83	119.28	116.06	118.54	125.26	122.77	121.469	137.44	132.64	120.03
乳	0	0	0	0	0	0	1.71083	0	0	0
子宮	6	11	12	9	8	8	12	9	7	8
前立腺	23.867	20.954	19.615	24.695	13.185	28.59	20.53	15.657	15.917	19.707
糖尿病	19.094	24.178	11.442	9.8782	11.537	18.499	10.265	24.356	15.917	26.873
高血圧性疾患	3.1823	6.4473	4.9038	8.2118	4.9445	1.6817	13.6867	6.9588	8.8425	8.9577
心疾患(高血圧性除く)	206.85	203.09	248.46	192.62	192.83	213.58	230.963	243.56	205.15	236.48
急性心筋梗塞	28.641	41.908	50.673	39.513	39.566	33.635	42.709	38.274	26.528	51.955
その他虚血性心疾患	52.508	25.789	31.057	37.866	31.315	23.544	29.0842	48.712	33.602	28.665
脳血管疾患	149.57	156.35	160.19	153.11	130.2	176.58	136.867	158.31	134.41	130.78
<も膜下出血	12.729	9.671	11.442	9.8782	16.482	6.727	13.6867	15.657	19.454	19.707
脳内出血	38.187	35.46	50.673	46.098	36.259	55.498	35.9275	38.274	38.907	30.456
脳梗塞	97.06	106.38	93.172	93.843	72.519	107.63	83.8309	104.38	72.509	78.828

1) 疾患別死亡数・死亡率(石川県)

死亡数(総数)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	11,962	12,223	12,223	12,190	12,280	12,422	12,727	12,723	12,900	12,721
結核	15	9	15	11	14	14	13	15	8	15
悪性新生物	3,454	3,485	3,416	3,535	3,483	3,517	3,577	3,530	3,525	3,625
胃	504	506	519	480	487	452	436	461	435	416
結腸	275	275	275	275	275	275	275	275	275	358
直腸S状結腸移行部	110	110	110	110	110	110	110	110	110	143
肝及び肝内胆管	264	259	267	264	257	274	224	190	197	215
気管、気管支及び肺	659	696	696	698	719	706	721	709	707	729
乳	120	120	120	120	120	120	120	120	120	119
子宮	50	50	50	50	50	50	50	50	50	55
前立腺	75	75	75	75	75	75	75	75	75	89
糖尿病	133	130	121	113	104	112	111	134	126	125
高血圧性疾患	34	54	47	64	45	60	89	93	98	86
心疾患(高血圧性除く)	1,918	1,948	1,934	1,855	1,885	1,891	1,994	2,039	1,995	1,894
急性心筋梗塞	435	435	435	435	435	435	435	435	435	321
その他虚血性心疾患	244	244	244	244	244	244	244	244	244	223
脳血管疾患	1,229	1,278	1,296	1,190	1,132	1,139	1,108	1,135	1,046	1,013
くも膜下出血	155	155	155	155	155	155	155	155	155	88
脳内出血	275	275	275	275	275	275	275	275	275	268
脳梗塞	746	746	746	746	746	746	746	746	746	638
肺炎	1,324	1,246	1,251	1,172	1,233	1,112	929	772	837	691
肝疾患	125	124	132	114	138	121	161	139	138	134
腎不全	228	221	191	187	205	204	218	243	234	215
老衰	530	638	742	721	801	890	963	1,049	1,056	1,130
不慮の事故	465	431	405	452	436	449	404	410	381	369
交通事故	69	69	77	71	62	70	44	38	37	43
自殺	261	241	204	180	209	177	189	146	160	168

死亡率(総数) 人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1035.2	1060.7	1064.2	1055.0	1072.8	1091.0	1122.5	1128.2	1151.1	1138.5
結核	1.3	0.8	1.3	1.0	1.2	1.2	1.1	1.3	0.7	1.3
悪性新生物	298.9	302.4	297.4	305.9	304.3	308.9	315.5	313.0	314.5	324.4
胃	43.6	43.9	45.2	41.5	42.5	39.7	38.5	40.9	38.8	37.2
結腸	23.8	23.9	23.9	23.8	24.0	24.2	24.3	24.4	24.5	32.0
直腸S状結腸移行部	9.5	9.5	9.6	9.5	9.6	9.7	9.7	9.8	9.8	12.8
肝及び肝内胆管	22.8	22.5	23.2	22.8	22.5	24.1	19.8	16.8	17.6	19.2
気管、気管支及び肺	57.0	60.4	60.6	60.4	62.8	62.0	63.6	62.9	63.1	65.2
乳	10.4	10.4	10.4	10.4	10.5	10.5	10.6	10.6	10.7	10.7
子宮	4.3	4.3	4.4	4.3	4.4	4.4	4.4	4.4	4.5	4.9
前立腺	6.5	6.5	6.5	6.5	6.6	6.6	6.6	6.7	6.7	8.0
糖尿病	11.5	11.3	10.5	9.8	9.1	9.8	9.8	11.9	11.2	11.2
高血圧性疾患	2.9	4.7	4.1	5.5	3.9	5.3	7.8	8.2	8.7	7.7
心疾患(高血圧性除く)	166.0	169.0	168.4	160.5	164.7	166.1	175.9	180.8	178.0	169.5
急性心筋梗塞	37.6	37.7	37.9	37.6	38.0	38.2	38.4	38.6	38.8	28.7
その他虚血性心疾患	21.1	21.2	21.2	21.1	21.3	21.4	21.5	21.6	21.8	20.0
脳血管疾患	106.4	110.9	112.8	103.0	98.9	100.0	97.7	100.6	93.3	90.7
くも膜下出血	13.4	13.5	13.5	13.4	13.5	13.6	13.7	13.7	13.8	7.9
脳内出血	23.8	23.9	23.9	23.8	24.0	24.2	24.3	24.4	24.5	24.0
脳梗塞	64.6	64.7	64.9	64.6	65.2	65.5	65.8	66.1	66.6	57.1
肺炎	114.6	108.1	108.9	101.4	107.7	97.7	81.9	68.5	74.7	61.8
肝疾患	10.8	10.8	11.5	9.9	12.1	10.6	14.2	12.3	12.3	12.0
腎不全	19.7	19.2	16.6	16.2	17.9	17.9	19.2	21.5	20.9	19.2
老衰	45.9	55.4	64.6	62.4	70.0	78.2	84.9	93.0	94.2	101.1
不慮の事故	40.2	37.4	35.3	39.1	38.1	39.4	35.6	36.4	34.0	33.0
交通事故	6.0	6.0	6.7	6.1	5.4	6.1	3.9	3.4	3.3	3.8
自殺	22.6	20.9	17.8	15.6	18.3	15.5	16.7	12.9	14.3	15.0

死亡数(男)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	6,074	6,203	6,104	6,138	6,047	6,202	6,317	6,256	6,358	6,385
結核	7	6	8	7	9	9	6	5	6	8
悪性新生物	1,983	2,043	1,958	2,045	1,996	2,076	2,001	1,994	1,989	2,100
胃	325	300	327	306	296	290	251	287	282	275
結腸	135	157	145	146	131	150	173	139	147	184
直腸S状結腸移行部	89	92	83	72	74	96	90	100	82	84
肝及び肝内胆管	179	164	161	167	165	163	141	124	125	139
気管、気管支及び肺	473	512	496	511	521	520	518	490	517	507
乳	0	1	0	1	0	2	2	1	2	2
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	95	94	88	85	82	86	93	105	88	89
糖尿病	69	64	61	48	58	62	63	81	63	69
高血圧性疾患	17	19	14	25	18	20	32	39	38	32
心疾患(高血圧性除く)	832	877	879	798	801	820	884	878	888	856
急性心筋梗塞	232	251	217	191	199	215	171	189	183	195
その他虚血性心疾患	138	145	123	129	122	101	123	148	119	120
脳血管疾患	580	583	575	541	498	551	493	545	491	472
くも膜下出血	49	39	54	46	33	43	48	47	50	36
脳内出血	157	149	161	154	145	148	139	163	156	137
脳梗塞	363	380	346	327	312	346	291	327	278	294
肺炎	692	669	696	647	667	613	526	428	479	405
肝疾患	82	67	83	71	80	75	101	80	90	81
腎不全	88	105	82	87	74	106	95	117	104	118
老衰	122	148	161	170	169	178	250	248	255	266
不慮の事故	271	244	237	261	257	260	236	230	226	213
交通事故	42	38	53	44	40	41	26	22	23	38
自殺	186	165	145	133	157	127	136	97	114	124

死亡率(男) 人口10万対

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	1087.9	1113.6	1098.4	1097.2	1091.2	1125.2	1149.9	1143.9	1168.7	1178.7
結核	1.3	1.1	1.4	1.3	1.6	1.6	1.1	0.9	1.1	1.5
悪性新生物	355.2	366.8	352.4	365.5	360.2	376.6	364.3	364.6	365.6	387.7
胃	58.2	53.9	58.8	54.7	53.4	52.6	45.7	52.5	51.8	50.8
結腸	24.2	28.2	26.1	26.1	23.6	27.2	31.5	25.4	27.0	34.0
直腸S状結腸移行部	15.9	16.5	14.9	12.9	13.4	17.4	16.4	18.3	15.1	15.5
肝及び肝内胆管	32.1	29.4	29.0	29.9	29.8	29.6	25.7	22.7	23.0	25.7
気管、気管支及び肺	84.7	91.9	89.3	91.3	94.0	94.3	94.3	89.6	95.0	93.6
乳	0.0	0.2	0.0	0.2	0.0	0.4	0.4	0.2	0.4	0.4
子宮	0	0	0	0	0	0	0	0	0	0
前立腺	17.0	16.9	15.8	15.2	14.8	15.6	16.9	19.2	16.2	16.4
糖尿病	12.4	11.5	11.0	8.6	10.5	11.2	11.5	14.8	11.6	12.7
高血圧性疾患	3.0	3.4	2.5	4.5	3.2	3.6	5.8	7.1	7.0	5.9
心疾患(高血圧性除く)	149.0	157.4	158.2	142.6	144.5	148.8	160.9	160.5	163.2	158.0
急性心筋梗塞	41.6	45.1	39.1	34.1	35.9	39.0	31.1	34.6	33.6	36.0
その他虚血性心疾患	24.7	26.0	22.1	23.1	22.0	18.3	22.4	21.1	21.9	22.2
脳血管疾患	103.9	104.7	103.5	96.7	89.9	100.0	89.7	99.7	90.2	87.1
くも膜下出血	8.8	7.0	9.7	8.2	6.0	7.8	8.7	8.6	9.2	6.6
脳内出血	28.1	26.7	29.0	27.5	26.2	26.9	25.3	29.8	28.7	25.3
脳梗塞	65.0	68.2	62.3	58.5	56.3	62.8	53.0	59.8	51.1	54.3
肺炎	123.9	120.1	125.2	115.7	120.4	111.2	95.8	78.3	88.0	74.8
肝疾患	14.7	12.0	14.9	12.7	14.4	13.6	18.4	14.6	16.5	15.0
腎不全	15.8	18.8	14.8	15.6	13.4	19.2	17.3	21.4	19.1	21.8
老衰	21.9	26.6	29.0	30.4	30.5	32.3	45.5	45.3	46.9	49.1
不慮の事故	48.5	43.8	42.6	46.7	46.4	47.2	43.0	42.1	41.5	39.3
交通事故	7.5	6.8	9.5	7.9	7.2	7.4	4.7	4.0	4.2	7.0
自殺	33.3	29.6	26.1	23.8	28.3	23.0	24.8	17.7	21.0	22.9

死亡数(女)

資料: 衛生統計年報

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
死亡総数	5,888	6,020	6,119	6,052	6,233	6,220	6,410	6,467	6,542	6,336
結核	8	3	7	4	5	5	7	10	2	7
悪性新生物	1,471	1,442	1,458	1,490	1,487	1,441	1,576	1,536	1,536	1,525
胃	179	206	192	174	191	162	185	174	163	141
結腸	160	143	160	160	180	187	174	178	179	174
直腸S状結腸移行部	56	38	58	58	41	39	40	57	61	59
肝及び肝内胆管	85	95	106	97	92	111	83	66	72	76
気管、気管支及び肺	186	184	200	187	198	186	20			

死亡率の分母に用いた人口、日本人人口(推計)

資料:衛生統計年報

総数	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
七尾市	56,612	55,917	55,123	55,582	54,905	54,079	53,111	52,276	51,367	49,618
羽咋市	22,716	22,478	22,239	22,324	21,662	21,372	21,043	20,649	20,344	20,262
志賀町	21,741	21,393	20,931	21,035	20,317	19,914	19,546	19,047	18,675	18,467
宝達志水町	13,899	13,662	13,370	13,503	13,069	12,795	12,554	12,348	12,104	11,948
中能登町	18,169	18,005	17,841	18,021	17,447	17,133	16,934	16,732	16,504	16,361
管内	133,137	131,455	129,504	130,465	127,400	125,293	123,188	121,052	118,994	116,656
石川県	1,155,540	1,152,352	1,148,598	1,155,450	1,144,626	1,138,540	1,133,851	1,127,759	1,120,707	1,117,364

男

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
七尾市	26,729	26,394	26,036	25,865	26,145	25,592	25,151	24,808	24,397	23,770
羽咋市	10,712	10,624	10,496	10,380	10,275	10,123	9,967	9,773	9,639	9,621
志賀町	10,203	10,049	9,855	9,766	9,639	9,426	9,246	9,026	8,834	8,836
宝達志水町	6,535	6,397	6,270	6,225	6,202	6,066	5,933	5,825	5,734	5,666
中能登町	8,669	8,577	8,520	8,504	8,413	8,255	8,154	8,049	7,941	7,925
管内	62,848	62,041	61,177	60,740	60,674	59,462	58,451	57,481	56,545	55,818
石川県	558,345	557,036	555,694	559,440	554,168	551,207	549,335	546,891	544,045	541,717

女

	H23	H24	H25	H26	H27	H28	H29	H30	R1	R2
七尾市	29,883	29,523	29,087	28,851	28,760	28,487	27,960	27,468	26,970	25,848
羽咋市	12,004	11,854	11,743	11,636	11,387	11,249	11,076	10,876	10,705	10,641
志賀町	11,538	11,344	11,076	10,934	10,678	10,488	10,300	10,021	9,841	9,631
宝達志水町	7,364	7,265	7,100	7,022	6,867	6,729	6,621	6,523	6,370	6,282
中能登町	9,500	9,428	9,321	9,244	9,034	8,878	8,780	8,683	8,563	8,436
管内	70,289	69,414	68,327	67,687	66,726	65,831	64,737	63,571	62,449	60,838
石川県	597,195	595,316	592,904	596,010	590,458	587,333	584,516	580,868	576,662	575,647

2)年齢調整死亡率

選択死因の市町別年齢調整死亡率(人口10万対:直接法)(令和2年)

注)基準人口 平成27年モデル人口(平成27年国勢調査人口を基に補正した人口)を使用
資料:衛生統計年報

(総数)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	1003.5	-	305.4	21.2	14.4	66.7	20.2	8.6	143.9	95.1	13.4	36.2	2.4	1.4	11.7	16.5	75.0	23.0	3.6	13.5
羽咋市	1028.5	-	270.5	33.0	13.3	35.5	10.7	8.5	190.5	70.4	17.9	59.7	16.9	-	8.9	12.9	77.4	42.0	8.2	19.6
志賀町	910.8	-	256.5	37.2	8.7	49.0	5.2	11.1	129.2	79.6	4.5	47.6	6.9	-	6.1	9.4	62.6	46.5	11.1	15.5
宝達志水町	997.5	-	342.8	26.3	19.3	72.1	9.2	4.4	101.4	93.1	14.6	50.3	4.9	-	13.2	10.4	71.7	44.7	7.5	10.4
中能登町	1102.5	-	294.3	55.9	17.8	35.3	3.5	9.4	161.5	84.2	7.8	62.4	10.3	-	30.9	11.1	81.2	30.4	4.0	9.3
管内	1005.1	-	293.0	31.3	14.2	54.5	12.5	8.7	148.3	86.7	12.0	47.4	7.1	0.6	13.1	13.3	73.6	33.6	6.0	14.2
石川県	937.4	1.0	281.5	32.3	16.6	56.1	9.6	6.2	135.4	73.5	13.8	49.4	9.6	0.9	10.9	15.7	73.2	27.9	3.7	14.8

*人口は、各年次の10月1日現在。

(男)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	1384.1	-	452.7	41.9	23.8	109.0	36.0	3.6	197.7	106.3	24.7	85.7	3.9	3.1	20.3	20.5	56.6	35.2	7.1	26.8
羽咋市	1657.0	-	395.0	60.0	32.2	68.8	21.4	19.0	332.9	110.4	14.0	69.8	51.0	-	17.0	25.5	70.7	83.5	16.2	30.7
志賀町	1257.2	-	375.5	56.3	15.4	100.0	7.9	8.7	138.3	92.7	-	100.4	23.5	-	7.9	21.1	41.7	62.0	12.8	33.9
宝達志水町	1329.9	-	432.5	13.5	35.7	131.1	9.6	-	101.8	124.9	13.5	99.2	14.9	-	14.9	9.6	77.3	89.2	14.9	9.6
中能登町	1497.0	-	392.3	78.2	14.7	60.4	-	12.7	199.9	123.8	11.4	111.1	30.8	-	32.9	-	47.1	43.2	9.7	11.0
管内	1417.2	-	418.2	49.9	24.1	95.6	21.3	8.0	203.6	109.3	15.5	91.1	19.2	1.3	19.0	17.4	57.2	55.5	10.7	25.3
石川県	1316.3	1.7	410.9	53.9	27.4	98.4	13.5	6.5	183.2	97.3	19.4	88.4	22.1	1.7	15.6	24.6	64.2	42.6	6.9	23.1

*人口は、各年次の10月1日現在。

(女)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	717.1	-	191.2	6.3	7.4	36.1	9.1	9.9	103.5	87.4	5.7	12.2	2.6	-	4.6	12.8	80.7	11.1	-	-
羽咋市	659.8	-	186.2	8.7	-	11.8	3.2	-	125.6	42.4	20.2	49.4	-	-	5.8	6.1	76.5	18.3	-	8.3
志賀町	710.0	-	183.1	20.7	5.1	20.8	3.3	9.4	105.9	69.7	6.1	23.8	4.1	-	6.2	6.1	71.0	32.5	8.0	-
宝達志水町	767.5	-	296.0	36.0	3.9	39.5	5.7	5.7	88.9	77.5	16.8	18.6	-	-	9.7	9.7	66.5	13.5	-	10.1
中能登町	878.0	-	227.7	40.8	24.9	13.8	4.7	3.6	128.9	64.3	5.9	42.6	7.6	-	29.2	16.3	86.3	24.5	-	7.6
管内	731.7	-	203.9	16.9	7.6	26.6	6.1	6.8	110.0	72.6	9.5	25.5	2.8	-	8.9	10.6	77.2	18.2	1.4	3.5
石川県	690.7	0.6	196.2	17.6	9.3	28.4	6.3	5.2	104.0	57.1	10.4	29.4	3.6	0.5	7.4	10.2	74.7	17.3	0.7	7.5

*人口は、各年次の10月1日現在。

2) 年齢調整死亡率(単年)

七尾市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H23	393.7	0.0	129.8	20.4	/	/	9.6	/	20.1	/	/	10.8	1.0	58.7	/	32.5	/	17.4	/	/	8.8	7.4	14.0	27.4	3.9	23.9
H24	405.4	0.2	132.0	20.7	/	/	10.3	/	26.2	/	/	3.0	1.5	53.1	/	36.8	/	21.7	/	/	10.4	5.3	10.6	17.5	5.3	32.3
H25	356.3	0.2	113.4	24.7	/	/	9.7	/	12.9	/	/	3.7	1.4	55.8	/	39.0	/	23.8	/	/	4.7	4.8	15.4	15.4	7.2	6.8
H26	397.3	0.4	143.3	19.4	/	/	9.9	/	20.8	/	/	2.7	2.9	50.4	18.1	41.8	10.1	25.4	3.8	0.2	5.7	4.3	11.7	20.5	7.9	15.2
H27	411.6	0.0	146.5	20.1	/	/	8.4	/	31.1	/	/	8.0	1.6	56.2	19.0	36.2	5.2	25.1	0.6	0.6	5.5	4.1	13.4	24.3	4.2	24.8
H28	354.9	0.4	114.8	22.2	/	/	4.0	/	23.4	/	/	4.0	0.7	44.2	9.6	37.9	2.5	26.3	1.9	0.8	4.7	5.5	15.6	17.5	0.2	17.4
H29	399.8	0.2	153.4	12.9	13.4	6.2	9.6	10.0	33.6	6.6	11.2	2.1	3.4	55.2	12.2	27.5	5.6	16.6	5.5	0.2	4.6	3.3	17.4	11.3	-	22.0
H30	348.2	0.5	118.9	14.3	7.5	5.7	6.7	9.5	32.6	5.3	2.4	6.4	2.6	53.4	14.4	29.7	4.4	8.9	4.1	0.2	2.5	3.9	12.3	17.2	0.8	19.0
R1	348.3	-	117.1	16.0	8.1	7.8	4.7	9.3	18.6	11.8	2.9	2.7	1.7	48.1	11.2	28.2	3.1	8.8	2.8	-	9.1	8.4	14.3	18.2	1.0	16.5
R2	1003.5	-	305.4	21.2	25.9	13.3	14.4	33.9	66.7	11.5	6.4	20.2	8.6	143.9	45.5	95.1	13.4	36.2	2.4	1.4	11.7	16.5	75.0	23.0	3.6	13.5

七尾市(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	消化器系の疾患							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患			消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房						肺炎	急性気管支炎	交通事故							
H23	547.3	0.0	176.4	36.0	/	/	18.2	/	36.0	/	14.7	1.9	84.7	/	47.0	/	29.4	/	11.0	9.0	16.3	40.1	5.5	27.2	
H24	578.4	0.0	185.4	26.8	/	/	19.8	/	49.3	/	5.4	2.4	64.9	/	52.7	/	35.7	/	8.4	6.5	12.5	28.3	8.8	49.9	
H25	473.3	0.7	157.9	35.5	/	/	11.8	/	24.9	/	6.4	1.6	75.4	/	47.9	/	40.5	/	4.6	6.6	9.0	21.8	9.5	11.0	
H26	542.9	1.1	177.3	28.7	/	/	15.9	/	29.5	/	4.9	4.9	66.3	28.5	51.1	11.4	43.5	8.1	-	10.0	5.2	9.4	34.3	13.0	28.5
H27	538.6	0.0	182.2	29.7	/	/	15.0	/	52.0	/	8.6	0.7	76.3	31.9	39.4	4.8	45.4	1.3	0.0	7.4	7.0	10.8	31.4	7.6	42.3
H28	528.8	-	183.4	37.8	/	/	7.4	/	43.9	/	7.5	0.7	64.8	16.9	65.4	2.0	38.9	4.3	1.1	4.0	9.7	14.1	29.1	0.7	19.0
H29	518.5	-	188.9	19.6	15.6	10.8	15.8	15.9	49.2	-	-	3.4	69.1	17.1	37.4	4.6	24.3	8.5	-	4.6	2.8	15.9	20.0	-	44.3
H30	472.6	0.6	155.1	22.8	8.9	4.0	10.8	8.8	54.9	-	10.9	3.0	72.7	25.6	35.2	5.9	15.0	8.3	-	4.3	5.1	10.4	24.1	-	30.3
R1	430.4	-	143.5	25.6	10.9	7.1	6.5	8.8	37.5	-	4.1	1.8	65.5	14.5	44.0	4.2	13.2	6.8	-	11.2	7.0	12.8	13.1	1.7	20.8
R2	1384.1	-	452.7	41.9	34.0	28.8	23.8	47.6	109.0	-	36.0	3.6	197.7	71.8	106.3	24.7	85.7	3.9	3.1	20.3	20.5	56.6	35.2	7.1	26.8

七尾市(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H23	282.8	0.0	97.2	9.1	/	/	3.9	/	9.5	/	/	7.4	0.6	37.6	/	21.0	/	11.2	/	/	7.4	6.4	13.1	18.9	2.5	20.6
H24	277.0	0.3	94.3	15.8	/	/	3.5	/	7.9	/	/	1.5	0.6	41.5	/	26.2	/	15.4	/	/	11.9	4.7	9.3	8.7	2.0	16.0
H25	270.4	0.0	79.0	16.7	/	/	8.1	/	4.1	/	/	1.4	0.8	42.3	/	32.8	/	15.0	/	/	4.4	3.6	18.3	9.9	5.1	2.8
H26	287.5	-	122.1	12.8	/	/	5.4	/	15.4	/	/	0.6	1.6	35.2	8.3	37.1	8.6	13.7	0.6	0.3	1.7	3.6	12.5	10.2	3.6	1.7
H27	310.8	0.0	120.5	12.8	/	/	2.7	/	15.7	/	/	7.7	2.1	35.8	7.0	33.3	5.5	12.0	0.3	1.1	3.6	2.5	14.1	19.9	1.1	7.6
H28	226.8	0.6	64.0	9.9	/	/	2.0	/	7.3	/	/	1.4	0.8	26.3	3.2	17.0	2.7	19.8	0.9	0.5	5.1	2.9	16.2	8.4	-	16.6
H29	298.8	0.3	125.9	7.0	11.1	2.5	5.2	4.6	20.8	12.9	21.9	3.6	3.3	40.3	6.9	21.8	6.3	11.3	3.6	0.3	4.4	3.5	17.6	4.2	-	-
H30	246.5	0.5	90.7	7.6	6.3	7.1	2.7	9.8	14.4	10.2	4.6	2.3	1.7	38.3	5.8	24.3	2.9	4.6	1.4	0.2	0.5	3.3	13.2	13.3	1.2	7.6
R1	293.7	-	102.2	8.6	6.3	9.0	2.8	10.1	4.0	22.9	5.9	1.5	1.7	35.0	9.0	14.0	2.4	5.3	-	-	7.4	9.5	14.6	24.4	0.2	12.0
R2	717.1	-	191.2	6.3	19.3	-	7.4	21.3	36.1	19.2	12.3	9.1	9.9	103.5	25.9	87.4	5.7	12.2	2.6	-	4.6	12.8	80.7	11.1	-	-

2) 年齢調整死亡率(単年)

羽咋市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん									糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮																
H23	342.0	0.5	109.7	19.9	/	/	6.1	/	21.1	/	/	5.8	0.0	53.6	/	22.6	/	31.2	/	/	5.2	3.6	23.8	10.5	5.1	24.3	
H24	372.8	0.5	139.4	24.6	/	/	9.8	/	26.9	/	/	5.2	2.0	49.0	/	51.1	/	19.1	/	/	3.6	4.0	12.8	13.7	1.8	9.7	
H25	348.7	0.0	109.1	18.7	/	/	5.2	/	24.7	/	/	4.8	0.0	53.8	/	17.7	/	30.9	/	/	1.7	11.8	18.3	32.0	7.3	13.7	
H26	345.6	-	122.9	12.5	/	/	5.3	/	30.3	/	/	1.4	1.5	35.8	17.1	34.4	5.6	32.0	1.4	-	5.0	6.9	16.7	14.5	0.9	2.8	
H27	310.9	0.0	110.7	18.2	/	/	2.9	/	30.5	/	/	0.5	0.0	53.3	27.6	37.5	12.4	20.2	0.0	0.0	1.7	4.3	21.6	8.6	0.5	3.8	
H28	320.9	-	108.0	14.2	/	/	8.0	/	25.0	/	/	0.4	-	60.7	13.4	27.1	2.4	12.2	2.1	0.4	12.1	2.1	12.8	14.6	0.9	31.9	
H29	318.7	-	95.1	8.0	10.3	0.4	2.7	14.0	17.3	9.2	0.4	6.7	1.0	61.5	32.1	24.5	3.2	11.9	3.0	-	5.0	10.7	14.1	11.7	1.8	3.4	
H30	337.3	-	119.6	23.1	7.0	5.8	5.7	12.4	15.0	6.0	3.5	6.2	-	35.9	11.1	35.9	0.8	14.9	4.0	1.3	6.9	3.7	18.3	15.1	-	7.5	
R1	314.8	-	119.3	14.6	6.2	5.3	4.5	7.0	20.3	17.5	2.9	3.3	1.0	25.3	10.3	31.8	1.7	12.0	1.7	-	3.5	2.9	14.9	6.0	1.0	28.1	
R2	1028.5	-	270.5	33.0	25.9	8.0	13.3	31.4	35.5	18.2	4.3	10.7	8.5	190.5	60.5	70.4	17.9	59.7	16.9	-	8.9	12.9	77.4	42.0	8.2	19.6	

羽咋市(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん							糖尿病	高血圧性疾患	心疾患 (高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患		消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故		自殺	
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房						肺炎	急性気管支炎					交通事故			
H23	455.3	0.0	180.5	36.4	/	/	14.5	/	35.1	/	8.4	0.0	41.4	/	22.6	/	53.3	/	10.4	0.0	13.6	24.4	10.8	43.9	
H24	485.6	1.7	190.9	45.5	/	/	15.9	/	49.8	/	10.7	3.4	68.4	/	47.2	/	19.9	/	3.8	6.9	11.2	22.6	0.0	3.8	
H25	496.0	0.0	163.6	33.2	/	/	7.4	/	49.3	/	7.2	0.0	94.6	/	32.1	/	37.3	/	0.0	19.2	23.8	24.5	9.9	27.5	
H26	463.8	-	148.3	23.6	/	/	7.0	/	48.7	/	2.6	-	47.8	25.9	42.0	2.6	51.2	2.6	-	10.0	11.0	22.7	17.4	2.6	2.6
H27	392.9	0.0	141.0	22.8	/	/	6.1	/	40.3	/	0.0	0.0	63.9	40.6	42.9	22.8	32.9	0.0	0.0	3.6	4.3	21.5	10.4	0.0	5.0
H28	469.1	-	154.9	21.6	/	/	14.2	/	45.0	/	-	-	81.7	13.0	39.7	3.3	17.5	4.8	1.5	22.0	3.3	13.8	17.4	-	66.5
H29	449.0	-	101.9	12.1	15.5	1.5	6.1	20.0	32.7	1.5	15.7	2.6	92.5	55.1	41.8	6.7	27.9	5.2	-	11.4	12.1	16.2	14.3	-	3.6
H30	494.0	-	161.7	36.0	10.9	12.6	7.0	20.7	23.3	-	13.0	-	44.8	15.7	52.3	1.5	23.8	13.1	-	12.9	7.6	13.1	29.1	-	9.2
R1	421.4	-	155.2	28.1	2.5	5.4	5.2	12.4	44.9	-	7.0	-	30.3	17.2	48.1	2.7	20.9	6.2	-	4.5	4.3	21.0	5.6	-	40.8
R2	1657.0	-	395.0	60.0	58.8	7.7	32.2	14.7	68.8	-	21.4	19.0	332.9	112.1	110.4	14.0	69.8	51.0	-	17.0	25.5	70.7	83.5	16.2	30.7

羽咋市(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H23	251.6	0.8	55.5	5.5	/	/	0.0	/	12.6	/	/	3.1	0.0	63.3	/	22.8	/	15.3	/	/	0.0	5.5	28.0	0.0	0.0	4.7
H24	285.6	0.0	102.2	6.6	/	/	5.6	/	8.1	/	/	0.0	0.7	28.3	/	58.5	/	18.3	/	/	3.4	1.5	13.4	6.3	3.4	14.8
H25	238.3	0.0	69.8	9.1	/	/	3.2	/	5.4	/	/	2.2	0.0	19.1	/	7.2	/	31.1	/	/	3.2	4.4	15.1	39.7	5.7	0.0
H26	270.5	-	112.0	5.4	/	/	4.4	/	16.5	/	/	0.7	2.2	27.3	11.4	29.8	8.8	20.3	0.7	-	0.7	2.9	13.7	12.3	-	3.7
H27	254.7	0.0	93.4	16.2	/	/	0.7	/	24.4	/	/	0.7	0.0	41.6	15.0	32.9	3.8	12.4	0.0	0.0	0.0	4.7	21.1	7.3	0.7	3.1
H28	202.5	-	74.3	11.3	/	/	2.2	/	9.2	/	/	0.6	-	43.2	16.2	17.2	1.3	8.7	-	-	3.2	0.6	11.8	11.6	1.3	-
H29	233.0	-	97.3	6.0	6.6	-	0.6	8.4	4.5	17.6	0.6	-	-	37.0	13.7	10.6	-	4.1	1.7	-	-	12.8	13.4	12.2	3.5	3.0
H30	220.8	-	86.6	12.1	3.4	-	5.2	4.5	9.4	11.8	6.3	-	-	29.5	7.5	24.8	0.6	11.5	-	2.4	0.6	0.6	20.4	2.9	-	5.8
R1	231.5	-	97.7	3.4	9.7	5.1	3.9	2.3	0.6	36.9	5.1	0.6	1.7	19.0	4.0	17.1	0.6	6.3	-	-	2.8	1.7	12.2	6.3	1.7	13.8
R2	659.8	-	186.2	8.7	10.5	8.0	-	44.7	11.8	36.4	8.3	3.2	-	125.6	26.2	42.4	20.2	49.4	-	-	5.8	6.1	76.5	18.3	-	8.3

2) 年齢調整死亡率(単年)

志賀町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H23	386.2	0.0	119.7	20.2	/	/	5.0	/	23.4	/	/	7.2	0.0	51.3	/	41.7	/	56.0	/	/	1.8	18.6	9.5	13.5	2.3	19.5
H24	361.4	0.0	97.9	12.8	/	/	2.9	/	18.0	/	/	3.5	0.0	46.8	/	31.4	/	48.4	/	/	2.3	3.8	11.2	27.0	2.2	24.3
H25	398.6	0.5	154.2	32.5	/	/	5.2	/	25.7	/	/	0.9	0.5	53.6	/	37.9	/	44.7	/	/	6.2	4.9	9.3	19.3	4.9	14.9
H26	366.3	-	136.4	14.7	/	/	3.7	/	29.7	/	/	2.2	0.5	37.5	16.0	43.7	2.3	38.3	2.7	-	11.1	3.2	6.0	11.0	1.8	7.4
H27	301.1	0.0	110.0	11.3	/	/	7.7	/	23.6	/	/	1.6	0.4	31.7	9.0	27.3	4.3	38.8	0.4	0.0	4.8	4.4	14.9	8.5	3.4	6.4
H28	351.8	-	125.8	7.3	/	/	17.2	/	15.2	/	/	6.3	-	44.9	13.7	23.0	5.0	19.1	1.7	-	1.6	6.5	16.3	20.0	3.1	4.1
H29	324.7	0.4	87.7	11.0	7.4	7.9	4.7	9.5	25.1	-	0.4	1.8	-	47.9	20.9	25.7	1.2	18.3	4.3	1.4	3.6	1.2	20.1	34.0	16.9	6.4
H30	331.2	0.4	108.2	10.9	8.8	2.7	3.6	13.6	20.3	6.2	5.6	0.4	2.8	67.6	23.9	32.8	4.9	10.6	2.4	-	4.8	5.8	22.0	6.3	0.4	11.9
R1	303.1	0.4	100.0	9.6	8.7	1.8	4.6	10.5	24.2	6.4	-	1.4	0.9	39.4	11.6	24.9	1.3	20.2	3.5	-	6.9	2.0	19.9	10.7	2.3	12.5
R2	910.8	-	256.5	37.2	24.3	17.9	8.7	31.4	49.0	14.1	-	5.2	11.1	129.2	32.8	79.6	4.5	47.6	6.9	-	6.1	9.4	62.6	46.5	11.1	15.5

志賀町(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	悪性新生物							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患		消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故		自殺	
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房						肺炎	急性気管支炎					交通事故			
H23	556.7	0.0	183.8	38.6	/	/	8.7	/	34.0	/	2.4	0.0	70.5	/	53.1	/	80.7	/	3.7	30.0	5.9	25.5	5.4	38.8	
H24	522.1	0.0	129.5	8.2	/	/	6.4	/	32.0	/	8.7	0.0	57.5	/	44.6	/	86.8	/	5.8	11.6	10.1	43.7	4.5	43.0	
H25	589.4	0.0	236.3	46.1	/	/	9.2	/	48.0	/	0.0	1.8	80.6	/	49.1	/	71.6	/	14.5	2.2	11.1	28.5	10.3	26.7	
H26	485.8	-	194.9	29.5	/	/	3.9	/	59.5	/	-	-	54.5	20.6	46.1	5.7	53.4	6.8	-	16.1	7.7	5.5	18.0	3.1	15.9
H27	414.8	0.0	193.4	19.2	/	/	17.3	/	39.6	/	3.2	0.0	34.6	9.3	27.3	6.9	38.2	1.7	0.0	7.3	5.6	7.8	13.5	5.0	0.0
H28	465.2	-	162.0	6.2	/	/	21.5	/	29.3	/	12.1	-	55.8	17.5	35.8	10.7	32.2	5.2	-	3.2	11.4	10.5	33.6	3.2	8.6
H29	479.7	-	154.9	19.3	16.2	16.0	5.0	20.6	43.0	-	3.0	-	73.4	34.5	31.1	3.0	25.9	11.9	3.0	5.6	1.5	26.7	32.8	3.0	11.8
H30	472.8	-	154.4	24.3	5.9	5.3	7.5	17.8	41.9	-	-	5.4	103.5	36.4	56.1	3.7	17.0	2.9	-	3.2	10.6	14.7	5.9	-	12.6
R1	400.8	-	148.2	16.6	14.1	3.1	5.9	10.8	45.1	-	2.9	2.2	39.3	13.8	33.6	2.2	36.5	8.2	-	12.2	1.4	14.7	9.7	3.1	4.1
R2	1257.2	-	375.5	56.3	55.6	26.8	15.4	39.0	100.0	-	7.9	8.7	138.3	49.6	92.7	-	100.4	23.5	-	7.9	21.1	41.7	62.0	12.8	33.9

志賀町(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	自殺	
																									交通事故	
H23	251.5	0.0	69.8	5.7	/	/	1.4	/	16.6	/	/	12.0	0.0	29.9	/	34.8	/	42.8	/	/	0.0	7.4	10.4	4.2	0.0	0.0
H24	248.3	0.0	81.7	14.3	/	/	0.0	/	9.7	/	/	0.0	0.0	35.2	/	21.7	/	26.6	/	/	0.0	0.7	11.3	15.7	0.7	3.4
H25	261.1	0.6	94.0	23.5	/	/	2.3	/	9.1	/	/	1.4	0.0	30.3	/	28.5	/	29.2	/	/	0.0	6.0	8.7	12.3	0.0	4.3
H26	291.1	-	96.6	3.1	/	/	3.5	/	6.0	/	/	3.5	0.6	24.3	11.9	47.5	-	27.9	0.6	-	6.6	1.2	6.2	4.8	0.6	-
H27	204.9	0.0	40.4	7.7	/	/	0.0	/	8.9	/	/	0.0	0.6	27.1	7.4	28.4	2.1	39.9	0.0	0.0	2.5	3.2	17.0	4.4	2.1	13.9
H28	270.4	-	104.8	8.9	/	/	14.2	/	5.1	/	/	0.6	-	33.0	8.9	12.5	0.6	11.2	-	-	-	3.7	18.0	8.3	3.1	-
H29	208.9	0.6	31.2	3.7	-	0.6	4.7	0.6	10.0	-	0.6	0.6	-	24.8	6.9	23.0	0.6	13.3	-	-	1.4	1.1	15.6	41.5	34.1	-
H30	224.5	0.6	78.8	-	11.9	0.6	0.6	10.7	4.0	12.5	10.6	0.6	0.6	33.4	12.5	14.3	6.4	7.4	2.2	-	6.1	2.6	25.2	7.3	0.6	10.8
R1	232.6	0.6	62.5	4.2	3.8	0.6	4.4	10.0	8.7	12.5	-	-	-	43.2	9.8	17.7	0.6	8.2	0.6	-	1.1	2.2	22.4	12.1	1.6	21.3
R2	710.0	-	183.1	20.7	3.3	8.2	5.1	22.7	20.8	25.4	-	3.3	9.4	105.9	12.6	69.7	6.1	23.8	4.1	-	6.2	6.1	71.0	32.5	8.0	-

2) 年齢調整死亡率(単年)

宝達志水町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H23	429.1	0.0	140.0	20.9	/	/	10.6	/	19.9	/	/	6.5	0.9	54.9	/	42.4	/	30.2	/	/	5.6	11.4	15.7	9.8	1.7	41.2
H24	360.4	0.0	144.7	20.1	/	/	8.4	/	13.7	/	/	6.7	0.9	60.8	/	28.3	/	26.3	/	/	4.1	4.3	13.5	18.3	9.0	0.0
H25	404.8	0.0	133.3	19.3	/	/	18.1	/	28.5	/	/	3.4	2.5	58.1	/	60.4	/	30.8	/	/	2.5	4.2	28.7	29.2	2.5	3.0
H26	319.9	-	98.3	7.4	/	/	6.5	/	23.7	/	/	10.8	3.0	57.9	26.0	30.9	3.2	19.7	0.8	-	9.1	5.9	23.7	10.9	5.9	1.7
H27	301.8	0.0	126.6	19.6	/	/	11.7	/	23.4	/	/	0.0	0.8	39.7	23.1	17.2	4.3	4.0	0.8	0.0	6.5	2.4	24.3	12.9	0.0	6.0
H28	418.4	-	137.1	18.7	/	/	17.3	/	11.4	/	/	3.9	0.8	56.3	26.8	27.3	3.9	15.5	5.7	-	8.3	0.8	15.9	11.9	1.5	53.5
H29	324.0	0.7	124.7	13.1	2.5	-	10.2	8.3	33.7	8.5	-	-	-	63.1	26.2	15.1	10.7	14.5	3.1	-	-	-	13.7	7.9	-	-
H30	264.0	-	88.6	8.7	3.9	2.4	19.2	4.9	16.9	-	-	5.8	0.8	31.2	8.6	29.6	0.8	12.8	1.5	-	2.5	4.5	18.2	2.3	-	10.9
R1	318.2	-	102.3	2.3	6.2	0.8	5.7	19.2	10.5	2.5	2.3	6.5	0.8	45.4	29.0	6.8	0.8	19.9	0.8	-	7.2	5.5	9.8	13.1	-	13.1
R2	997.5	-	342.8	26.3	16.1	5.7	19.3	39.1	72.1	19.3	5.6	9.2	4.4	101.4	24.7	93.1	14.6	50.3	4.9	-	13.2	10.4	71.7	44.7	7.5	10.4

宝達志水町(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故		自殺
																							交通事故		
H23	574.3	0.0	205.2	40.4	/	/	19.7	/	34.8	/	7.9	0.0	87.5	/	78.1	/	47.6	/	/	4.9	3.4	13.5	14.5	0.0	24.1
H24	523.7	0.0	181.3	41.5	/	/	15.2	/	29.0	/	12.4	3.3	98.8	/	31.3	/	28.5	/	/	12.1	10.2	9.8	41.3	17.8	0.0
H25	652.1	0.0	212.8	32.3	/	/	19.4	/	65.6	/	4.6	0.0	102.2	/	88.7	/	57.4	/	/	0.0	9.1	27.8	56.6	3.5	6.0
H26	434.0	-	148.3	10.4	/	/	3.5	/	52.4	/	-	6.0	77.5	50.8	33.5	6.9	28.6	3.5	-	19.1	3.5	25.5	-	-	-
H27	407.5	0.0	177.8	20.5	/	/	13.8	/	43.5	/	0.0	0.0	47.1	33.3	22.5	5.3	0.0	0.0	0.0	0.0	3.2	19.2	28.3	0.0	13.5
H28	596.9	-	205.2	24.5	/	/	29.9	/	22.1	/	2.9	-	89.4	47.6	56.5	-	27.3	15.5	-	15.9	2.9	2.9	15.5	2.9	87.0
H29	513.8	-	205.8	20.9	7.0	-	22.5	10.6	64.0	-	-	-	117.6	45.8	12.5	20.9	25.4	2.7	-	-	-	7.0	22.3	-	-
H30	372.5	-	121.7	19.9	-	-	26.8	9.8	33.4	-	13.1	-	32.8	15.7	50.6	-	15.3	5.5	-	7.2	2.8	13.8	5.5	-	21.7
R1	448.0	-	133.5	5.0	7.2	-	8.9	33.7	24.2	-	4.3	-	67.6	50.0	5.3	-	30.5	-	-	9.9	7.6	7.9	24.8	-	25.6
R2	1329.9	-	432.5	13.5	36.3	-	35.7	27.6	131.1	-	9.6	-	101.8	20.6	124.9	13.5	99.2	14.9	-	14.9	9.6	77.3	89.2	14.9	9.6

宝達志水町(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H23	335.1	0.0	90.8	9.0	/	/	2.3	/	6.8	/	/	3.7	1.2	31.4	/	21.2	/	18.1	/	/	7.8	18.5	16.4	6.2	2.5	58.0
H24	258.0	0.0	125.3	2.3	/	/	4.3	/	1.2	/	/	1.2	0.0	38.3	/	26.0	/	26.2	/	/	0.0	0.0	15.8	1.2	0.0	0.0
H25	213.5	0.0	72.0	7.6	/	/	17.3	/	2.2	/	/	2.7	4.2	20.0	/	33.2	/	13.6	/	/	4.2	1.1	27.0	5.3	2.7	0.0
H26	236.1	-	63.3	4.9	/	/	10.1	/	3.8	/	/	19.7	-	42.0	6.0	27.9	-	13.3	-	-	-	7.6	22.9	19.5	11.5	2.7
H27	206.6	0.0	84.1	22.8	/	/	10.3	/	6.6	/	/	0.0	1.1	26.9	12.4	14.9	2.7	6.0	1.1	0.0	12.4	2.1	28.3	2.1	0.0	0.0
H28	262.6	-	78.4	13.2	/	/	6.0	/	4.0	/	/	5.4	1.0	24.2	6.0	5.1	7.2	5.0	-	-	-	-	20.4	9.4	1.0	16.4
H29	170.0	1.0	64.0	7.4	-	-	1.0	6.6	8.2	15.9	-	-	-	18.9	11.9	16.9	1.0	7.2	4.3	-	-	-	15.5	1.0	-	-
H30	190.2	-	71.8	3.1	6.5	4.4	13.6	1.0	8.2	-	-	-	1.0	29.2	3.1	14.2	1.0	11.7	-	-	-	5.2	19.8	1.0	-	1.0
R1	202.0	-	78.5	-	4.9	1.1	2.8	6.6	-	3.9	4.5	8.2	1.1	22.2	6.0	7.4	1.1	14.1	1.1	-	5.3	3.9	10.5	2.1	-	-
R2	767.5	-	296.0	36.0	5.7	9.7	3.9	46.2	39.5	36.4	10.1	5.7	5.7	88.9	26.5	77.5	16.8	18.6	-	-	9.7	9.7	66.5	13.5	-	10.1

2) 年齢調整死亡率(単年)

中能登町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H23	421.9	0.0	135.4	21.8	/	/	13.0	/	20.0	/	/	0.7	2.2	76.6	/	45.0	/	16.4	/	/	17.8	3.2	17.1	16.7	1.7	16.6
H24	412.8	0.0	157.3	30.6	/	/	8.1	/	24.4	/	/	7.4	0.0	64.9	/	37.2	/	20.8	/	/	4.7	5.0	12.9	18.9	0.7	9.5
H25	349.3	0.0	108.6	22.3	/	/	9.0	/	16.9	/	/	0.0	2.6	63.5	/	54.7	/	22.0	/	/	4.8	3.1	14.3	17.0	12.2	3.7
H26	390.9	0.7	121.8	35.8	/	/	1.9	/	11.6	/	/	3.6	0.7	65.6	16.8	36.8	4.9	18.6	3.7	9.5	11.8	0.7	22.4	15.4	2.3	24.6
H27	379.7	0.6	106.9	34.2	/	/	13.7	/	10.0	/	/	7.8	2.6	49.0	12.4	25.1	1.3	24.5	2.6	0.0	4.1	1.9	18.5	16.9	3.5	23.9
H28	385.7	-	141.0	13.8	/	/	2.5	/	25.4	/	/	5.5	-	42.9	12.0	34.4	6.7	23.8	3.1	-	10.4	3.8	16.9	16.6	8.6	18.2
H29	349.0	-	105.2	20.0	6.9	2.9	1.8	16.0	16.7	-	1.2	7.1	3.7	32.2	4.1	40.9	1.8	14.5	7.3	1.2	7.7	3.5	16.4	17.3	6.8	34.9
H30	342.6	-	123.5	11.6	13.4	8.4	7.1	13.6	29.3	8.3	0.6	7.4	0.6	57.2	11.8	32.2	5.6	4.7	3.0	-	6.9	3.0	13.2	29.5	10.7	7.9
R1	369.6	-	140.2	22.8	10.8	3.8	6.6	32.6	10.3	3.6	1.9	1.1	1.9	47.6	7.0	31.6	4.9	10.7	0.6	0.6	9.0	7.5	10.4	18.1	-	9.9
R2	1102.5	-	294.3	55.9	34.9	11.7	17.8	30.1	35.3	16.1	9.7	3.5	9.4	161.5	30.3	84.2	7.8	62.4	10.3	-	30.9	11.1	81.2	30.4	4.0	9.3

中能登町(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故		自殺
																							交通事故		
H23	629.3	0.0	202.3	41.5	/	/	21.7	/	36.9	/	0.0	0.0	85.8	/	74.3	/	21.7	/	/	24.4	7.3	17.8	38.4	4.4	33.6
H24	618.4	0.0	242.2	59.6	/	/	10.0	/	45.9	/	13.4	0.0	97.2	/	52.1	/	37.0	/	/	9.8	0.0	13.1	33.1	0.0	19.2
H25	538.5	0.0	187.6	37.2	/	/	18.3	/	39.6	/	0.0	3.3	91.7	/	88.9	/	47.1	/	/	6.7	6.6	5.0	36.8	26.0	7.5
H26	532.2	2.5	147.9	56.6	/	/	5.8	/	24.9	/	5.0	-	95.7	22.3	43.8	7.4	28.3	9.9	17.7	21.7	-	20.9	13.3	-	47.7
H27	490.7	2.3	139.3	42.9	/	/	18.8	/	23.9	/	0.0	5.6	61.5	18.1	42.9	0.0	29.6	4.5	0.0	3.4	2.3	14.9	28.7	0.0	38.5
H28	565.6	-	200.9	20.8	/	/	3.3	/	44.8	/	4.4	-	65.4	22.9	61.2	5.2	38.3	8.3	-	14.7	8.3	15.4	31.6	16.9	32.4
H29	473.2	-	111.8	19.9	9.2	2.2	-	18.6	22.9	-	12.6	7.4	47.9	4.5	45.8	4.5	26.5	16.8	4.5	12.4	2.2	11.2	18.1	-	56.0
H30	499.7	-	170.8	18.3	9.0	17.9	14.6	21.6	36.3	-	9.7	-	104.2	25.8	41.3	10.1	6.3	7.2	-	10.2	2.1	8.4	44.7	21.4	15.7
R1	492.7	-	174.3	30.3	16.3	-	5.5	38.3	22.6	-	-	3.0	79.3	13.4	47.8	9.7	17.8	2.0	-	16.9	17.3	9.9	21.4	-	7.7
R2	1497.0	-	392.3	78.2	46.5	17.3	14.7	21.5	60.4	-	-	12.7	199.9	45.9	123.8	11.4	111.1	30.8	-	32.9	-	47.1	43.2	9.7	11.0

中能登町(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	自殺	
																									交通事故	
H23	266.7	0.0	84.7	3.0	/	/	7.4	/	5.7	/	/	1.0	3.1	76.6	/	20.3	/	13.1	/	/	14.1	0.0	16.6	1.0	0.0	0.0
H24	264.6	0.0	92.3	8.4	/	/	6.9	/	6.5	/	/	4.0	0.0	41.6	/	26.8	/	11.0	/	/	0.0	7.1	12.9	7.1	1.0	0.0
H25	201.5	0.0	49.4	11.8	/	/	0.0	/	1.9	/	/	0.0	2.0	37.5	/	22.2	/	6.9	/	/	4.3	1.0	19.4	2.0	0.0	1.0
H26	274.5	-	106.0	19.2	/	/	-	/	1.0	/	/	3.0	1.0	35.9	12.0	36.1	2.9	14.1	-	-	1.0	1.0	23.0	17.8	4.3	1.9
H27	283.7	0.0	78.0	26.2	/	/	8.6	/	0.0	/	/	15.7	0.9	36.8	5.9	11.1	1.8	23.3	1.8	0.0	5.2	1.8	18.4	7.3	6.4	8.6
H28	240.3	-	86.8	7.0	/	/	2.0	/	9.5	/	/	8.0	-	27.5	5.7	14.9	7.1	16.3	-	-	6.8	0.9	18.0	2.8	-	-
H29	253.7	-	103.2	19.3	6.3	4.6	2.5	13.1	12.0	-	2.1	0.8	1.7	17.6	2.5	38.7	0.8	7.0	-	-	3.3	5.4	20.5	16.1	13.5	13.4
H30	212.0	-	87.2	6.8	17.9	-	-	9.4	27.1	15.6	0.8	5.5	0.8	12.7	-	23.8	2.2	4.1	0.8	-	4.4	3.8	16.6	15.6	-	-
R1	268.9	-	117.6	19.4	6.8	6.8	7.5	27.6	1.6	6.8	3.7	1.6	0.8	15.6	1.6	18.4	0.8	6.2	-	0.8	0.8	-	9.5	15.5	-	12.7
R2	878.0	-	227.7	40.8	26.0	4.7	24.9	35.5	13.8	30.6	17.6	4.7	3.6	128.9	17.5	64.3	5.9	42.6	7.6	-	29.2	16.3	86.3	24.5	-	7.6

2) 年齢調整死亡率(単年)

管内(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H23	390.4	0.1	126.2	20.4	/	/	8.8	/	20.8	/	/	7.6	0.8	58.0	/	34.8	/	28.0	/	/	8.0	8.3	15.3	19.1	3.3	24.2
H24	388.7	0.2	132.5	21.3	/	/	8.4	/	23.3	/	/	4.4	1.0	53.5	/	37.6	/	26.4	/	/	6.5	4.6	11.7	18.6	4.0	20.9
H25	365.7	0.2	120.7	23.7	/	/	9.0	/	19.4	/	/	2.9	1.2	56.0	/	39.2	/	29.3	/	/	4.3	5.8	16.0	20.9	7.1	8.4
H26	374.8	0.2	131.4	18.4	/	/	6.5	/	23.1	/	/	3.3	2.0	48.5	18.2	38.5	6.6	27.4	2.9	1.7	7.8	4.3	14.0	16.3	4.9	11.9
H27	361.4	0.1	127.0	20.3	/	/	8.4	/	25.9	/	/	5.0	1.1	48.7	18.2	31.4	5.7	24.6	0.7	0.3	4.7	3.7	16.9	16.8	2.9	16.5
H28	358.0	0.2	120.6	16.7	/	/	7.9	/	21.2	/	/	3.9	0.4	47.9	12.9	31.8	3.6	21.2	2.4	0.4	6.6	4.4	15.4	16.8	2.2	21.5
H29	358.7	0.2	123.5	12.8	9.8	4.3	6.6	11.2	27.1	5.3	5.1	3.2	2.1	52.7	17.3	27.1	4.4	15.7	5.0	0.5	4.6	4.0	16.8	15.0	3.4	15.9
H30	334.5	0.3	114.4	14.2	8.0	5.2	7.3	10.8	25.6	5.3	2.7	5.4	1.7	51.2	14.4	31.7	3.7	10.1	3.4	0.3	4.3	4.2	15.8	15.2	1.9	13.7
R1	335.9	0.1	116.4	14.1	7.9	5.1	5.1	13.4	17.9	9.9	2.2	2.7	1.4	42.3	12.3	26.8	2.6	12.7	2.2	0.1	7.5	6.0	14.5	14.6	1.0	16.4
R2	1005.1	-	293.0	31.3	25.8	12.0	14.2	33.2	54.5	14.3	5.3	12.5	8.7	148.3	41.9	86.7	12.0	47.4	7.1	0.6	13.1	13.3	73.6	33.6	6.0	14.2

管内(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	消化器系の疾患							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患		消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺	
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房						肺炎	急性気管支炎								
H23	544.4	0.0	184.4	37.6	/	/	16.4	/	35.4	/	8.9	0.8	73.7	/	50.3	/	43.6	/	10.9	9.9	13.8	32.2	5.7	32.6	
H24	551.4	0.3	183.6	32.5	/	/	14.8	/	43.7	/	8.6	1.9	71.9	/	48.3	/	41.2	/	7.9	6.9	11.7	31.7	6.4	31.7	
H25	523.3	0.3	182.3	37.1	/	/	12.3	/	39.2	/	4.3	1.4	83.9	/	54.7	/	47.9	/	5.3	8.1	13.2	29.7	11.3	15.4	
H26	507.8	0.7	168.2	30.2	/	/	9.4	/	39.7	/	3.1	2.7	66.1	28.0	45.7	7.9	42.9	6.5	3.2	14.0	5.8	14.1	22.4	6.7	22.0
H27	475.1	0.3	170.9	27.6	/	/	14.4	/	42.9	/	4.2	1.0	62.1	27.7	36.6	7.8	35.6	1.4	0.0	5.6	5.2	13.6	23.9	4.2	26.1
H28	518.6	-	179.3	26.1	/	/	12.5	/	39.2	/	5.9	0.3	67.9	19.8	54.1	4.0	33.0	6.3	0.7	9.6	8.0	12.4	26.9	3.5	34.2
H29	494.7	-	159.5	18.5	13.8	7.6	10.8	17.3	43.4	0.3	4.9	2.8	76.1	27.6	35.6	6.1	25.7	9.3	1.1	6.6	3.8	16.5	21.2	0.5	29.3
H30	471.1	0.3	154.8	24.1	7.8	7.2	11.7	14.0	42.8	-	9.4	2.3	73.7	24.7	44.4	4.8	15.7	7.7	-	6.7	5.8	11.8	22.8	3.2	21.2
R1	433.6	-	148.8	23.0	10.2	4.4	6.5	16.3	36.6	-	3.9	1.6	57.1	18.3	40.0	3.9	20.8	5.5	-	10.7	7.0	13.5	13.6	1.2	20.5
R2	1417.2	-	418.2	49.9	43.4	19.9	24.1	35.3	95.6	-	21.3	8.0	203.6	66.3	109.3	15.5	91.1	19.2	1.3	19.0	17.4	57.2	55.5	10.7	25.3

管内(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	自殺	
																									交通事故	
H23	275.8	0.1	83.1	7.0	/	/	3.1	/	10.5	/	/	6.2	0.7	45.3	/	23.2	/	18.7	/	/	5.9	6.8	15.8	9.5	1.3	15.9
H24	270.4	0.1	96.9	11.7	/	/	3.7	/	7.4	/	/	1.3	0.4	37.7	/	30.8	/	18.4	/	/	5.7	3.2	11.5	8.4	1.7	10.1
H25	247.7	0.1	74.7	14.3	/	/	6.1	/	4.7	/	/	1.5	1.0	33.3	/	26.0	/	19.3	/	/	3.6	3.6	17.1	13.8	3.5	2.0
H26	277.9	-	108.6	9.9	/	/	4.6	/	10.9	/	/	3.3	1.2	32.6	9.8	35.2	5.5	17.6	0.5	0.1	2.1	3.1	13.9	11.6	3.4	1.9
H27	270.2	0.0	93.4	15.4	/	/	3.4	/	13.0	/	/	6.0	1.2	34.4	8.8	27.4	3.8	18.0	0.4	0.5	3.9	2.9	17.8	11.7	1.8	6.9
H28	234.3	0.3	76.0	9.8	/	/	4.2	/	7.2	/	/	2.4	0.4	30.3	7.1	14.7	3.1	14.5	0.4	0.2	3.6	2.1	16.5	8.4	0.9	9.4
H29	252.1	0.3	96.8	7.9	6.6	1.7	3.6	5.9	13.6	10.2	10.0	1.7	1.6	31.8	8.0	21.7	3.0	9.5	2.3	0.1	2.6	4.6	16.7	11.5	6.4	2.4
H30	227.5	0.3	85.0	6.4	8.1	3.5	3.5	8.1	13.0	10.3	5.1	1.8	1.0	31.7	6.2	21.5	2.8	7.0	1.1	0.5	1.9	3.0	17.7	9.6	0.6	6.1
R1	261.6	0.1	94.7	7.5	6.3	5.8	3.9	10.8	3.5	19.3	4.3	1.7	1.2	29.5	7.0	15.1	1.4	7.1	0.2	0.1	4.5	5.2	14.6	16.2	0.7	12.3
R2	731.7	-	203.9	16.9	14.4	4.4	7.6	30.1	26.6	26.1	10.0	6.1	6.8	110.0	22.8	72.6	9.5	25.5	2.8	-	8.9	10.6	77.2	18.2	1.4	3.5

2) 年齢調整死亡率(単年)

石川県(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮													交通事故		
H23	377.5	0.3	128.0	18.9			10.1		24.0			4.5	1.1	53.5		33.5		30.2			5.5	5.4	8.4	19.9	4.1	20.8
H24	366.1	0.1	124.2	17.3			9.2		24.3			4.5	1.2	51.4		34.0		27.6			5.4	5.2	10.2	16.3	3.6	17.3
H25	358.1	0.4	120.4	17.1			9.6		23.8			3.6	1.1	50.8		33.9		26.8			6.0	4.5	11.3	16.7	4.5	15.0
H26	357.0	0.2	124.2	15.4			9.1		23.9			3.2	1.6	47.0	17.7	30.9	5.3	25.7	3.6	0.5	5.2	4.3	10.9	17.4	3.6	13.7
H27	351.7	0.3	121.1	15.5			9.1		24.9			3.3	1.0	46.1	17.2	28.4	4.8	26.4	3.0	0.4	6.3	4.1	12.0	15.7	3.5	16.2
H28	345.9	0.3	120.0	14.8			9.0		22.8			3.2	1.0	44.3	15.8	28.8	4.4	23.3	3.4	0.5	5.2	4.4	12.3	16.9	4.2	14.0
H29	341.0	0.2	116.7	12.7	10.3	4.6	7.3	12.5	23.1	6.4	2.8	3.7	1.9	45.1	15.4	27.6	4.7	17.2	4.2	0.5	6.8	4.7	12.8	13.2	2.6	14.9
H30	325.6	0.2	112.6	13.3	9.5	5.2	5.9	10.9	22.5	7.0	3.1	3.7	2.1	45.9	16.0	27.3	4.3	14.4	3.5	0.3	5.2	5.3	13.6	12.9	1.7	10.7
R1	325.5	0.1	108.9	12.3	9.1	4.5	6.3	11.4	20.6	6.2	2.1	3.2	2.1	42.8	14.9	24.7	4.2	15.4	2.5	0.2	6.0	5.3	13.5	12.1	1.8	13.4
R2	937.4	1.0	281.5	32.3	27.1	11.4	16.6	32.1	56.1	9.6	4.5	9.6	6.2	135.4	41.1	73.5	13.8	49.4	9.6	0.9	10.9	15.7	73.2	27.9	3.7	14.8

石川県(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	消化器系の疾患							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患		消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺	
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房						肺炎	急性気管支炎								
H23	524.7	0.4	178.7	29.7	/	/	16.5	/	41.6	/	6.2	1.1	69.1	/	46.5	/	47.4	/	8.8	6.5	7.0	27.9	5.6	30.4	
H24	510.3	0.3	174.9	25.3	/	/	14.8	/	43.4	/	6.0	1.3	70.0	/	45.3	/	45.0	/	7.2	7.6	8.5	22.7	4.4	25.5	
H25	495.8	0.6	167.0	26.5	/	/	14.3	/	41.6	/	5.4	1.0	69.8	/	45.5	/	44.3	/	9.4	6.2	8.7	24.2	6.9	22.9	
H26	495.9	0.4	171.7	24.5	/	/	14.1	/	42.2	/	3.8	2.0	61.7	26.3	41.7	6.9	42.5	8.0	0.5	7.7	6.1	9.1	24.9	5.2	22.3
H27	474.8	0.6	163.9	22.8	/	/	14.1	/	42.2	/	4.9	1.2	60.3	26.1	36.1	5.5	41.3	6.5	0.5	8.5	4.5	8.8	23.2	5.0	25.8
H28	473.7	0.5	168.1	23.7	/	/	13.8	/	39.9	/	5.0	1.1	58.9	24.6	40.4	6.1	36.5	6.8	0.6	7.9	6.7	8.6	25.0	6.3	20.4
H29	464.4	0.3	156.5	19.1	13.4	7.6	11.4	15.7	39.3	0.2	5.5	2.3	61.2	23.0	34.6	6.9	28.6	8.7	0.7	10.5	5.9	11.5	19.6	3.5	22.7
H30	440.9	0.2	149.0	20.6	11.1	7.9	9.2	13.2	36.5	0.1	6.3	2.9	60.7	24.8	37.6	6.3	23.9	7.3	0.5	7.5	7.7	10.9	18.9	2.5	14.8
R1	441.1	0.3	144.4	19.7	10.4	6.0	9.5	14.8	36.3	0.1	4.5	2.6	58.9	23.2	34.1	5.6	25.4	5.8	0.3	9.5	6.6	11.0	17.4	2.5	19.1
R2	1316.3	1.7	410.9	53.9	37.1	15.5	27.4	37.8	98.4	0.3	13.5	6.5	183.2	63.3	97.3	19.4	88.4	22.1	1.7	15.6	24.6	64.2	42.6	6.9	23.1

石川県(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	呼吸器系の疾患	肺炎	急性気管支炎	消化器系の疾患	肝疾患	腎不全	老衰	不慮の事故	自殺	
																									交通事故	
H23	268.7	0.2	90.7	10.9	/	/	5.0	/	11.0	/	/	3.2	1.1	41.0	/	23.9	/	20.4	/	/	2.7	4.7	8.9	13.7	2.8	11.6
H24	260.3	0.1	88.0	11.4	/	/	4.4	/	10.0	/	/	3.2	1.0	36.5	/	25.9	/	17.1	/	/	3.7	3.5	10.8	11.6	3.1	9.2
H25	254.3	0.3	86.1	10.4	/	/	5.8	/	10.4	/	/	2.1	1.2	35.3	/	24.5	/	16.9	/	/	2.9	3.0	12.2	10.4	2.3	7.2
H26	253.7	0.1	90.6	8.7	/	/	5.4	/	10.3	/	/	2.7	1.1	34.7	10.9	22.5	4.1	15.4	1.1	0.5	3.0	3.1	11.5	11.5	2.2	5.1
H27	253.3	0.1	88.6	10.1	/	/	5.1	/	11.4	/	/	1.9	0.8	33.5	9.7	22.2	4.1	16.9	0.7	0.3	4.4	3.8	13.2	9.6	2.0	6.7
H28	245.8	0.2	83.4	7.8	/	/	4.9	/	9.7	/	/	1.8	1.0	32.0	8.7	19.6	3.0	15.3	1.1	0.5	2.9	2.7	13.7	9.9	2.0	7.6
H29	244.6	0.2	86.5	7.4	8.0	2.1	4.0	9.6	10.5	12.1	5.3	2.1	1.5	31.9	8.9	22.2	2.9	10.3	1.4	0.4	3.2	3.8	13.1	8.1	1.7	7.1
H30	236.2	0.2	86.1	7.6	8.1	3.0	3.2	8.9	12.0	13.3	5.9	1.6	1.3	33.0	8.7	19.3	2.9	8.2	1.1	0.2	3.2	3.4	14.7	8.1	1.0	6.7
R1	234.8	0.0	83.0	6.7	8.2	3.5	3.6	8.4	8.5	11.9	4.1	2.2	1.6	29.2	7.7	16.8	2.8	9.1	0.5	0.2	2.9	4.2	14.5	8.0	1.0	7.8
R2	690.7	0.6	196.2	17.6	20.9	7.8	9.3	27.0	28.4	16.8	8.2	6.3	5.2	104.0	24.7	57.1	10.4	29.4	3.6	0.5	7.4	10.2	74.7	17.3	0.7	7.5

3) 年齢階級別死亡数(選択死因)

七尾市(3年平均:平成30~令和2年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		788.3	1.3	0.0	0.0	0.7	0.7	0.3	0.3	0.7	5.7	5.7	8.0	14.3	21.0	45.0	60.7	79.7	118.7	166.7	259.0	0.0
結核		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-
悪性新生物		208.7	-	-	-	-	0.3	-	0.3	0.3	2.0	2.3	2.3	6.7	7.3	23.3	29.0	36.0	38.3	31.0	29.3	-
食道		4.0	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	-	-	0.3	1.3	0.3	0.7	0.3	-
胃		25.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.0	3.3	4.7	3.0	3.3	5.0	4.7	-
結腸		18.7	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	1.3	1.3	3.0	5.0	3.3	3.3	-
直腸S状結腸移行部及び直腸		9.7	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	2.0	2.3	1.3	1.3	1.0	0.7	-
肝及び肝内胆管		11.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	2.0	2.7	1.3	2.0	2.0	-
胆のう及びその他の胆道		13.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.7	1.7	5.3	2.7	1.7	-
膵		19.7	-	-	-	-	-	-	-	-	-	0.3	-	0.7	1.0	2.7	3.3	4.0	3.3	2.7	1.7	-
気管、気管支及び肺		44.7	-	-	-	-	-	-	-	0.3	0.7	-	0.7	1.0	1.0	5.7	6.7	9.7	8.0	4.7	6.3	-
乳房		9.0	-	-	-	-	-	-	-	-	-	1.0	-	1.3	0.3	1.0	1.0	0.3	1.3	1.3	1.3	-
子宮		2.7	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	1.0	0.3	0.3	-	-	-	-
白血病		6.7	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	0.7	-	2.0	1.7	1.0	0.7	-
糖尿病		11.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.0	1.0	1.7	2.0	2.3	2.7	-
高血圧性疾患		9.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	3.0	6.0	-
心疾患(高血圧性を除く)		123.0	0.3	-	-	-	-	-	-	-	1.3	0.3	1.0	3.0	2.3	6.3	9.0	9.3	15.7	28.0	46.3	-
急性心筋梗塞		19.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	2.0	1.0	2.3	6.7	5.3	-
その他の虚血性心疾患		14.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	2.0	1.3	1.3	3.7	2.0	4.0	-
不整脈及び伝導障害		33.7	-	-	-	-	-	-	-	-	1.3	0.3	0.3	2.0	1.0	1.7	4.3	3.3	4.0	7.7	7.7	-
心不全		45.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.3	1.3	2.3	5.0	8.3	25.7	-
脳血管疾患		76.3	-	-	-	-	-	-	-	-	0.3	1.0	1.3	0.7	2.3	3.3	4.0	6.0	9.3	18.3	29.7	-
くも膜下出血		12.0	-	-	-	-	-	-	-	-	0.3	0.7	1.0	-	0.7	1.0	1.3	1.3	2.0	2.7	1.0	-
脳内出血		15.0	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.0	1.0	2.3	1.7	1.7	2.7	3.3	-
脳梗塞		48.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	0.3	3.0	5.7	13.0	25.0	-
大動脈瘤及び解離		10.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	1.7	2.0	2.7	2.3	-
肺炎		30.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	1.7	2.3	3.7	6.7	14.7	-
慢性閉塞性肺疾患		7.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	2.0	1.3	1.7	2.0	-
喘息		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-
肝疾患		6.3	-	-	-	-	-	-	-	-	0.3	-	0.7	0.7	0.7	0.7	1.0	0.7	0.7	0.7	0.3	-
腎不全		13.7	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	-	0.7	1.3	3.0	2.3	5.0	-
老衰		71.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	4.0	14.3	53.0	-
不慮の事故		27.7	0.3	-	-	-	-	-	-	-	-	1.0	-	0.7	1.3	1.3	3.7	2.7	6.0	5.7	5.0	-
交通事故		2.3	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	-	-	0.3	1.0	-	-
自殺		9.3	-	-	-	0.3	0.3	0.3	-	0.3	1.0	0.7	1.0	1.3	0.7	1.3	1.0	0.3	0.7	-	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

羽咋市 (3年平均:平成30~令和2年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		327.7	0.0	0.0	0.3	0.0	0.0	0.0	1.0	0.3	2.0	2.0	3.7	4.0	10.7	12.0	26.3	29.0	46.3	75.7	114.3	0.0
結核		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		85.3	-	-	0.3	-	-	-	0.7	-	-	0.7	1.0	2.0	5.0	7.7	12.0	12.0	13.0	19.7	11.3	-
食道		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.7	-	-	0.3	-
胃		10.0	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.7	1.7	1.3	0.7	2.0	1.3	0.7	-
結腸		7.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.3	0.7	1.0	1.0	2.7	-
直腸S状結腸移行部及び直腸		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	-	1.0	0.7	0.3	-
肝及び肝内胆管		4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.7	1.3	1.0	-	-
胆のう及びその他の胆道		7.0	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.7	-	1.3	0.7	2.3	1.0	-
膵		8.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	1.0	1.7	1.3	2.0	1.7	-
気管、気管支及び肺		13.0	-	-	-	-	-	-	-	-	-	0.3	-	-	1.0	0.7	2.3	2.0	1.0	4.7	1.0	-
乳房		4.7	-	-	-	-	-	-	0.7	-	-	0.3	-	-	0.3	0.3	0.7	0.3	0.3	0.7	1.0	-
子宮		2.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	0.3	0.3	0.3	-
白血病		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	-	0.7	-	-
糖尿病		3.3	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	1.0	-	0.7	-	1.3	-
高血圧性疾患		1.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	-	-	-
心疾患(高血圧性を除く)		52.7	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	0.7	3.0	1.7	6.3	13.0	26.0	-
急性心筋梗塞		7.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	-	1.0	0.3	1.3	1.0	2.7	-
その他の虚血性心疾患		8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.7	0.7	2.0	3.7	-
不整脈及び伝導障害		8.3	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	-	1.7	2.7	3.3	-
心不全		20.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	1.7	4.0	13.7	-
脳血管疾患		30.3	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.3	0.3	1.0	2.3	3.3	4.3	7.0	10.7	-
くも膜下出血		3.7	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	0.3	-	0.3	0.7	-	1.0	0.3	-
脳内出血		8.0	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	1.3	1.7	1.3	1.3	1.7	-
脳梗塞		18.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	3.0	4.7	8.7	-
大動脈瘤及び解離		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	0.3	-	1.3	-
肺炎		20.3	-	-	-	-	-	-	-	-	-	0.7	0.3	-	0.3	-	0.7	0.7	3.3	5.0	9.3	-
慢性閉塞性肺疾患		6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	3.0	2.0	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-
肝疾患		3.3	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	0.7	0.3	1.0	0.3	-
腎不全		4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	-	0.7	2.7	-
老衰		34.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	2.0	8.7	22.0	-
不慮の事故		11.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.7	0.3	0.7	3.0	2.0	3.7	-
交通事故		1.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	0.3	-	-	-
自殺		3.7	-	-	-	-	-	-	0.3	-	1.0	-	-	0.7	0.7	0.7	-	0.3	-	-	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

志賀町 (3年平均:平成30~令和2年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		347.3	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.7	0.7	1.3	4.3	7.0	14.7	22.3	29.0	54.0	90.0	122.0	0.0
結核		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-
悪性新生物		82.7	-	-	-	-	-	-	-	-	0.7	-	0.7	3.0	3.0	7.3	8.3	11.7	17.3	19.0	11.7	-
食道		3.3	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	-	0.7	0.7	0.7	-	-
胃		10.0	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.7	2.0	2.0	2.0	1.0	-
結腸		7.0	-	-	-	-	-	-	-	-	-	-	-	1.0	-	0.3	0.7	-	1.7	1.7	1.7	-
直腸S状結腸移行部及び直腸		3.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	1.3	0.3	0.3	0.7	-
肝及び肝内胆管		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	1.3	0.7	1.0	-
胆のう及びその他の胆道		6.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	0.7	1.0	1.3	1.7	-
膵		10.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	1.3	0.7	1.7	3.0	2.3	1.0	-
気管、気管支及び肺		18.7	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	2.7	2.0	5.0	5.0	1.7	-
乳房		2.7	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	0.3	0.3	-	-	0.7	0.3	-
子宮		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-	-	0.3	-
白血病		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-
糖尿病		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.7	-
高血圧性疾患		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.7	0.7	0.7	-
心疾患(高血圧性を除く)		56.7	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	0.7	2.7	3.3	4.0	6.3	14.7	23.7	-
急性心筋梗塞		5.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	1.0	1.3	0.7	1.0	-
その他の虚血性心疾患		8.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.7	1.0	1.3	1.3	1.7	2.3	-
不整脈及び伝導障害		10.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.7	0.7	1.0	1.3	3.0	3.0	-
心不全		28.3	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	1.0	0.3	1.7	8.3	16.0	-
脳血管疾患		32.3	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	1.7	3.3	1.3	6.3	8.3	10.7	-
くも膜下出血		4.0	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	0.3	-	0.3	1.7	0.7	-
脳内出血		7.7	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.7	0.3	1.0	1.0	2.7	-
脳梗塞		20.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	1.0	5.0	5.7	7.3	-
大動脈瘤及び解離		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	1.0	-
肺炎		22.0	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	0.7	3.7	6.3	9.7	-
慢性閉塞性肺疾患		4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	2.0	2.0	-
喘息		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
肝疾患		3.0	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	0.7	-	0.7	0.7	-
腎不全		5.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	2.7	2.0	-
老衰		39.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	2.7	7.7	28.0	-
不慮の事故		10.0	-	-	-	-	-	-	-	-	0.3	-	-	-	1.0	0.3	0.7	1.3	2.0	2.0	2.3	-
交通事故		1.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	-	0.3	0.3	0.3	-	-
自殺		4.0	-	-	-	0.3	-	-	-	-	0.3	-	-	0.7	-	0.3	0.7	0.3	0.7	0.7	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

宝達志水町(3年平均:平成30~令和2年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		188.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.0	1.3	1.3	4.3	6.3	14.7	21.0	24.0	45.0	66.7	0.0
結核		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		54.3	-	-	-	-	-	-	-	-	-	0.7	1.0	-	2.3	4.3	6.7	9.7	8.3	12.0	9.3	-
食道		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	-	-	-	-
胃		4.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	1.0	1.0	1.7	-
結腸		3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	1.0	1.3	-
直腸S状結腸移行部及び直腸		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	-
肝及び肝内胆管		5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	1.7	1.0	0.3	0.3	-
胆のう及びその他の胆道		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.3	-	1.7	-	-
膵		6.0	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.7	1.0	1.0	1.0	1.7	-
気管、気管支及び肺		10.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	3.0	2.3	2.3	1.0	-
乳房		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	0.3	-	-
子宮		0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	-
白血病		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-	-	-	-
糖尿病		2.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	0.3	0.7	-
高血圧性疾患		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-
心疾患(高血圧性を除く)		25.3	-	-	-	-	-	-	-	-	0.3	0.3	-	0.7	0.3	0.3	1.3	1.3	2.3	5.7	12.7	-
急性心筋梗塞		3.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.3	0.3	0.3	1.0	1.3	-
その他の虚血性心疾患		3.7	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	0.3	-	2.3	-
不整脈及び伝導障害		6.0	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	-	-	0.7	1.3	2.7	-
心不全		9.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	0.7	2.3	5.0	-
脳血管疾患		16.0	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	1.0	0.7	2.0	4.3	7.3	-
くも膜下出血		1.0	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.3	0.3	-	-
脳内出血		3.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.7	1.0	1.0	-
脳梗塞		11.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.0	2.7	6.3	-
大動脈瘤及び解離		1.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	0.3	-
肺炎		11.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	2.3	2.3	4.0	-
慢性閉塞性肺疾患		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	-
喘息		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
肝疾患		2.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	0.3	0.7	0.7	0.3	-
腎不全		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.7	1.0	-
老衰		18.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	2.7	14.3	-
不慮の事故		5.7	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	0.3	0.7	0.3	1.3	2.3	-
交通事故		0.3	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-
自殺		2.3	-	-	-	-	-	-	-	-	0.3	0.3	-	-	-	-	0.3	0.3	0.7	-	0.3	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

中能登町(3年平均:平成30~令和2年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		248.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	1.7	3.0	6.3	4.7	17.0	21.0	24.7	41.7	49.3	75.7	0.0
結核		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		73.0	-	-	-	-	-	-	-	-	0.3	0.7	1.3	3.0	2.3	8.7	11.0	10.3	12.7	12.3	10.3	-
食道		2.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	0.7	-	0.7	-
胃		12.7	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.3	1.7	1.0	4.0	2.0	1.7	-
結腸		6.7	-	-	-	-	-	-	-	-	-	-	-	1.0	-	1.0	1.7	1.0	1.0	0.7	0.3	-
直腸S状結腸移行部及び直腸		5.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	1.0	1.3	1.0	0.3	0.7	-
肝及び肝内胆管		3.0	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	-	0.3	0.3	0.7	0.3	-
胆のう及びその他の胆道		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.7	0.7	0.3	0.7	-
膵		10.0	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.7	1.3	2.0	1.3	1.0	1.7	1.0	-
気管、気管支及び肺		11.0	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.7	1.7	1.7	2.0	2.7	1.3	-
乳房		3.0	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.3	0.3	0.7	0.3	0.7	-	-
子宮		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	-	0.3	-
白血病		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.7	0.3	-
糖尿病		2.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	-	1.3	0.7	-
高血圧性疾患		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	-	1.0	-
心疾患(高血圧性を除く)		32.7	-	-	-	-	-	-	-	0.3	0.7	-	1.0	1.0	0.7	2.0	1.7	3.0	4.7	7.3	10.3	-
急性心筋梗塞		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	0.7	-	-
その他の虚血性心疾患		4.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	1.0	0.7	1.0	1.0	-
不整脈及び伝導障害		7.7	-	-	-	-	-	-	-	0.3	0.7	-	0.7	0.7	-	1.7	0.7	1.0	-	1.0	1.0	-
心不全		14.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	3.0	3.7	6.3	-
脳血管疾患		23.7	-	-	-	-	-	-	-	0.7	-	-	0.3	-	0.3	-	1.3	3.0	4.3	3.3	10.3	-
くも膜下出血		3.0	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3	-	0.3	0.7	0.3	0.3	0.7	-
脳内出血		7.0	-	-	-	-	-	-	-	0.3	-	-	0.3	-	-	-	-	1.0	1.0	1.7	2.7	-
脳梗塞		12.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	2.3	1.3	6.7	-
大動脈瘤及び解離		3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	0.7	0.7	-
肺炎		12.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	1.7	4.3	5.0	-
慢性閉塞性肺疾患		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	1.3	-
喘息		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-
肝疾患		4.7	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.0	0.3	0.7	1.3	0.3	0.3	-
腎不全		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.3	1.0	1.0	-
老衰		19.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.7	3.3	15.0	-
不慮の事故		9.3	-	-	-	-	-	-	-	0.3	0.3	0.3	-	-	0.3	-	1.0	1.3	3.0	1.0	1.7	-
交通事故		1.0	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	0.3	-	0.3	-
自殺		2.0	-	-	-	-	-	-	-	-	0.7	-	-	0.7	-	0.7	-	-	-	-	-	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

管内(3年平均:平成30~令和2年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		1900.0	2.0	0.0	0.3	1.0	0.7	0.3	1.3	2.3	11.3	13.0	17.3	30.3	47.7	95.0	145.0	183.3	284.7	426.7	637.7	0.0
結核		1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.7	-
悪性新生物		504.0	-	-	0.3	-	0.3	-	1.0	0.3	3.0	4.3	6.3	14.7	20.0	51.3	67.0	79.7	89.7	94.0	72.0	-
食道		13.7	-	-	-	-	-	-	-	-	-	-	0.3	0.7	1.3	1.3	2.0	3.7	1.7	1.0	1.7	-
胃		63.0	-	-	-	-	-	-	-	-	-	-	0.7	1.0	4.3	7.3	9.3	7.0	12.3	11.3	9.7	-
結腸		43.0	-	-	-	-	-	-	-	-	-	0.3	-	2.3	1.0	4.0	4.3	5.0	9.0	7.7	9.3	-
直腸S状結腸移行部及び直腸		21.0	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	0.3	3.0	4.3	3.3	3.3	3.3	2.0	-
肝及び肝内胆管		28.0	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	2.7	3.3	7.0	5.3	4.7	3.7	-
胆のう及びその他の胆道		33.3	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	2.3	4.0	4.7	7.7	8.3	5.0	-
膵		54.7	-	-	-	-	-	-	-	-	-	0.7	0.7	2.0	2.0	5.7	7.7	9.7	9.7	9.7	7.0	-
気管、気管支及び肺		97.3	-	-	-	-	-	-	-	0.3	0.7	0.7	0.7	1.7	3.7	8.3	14.0	18.3	18.3	19.3	11.3	-
乳房		21.0	-	-	-	-	-	-	0.7	-	0.7	1.3	0.3	1.7	1.3	2.0	2.7	1.7	2.3	3.7	2.7	-
子宮		8.0	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	2.3	1.7	0.7	0.7	0.3	1.0	-
白血病		11.7	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.3	1.7	1.3	2.3	1.7	2.7	1.0	-
糖尿病		21.7	-	-	-	-	-	-	-	-	-	-	0.7	0.3	1.0	1.0	3.0	2.0	3.3	4.3	6.0	-
高血圧性疾患		15.7	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.3	0.3	-	1.7	4.3	8.0	-
心疾患(高血圧性を除く)		290.3	0.3	-	-	-	-	-	-	0.3	2.7	1.0	3.0	5.3	5.0	12.0	18.3	19.3	35.3	68.7	119.0	-
急性心筋梗塞		37.3	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	1.7	2.0	4.0	2.7	5.7	10.0	10.3	-
その他の虚血性心疾患		39.7	-	-	-	-	-	-	-	-	0.3	-	0.7	0.3	-	3.7	3.3	4.7	6.7	6.7	13.3	-
不整脈及び伝導障害		65.7	-	-	-	-	-	-	-	0.3	2.0	0.7	1.7	3.0	1.7	4.3	5.7	5.3	7.7	15.7	17.7	-
心不全		117.3	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.7	2.0	4.3	4.3	12.0	26.7	66.7	-
脳血管疾患		178.7	-	-	-	-	-	-	-	1.0	0.7	1.7	2.0	1.3	3.3	6.0	12.0	14.3	26.3	41.3	68.7	-
くも膜下出血		23.7	-	-	-	-	-	-	-	0.7	0.3	1.3	1.3	0.3	1.7	1.3	2.3	2.7	3.0	6.0	2.7	-
脳内出血		41.0	-	-	-	-	-	-	-	0.3	0.3	0.3	0.7	1.0	1.0	2.3	5.7	4.7	5.7	7.7	11.3	-
脳梗塞		111.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	2.0	4.0	6.7	17.0	27.3	54.0	-
大動脈瘤及び解離		21.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	2.3	4.0	4.3	4.7	5.7	-
肺炎		96.3	-	-	-	-	-	-	-	-	-	0.7	0.3	0.3	0.7	2.3	4.7	5.3	14.7	24.7	42.7	-
慢性閉塞性肺疾患		22.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	3.0	2.3	7.7	8.3	-
喘息		1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	0.3	-
肝疾患		20.0	-	-	-	-	-	-	-	-	0.3	0.7	1.3	1.0	0.7	2.0	2.7	3.0	3.0	3.3	2.0	-
腎不全		32.0	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	0.3	1.7	3.3	5.3	8.3	11.7	-
老衰		182.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	1.7	10.0	36.7	132.3	-
不慮の事故		64.0	0.3	-	-	-	-	-	-	0.3	0.7	2.0	0.3	1.0	3.0	2.3	6.0	6.7	14.3	12.0	15.0	-
交通事故		6.3	-	-	-	-	-	-	-	0.3	0.3	0.7	0.3	-	-	1.0	0.3	0.3	1.3	1.3	0.3	-
自殺		21.3	-	-	-	0.7	0.3	0.3	0.3	0.3	2.7	1.7	1.0	3.0	1.7	2.7	2.3	1.3	2.0	0.7	0.3	-

資料:能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

石川県(3年平均:平成30~令和2年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		12781.3	18.0	4.0	4.7	8.7	14.7	14.7	26.7	32.3	60.7	111.3	140.3	222.3	333.7	653.7	1112.3	1396.7	1958.7	2655.3	4012.7	0.0
結核		12.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	1.0	5.0	5.3	-
悪性新生物		3,560.0	0.7	1.0	1.0	1.3	1.3	1.0	7.0	6.7	18.7	40.3	56.0	97.7	161.7	336.3	510.3	560.3	599.7	617.0	542.0	-
食道		90.3	-	-	-	-	-	-	-	-	0.3	0.7	2.0	3.7	4.7	11.7	14.0	19.7	14.7	10.7	8.3	-
胃		437.3	-	-	-	-	0.3	0.7	0.3	0.7	2.3	3.0	4.3	7.0	16.3	48.0	58.7	60.0	79.7	79.3	76.7	-
結腸		333.7	-	-	-	-	-	-	0.3	1.3	0.7	2.3	4.0	9.0	14.7	26.7	38.7	40.0	60.7	62.3	73.0	-
直腸S状結腸移行部及び直腸		147.7	-	-	-	-	-	-	-	0.7	1.3	1.0	1.7	3.7	8.3	17.0	23.7	24.3	25.0	26.0	15.0	-
肝及び肝内胆管		200.7	-	-	-	-	-	-	-	0.3	-	1.3	2.3	4.7	10.7	15.7	33.7	36.0	34.7	38.7	22.7	-
胆のう及びその他の胆道		206.0	-	-	-	-	-	-	-	-	0.3	1.3	0.7	3.3	5.0	11.0	18.3	29.0	46.3	49.0	41.7	-
膵		364.7	-	-	-	-	-	-	-	0.3	1.0	1.7	7.3	10.7	19.3	39.3	59.3	69.0	63.0	51.0	42.7	-
気管、気管支及び肺		715.0	-	-	-	-	-	-	0.7	0.7	2.0	3.3	7.3	15.3	25.3	70.7	123.3	131.7	120.0	113.7	101.0	-
乳房		133.7	-	-	-	-	-	-	1.0	1.0	3.3	8.3	7.7	9.7	12.0	15.7	19.7	17.7	9.7	13.7	14.3	-
子宮		54.3	-	-	-	-	-	-	0.7	0.3	1.0	4.7	5.0	4.0	4.0	6.3	6.7	5.3	4.7	6.0	5.7	-
白血病		84.7	-	0.3	0.3	0.7	0.3	0.3	0.7	-	1.0	1.0	1.3	2.3	2.7	9.3	13.3	15.3	14.7	15.0	6.0	-
糖尿病		128.3	-	-	-	-	-	-	-	0.3	0.3	-	2.7	2.0	5.3	6.3	13.7	16.7	26.0	25.3	29.7	-
高血圧性疾患		92.3	-	-	-	-	-	-	0.3	0.3	0.7	0.7	0.7	-	3.3	3.3	7.7	5.0	15.7	16.0	38.7	-
心疾患(高血圧性を除く)		1,976.0	0.7	-	0.3	-	0.3	1.0	1.0	1.0	7.7	9.7	18.7	29.0	38.3	71.7	122.0	177.3	282.0	438.3	777.0	-
急性心筋梗塞		335.3	-	-	-	-	-	-	-	-	2.7	4.0	7.0	8.0	12.7	20.3	32.7	46.0	57.7	72.0	72.3	-
その他の虚血性心疾患		233.0	-	-	-	-	-	0.3	-	-	1.0	1.7	2.0	3.7	5.7	15.7	20.0	29.3	41.7	45.7	66.3	-
不整脈及び伝導障害		313.7	-	-	0.3	-	0.3	0.3	-	0.7	2.0	2.0	6.3	8.3	7.3	17.0	27.3	28.0	43.7	67.7	102.3	-
心不全		881.0	-	-	-	-	-	-	-	0.3	1.3	1.3	1.7	5.0	7.0	13.0	29.0	53.7	110.3	201.7	456.7	-
脳血管疾患		1,064.7	-	-	-	0.3	-	0.7	1.3	3.0	5.3	9.0	11.0	16.0	23.7	39.3	85.0	102.0	172.3	237.0	358.7	-
くも膜下出血		112.3	-	-	-	-	-	-	0.3	1.3	3.0	5.0	5.3	6.0	7.3	10.0	13.7	13.0	17.0	17.3	13.0	-
脳内出血		279.7	-	-	-	0.3	-	0.7	0.3	1.3	2.3	3.7	4.0	8.0	13.0	18.7	37.3	32.3	44.7	56.3	56.7	-
脳梗塞		656.7	-	-	-	-	-	-	0.3	0.3	-	-	1.3	2.0	2.7	9.7	33.0	56.3	107.7	159.0	284.3	-
大動脈瘤及び解離		171.7	-	-	-	-	-	-	0.3	0.3	-	1.3	2.0	4.0	5.7	10.0	17.3	20.3	31.7	37.7	41.0	-
肺炎		766.7	0.7	0.3	-	-	0.3	0.3	0.7	-	1.0	1.7	2.3	2.0	8.0	18.0	36.7	69.7	120.3	194.3	310.3	-
慢性閉塞性肺疾患		144.0	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	4.0	9.0	20.7	29.7	34.0	45.3	-
喘息		15.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	2.0	2.7	3.3	6.7	-
肝疾患		137.0	0.3	-	-	-	-	-	0.3	1.3	1.3	5.7	8.0	11.7	6.3	11.7	16.7	20.0	21.0	18.7	14.0	-
腎不全		230.7	-	-	-	-	-	-	0.3	0.3	-	1.3	1.0	3.3	4.3	7.3	18.7	24.7	41.3	50.7	77.3	-
老衰		1,078.3	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	9.0	18.3	82.7	214.7	752.7	-
不慮の事故		386.7	1.3	1.0	1.0	1.3	2.7	1.0	1.7	6.0	4.3	7.7	5.7	9.0	10.0	19.3	38.7	45.0	63.3	79.7	88.0	-
交通事故		39.3	-	0.3	-	1.0	1.0	0.3	0.7	2.0	1.7	1.3	1.7	1.7	2.0	3.7	4.3	5.0	4.7	6.0	2.0	-
自殺		158.0	-	-	0.7	4.0	9.0	7.7	8.0	7.3	15.3	17.7	13.3	14.3	8.0	12.3	13.3	11.0	9.0	5.7	1.3	-

資料:能登中部保健福祉センター算出

4)標準化死亡比(ベイズ推定値)

主要死因・性別(平成25年～平成29年)

資料:人口動態統計特殊報告

(男)

市町	全死因	悪性新生物<腫瘍>					心疾患(高血圧性を除く)			脳血管疾患			肺炎	肝疾患	腎不全	老衰	不慮の事故	自殺
		総数	胃	大腸	肝及び肝内胆管	気管、気管支及び肺	総数	急性心筋梗塞	心不全	総数	脳内出血	脳梗塞						
七尾市	102.3	102.0	120.5	92.1	94.7	100.0	99.4	92.1	101.7	125.1	111.1	128.0	101.0	65.0	81.3	104.4	145.0	104.8
羽咋市	97.1	96.1	115.4	85.4	75.3	108.3	99.6	100.1	83.1	106.9	83.3	111.0	99.4	93.2	87.6	151.9	121.1	86.3
志賀町	104.7	107.3	113.9	99.6	85.6	105.9	94.4	96.0	98.2	100.6	105.1	96.2	115.7	96.6	83.3	120.1	138.5	95.0
宝達志水町	101.3	106.2	105.5	96.9	107.4	116.1	99.4	106.2	91.1	108.9	94.7	120.0	90.5	75.5	73.2	134.1	135.4	94.2
中能登町	102.3	95.1	124.3	90.1	76.9	96.6	101.3	82.7	110.9	132.3	107.9	142.3	100.9	98.4	72.8	115.9	125.3	108.0
管内	102.4	102.1	122.9	91.3	85.3	103.7	100.3	90.4	95.8	120.8	110.6	123.3	99.8	80.5	82.7	126.9	141.2	99.3
石川県	98.6	99.7	103.6	94.4	92.1	105.7	95.8	101.6	100.3	105.2	91.5	112.9	104.9	87.4	77.4	87.9	119.9	97.3
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

(女)

市町	全死因	悪性新生物<腫瘍>					心疾患(高血圧性を除く)			脳血管疾患			肺炎	肝疾患	腎不全	老衰	不慮の事故	自殺
		総数	胃	大腸	肝及び肝内胆管	気管、気管支及び肺	総数	急性心筋梗塞	心不全	総数	脳内出血	脳梗塞						
七尾市	105.1	106.0	127.8	106.1	97.2	94.9	108.8	88.3	100.0	122.7	96.6	135.6	88.3	94.2	90.3	115.0	120.5	68.1
羽咋市	95.1	99.3	113.7	83.3	78.9	102.9	97.4	95.3	93.3	101.1	91.1	95.6	87.0	80.3	87.5	109.5	153.0	71.1
志賀町	95.3	91.6	114.3	68.2	76.6	89.5	94.4	103.0	93.0	91.6	88.7	89.4	144.0	79.2	94.4	100.9	110.0	67.4
宝達志水町	98.7	99.2	131.9	77.0	138.0	86.9	87.4	116.6	87.0	115.4	94.1	133.1	76.4	85.4	80.2	153.5	112.6	75.6
中能登町	102.8	98.5	128.2	95.4	85.7	75.9	109.8	89.1	110.2	119.3	100.2	130.1	81.6	97.8	76.2	133.4	115.1	85.8
管内	100.9	98.8	130.3	83.0	90.0	88.5	101.9	93.7	95.8	112.7	95.2	119.3	97.2	81.0	86.9	120.3	130.3	62.9
石川県	98.2	101.6	115.1	98.6	100.6	95.0	99.7	103.0	102.9	107.9	93.4	116.2	93.3	92.8	86.3	93.5	109.2	81.6
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100