

## 6 疾患別死亡の状況







1) 疾患別死亡数・死亡率(宝達志水町)

死亡数(総数)

Table showing total deaths from 2014 to 2019. Columns include years (H24-H30), R1, R2, R3. Rows include categories like malignant neoplasms, infectious diseases, circulatory diseases, etc.

死亡数(男)

Table showing total deaths for males from 2014 to 2019. Columns include years (H24-H30), R1, R2, R3. Rows include categories like malignant neoplasms, infectious diseases, circulatory diseases, etc.

死亡数(女)

Table showing total deaths for females from 2014 to 2019. Columns include years (H24-H30), R1, R2, R3. Rows include categories like malignant neoplasms, infectious diseases, circulatory diseases, etc.

死亡率(総数)人口10万対

Table showing mortality rate per 10,000 population for total deaths from 2014 to 2019. Columns include years (H24-H30), R1, R2, R3. Rows include categories like malignant neoplasms, infectious diseases, circulatory diseases, etc.

死亡率(男)人口10万対

Table showing mortality rate per 10,000 population for male deaths from 2014 to 2019. Columns include years (H24-H30), R1, R2, R3. Rows include categories like malignant neoplasms, infectious diseases, circulatory diseases, etc.

死亡率(女)人口10万対

Table showing mortality rate per 10,000 population for female deaths from 2014 to 2019. Columns include years (H24-H30), R1, R2, R3. Rows include categories like malignant neoplasms, infectious diseases, circulatory diseases, etc.



1) 疾患別死亡数・死亡率(管内)

死亡数(総数)

Table showing the total number of deaths from 1920 to 1996, categorized by year (H24 to R3) and various medical conditions such as tuberculosis, cancer, diabetes, and heart disease.

死亡率(総数)人口10万対

Table showing the total death rate per 10,000 population from 1920 to 1996, categorized by year (H24 to R3) and various medical conditions.

死亡数(男)

Table showing the number of deaths for males from 1920 to 1996, categorized by year (H24 to R3) and various medical conditions.

死亡率(男)人口10万対

Table showing the death rate per 10,000 population for males from 1920 to 1996, categorized by year (H24 to R3) and various medical conditions.

死亡数(女)

Table showing the number of deaths for females from 1920 to 1996, categorized by year (H24 to R3) and various medical conditions.

死亡率(女)人口10万対

Table showing the death rate per 10,000 population for females from 1920 to 1996, categorized by year (H24 to R3) and various medical conditions.





死亡率の分母に用いた人口、日本人人口(推計)

資料: 衛生統計年報

総数

	H24	H25	H26	H27	H28	H29	H30	R1	R2	R3
七尾市	55,917	55,123	54,280	54,905	54,079	53,111	52,276	51,367	49,618	48,751
羽咋市	22,478	22,239	21,933	21,662	21,372	21,043	20,649	20,344	20,262	19,881
志賀町	21,393	20,931	20,599	20,317	19,914	19,546	19,047	18,675	18,467	18,093
宝達志水町	13,662	13,370	13,116	13,069	12,795	12,554	12,348	12,104	11,948	11,698
中能登町	18,005	17,841	17,571	17,447	17,133	16,934	16,732	16,504	16,361	16,130
管内	131,455	129,504	127,499	127,400	125,293	123,188	121,052	118,994	116,656	114,553
石川県	1,152,352	1,148,598	1,144,795	1,144,626	1,138,540	1,133,851	1,127,759	1,120,707	1,117,364	1,110,734

男

	H24	H25	H26	H27	H28	H29	H30	R1	R2	R3
七尾市	26,394	26,036	25,659	26,145	25,592	25,151	24,808	24,397	23,770	23,257
羽咋市	10,624	10,496	10,341	10,275	10,123	9,967	9,773	9,639	9,621	9,410
志賀町	10,049	9,855	9,718	9,639	9,426	9,246	9,026	8,834	8,836	8,659
宝達志水町	6,397	6,270	6,163	6,202	6,066	5,933	5,825	5,734	5,666	5,518
中能登町	8,577	8,520	8,419	8,413	8,255	8,154	8,049	7,941	7,925	7,795
管内	62,041	61,177	60,300	60,674	59,462	58,451	57,481	56,545	55,818	54,639
石川県	557,036	555,694	554,278	554,168	551,207	549,335	546,891	544,045	541,717	539,121

女

	H24	H25	H26	H27	H28	H29	H30	R1	R2	R3
七尾市	29,523	29,087	28,621	28,760	28,487	27,960	27,468	26,970	25,848	25,494
羽咋市	11,854	11,743	11,592	11,387	11,249	11,076	10,876	10,705	10,641	10,471
志賀町	11,344	11,076	10,881	10,678	10,488	10,300	10,021	9,841	9,631	9,434
宝達志水町	7,265	7,100	6,953	6,867	6,729	6,621	6,523	6,370	6,282	6,180
中能登町	9,428	9,321	9,152	9,034	8,878	8,780	8,683	8,563	8,436	8,335
管内	69,414	68,327	67,199	66,726	65,831	64,737	63,571	62,449	60,838	59,914
石川県	595,316	592,904	590,517	590,458	587,333	584,516	580,868	576,662	575,647	571,613

## 2)年齢調整死亡率

選択死因の市町別年齢調整死亡率(人口10万対:直接法) (令和3年)

注)基準人口 平成27年モデル人口(平成27年国勢調査人口を基に補正した人口)を使用  
資料:衛生統計年報

(総数)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	1056.4	0.8	292.1	41.7	17.1	55.2	10.9	8.3	158.1	105.7	18.6	33.0	11.3	0.0	22.3	13.5	66.5	38.0	4.6	9.4
羽咋市	966.4	2.7	285.8	39.0	28.8	51.2	17.4	4.1	117.1	93.8	12.2	31.3	16.0	2.7	17.8	8.1	107.0	17.3	0.0	20.5
志賀町	896.3	0.0	222.0	36.0	13.4	35.7	12.5	5.2	165.3	64.9	13.6	28.8	7.7	0.0	14.2	10.7	59.6	20.0	5.0	14.2
宝達志水町	924.6	0.0	270.2	32.5	14.0	40.7	5.2	8.1	139.1	66.5	15.8	26.1	15.8	0.0	10.5	23.1	87.1	24.0	0.0	4.0
中能登町	1096.0	0.0	263.0	53.2	8.3	33.5	10.7	10.3	163.6	165.9	15.2	50.6	4.6	3.7	8.0	18.5	89.7	45.7	0.0	24.4
管内	1001.0	0.8	271.3	40.8	17.0	46.6	11.6	7.2	150.4	100.4	15.7	33.3	11.1	1.0	16.7	13.8	77.3	30.5	2.8	13.9
石川県	957.1	1.0	272.5	31.1	15.4	54.4	10.3	6.7	138.0	80.1	13.5	45.3	10.3	0.5	12.8	15.4	77.0	29.7	2.8	13.9

\*人口は、各年次の10月1日現在。

(男)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	1393.7	0.0	401.1	61.2	33.4	96.8	9.8	11.1	205.1	146.1	17.0	47.5	31.3	0.0	19.7	18.2	55.6	48.9	3.7	19.0
羽咋市	1460.4	8.4	455.9	87.1	50.8	93.8	24.8	9.1	185.0	97.0	26.0	59.2	48.7	8.4	20.0	9.1	169.8	0.0	0.0	28.9
志賀町	1233.4	0.0	252.1	48.6	22.5	60.6	29.6	7.8	209.4	98.6	28.4	36.3	7.8	0.0	23.2	7.8	32.7	38.1	17.1	30.8
宝達志水町	1389.5	0.0	405.6	60.3	22.5	89.5	0.0	0.0	212.6	141.6	12.5	43.2	28.1	0.0	0.0	60.9	99.3	33.1	0.0	19.6
中能登町	1406.7	0.0	323.4	74.2	0.0	71.3	14.5	10.6	300.0	196.1	9.1	53.7	10.5	0.0	10.5	21.2	53.2	78.4	0.0	25.5
管内	1374.9	1.5	373.4	65.3	29.5	85.0	15.5	9.4	213.9	136.6	19.1	48.6	26.9	1.5	16.5	19.5	73.9	40.6	4.7	23.9
石川県	1323.5	2.1	386.0	48.3	24.5	95.9	14.7	5.4	183.1	103.0	15.9	80.9	22.9	0.9	16.8	21.7	74.5	44.7	4.9	19.1

\*人口は、各年次の10月1日現在。

(女)

市町	死亡総数	結核	悪性 新生物	悪性新生物			糖尿病	高血圧性 疾患	心疾患	脳血管 疾患	大動脈瘤 及び解離	肺炎	慢性閉塞 性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通事故	自殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺														
七尾市	822.1	1.0	216.6	25.4	7.5	26.8	11.4	6.8	121.6	74.6	19.2	26.8	0.0	0.0	23.2	11.4	70.7	29.6	4.7	0.0
羽咋市	680.2	0.0	167.1	15.4	13.5	14.8	13.1	2.1	70.2	88.5	8.8	18.9	0.0	0.0	15.7	7.2	95.4	27.3	0.0	11.6
志賀町	729.6	0.0	207.4	26.4	6.4	24.2	0.0	3.8	130.0	45.6	5.3	32.1	7.7	0.0	5.3	12.3	67.1	10.6	0.0	0.0
宝達志水町	660.3	0.0	193.7	7.9	5.0	14.3	7.9	11.3	101.1	20.6	16.8	11.8	7.9	0.0	15.9	0.0	78.6	29.4	0.0	0.0
中能登町	883.3	0.0	211.8	30.3	15.6	15.6	4.4	9.3	114.3	127.3	17.0	47.4	0.0	5.7	4.4	17.0	104.8	26.4	0.0	22.2
管内	767.0	0.4	201.6	22.3	9.2	21.5	8.4	6.1	110.6	72.9	14.2	26.8	2.2	0.7	15.4	10.4	79.5	25.2	1.9	4.9
石川県	717.1	0.6	196.3	18.6	9.2	26.1	7.4	6.5	106.1	62.2	12.1	27.9	3.6	0.3	8.9	12.2	77.1	20.2	1.0	9.0

\*人口は、各年次の10月1日現在。

## 2) 年齢調整死亡率(単年)

### 七尾市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H24	405.4	0.2	132.0	20.7	/	/	10.3	/	26.2	/	/	3.0	1.5	53.1	/	36.8	/	21.7	/	/	10.4	5.3	10.6	17.5	5.3	32.3
H25	356.3	0.2	113.4	24.7	/	/	9.7	/	12.9	/	/	3.7	1.4	55.8	/	39.0	/	23.8	/	/	4.7	4.8	15.4	15.4	7.2	6.8
H26	397.3	0.4	143.3	19.4	/	/	9.9	/	20.8	/	/	2.7	2.9	50.4	18.1	41.8	10.1	25.4	3.8	0.2	5.7	4.3	11.7	20.5	7.9	15.2
H27	411.6	0.0	146.5	20.1	/	/	8.4	/	31.1	/	/	8.0	1.6	56.2	19.0	36.2	5.2	25.1	0.6	0.6	5.5	4.1	13.4	24.3	4.2	24.8
H28	354.9	0.4	114.8	22.2	/	/	4.0	/	23.4	/	/	4.0	0.7	44.2	9.6	37.9	2.5	26.3	1.9	0.8	4.7	5.5	15.6	17.5	0.2	17.4
H29	399.8	0.2	153.4	12.9	13.4	6.2	9.6	10.0	33.6	6.6	11.2	2.1	3.4	55.2	12.2	27.5	5.6	16.6	5.5	0.2	4.6	3.3	17.4	11.3	-	22.0
H30	348.2	0.5	118.9	14.3	7.5	5.7	6.7	9.5	32.6	5.3	2.4	6.4	2.6	53.4	14.4	29.7	4.4	8.9	4.1	0.2	2.5	3.9	12.3	17.2	0.8	19.0
R1	348.3	-	117.1	16.0	8.1	7.8	4.7	9.3	18.6	11.8	2.9	2.7	1.7	48.1	11.2	28.2	3.1	8.8	2.8	-	9.1	8.4	14.3	18.2	1.0	16.5
R2	1003.5	-	305.4	21.2	25.9	13.3	14.4	33.9	66.7	11.5	6.4	20.2	8.6	143.9	45.5	95.1	13.4	36.2	2.4	1.4	11.7	16.5	75.0	23.0	3.6	13.5
R3	1056.4	0.8	292.1	41.7	38.2	10.4	17.1	23.0	55.2	16.0	3.9	10.9	8.3	158.1	61.6	105.7	18.6	33.0	11.3	0.0	22.3	13.5	66.5	38.0	4.6	9.4

七尾市(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房													交通事故		
H24	578.4	0.0	185.4	26.8	/	/	19.8	/	49.3	/	5.4	2.4	64.9	/	52.7	/	35.7	/	/	8.4	6.5	12.5	28.3	8.8	49.9
H25	473.3	0.7	157.9	35.5	/	/	11.8	/	24.9	/	6.4	1.6	75.4	/	47.9	/	40.5	/	/	4.6	6.6	9.0	21.8	9.5	11.0
H26	542.9	1.1	177.3	28.7	/	/	15.9	/	29.5	/	4.9	4.9	66.3	28.5	51.1	11.4	43.5	8.1	-	10.0	5.2	9.4	34.3	13.0	28.5
H27	538.6	0.0	182.2	29.7	/	/	15.0	/	52.0	/	8.6	0.7	76.3	31.9	39.4	4.8	45.4	1.3	0.0	7.4	7.0	10.8	31.4	7.6	42.3
H28	528.8	-	183.4	37.8	/	/	7.4	/	43.9	/	7.5	0.7	64.8	16.9	65.4	2.0	38.9	4.3	1.1	4.0	9.7	14.1	29.1	0.7	19.0
H29	518.5	-	188.9	19.6	15.6	10.8	15.8	15.9	49.2	-	-	3.4	69.1	17.1	37.4	4.6	24.3	8.5	-	4.6	2.8	15.9	20.0	-	44.3
H30	472.6	0.6	155.1	22.8	8.9	4.0	10.8	8.8	54.9	-	10.9	3.0	72.7	25.6	35.2	5.9	15.0	8.3	-	4.3	5.1	10.4	24.1	-	30.3
R1	430.4	-	143.5	25.6	10.9	7.1	6.5	8.8	37.5	-	4.1	1.8	65.5	14.5	44.0	4.2	13.2	6.8	-	11.2	7.0	12.8	13.1	1.7	20.8
R2	1384.1	-	452.7	41.9	34.0	28.8	23.8	47.6	109.0	-	36.0	3.6	197.7	71.8	106.3	24.7	85.7	3.9	3.1	20.3	20.5	56.6	35.2	7.1	26.8
R3	1393.7	-	401.1	61.2	35.2	10.9	33.4	39.5	96.8	-	9.8	11.1	205.1	100.3	146.1	17.0	47.5	31.3	-	19.7	18.2	55.6	48.9	3.7	19.0

七尾市(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H24	277.0	0.3	94.3	15.8	/	/	3.5	/	7.9	/	/	1.5	0.6	41.5	/	26.2	/	15.4	/	/	11.9	4.7	9.3	8.7	2.0	16.0
H25	270.4	0.0	79.0	16.7	/	/	8.1	/	4.1	/	/	1.4	0.8	42.3	/	32.8	/	15.0	/	/	4.4	3.6	18.3	9.9	5.1	2.8
H26	287.5	-	122.1	12.8	/	/	5.4	/	15.4	/	/	0.6	1.6	35.2	8.3	37.1	8.6	13.7	0.6	0.3	1.7	3.6	12.5	10.2	3.6	1.7
H27	310.8	0.0	120.5	12.8	/	/	2.7	/	15.7	/	/	7.7	2.1	35.8	7.0	33.3	5.5	12.0	0.3	1.1	3.6	2.5	14.1	19.9	1.1	7.6
H28	226.8	0.6	64.0	9.9	/	/	2.0	/	7.3	/	/	1.4	0.8	26.3	3.2	17.0	2.7	19.8	0.9	0.5	5.1	2.9	16.2	8.4	-	16.6
H29	298.8	0.3	125.9	7.0	11.1	2.5	5.2	4.6	20.8	12.9	21.9	3.6	3.3	40.3	6.9	21.8	6.3	11.3	3.6	0.3	4.4	3.5	17.6	4.2	-	-
H30	246.5	0.5	90.7	7.6	6.3	7.1	2.7	9.8	14.4	10.2	4.6	2.3	1.7	38.3	5.8	24.3	2.9	4.6	1.4	0.2	0.5	3.3	13.2	13.3	1.2	7.6
R1	293.7	-	102.2	8.6	6.3	9.0	2.8	10.1	4.0	22.9	5.9	1.5	1.7	35.0	9.0	14.0	2.4	5.3	-	-	7.4	9.5	14.6	24.4	0.2	12.0
R2	717.1	-	191.2	6.3	19.3	-	7.4	21.3	36.1	19.2	12.3	9.1	9.9	103.5	25.9	87.4	5.7	12.2	2.6	-	4.6	12.8	80.7	11.1	-	-
R3	822.1	1.0	216.6	25.4	41.0	12.9	7.5	7.7	26.8	27.9	7.3	11.4	6.8	121.6	32.6	74.6	19.2	26.8	-	-	23.2	11.4	70.7	29.6	4.7	-

## 2) 年齢調整死亡率(単年)

羽咋市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H24	372.8	0.5	139.4	24.6	/	/	9.8	/	26.9	/	/	5.2	2.0	49.0	/	51.1	/	19.1	/	/	3.6	4.0	12.8	13.7	1.8	9.7
H25	348.7	0.0	109.1	18.7	/	/	5.2	/	24.7	/	/	4.8	0.0	53.8	/	17.7	/	30.9	/	/	1.7	11.8	18.3	32.0	7.3	13.7
H26	345.6	-	122.9	12.5	/	/	5.3	/	30.3	/	/	1.4	1.5	35.8	17.1	34.4	5.6	32.0	1.4	-	5.0	6.9	16.7	14.5	0.9	2.8
H27	310.9	0.0	110.7	18.2	/	/	2.9	/	30.5	/	/	0.5	0.0	53.3	27.6	37.5	12.4	20.2	0.0	0.0	1.7	4.3	21.6	8.6	0.5	3.8
H28	320.9	-	108.0	14.2	/	/	8.0	/	25.0	/	/	0.4	-	60.7	13.4	27.1	2.4	12.2	2.1	0.4	12.1	2.1	12.8	14.6	0.9	31.9
H29	318.7	-	95.1	8.0	10.3	0.4	2.7	14.0	17.3	9.2	0.4	6.7	1.0	61.5	32.1	24.5	3.2	11.9	3.0	-	5.0	10.7	14.1	11.7	1.8	3.4
H30	337.3	-	119.6	23.1	7.0	5.8	5.7	12.4	15.0	6.0	3.5	6.2	-	35.9	11.1	35.9	0.8	14.9	4.0	1.3	6.9	3.7	18.3	15.1	-	7.5
R1	314.8	-	119.3	14.6	6.2	5.3	4.5	7.0	20.3	17.5	2.9	3.3	1.0	25.3	10.3	31.8	1.7	12.0	1.7	-	3.5	2.9	14.9	6.0	1.0	28.1
R2	1028.5	-	270.5	33.0	25.9	8.0	13.3	31.4	35.5	18.2	4.3	10.7	8.5	190.5	60.5	70.4	17.9	59.7	16.9	-	8.9	12.9	77.4	42.0	8.2	19.6
R3	966.4	2.7	285.8	39.0	28.6	13.4	28.8	21.6	51.2	15.6	1.8	17.4	4.1	117.1	62.5	93.8	12.2	31.3	16.0	2.7	17.8	8.1	107.0	17.3	-	20.5

羽咋市(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房													交通事故		
H24	485.6	1.7	190.9	45.5	/	/	15.9	/	49.8	/	10.7	3.4	68.4	/	47.2	/	19.9	/	/	3.8	6.9	11.2	22.6	0.0	3.8
H25	496.0	0.0	163.6	33.2	/	/	7.4	/	49.3	/	7.2	0.0	94.6	/	32.1	/	37.3	/	/	0.0	19.2	23.8	24.5	9.9	27.5
H26	463.8	-	148.3	23.6	/	/	7.0	/	48.7	/	2.6	-	47.8	25.9	42.0	2.6	51.2	2.6	-	10.0	11.0	22.7	17.4	2.6	2.6
H27	392.9	0.0	141.0	22.8	/	/	6.1	/	40.3	/	0.0	0.0	63.9	40.6	42.9	22.8	32.9	0.0	0.0	3.6	4.3	21.5	10.4	0.0	5.0
H28	469.1	-	154.9	21.6	/	/	14.2	/	45.0	/	-	-	81.7	13.0	39.7	3.3	17.5	4.8	1.5	22.0	3.3	13.8	17.4	-	66.5
H29	449.0	-	101.9	12.1	15.5	1.5	6.1	20.0	32.7	1.5	15.7	2.6	92.5	55.1	41.8	6.7	27.9	5.2	-	11.4	12.1	16.2	14.3	-	3.6
H30	494.0	-	161.7	36.0	10.9	12.6	7.0	20.7	23.3	-	13.0	-	44.8	15.7	52.3	1.5	23.8	13.1	-	12.9	7.6	13.1	29.1	-	9.2
R1	421.4	-	155.2	28.1	2.5	5.4	5.2	12.4	44.9	-	7.0	-	30.3	17.2	48.1	2.7	20.9	6.2	-	4.5	4.3	21.0	5.6	-	40.8
R2	1657.0	-	395.0	60.0	58.8	7.7	32.2	14.7	68.8	-	21.4	19.0	332.9	112.1	110.4	14.0	69.8	51.0	-	17.0	25.5	70.7	83.5	16.2	30.7
R3	1460.4	8.4	455.9	87.1	20.8	31.5	50.8	23.1	93.8	-	24.8	9.1	185.0	107.5	97.0	26.0	59.2	48.7	8.4	20.0	9.1	169.8	-	-	28.9

羽咋市(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H24	285.6	0.0	102.2	6.6	/	/	5.6	/	8.1	/	/	0.0	0.7	28.3	/	58.5	/	18.3	/	/	3.4	1.5	13.4	6.3	3.4	14.8
H25	238.3	0.0	69.8	9.1	/	/	3.2	/	5.4	/	/	2.2	0.0	19.1	/	7.2	/	31.1	/	/	3.2	4.4	15.1	39.7	5.7	0.0
H26	270.5	-	112.0	5.4	/	/	4.4	/	16.5	/	/	0.7	2.2	27.3	11.4	29.8	8.8	20.3	0.7	-	0.7	2.9	13.7	12.3	-	3.7
H27	254.7	0.0	93.4	16.2	/	/	0.7	/	24.4	/	/	0.7	0.0	41.6	15.0	32.9	3.8	12.4	0.0	0.0	0.0	4.7	21.1	7.3	0.7	3.1
H28	202.5	-	74.3	11.3	/	/	2.2	/	9.2	/	/	0.6	-	43.2	16.2	17.2	1.3	8.7	-	-	3.2	0.6	11.8	11.6	1.3	-
H29	233.0	-	97.3	6.0	6.6	-	0.6	8.4	4.5	17.6	0.6	-	-	37.0	13.7	10.6	-	4.1	1.7	-	-	12.8	13.4	12.2	3.5	3.0
H30	220.8	-	86.6	12.1	3.4	-	5.2	4.5	9.4	11.8	6.3	-	-	29.5	7.5	24.8	0.6	11.5	-	2.4	0.6	0.6	20.4	2.9	-	5.8
R1	231.5	-	97.7	3.4	9.7	5.1	3.9	2.3	0.6	36.9	5.1	0.6	1.7	19.0	4.0	17.1	0.6	6.3	-	-	2.8	1.7	12.2	6.3	1.7	13.8
R2	659.8	-	186.2	8.7	10.5	8.0	-	44.7	11.8	36.4	8.3	3.2	-	125.6	26.2	42.4	20.2	49.4	-	-	5.8	6.1	76.5	18.3	-	8.3
R3	680.2	-	167.1	15.4	31.6	-	13.5	17.5	14.8	26.3	2.1	13.1	2.1	70.2	31.7	88.5	8.8	18.9	-	-	15.7	7.2	95.4	27.3	-	11.6



## 2) 年齢調整死亡率(単年)

志賀町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H24	361.4	0.0	97.9	12.8	/	/	2.9	/	18.0	/	/	3.5	0.0	46.8	/	31.4	/	48.4	/	/	2.3	3.8	11.2	27.0	2.2	24.3
H25	398.6	0.5	154.2	32.5	/	/	5.2	/	25.7	/	/	0.9	0.5	53.6	/	37.9	/	44.7	/	/	6.2	4.9	9.3	19.3	4.9	14.9
H26	366.3	-	136.4	14.7	/	/	3.7	/	29.7	/	/	2.2	0.5	37.5	16.0	43.7	2.3	38.3	2.7	-	11.1	3.2	6.0	11.0	1.8	7.4
H27	301.1	0.0	110.0	11.3	/	/	7.7	/	23.6	/	/	1.6	0.4	31.7	9.0	27.3	4.3	38.8	0.4	0.0	4.8	4.4	14.9	8.5	3.4	6.4
H28	351.8	-	125.8	7.3	/	/	17.2	/	15.2	/	/	6.3	-	44.9	13.7	23.0	5.0	19.1	1.7	-	1.6	6.5	16.3	20.0	3.1	4.1
H29	324.7	0.4	87.7	11.0	7.4	7.9	4.7	9.5	25.1	-	0.4	1.8	-	47.9	20.9	25.7	1.2	18.3	4.3	1.4	3.6	1.2	20.1	34.0	16.9	6.4
H30	331.2	0.4	108.2	10.9	8.8	2.7	3.6	13.6	20.3	6.2	5.6	0.4	2.8	67.6	23.9	32.8	4.9	10.6	2.4	-	4.8	5.8	22.0	6.3	0.4	11.9
R1	303.1	0.4	100.0	9.6	8.7	1.8	4.6	10.5	24.2	6.4	-	1.4	0.9	39.4	11.6	24.9	1.3	20.2	3.5	-	6.9	2.0	19.9	10.7	2.3	12.5
R2	910.8	-	256.5	37.2	24.3	17.9	8.7	31.4	49.0	14.1	-	5.2	11.1	129.2	32.8	79.6	4.5	47.6	6.9	-	6.1	9.4	62.6	46.5	11.1	15.5
R3	896.3	-	222.0	36.0	21.7	-	13.4	43.3	35.7	9.2	-	12.5	5.2	165.3	42.6	64.9	13.6	28.8	7.7	-	14.2	10.7	59.6	20.0	5.0	14.2

志賀町(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房													交通事故		
H24	522.1	0.0	129.5	8.2	/	/	6.4	/	32.0	/	8.7	0.0	57.5	/	44.6	/	86.8	/	5.8	11.6	10.1	43.7	4.5	43.0	
H25	589.4	0.0	236.3	46.1	/	/	9.2	/	48.0	/	0.0	1.8	80.6	/	49.1	/	71.6	/	14.5	2.2	11.1	28.5	10.3	26.7	
H26	485.8	-	194.9	29.5	/	/	3.9	/	59.5	/	-	-	54.5	20.6	46.1	5.7	53.4	6.8	-	16.1	7.7	5.5	18.0	3.1	15.9
H27	414.8	0.0	193.4	19.2	/	/	17.3	/	39.6	/	3.2	0.0	34.6	9.3	27.3	6.9	38.2	1.7	0.0	7.3	5.6	7.8	13.5	5.0	0.0
H28	465.2	-	162.0	6.2	/	/	21.5	/	29.3	/	12.1	-	55.8	17.5	35.8	10.7	32.2	5.2	-	3.2	11.4	10.5	33.6	3.2	8.6
H29	479.7	-	154.9	19.3	16.2	16.0	5.0	20.6	43.0	-	3.0	-	73.4	34.5	31.1	3.0	25.9	11.9	3.0	5.6	1.5	26.7	32.8	3.0	11.8
H30	472.8	-	154.4	24.3	5.9	5.3	7.5	17.8	41.9	-	-	5.4	103.5	36.4	56.1	3.7	17.0	2.9	-	3.2	10.6	14.7	5.9	-	12.6
R1	400.8	-	148.2	16.6	14.1	3.1	5.9	10.8	45.1	-	2.9	2.2	39.3	13.8	33.6	2.2	36.5	8.2	-	12.2	1.4	14.7	9.7	3.1	4.1
R2	1257.2	-	375.5	56.3	55.6	26.8	15.4	39.0	100.0	-	7.9	8.7	138.3	49.6	92.7	-	100.4	23.5	-	7.9	21.1	41.7	62.0	12.8	33.9
R3	1233.4	-	252.1	48.6	25.6	-	22.5	37.2	60.6	-	29.6	7.8	209.4	78.2	98.6	28.4	36.3	7.8	-	23.2	7.8	32.7	38.1	17.1	30.8

志賀町(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	自殺	
																									交通事故	
H24	248.3	0.0	81.7	14.3	/	/	0.0	/	9.7	/	/	0.0	0.0	35.2	/	21.7	/	26.6	/	/	0.0	0.7	11.3	15.7	0.7	3.4
H25	261.1	0.6	94.0	23.5	/	/	2.3	/	9.1	/	/	1.4	0.0	30.3	/	28.5	/	29.2	/	/	0.0	6.0	8.7	12.3	0.0	4.3
H26	291.1	-	96.6	3.1	/	/	3.5	/	6.0	/	/	3.5	0.6	24.3	11.9	47.5	-	27.9	0.6	-	6.6	1.2	6.2	4.8	0.6	-
H27	204.9	0.0	40.4	7.7	/	/	0.0	/	8.9	/	/	0.0	0.6	27.1	7.4	28.4	2.1	39.9	0.0	0.0	2.5	3.2	17.0	4.4	2.1	13.9
H28	270.4	-	104.8	8.9	/	/	14.2	/	5.1	/	/	0.6	-	33.0	8.9	12.5	0.6	11.2	-	-	-	3.7	18.0	8.3	3.1	-
H29	208.9	0.6	31.2	3.7	-	0.6	4.7	0.6	10.0	-	0.6	0.6	-	24.8	6.9	23.0	0.6	13.3	-	-	1.4	1.1	15.6	41.5	34.1	-
H30	224.5	0.6	78.8	-	11.9	0.6	0.6	10.7	4.0	12.5	10.6	0.6	0.6	33.4	12.5	14.3	6.4	7.4	2.2	-	6.1	2.6	25.2	7.3	0.6	10.8
R1	232.6	0.6	62.5	4.2	3.8	0.6	4.4	10.0	8.7	12.5	-	-	-	43.2	9.8	17.7	0.6	8.2	0.6	-	1.1	2.2	22.4	12.1	1.6	21.3
R2	710.0	-	183.1	20.7	3.3	8.2	5.1	22.7	20.8	25.4	-	3.3	9.4	105.9	12.6	69.7	6.1	23.8	4.1	-	6.2	6.1	71.0	32.5	8.0	-
R3	729.6	-	207.4	26.4	14.4	-	6.4	48.8	24.2	18.4	-	-	3.8	130.0	18.2	45.6	5.3	32.1	7.7	-	5.3	12.3	67.1	10.6	-	-

2) 年齢調整死亡率(単年)

宝達志水町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	自殺	
																									交通事故	
H24	360.4	0.0	144.7	20.1	/	/	8.4	/	13.7	/	/	6.7	0.9	60.8	/	28.3	/	26.3	/	/	4.1	4.3	13.5	18.3	9.0	0.0
H25	404.8	0.0	133.3	19.3	/	/	18.1	/	28.5	/	/	3.4	2.5	58.1	/	60.4	/	30.8	/	/	2.5	4.2	28.7	29.2	2.5	3.0
H26	319.9	-	98.3	7.4	/	/	6.5	/	23.7	/	/	10.8	3.0	57.9	26.0	30.9	3.2	19.7	0.8	-	9.1	5.9	23.7	10.9	5.9	1.7
H27	301.8	0.0	126.6	19.6	/	/	11.7	/	23.4	/	/	0.0	0.8	39.7	23.1	17.2	4.3	4.0	0.8	0.0	6.5	2.4	24.3	12.9	0.0	6.0
H28	418.4	-	137.1	18.7	/	/	17.3	/	11.4	/	/	3.9	0.8	56.3	26.8	27.3	3.9	15.5	5.7	-	8.3	0.8	15.9	11.9	1.5	53.5
H29	324.0	0.7	124.7	13.1	2.5	-	10.2	8.3	33.7	8.5	-	-	-	63.1	26.2	15.1	10.7	14.5	3.1	-	-	-	13.7	7.9	-	-
H30	264.0	-	88.6	8.7	3.9	2.4	19.2	4.9	16.9	-	-	5.8	0.8	31.2	8.6	29.6	0.8	12.8	1.5	-	2.5	4.5	18.2	2.3	-	10.9
R1	318.2	-	102.3	2.3	6.2	0.8	5.7	19.2	10.5	2.5	2.3	6.5	0.8	45.4	29.0	6.8	0.8	19.9	0.8	-	7.2	5.5	9.8	13.1	-	13.1
R2	997.5	-	342.8	26.3	16.1	5.7	19.3	39.1	72.1	19.3	5.6	9.2	4.4	101.4	24.7	93.1	14.6	50.3	4.9	-	13.2	10.4	71.7	44.7	7.5	10.4
R3	924.6	-	270.2	32.5	46.0	5.9	14.0	26.8	40.7	7.7	4.0	5.2	8.1	139.1	63.1	66.5	15.8	26.1	15.8	-	10.5	23.1	87.1	24.0	-	4.0

宝達志水町(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H24	523.7	0.0	181.3	41.5	/	/	15.2	/	29.0	/	12.4	3.3	98.8	/	31.3	/	28.5	/	/	12.1	10.2	9.8	41.3	17.8	0.0
H25	652.1	0.0	212.8	32.3	/	/	19.4	/	65.6	/	4.6	0.0	102.2	/	88.7	/	57.4	/	/	0.0	9.1	27.8	56.6	3.5	6.0
H26	434.0	-	148.3	10.4	/	/	3.5	/	52.4	/	-	6.0	77.5	50.8	33.5	6.9	28.6	3.5	-	19.1	3.5	25.5	-	-	-
H27	407.5	0.0	177.8	20.5	/	/	13.8	/	43.5	/	0.0	0.0	47.1	33.3	22.5	5.3	0.0	0.0	0.0	0.0	3.2	19.2	28.3	0.0	13.5
H28	596.9	-	205.2	24.5	/	/	29.9	/	22.1	/	2.9	-	89.4	47.6	56.5	-	27.3	15.5	-	15.9	2.9	2.9	15.5	2.9	87.0
H29	513.8	-	205.8	20.9	7.0	-	22.5	10.6	64.0	-	-	-	117.6	45.8	12.5	20.9	25.4	2.7	-	-	-	7.0	22.3	-	-
H30	372.5	-	121.7	19.9	-	-	26.8	9.8	33.4	-	13.1	-	32.8	15.7	50.6	-	15.3	5.5	-	7.2	2.8	13.8	5.5	-	21.7
R1	448.0	-	133.5	5.0	7.2	-	8.9	33.7	24.2	-	4.3	-	67.6	50.0	5.3	-	30.5	-	-	9.9	7.6	7.9	24.8	-	25.6
R2	1329.9	-	432.5	13.5	36.3	-	35.7	27.6	131.1	-	9.6	-	101.8	20.6	124.9	13.5	99.2	14.9	-	14.9	9.6	77.3	89.2	14.9	9.6
R3	1389.5	-	405.6	60.3	92.2	-	22.5	15.3	89.5	-	-	-	212.6	99.8	141.6	12.5	43.2	28.1	-	-	60.9	99.3	33.1	-	19.6

宝達志水町(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H24	258.0	0.0	125.3	2.3	/	/	4.3	/	1.2	/	/	1.2	0.0	38.3	/	26.0	/	26.2	/	/	0.0	0.0	15.8	1.2	0.0	0.0
H25	213.5	0.0	72.0	7.6	/	/	17.3	/	2.2	/	/	2.7	4.2	20.0	/	33.2	/	13.6	/	/	4.2	1.1	27.0	5.3	2.7	0.0
H26	236.1	-	63.3	4.9	/	/	10.1	/	3.8	/	/	19.7	-	42.0	6.0	27.9	-	13.3	-	-	-	7.6	22.9	19.5	11.5	2.7
H27	206.6	0.0	84.1	22.8	/	/	10.3	/	6.6	/	/	0.0	1.1	26.9	12.4	14.9	2.7	6.0	1.1	0.0	12.4	2.1	28.3	2.1	0.0	0.0
H28	262.6	-	78.4	13.2	/	/	6.0	/	4.0	/	/	5.4	1.0	24.2	6.0	5.1	7.2	5.0	-	-	-	-	20.4	9.4	1.0	16.4
H29	170.0	1.0	64.0	7.4	-	-	1.0	6.6	8.2	15.9	-	-	-	18.9	11.9	16.9	1.0	7.2	4.3	-	-	-	15.5	1.0	-	-
H30	190.2	-	71.8	3.1	6.5	4.4	13.6	1.0	8.2	-	-	-	1.0	29.2	3.1	14.2	1.0	11.7	-	-	-	5.2	19.8	1.0	-	1.0
R1	202.0	-	78.5	-	4.9	1.1	2.8	6.6	-	3.9	4.5	8.2	1.1	22.2	6.0	7.4	1.1	14.1	1.1	-	5.3	3.9	10.5	2.1	-	-
R2	767.5	-	296.0	36.0	5.7	9.7	3.9	46.2	39.5	36.4	10.1	5.7	5.7	88.9	26.5	77.5	16.8	18.6	-	-	9.7	9.7	66.5	13.5	-	10.1
R3	660.3	-	193.7	7.9	19.7	11.3	5.0	34.9	14.3	14.3	5.0	7.9	11.3	101.1	37.7	20.6	16.8	11.8	7.9	-	15.9	-	78.6	29.4	-	-

## 2) 年齢調整死亡率(単年)

中能登町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H24	412.8	0.0	157.3	30.6	/	/	8.1	/	24.4	/	7.4	0.0	64.9	/	37.2	/	20.8	/	/	4.7	5.0	12.9	18.9	0.7	9.5	
H25	349.3	0.0	108.6	22.3	/	/	9.0	/	16.9	/	0.0	2.6	63.5	/	54.7	/	22.0	/	/	4.8	3.1	14.3	17.0	12.2	3.7	
H26	390.9	0.7	121.8	35.8	/	/	1.9	/	11.6	/	3.6	0.7	65.6	16.8	36.8	4.9	18.6	3.7	9.5	11.8	0.7	22.4	15.4	2.3	24.6	
H27	379.7	0.6	106.9	34.2	/	/	13.7	/	10.0	/	7.8	2.6	49.0	12.4	25.1	1.3	24.5	2.6	0.0	4.1	1.9	18.5	16.9	3.5	23.9	
H28	385.7	-	141.0	13.8	/	/	2.5	/	25.4	/	5.5	-	42.9	12.0	34.4	6.7	23.8	3.1	-	10.4	3.8	16.9	16.6	8.6	18.2	
H29	349.0	-	105.2	20.0	6.9	2.9	1.8	16.0	16.7	-	1.2	7.1	3.7	32.2	4.1	40.9	1.8	14.5	7.3	1.2	7.7	3.5	16.4	17.3	6.8	34.9
H30	342.6	-	123.5	11.6	13.4	8.4	7.1	13.6	29.3	8.3	0.6	7.4	0.6	57.2	11.8	32.2	5.6	4.7	3.0	-	6.9	3.0	13.2	29.5	10.7	7.9
R1	369.6	-	140.2	22.8	10.8	3.8	6.6	32.6	10.3	3.6	1.9	1.1	1.9	47.6	7.0	31.6	4.9	10.7	0.6	0.6	9.0	7.5	10.4	18.1	-	9.9
R2	1102.5	-	294.3	55.9	34.9	11.7	17.8	30.1	35.3	16.1	9.7	3.5	9.4	161.5	30.3	84.2	7.8	62.4	10.3	-	30.9	11.1	81.2	30.4	4.0	9.3
R3	1096.0	-	263.1	53.2	26.8	-	8.3	39.3	33.5	-	10.0	10.7	10.3	163.6	41.6	165.9	15.2	50.6	4.6	3.7	8.0	18.5	89.7	45.7	-	24.4

中能登町(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房													交通事故		
H24	618.4	0.0	242.2	59.6	/	/	10.0	/	45.9	/	13.4	0.0	97.2	/	52.1	/	37.0	/	9.8	0.0	13.1	33.1	0.0	19.2	
H25	538.5	0.0	187.6	37.2	/	/	18.3	/	39.6	/	0.0	3.3	91.7	/	88.9	/	47.1	/	6.7	6.6	5.0	36.8	26.0	7.5	
H26	532.2	2.5	147.9	56.6	/	/	5.8	/	24.9	/	5.0	-	95.7	22.3	43.8	7.4	28.3	9.9	17.7	21.7	-	20.9	13.3	-	47.7
H27	490.7	2.3	139.3	42.9	/	/	18.8	/	23.9	/	0.0	5.6	61.5	18.1	42.9	0.0	29.6	4.5	0.0	3.4	2.3	14.9	28.7	0.0	38.5
H28	565.6	-	200.9	20.8	/	/	3.3	/	44.8	/	4.4	-	65.4	22.9	61.2	5.2	38.3	8.3	-	14.7	8.3	15.4	31.6	16.9	32.4
H29	473.2	-	111.8	19.9	9.2	2.2	-	18.6	22.9	-	12.6	7.4	47.9	4.5	45.8	4.5	26.5	16.8	4.5	12.4	2.2	11.2	18.1	-	56.0
H30	499.7	-	170.8	18.3	9.0	17.9	14.6	21.6	36.3	-	9.7	-	104.2	25.8	41.3	10.1	6.3	7.2	-	10.2	2.1	8.4	44.7	21.4	15.7
R1	492.7	-	174.3	30.3	16.3	-	5.5	38.3	22.6	-	-	3.0	79.3	13.4	47.8	9.7	17.8	2.0	-	16.9	17.3	9.9	21.4	-	7.7
R2	1497.0	-	392.3	78.2	46.5	17.3	14.7	21.5	60.4	-	-	12.7	199.9	45.9	123.8	11.4	111.1	30.8	-	32.9	-	47.1	43.2	9.7	11.0
R3	1406.7	-	323.4	74.2	32.6	-	-	40.3	71.3	-	14.5	10.6	300.0	63.0	196.1	9.1	53.7	10.5	-	10.5	21.2	53.2	78.4	-	25.5



中能登町(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H24	264.6	0.0	92.3	8.4	/	/	6.9	/	6.5	/	/	4.0	0.0	41.6	/	26.8	/	11.0	/	/	0.0	7.1	12.9	7.1	1.0	0.0
H25	201.5	0.0	49.4	11.8	/	/	0.0	/	1.9	/	/	0.0	2.0	37.5	/	22.2	/	6.9	/	/	4.3	1.0	19.4	2.0	0.0	1.0
H26	274.5	-	106.0	19.2	/	/	-	/	1.0	/	/	3.0	1.0	35.9	12.0	36.1	2.9	14.1	-	-	1.0	1.0	23.0	17.8	4.3	1.9
H27	283.7	0.0	78.0	26.2	/	/	8.6	/	0.0	/	/	15.7	0.9	36.8	5.9	11.1	1.8	23.3	1.8	0.0	5.2	1.8	18.4	7.3	6.4	8.6
H28	240.3	-	86.8	7.0	/	/	2.0	/	9.5	/	/	8.0	-	27.5	5.7	14.9	7.1	16.3	-	-	6.8	0.9	18.0	2.8	-	-
H29	253.7	-	103.2	19.3	6.3	4.6	2.5	13.1	12.0	-	2.1	0.8	1.7	17.6	2.5	38.7	0.8	7.0	-	-	3.3	5.4	20.5	16.1	13.5	13.4
H30	212.0	-	87.2	6.8	17.9	-	-	9.4	27.1	15.6	0.8	5.5	0.8	12.7	-	23.8	2.2	4.1	0.8	-	4.4	3.8	16.6	15.6	-	-
R1	268.9	-	117.6	19.4	6.8	6.8	7.5	27.6	1.6	6.8	3.7	1.6	0.8	15.6	1.6	18.4	0.8	6.2	-	0.8	0.8	-	9.5	15.5	-	12.7
R2	878.0	-	227.7	40.8	26.0	4.7	24.9	35.5	13.8	30.6	17.6	4.7	3.6	128.9	17.5	64.3	5.9	42.6	7.6	-	29.2	16.3	86.3	24.5	-	7.6
R3	883.3	-	211.8	30.3	17.5	-	15.6	38.3	15.6	-	15.3	4.4	9.3	114.3	34.3	127.3	17.0	47.4	-	5.7	4.4	17.0	104.8	26.4	-	22.2

2) 年齢調整死亡率(単年)

管内(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H24	388.7	0.2	132.5	21.3	/	/	8.4	/	23.3	/	/	4.4	1.0	53.5	/	37.6	/	26.4	/	/	6.5	4.6	11.7	18.6	4.0	20.9
H25	365.7	0.2	120.7	23.7	/	/	9.0	/	19.4	/	/	2.9	1.2	56.0	/	39.2	/	29.3	/	/	4.3	5.8	16.0	20.9	7.1	8.4
H26	374.8	0.2	131.4	18.4	/	/	6.5	/	23.1	/	/	3.3	2.0	48.5	18.2	38.5	6.6	27.4	2.9	1.7	7.8	4.3	14.0	16.3	4.9	11.9
H27	361.4	0.1	127.0	20.3	/	/	8.4	/	25.9	/	/	5.0	1.1	48.7	18.2	31.4	5.7	24.6	0.7	0.3	4.7	3.7	16.9	16.8	2.9	16.5
H28	358.0	0.2	120.6	16.7	/	/	7.9	/	21.2	/	/	3.9	0.4	47.9	12.9	31.8	3.6	21.2	2.4	0.4	6.6	4.4	15.4	16.8	2.2	21.5
H29	358.7	0.2	123.5	12.8	9.8	4.3	6.6	11.2	27.1	5.3	5.1	3.2	2.1	52.7	17.3	27.1	4.4	15.7	5.0	0.5	4.6	4.0	16.8	15.0	3.4	15.9
H30	334.5	0.3	114.4	14.2	8.0	5.2	7.3	10.8	25.6	5.3	2.7	5.4	1.7	51.2	14.4	31.7	3.7	10.1	3.4	0.3	4.3	4.2	15.8	15.2	1.9	13.7
R1	335.9	0.1	116.4	14.1	7.9	5.1	5.1	13.4	17.9	9.9	2.2	2.7	1.4	42.3	12.3	26.8	2.6	12.7	2.2	0.1	7.5	6.0	14.5	14.6	1.0	16.4
R2	1005.1	-	293.0	31.3	25.8	12.0	14.2	33.2	54.5	14.3	5.3	12.5	8.7	148.3	41.9	86.7	12.0	47.4	7.1	0.6	13.1	13.3	73.6	33.6	6.0	14.2
R3	1001.0	0.8	271.3	40.8	32.8	7.2	17.0	28.7	46.6	11.6	3.5	11.6	7.2	150.4	55.7	100.4	15.7	33.3	11.1	1.0	16.7	13.8	77.3	30.5	2.8	13.9

## 管内(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	がん							糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故		自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房													交通 事故		
H24	551.4	0.3	183.6	32.5	/	/	14.8	/	43.7	/	8.6	1.9	71.9	/	48.3	/	41.2	/	/	7.9	6.9	11.7	31.7	6.4	31.7
H25	523.3	0.3	182.3	37.1	/	/	12.3	/	39.2	/	4.3	1.4	83.9	/	54.7	/	47.9	/	/	5.3	8.1	13.2	29.7	11.3	15.4
H26	507.8	0.7	168.2	30.2	/	/	9.4	/	39.7	/	3.1	2.7	66.1	28.0	45.7	7.9	42.9	6.5	3.2	14.0	5.8	14.1	22.4	6.7	22.0
H27	475.1	0.3	170.9	27.6	/	/	14.4	/	42.9	/	4.2	1.0	62.1	27.7	36.6	7.8	35.6	1.4	0.0	5.6	5.2	13.6	23.9	4.2	26.1
H28	518.6	-	179.3	26.1	/	/	12.5	/	39.2	/	5.9	0.3	67.9	19.8	54.1	4.0	33.0	6.3	0.7	9.6	8.0	12.4	26.9	3.5	34.2
H29	494.7	-	159.5	18.5	13.8	7.6	10.8	17.3	43.4	0.3	4.9	2.8	76.1	27.6	35.6	6.1	25.7	9.3	1.1	6.6	3.8	16.5	21.2	0.5	29.3
H30	471.1	0.3	154.8	24.1	7.8	7.2	11.7	14.0	42.8	-	9.4	2.3	73.7	24.7	44.4	4.8	15.7	7.7	-	6.7	5.8	11.8	22.8	3.2	21.2
R1	433.6	-	148.8	23.0	10.2	4.4	6.5	16.3	36.6	-	3.9	1.6	57.1	18.3	40.0	3.9	20.8	5.5	-	10.7	7.0	13.5	13.6	1.2	20.5
R2	1417.2	-	418.2	49.9	43.4	19.9	24.1	35.3	95.6	-	21.3	8.0	203.6	66.3	109.3	15.5	91.1	19.2	1.3	19.0	17.4	57.2	55.5	10.7	25.3
R3	1374.9	1.5	373.4	65.3	35.3	10.1	29.5	33.9	85.0	-	15.5	9.4	213.9	91.8	136.6	19.1	48.6	26.9	1.5	16.5	19.5	73.9	40.6	4.7	23.9

## 管内(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H24	270.4	0.1	96.9	11.7	/	/	3.7	/	7.4	/	/	1.3	0.4	37.7	/	30.8	/	18.4	/	/	5.7	3.2	11.5	8.4	1.7	10.1
H25	247.7	0.1	74.7	14.3	/	/	6.1	/	4.7	/	/	1.5	1.0	33.3	/	26.0	/	19.3	/	/	3.6	3.6	17.1	13.8	3.5	2.0
H26	277.9	-	108.6	9.9	/	/	4.6	/	10.9	/	/	3.3	1.2	32.6	9.8	35.2	5.5	17.6	0.5	0.1	2.1	3.1	13.9	11.6	3.4	1.9
H27	270.2	0.0	93.4	15.4	/	/	3.4	/	13.0	/	/	6.0	1.2	34.4	8.8	27.4	3.8	18.0	0.4	0.5	3.9	2.9	17.8	11.7	1.8	6.9
H28	234.3	0.3	76.0	9.8	/	/	4.2	/	7.2	/	/	2.4	0.4	30.3	7.1	14.7	3.1	14.5	0.4	0.2	3.6	2.1	16.5	8.4	0.9	9.4
H29	252.1	0.3	96.8	7.9	6.6	1.7	3.6	5.9	13.6	10.2	10.0	1.7	1.6	31.8	8.0	21.7	3.0	9.5	2.3	0.1	2.6	4.6	16.7	11.5	6.4	2.4
H30	227.5	0.3	85.0	6.4	8.1	3.5	3.5	8.1	13.0	10.3	5.1	1.8	1.0	31.7	6.2	21.5	2.8	7.0	1.1	0.5	1.9	3.0	17.7	9.6	0.6	6.1
R1	261.6	0.1	94.7	7.5	6.3	5.8	3.9	10.8	3.5	19.3	4.3	1.7	1.2	29.5	7.0	15.1	1.4	7.1	0.2	0.1	4.5	5.2	14.6	16.2	0.7	12.3
R2	731.7	-	203.9	16.9	14.4	4.4	7.6	30.1	26.6	26.1	10.0	6.1	6.8	110.0	22.8	72.6	9.5	25.5	2.8	-	8.9	10.6	77.2	18.2	1.4	3.5
R3	767.0	0.4	201.6	22.3	29.7	6.5	9.2	23.0	21.5	20.5	5.8	8.4	6.1	110.6	30.7	72.9	14.2	26.8	2.2	0.7	15.4	10.4	79.5	25.2	1.9	4.9

## 2) 年齢調整死亡率(単年)

### 石川県(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん								糖尿病	高血圧性疾患	心疾患	急性心筋梗塞、 その他の虚血性心疾患	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
				胃	結腸	直腸S状結腸移行部及び直腸	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮															
H24	366.1	0.1	124.2	17.3	/	/	9.2	/	24.3	/	/	4.5	1.2	51.4	/	34.0	/	27.6	/	/	5.4	5.2	10.2	16.3	3.6	17.3
H25	358.1	0.4	120.4	17.1	/	/	9.6	/	23.8	/	/	3.6	1.1	50.8	/	33.9	/	26.8	/	/	6.0	4.5	11.3	16.7	4.5	15.0
H26	357.0	0.2	124.2	15.4	/	/	9.1	/	23.9	/	/	3.2	1.6	47.0	17.7	30.9	5.3	25.7	3.6	0.5	5.2	4.3	10.9	17.4	3.6	13.7
H27	351.7	0.3	121.1	15.5	/	/	9.1	/	24.9	/	/	3.3	1.0	46.1	17.2	28.4	4.8	26.4	3.0	0.4	6.3	4.1	12.0	15.7	3.5	16.2
H28	345.9	0.3	120.0	14.8	/	/	9.0	/	22.8	/	/	3.2	1.0	44.3	15.8	28.8	4.4	23.3	3.4	0.5	5.2	4.4	12.3	16.9	4.2	14.0
H29	341.0	0.2	116.7	12.7	10.3	4.6	7.3	12.5	23.1	6.4	2.8	3.7	1.9	45.1	15.4	27.6	4.7	17.2	4.2	0.5	6.8	4.7	12.8	13.2	2.6	14.9
H30	325.6	0.2	112.6	13.3	9.5	5.2	5.9	10.9	22.5	7.0	3.1	3.7	2.1	45.9	16.0	27.3	4.3	14.4	3.5	0.3	5.2	5.3	13.6	12.9	1.7	10.7
R1	325.5	0.1	108.9	12.3	9.1	4.5	6.3	11.4	20.6	6.2	2.1	3.2	2.1	42.8	14.9	24.7	4.2	15.4	2.5	0.2	6.0	5.3	13.5	12.1	1.8	13.4
R2	937.4	1.0	281.5	32.3	27.1	11.4	16.6	32.1	56.1	9.6	4.5	9.6	6.2	135.4	41.1	73.5	13.8	49.4	9.6	0.9	10.9	15.7	73.2	27.9	3.7	14.8
R3	957.1	1.0	272.5	31.1	27.6	10.1	15.4	28.4	54.4	11.2	4.2	10.3	6.7	138.0	46.7	80.1	13.5	45.3	10.3	0.5	12.8	15.4	77.0	29.7	2.8	13.9

石川県(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	がん							糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故		自殺
				胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房													交通事故		
H24	510.3	0.3	174.9	25.3	/	/	14.8	/	43.4	/	6.0	1.3	70.0	/	45.3	/	45.0	/	/	7.2	7.6	8.5	22.7	4.4	25.5
H25	495.8	0.6	167.0	26.5	/	/	14.3	/	41.6	/	5.4	1.0	69.8	/	45.5	/	44.3	/	/	9.4	6.2	8.7	24.2	6.9	22.9
H26	495.9	0.4	171.7	24.5	/	/	14.1	/	42.2	/	3.8	2.0	61.7	26.3	41.7	6.9	42.5	8.0	0.5	7.7	6.1	9.1	24.9	5.2	22.3
H27	474.8	0.6	163.9	22.8	/	/	14.1	/	42.2	/	4.9	1.2	60.3	26.1	36.1	5.5	41.3	6.5	0.5	8.5	4.5	8.8	23.2	5.0	25.8
H28	473.7	0.5	168.1	23.7	/	/	13.8	/	39.9	/	5.0	1.1	58.9	24.6	40.4	6.1	36.5	6.8	0.6	7.9	6.7	8.6	25.0	6.3	20.4
H29	464.4	0.3	156.5	19.1	13.4	7.6	11.4	15.7	39.3	0.2	5.5	2.3	61.2	23.0	34.6	6.9	28.6	8.7	0.7	10.5	5.9	11.5	19.6	3.5	22.7
H30	440.9	0.2	149.0	20.6	11.1	7.9	9.2	13.2	36.5	0.1	6.3	2.9	60.7	24.8	37.6	6.3	23.9	7.3	0.5	7.5	7.7	10.9	18.9	2.5	14.8
R1	441.1	0.3	144.4	19.7	10.4	6.0	9.5	14.8	36.3	0.1	4.5	2.6	58.9	23.2	34.1	5.6	25.4	5.8	0.3	9.5	6.6	11.0	17.4	2.5	19.1
R2	1316.3	1.7	410.9	53.9	37.1	15.5	27.4	37.8	98.4	0.3	13.5	6.5	183.2	63.3	97.3	19.4	88.4	22.1	1.7	15.6	24.6	64.2	42.6	6.9	23.1
R3	1323.5	2.1	386.0	48.3	30.6	14.7	24.5	33.2	95.9	0.2	14.7	5.4	183.1	71.4	103.0	15.9	80.9	22.9	0.9	16.8	21.7	74.5	44.7	4.9	19.1

石川県(女)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡総数	結核	悪性新生物	胃	結腸	直腸等	肝及び肝内胆管	膵	気管、気管支及び肺	乳房	子宮	糖尿病	高血圧性疾患	心疾患(高血圧性を除く)	急性心筋梗塞	脳血管疾患	大動脈瘤及び解離	肺炎	慢性閉塞性肺疾患	喘息	肝疾患	腎不全	老衰	不慮の事故	交通事故	自殺
H24	260.3	0.1	88.0	11.4	/	/	4.4	/	10.0	/	/	3.2	1.0	36.5	/	25.9	/	17.1	/	/	3.7	3.5	10.8	11.6	3.1	9.2
H25	254.3	0.3	86.1	10.4	/	/	5.8	/	10.4	/	/	2.1	1.2	35.3	/	24.5	/	16.9	/	/	2.9	3.0	12.2	10.4	2.3	7.2
H26	253.7	0.1	90.6	8.7	/	/	5.4	/	10.3	/	/	2.7	1.1	34.7	10.9	22.5	4.1	15.4	1.1	0.5	3.0	3.1	11.5	11.5	2.2	5.1
H27	253.3	0.1	88.6	10.1	/	/	5.1	/	11.4	/	/	1.9	0.8	33.5	9.7	22.2	4.1	16.9	0.7	0.3	4.4	3.8	13.2	9.6	2.0	6.7
H28	245.8	0.2	83.4	7.8	/	/	4.9	/	9.7	/	/	1.8	1.0	32.0	8.7	19.6	3.0	15.3	1.1	0.5	2.9	2.7	13.7	9.9	2.0	7.6
H29	244.6	0.2	86.5	7.4	8.0	2.1	4.0	9.6	10.5	12.1	5.3	2.1	1.5	31.9	8.9	22.2	2.9	10.3	1.4	0.4	3.2	3.8	13.1	8.1	1.7	7.1
H30	236.2	0.2	86.1	7.6	8.1	3.0	3.2	8.9	12.0	13.3	5.9	1.6	1.3	33.0	8.7	19.3	2.9	8.2	1.1	0.2	3.2	3.4	14.7	8.1	1.0	6.7
R1	234.8	0.0	83.0	6.7	8.2	3.5	3.6	8.4	8.5	11.9	4.1	2.2	1.6	29.2	7.7	16.8	2.8	9.1	0.5	0.2	2.9	4.2	14.5	8.0	1.0	7.8
R2	690.7	0.6	196.2	17.6	20.9	7.8	9.3	27.0	28.4	16.8	8.2	6.3	5.2	104.0	24.7	57.1	10.4	29.4	3.6	0.5	7.4	10.2	74.7	17.3	0.7	7.5
R3	717.1	0.6	196.3	18.6	25.1	6.3	9.2	24.6	26.1	20.0	7.5	7.4	6.5	106.1	29.1	62.2	12.1	27.9	3.6	0.3	8.9	12.2	77.1	20.2	1.0	9.0

### 3) 年齢階級別死亡数(選択死因)

七尾市(3年平均:令和元年~令和3年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		814.0	1.3	0.0	0.0	0.3	0.7	0.7	0.0	0.3	4.0	5.0	9.7	11.3	21.7	43.3	70.3	81.0	122.3	157.3	284.7	0.0
結核		0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
悪性新生物		213.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	2.7	4.0	5.0	9.3	21.7	30.3	34.3	37.3	32.0	35.3	0.0
食道		3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.3	1.3	0.3	0.3	0.3	0.0
胃		26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.7	3.3	4.3	4.3	3.7	4.3	5.0	0.0
結腸		22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	1.3	2.0	1.7	3.3	3.7	4.7	4.7	0.0
直腸S状結腸移行部及び直腸		8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.3	1.7	1.7	0.7	1.3	0.7	1.0	0.0
肝及び肝内胆管		11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.0	2.0	2.3	1.3	1.7	3.0	0.0
胆のう及びその他の胆道		14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.0	1.7	2.0	5.3	2.3	1.7	0.0
膵		18.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	1.0	2.7	3.3	2.3	4.0	2.3	1.7	0.0
気管、気管支及び肺		43.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.3	4.3	7.3	6.7	8.3	7.3	6.7	0.0
乳房		10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.7	0.3	1.3	0.3	0.3	2.3	1.7	2.0	0.0
子宮		3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.7	1.0	0.7	0.0	0.0	0.0	0.0
白血病		6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.0	1.7	1.0	1.7	0.7	0.0
糖尿病		10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	1.0	1.0	1.0	1.3	2.3	3.0	0.0
高血圧性疾患		8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	2.7	5.3	0.0
心疾患(高血圧性を除く)		122.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.3	1.0	1.3	1.7	7.0	9.7	11.3	15.3	26.0	47.0	0.0
急性心筋梗塞		21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	1.7	2.7	2.3	3.0	5.3	5.3	0.0
その他の虚血性心疾患		17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	2.3	2.7	1.7	3.0	1.3	5.3	0.0
不整脈及び伝導障害		28.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.3	0.3	0.3	1.0	1.7	3.0	2.7	4.7	5.7	7.7	0.0
心不全		46.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	1.3	3.0	3.7	11.0	25.3	0.0
脳血管疾患		78.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.7	1.0	2.0	3.3	6.0	6.3	12.0	15.7	29.7	0.0
くも膜下出血		15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.0	0.3	0.7	1.0	2.0	2.0	2.7	3.0	2.0	0.0
脳内出血		17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.3	1.3	2.7	2.0	2.7	2.7	3.3	0.0
脳梗塞		47.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.0	2.7	7.3	11.0	24.3	0.0
大動脈瘤及び解離		11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.7	2.3	3.3	2.7	0.0
肺炎		31.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.0	2.3	3.3	6.7	15.0	0.0
慢性閉塞性肺疾患		6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	2.3	0.3	1.3	1.3	0.0
喘息		0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
肝疾患		10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	1.0	1.0	0.7	2.0	1.0	2.0	0.7	0.7	0.0
腎不全		14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.0	0.3	1.3	2.7	3.7	5.3	0.0
老衰		73.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	5.3	15.0	52.3	0.0
不慮の事故		24.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.3	1.3	1.7	3.0	2.7	6.7	3.7	3.7	0.0
交通事故		2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.0	0.0	0.0	0.7	0.3	0.0	0.0
自殺		6.3	0.0	0.0	0.0	0.3	0.3	0.7	0.0	0.3	0.7	0.0	0.7	1.0	0.7	0.7	1.0	0.0	0.0	0.0	0.0	0.0

資料:能登中部保健福祉センター算出



### 3) 年齢階級別死亡数(選択死因)

羽咋市 (3年平均: 令和元年~令和3年)

(単位: 人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		332.7	0.3	0.0	0.3	0.0	0.0	0.3	1.0	0.3	1.7	1.7	2.3	2.7	9.7	11.3	28.0	29.7	50.0	72.7	120.7	0.0
結核		0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0
悪性新生物		88.3	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.0	0.0	0.7	0.7	1.0	4.0	5.3	14.0	12.0	15.3	23.0	11.3	0.0
食道		4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.0	0.7	0.3	0.7	0.0
胃		10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.0	0.7	2.0	0.7	1.3	3.7	1.0	0.0
結腸		7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	1.0	1.0	1.7	2.7	0.0
直腸S状結腸移行部及び直腸		4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	0.0	1.3	0.7	0.3	0.0
肝及び肝内胆管		6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	1.3	1.3	2.0	0.0	0.0
胆のう及びその他の胆道		5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.7	0.0	1.7	0.7	1.3	0.3	0.0
膵		8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	1.3	1.0	1.3	1.7	1.7	0.0
気管、気管支及び肺		14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.7	3.3	2.3	1.7	4.7	0.7	0.0
乳房		5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	0.7	1.3	0.7	0.7	0.0
子宮		1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.3	0.3	0.0
白血病		1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.7	0.0	0.0
糖尿病		5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.3	0.3	2.7	0.0
高血圧性疾患		1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.0	0.7	0.0
心疾患(高血圧性を除く)		49.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.3	2.0	3.0	1.7	5.3	13.7	22.0	0.0
急性心筋梗塞		9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	1.0	1.0	0.7	0.7	2.0	2.7	0.0
その他の虚血性心疾患		7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.3	0.3	0.7	2.3	2.3	0.0
不整脈及び伝導障害		6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.3	2.7	0.0
心不全		20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.3	2.0	4.3	12.0	0.0
脳血管疾患		28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.3	0.7	1.7	1.3	3.7	5.0	5.3	9.3	0.0
くも膜下出血		3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.3	0.3	0.0	0.0	1.0	0.3	0.7	0.3	0.0
脳内出血		8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.7	2.0	2.3	0.7	1.7	0.0
脳梗塞		16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.7	2.3	4.0	7.3	0.0
大動脈瘤及び解離		4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.3	0.7	0.0	1.3	0.0
肺炎		17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.0	0.0	0.0	0.7	1.0	2.7	3.3	8.3	0.0
慢性閉塞性肺疾患		5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.0	0.3	1.3	2.0	0.0
喘息		0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0
肝疾患		3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.7	0.3	1.0	1.0	0.0	0.0
腎不全		4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	3.3	0.0
老衰		39.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	1.3	7.7	28.3	0.0
不慮の事故		10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.7	3.3	2.0	3.3	0.0
交通事故		1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0
自殺		4.3	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	1.0	0.0	0.0	0.7	0.3	0.7	0.3	0.7	0.0	0.0	0.0	0.0

資料: 能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

志賀町(3年平均:令和元年~令和3年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		331.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0	1.3	1.0	2.3	3.7	7.0	11.0	22.3	30.0	51.7	77.0	123.0	0.0
結核		0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0
悪性新生物		77.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.7	2.3	2.7	6.3	9.0	12.0	15.0	15.3	13.0	0.0
食道		2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.7	0.3	0.3	0.0	0.0
胃		11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	2.3	2.0	2.0	2.0	1.0	0.0
結腸		6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.0	0.3	0.7	0.0	1.3	0.7	1.7	0.0
直腸S状結腸移行部及び直腸		2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	1.0	0.0	0.3	0.3	0.0
肝及び肝内胆管		4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.3	0.3	1.7	0.0
胆のう及びその他の胆道		6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.3	1.0	1.3	1.7	1.3	0.0
膵		11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.3	0.7	3.0	3.0	2.0	0.7	0.0
気管、気管支及び肺		16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.0	2.3	1.3	3.3	4.7	3.0	0.0
乳房		3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.3	0.3	0.3	0.0	0.3	0.7	0.3	0.0
子宮		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
白血病		0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0
糖尿病		2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.3	0.7	0.3	0.0
高血圧性疾患		2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	1.0	0.7	0.0
心疾患(高血圧性を除く)		52.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	1.7	1.7	2.0	5.0	6.3	11.3	24.0	0.0
急性心筋梗塞		5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	1.0	1.0	0.7	1.3	0.0
その他の虚血性心疾患		6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.0	0.3	1.0	1.0	0.7	2.3	0.0
不整脈及び伝導障害		13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	2.3	1.7	3.0	4.7	0.0
心不全		23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.7	0.0	1.7	6.3	14.7	0.0
脳血管疾患		30.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.7	1.3	8.0	6.3	10.3	0.0
くも膜下出血		3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.7	0.7	0.7	0.0
脳内出血		8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.7	2.0	1.0	2.3	0.0
脳梗塞		19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	5.3	4.7	7.3	0.0
大動脈瘤及び解離		2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	1.0	0.7	0.0
肺炎		18.7	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	1.0	1.0	2.7	4.7	8.3	0.0
慢性閉塞性肺疾患		3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	2.3	0.7	0.0
喘息		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
肝疾患		2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.0	0.3	0.3	0.3	0.7	0.0
腎不全		4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	2.7	0.7	0.0
老衰		32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	8.0	22.3	0.0
不慮の事故		10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	0.3	1.0	1.7	2.0	2.0	2.0	0.0
交通事故		2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.3	0.3	0.3	0.0
自殺		3.7	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.3	0.7	0.7	0.3	0.7	0.0	0.0

資料:能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

宝達志水町(3年平均:令和元~令和3年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		185.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	2.7	2.0	2.0	5.3	6.0	17.0	19.0	24.7	42.7	63.0	0.0
結核		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物		53.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	0.3	3.0	3.3	8.0	8.3	8.0	12.3	8.3	0.0
食道		0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
胃		3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.0	1.0	0.3	0.3	0.0
結腸		5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.7	0.7	0.7	1.0	2.0	0.0
直腸S状結腸移行部及び直腸		1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.0	0.0
肝及び肝内胆管		3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	1.3	0.0	0.7	0.0
胆のう及びその他の胆道		3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.0	0.3	1.7	0.0	0.0
膵		7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	1.0	1.0	0.7	1.7	2.0	0.0
気管、気管支及び肺		8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.0	2.3	1.3	1.7	0.7	0.0
乳房		2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0
子宮		1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.3	0.0
白血病		1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.3	0.0	0.0	0.0	0.0	0.0
糖尿病		2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	0.3	0.7	0.0
高血圧性疾患		1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.0
心疾患(高血圧性を除く)		25.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.0	0.3	0.3	1.3	1.0	3.0	5.7	12.0	0.0	0.0
急性心筋梗塞		5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	1.0	2.3	0.0	0.0
その他の虚血性心疾患		4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.3	0.3	0.7	2.3	0.0	0.0
不整脈及び伝導障害		7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.0	0.3	0.0	1.0	1.0	3.3	0.0	0.0
心不全		7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.3	2.3	3.0	0.0	0.0
脳血管疾患		13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	1.3	0.7	2.3	2.7	6.0	0.0	0.0
くも膜下出血		0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0
脳内出血		4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.3	1.7	0.3	1.3	0.0	0.0
脳梗塞		8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	0.3	2.0	4.7	0.0	0.0
大動脈瘤及び解離		2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.3	0.3	0.3	0.3	0.0
肺炎		9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.0	1.7	2.7	3.3	0.0	0.0
慢性閉塞性肺疾患		1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.3	0.0	0.0
喘息		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
肝疾患		2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.0	0.3	0.3	1.0	0.3	0.0	0.0
腎不全		3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.3	1.0	0.3	0.7	0.0	0.0
老衰		18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	3.7	13.3	0.0
不慮の事故		6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.7	1.0	0.7	1.3	2.0	0.0
交通事故		0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
自殺		1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.0	0.3	0.0

資料:能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

中能登町(3年平均:令和元~令和3年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳	
総数		262.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.7	1.3	1.7	4.7	5.7	17.3	28.0	25.0	40.0	54.3	81.0	0.0	
結核		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物		71.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	2.0	2.7	7.7	14.0	11.0	11.3	11.3	9.7	0.0	
食道		3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.7	0.7	0.0	0.7	0.0	
胃		13.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.3	3.0	1.7	4.0	1.3	1.0	0.0	
結腸		7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.0	2.0	0.7	1.0	1.0	0.7	0.0	
直腸S状結腸移行部及び直腸		2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.0	0.7	0.3	0.0	
肝及び肝内胆管		3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.3	0.3	0.3	0.7	0.3	0.0	
胆のう及びその他の胆道		4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.0	0.3	0.3	1.0	0.3	0.0	
膵		9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.7	1.7	2.3	1.3	0.7	1.0	1.0	0.0	
気管、気管支及び肺		8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.3	2.7	1.0	2.3	0.7	0.0	
乳房		1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.0	0.0	0.0	
子宮		2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.0	0.3	0.0	0.7	0.0	
白血病		2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.0	0.7	0.3	0.0	
糖尿病		1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.0	
高血圧性疾患		2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.7	1.0	0.0	
心疾患(高血圧性を除く)		37.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.7	0.7	1.0	1.7	2.7	2.3	5.3	8.3	13.3	0.0	
急性心筋梗塞		3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.0	0.7	1.0	1.0	0.3	0.0	
その他の虚血性心疾患		4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.7	0.0	0.3	1.3	1.7	0.0	
不整脈及び伝導障害		9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	0.3	0.7	1.7	1.3	1.0	1.0	1.3	0.7	0.0	
心不全		17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.7	3.0	4.0	8.7	0.0	
脳血管疾患		29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.3	1.0	3.3	3.3	4.7	5.3	10.3	0.0	
くも膜下出血		3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.7	0.0	0.3	1.0	0.0	
脳内出血		8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.3	0.7	1.0	1.3	2.0	2.3	0.0	
脳梗塞		16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	1.7	2.7	3.0	7.0	0.0	
大動脈瘤及び解離		3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	1.7	0.7	0.0	
肺炎		14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.7	2.7	4.0	6.0	0.0	
慢性閉塞性肺疾患		1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	1.0	0.0	
喘息		0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	
肝疾患		3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.7	0.3	1.0	0.3	0.0	0.7	0.0	
腎不全		4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	1.0	2.0	0.7	0.0	
老衰		22.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	4.3	16.7	0.0	
不慮の事故		8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.3	0.7	1.0	2.0	2.0	2.0	0.0	
交通事故		0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	
自殺		3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.7	0.3	0.7	0.0	0.7	0.0	0.0	0.0	

資料:能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

管内 (3年平均: 令和元~令和3年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		1925.3	2.3	0.3	0.3	0.7	0.7	1.0	1.3	1.7	9.3	11.7	18.0	24.3	49.3	89.0	165.7	184.7	288.7	404.0	672.3	0.0
結核		1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.0
悪性新生物		503.7	0.0	0.0	0.3	0.0	0.3	0.0	0.7	0.0	1.3	4.3	8.3	10.7	21.7	44.3	75.3	77.7	87.0	94.0	77.7	0.0
食道		13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.0	0.7	3.0	3.7	2.0	1.0	1.7	0.0
胃		65.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	3.3	6.7	12.0	9.7	12.0	11.7	8.3	0.0
結腸		48.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	2.3	2.0	4.0	5.3	5.7	7.7	9.0	11.7	0.0
直腸S状結腸移行部及び直腸		17.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.7	0.3	2.3	3.7	2.3	3.0	2.7	2.0	0.0
肝及び肝内胆管		28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	1.3	4.7	4.7	5.7	4.7	5.7	0.0
胆のう及びその他の胆道		33.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	3.0	4.0	5.0	8.0	8.0	3.7	0.0
膵		54.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	1.7	2.0	6.3	8.7	8.7	9.7	8.7	7.0	0.0
気管、気管支及び肺		91.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.0	3.7	7.0	15.3	15.3	15.7	20.7	11.7	0.0
乳房		22.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	1.0	1.0	0.7	1.3	2.7	2.0	1.7	4.7	3.3	3.0	0.0
子宮		7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	1.3	2.3	1.0	0.7	0.3	1.3	0.0
白血病		11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	1.7	1.0	2.3	1.0	3.3	1.0	0.0
糖尿病		21.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.3	1.0	2.7	2.0	2.7	4.3	7.3	0.0
高血圧性疾患		16.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.3	0.0	0.3	1.3	5.0	8.3	0.0
心疾患(高血圧性を除く)		287.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.3	1.3	3.3	4.3	11.7	16.0	20.0	29.3	59.0	95.3	43.0
急性心筋梗塞		43.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.7	1.0	3.3	5.3	4.3	5.7	10.0	12.0	0.0
その他の虚血性心疾患		40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	1.3	0.7	4.0	3.3	4.0	5.3	6.3	14.0	0.0
不整脈及び伝導障害		64.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.7	1.0	1.0	2.7	3.7	5.0	6.0	9.7	13.3	19.0	0.0
心不全		114.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.0	1.7	4.0	4.0	11.7	28.0	63.7	0.0
脳血管疾患		179.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	0.3	2.0	1.7	3.3	6.3	15.7	15.3	32.0	35.3	65.7	0.0
くも膜下出血		22.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	1.0	1.0	0.7	1.0	2.0	4.0	3.3	2.7	4.0	1.7
脳内出血		46.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	1.0	2.3	2.3	6.3	6.0	10.0	6.7	11.0	0.0
脳梗塞		107.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.0	5.7	6.0	18.0	24.7	50.7	0.0
大動脈瘤及び解離		23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	3.0	3.3	4.3	6.3	5.7	0.0
肺炎		91.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.3	0.0	2.0	6.0	6.0	13.0	21.3	41.0	0.0
慢性閉塞性肺疾患		18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	4.0	1.3	6.0	5.3	0.0
喘息		1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.3	0.0
肝疾患		23.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.3	2.0	1.3	2.0	3.0	3.0	4.0	3.0	2.3	0.0
腎不全		31.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.3	1.0	2.7	5.0	9.0	11.7	0.0
老衰		184.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.0	9.3	38.7	133.0	0.0
不慮の事故		59.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.7	1.0	0.3	2.0	2.3	5.7	7.0	14.7	11.0	13.0	0.0
交通事故		6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.3	0.0	0.0	1.3	0.3	0.3	1.7	0.7	0.3	0.0
自殺		19.0	0.0	0.0	0.0	0.7	0.3	1.0	0.3	0.3	2.3	1.0	0.7	1.7	1.7	2.0	3.0	1.7	1.3	0.7	0.3	0.0

資料:能登中部保健福祉センター算出

### 3) 年齢階級別死亡数(選択死因)

石川県(3年平均:令和元~令和3年)

(単位:人)

死因	年齢	総数	0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90歳~	不詳
総数		12945.0	16.0	4.3	5.3	7.3	16.0	15.7	23.7	33.0	55.3	116.0	144.7	209.3	327.3	594.0	1186.7	1440.7	1918.7	2658.3	4172.7	0.0
結核		13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.3	3.0	7.3	0.0
悪性新生物		3553.0	0.7	0.3	1.0	1.7	2.3	2.0	4.7	6.3	16.7	42.0	56.3	85.7	156.7	291.7	529.0	590.3	596.7	623.3	545.7	0.0
食道		93.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.7	3.3	4.7	10.3	16.0	20.7	15.7	10.7	10.0	0.0
胃		417.7	0.0	0.0	0.0	0.0	0.3	0.7	0.3	0.7	2.7	3.3	4.0	6.3	14.7	39.7	62.0	63.0	70.7	79.3	70.0	0.0
結腸		348.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	3.3	4.3	7.3	15.3	26.0	41.3	41.3	63.0	65.0	80.0	0.0
直腸S状結腸移行部及び直腸		138.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	1.3	1.7	5.0	5.7	12.3	26.7	22.3	27.0	22.0	12.3	0.0
肝及び肝内胆管		204.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.7	2.3	4.0	10.7	12.7	34.3	32.7	34.0	42.7	28.7	0.0
胆のう及びその他の胆道		202.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	1.3	1.7	6.0	10.3	21.0	33.3	43.3	46.0	38.0	0.0
膵		371.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	2.7	6.7	10.3	20.0	35.0	64.0	69.0	65.0	52.0	45.0	0.0
気管、気管支及び肺		713.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.7	4.7	5.3	14.0	24.0	59.3	124.0	140.0	118.0	121.7	99.3	0.0
乳房		130.3	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	2.7	7.7	8.7	7.0	11.7	14.3	20.3	16.7	13.0	11.3	16.0	0.0
子宮		50.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	3.3	4.0	4.0	3.3	3.7	7.7	4.7	5.7	6.3	6.3	0.0
白血病		87.7	0.0	0.3	0.3	0.7	0.7	0.7	1.0	0.0	1.0	1.0	1.7	2.0	2.7	10.3	12.3	17.3	12.7	16.0	7.0	0.0
糖尿病		131.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	2.3	2.7	4.0	5.0	17.7	17.3	22.7	27.0	31.0	0.0
高血圧性疾患		93.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.0	0.7	0.7	2.7	3.7	8.7	6.3	13.3	17.3	37.7	0.0
心疾患(高血圧性を除く)		1952.3	0.3	0.0	0.3	0.0	0.0	0.3	1.0	1.0	7.7	8.3	20.0	26.3	34.7	68.3	124.7	177.7	262.0	430.7	789.0	0.0
急性心筋梗塞		343.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3.0	9.3	9.0	11.0	22.0	37.7	47.0	55.7	69.3	77.0	0.0
その他の虚血性心疾患		232.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	2.3	5.3	6.0	16.0	18.7	27.0	38.3	46.0	70.7	0.0
不整脈及び伝導障害		310.7	0.0	0.0	0.3	0.0	0.0	0.0	0.3	1.0	3.0	2.0	4.7	5.0	6.3	14.3	27.3	27.3	44.0	68.7	106.3	0.0
心不全		868.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.0	1.3	4.7	6.3	11.3	28.3	55.0	99.0	199.3	459.3	0.0
脳血管疾患		1058.7	0.0	0.3	0.0	0.3	0.0	0.3	1.3	2.3	3.3	9.7	11.0	15.0	21.3	39.0	87.3	102.0	166.7	235.0	363.7	0.0
くも膜下出血		106.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	2.3	5.0	6.3	5.7	6.0	7.0	13.3	13.3	16.7	14.3	14.0	0.0
脳内出血		292.0	0.0	0.3	0.0	0.3	0.0	0.3	0.3	1.0	1.0	4.0	3.7	8.3	11.3	19.7	38.3	35.0	49.0	56.3	63.0	0.0
脳梗塞		643.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.7	1.0	3.0	11.3	34.0	53.0	98.0	160.7	281.3	0.0
大動脈瘤及び解離		173.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	1.7	1.7	2.3	5.0	13.7	18.3	23.7	29.0	36.0	41.7	0.0
肺炎		727.7	0.7	0.7	0.0	0.0	0.0	0.3	0.3	0.0	0.3	1.7	2.0	2.7	6.7	13.3	37.3	69.7	116.0	183.7	292.3	0.0
慢性閉塞性肺疾患		135.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	3.7	11.0	20.3	23.0	34.3	40.7	0.0
喘息		12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	4.0	5.7	0.0
肝疾患		142.3	0.3	0.0	0.0	0.0	0.0	0.0	0.3	1.3	1.7	5.3	9.0	13.0	7.0	13.7	19.7	20.0	18.3	17.7	15.0	0.0
腎不全		223.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.0	0.3	3.7	3.7	7.0	18.3	21.7	36.7	50.3	80.7	0.0
老衰		1146.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	9.0	23.7	80.3	222.0	810.3	0.0
不慮の事故		379.7	1.3	1.3	1.0	1.3	3.0	0.7	1.7	5.3	3.3	7.0	5.3	8.0	12.0	19.3	38.3	44.3	66.7	76.0	83.7	0.0
交通事故		37.7	0.0	0.3	0.0	0.7	2.0	0.7	0.7	1.7	1.3	2.0	1.0	1.7	2.7	3.7	3.7	5.3	4.7	3.3	2.3	0.0
自殺		160.0	0.0	0.0	1.3	3.7	8.7	8.3	10.3	9.0	13.7	17.7	13.0	15.0	10.0	10.7	11.7	12.3	8.7	4.0	2.0	0.0

資料:能登中部保健福祉センター算出

#### 4)標準化死亡比(ベイズ推定値)

主要死因・性別(平成25年～平成29年)

資料:人口動態統計特殊報告

(男)

市町	全死因	悪性新生物<腫瘍>					心疾患(高血圧性を除く)			脳血管疾患			肺炎	肝疾患	腎不全	老衰	不慮の事故	自殺
		総数	胃	大腸	肝及び肝内胆管	気管、気管支及び肺	総数	急性心筋梗塞	心不全	総数	脳内出血	脳梗塞						
七尾市	102.3	102.0	120.5	92.1	94.7	100.0	99.4	92.1	101.7	125.1	111.1	128.0	101.0	65.0	81.3	104.4	145.0	104.8
羽咋市	97.1	96.1	115.4	85.4	75.3	108.3	99.6	100.1	83.1	106.9	83.3	111.0	99.4	93.2	87.6	151.9	121.1	86.3
志賀町	104.7	107.3	113.9	99.6	85.6	105.9	94.4	96.0	98.2	100.6	105.1	96.2	115.7	96.6	83.3	120.1	138.5	95.0
宝達志水町	101.3	106.2	105.5	96.9	107.4	116.1	99.4	106.2	91.1	108.9	94.7	120.0	90.5	75.5	73.2	134.1	135.4	94.2
中能登町	102.3	95.1	124.3	90.1	76.9	96.6	101.3	82.7	110.9	132.3	107.9	142.3	100.9	98.4	72.8	115.9	125.3	108.0
管内	102.4	102.1	122.9	91.3	85.3	103.7	100.3	90.4	95.8	120.8	110.6	123.3	99.8	80.5	82.7	126.9	141.2	99.3
石川県	98.6	99.7	103.6	94.4	92.1	105.7	95.8	101.6	100.3	105.2	91.5	112.9	104.9	87.4	77.4	87.9	119.9	97.3
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

(女)

市町	全死因	悪性新生物<腫瘍>					心疾患(高血圧性を除く)			脳血管疾患			肺炎	肝疾患	腎不全	老衰	不慮の事故	自殺
		総数	胃	大腸	肝及び肝内胆管	気管、気管支及び肺	総数	急性心筋梗塞	心不全	総数	脳内出血	脳梗塞						
七尾市	105.1	106.0	127.8	106.1	97.2	94.9	108.8	88.3	100.0	122.7	96.6	135.6	88.3	94.2	90.3	115.0	120.5	68.1
羽咋市	95.1	99.3	113.7	83.3	78.9	102.9	97.4	95.3	93.3	101.1	91.1	95.6	87.0	80.3	87.5	109.5	153.0	71.1
志賀町	95.3	91.6	114.3	68.2	76.6	89.5	94.4	103.0	93.0	91.6	88.7	89.4	144.0	79.2	94.4	100.9	110.0	67.4
宝達志水町	98.7	99.2	131.9	77.0	138.0	86.9	87.4	116.6	87.0	115.4	94.1	133.1	76.4	85.4	80.2	153.5	112.6	75.6
中能登町	102.8	98.5	128.2	95.4	85.7	75.9	109.8	89.1	110.2	119.3	100.2	130.1	81.6	97.8	76.2	133.4	115.1	85.8
管内	100.9	98.8	130.3	83.0	90.0	88.5	101.9	93.7	95.8	112.7	95.2	119.3	97.2	81.0	86.9	120.3	130.3	62.9
石川県	98.2	101.6	115.1	98.6	100.6	95.0	99.7	103.0	102.9	107.9	93.4	116.2	93.3	92.8	86.3	93.5	109.2	81.6
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100