

6 疾患別死亡の状況

1) 疾患別死亡数・死亡率(七尾市)

死亡数(総数)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	863	804	824	786	787	792	863	835	864	954
結核	0	1	1	3	0	0	1	1	1	0
悪性新生物	239	208	228	205	207	214	218	214	190	201
胃	39	39	24	27	34	16	30	30	21	27
結腸	17	20	22	19	19	18	29	25	15	20
直腸S状結腸移行部	13	6	14	12	8	9	8	6	9	11
肝及び肝内胆管	13	10	18	14	9	11	14	8	8	15
気管、気管支及び肺	50	44	48	46	40	48	42	51	35	37
乳	3	5	7	6	12	9	11	12	6	3
子宮	6	1	9	2	2	4	3	3	2	1
前立腺	4	6	5	6	3	4	6	7	9	6
糖尿病	8	8	5	14	7	14	10	13	7	8
高血圧性疾患	6	4	14	9	10	9	7	11	18	9
心疾患(高血圧性除く)	145	117	133	135	118	116	133	131	159	138
急性心筋梗塞	24	13	14	20	17	21	25	17	18	20
その他虚血性心疾患	13	11	13	16	13	15	23	12	16	10
脳血管疾患	93	88	71	80	73	76	86	72	54	54
くも膜下出血	13	4	9	14	10	12	14	11	7	5
脳内出血	20	24	17	18	13	14	24	16	13	11
脳梗塞	59	59	44	48	49	49	45	44	33	36
肺炎	79	66	49	27	33	32	29	30	28	47
肝疾患	5	7	5	3	9	7	15	10	11	14
腎不全	14	16	12	10	17	14	12	13	13	20
老衰	62	75	79	64	75	76	68	91	76	132
不慮の事故	40	32	23	35	32	16	26	25	27	30
交通事故	5	1	0	3	2	2	3	3	6	4
自殺	13	9	9	13	9	6	4	3	5	7

死亡率(総数) 人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1571.8	1486.7	1551.5	1503.6	1532.1	1596.2	1770.2	1751.7	1853.5	2123.4
結核	0.0	1.8	1.9	5.7	0.0	0.0	2.1	2.1	2.1	0.0
悪性新生物	435.3	384.6	429.3	392.1	403.0	431.3	447.2	448.9	407.6	447.4
胃	71.0	72.1	45.2	51.6	66.2	32.2	61.5	62.9	45.1	60.1
結腸	31.0	37.0	41.4	36.3	37.0	36.3	59.5	52.4	32.2	44.5
直腸S状結腸移行部	23.7	11.1	26.4	23.0	15.6	18.1	16.4	12.6	19.3	24.5
肝及び肝内胆管	23.7	18.5	33.9	26.8	17.5	22.2	28.7	16.8	17.2	33.4
気管、気管支及び肺	91.1	81.4	90.4	88.0	77.9	96.7	86.2	107.0	75.1	82.4
乳	5.5	9.2	13.2	11.5	23.4	18.1	22.6	25.2	12.9	6.7
子宮	10.9	1.8	16.9	3.8	3.9	8.1	6.2	6.3	4.3	2.2
前立腺	7.3	11.1	9.4	11.5	5.8	8.1	12.3	14.7	19.3	13.4
糖尿病	14.6	14.8	9.4	26.8	13.6	28.2	20.5	27.3	15.0	17.8
高血圧性疾患	10.9	7.4	26.4	17.2	19.5	18.1	14.4	23.1	38.6	20.0
心疾患(高血圧性除く)	264.1	216.4	250.4	258.2	229.7	233.8	272.8	274.8	341.1	307.2
急性心筋梗塞	43.7	24.0	26.4	38.3	33.1	42.3	51.3	35.7	38.6	44.5
その他虚血性心疾患	23.7	20.3	24.5	30.6	25.3	30.2	47.2	25.2	34.3	22.3
脳血管疾患	169.4	162.7	133.7	153.0	142.1	153.2	176.4	151.0	115.8	120.2
くも膜下出血	23.7	7.4	16.9	26.8	19.5	24.2	28.7	23.1	15.0	11.1
脳内出血	36.4	44.4	32.0	34.4	25.3	28.2	49.2	33.6	27.9	24.5
脳梗塞	107.5	109.1	82.8	91.8	95.4	98.8	92.3	92.3	70.8	80.1
肺炎	143.9	122.0	92.3	51.6	64.2	64.5	59.5	62.9	60.1	104.6
肝疾患	9.1	12.9	9.4	5.7	17.5	14.1	30.8	21.0	23.6	31.2
腎不全	25.5	29.6	22.6	19.1	33.1	28.2	24.6	27.3	27.9	44.5
老衰	112.9	138.7	148.7	122.4	146.0	153.2	139.5	190.9	163.0	293.8
不慮の事故	72.9	59.2	43.3	67.0	62.3	32.2	53.3	52.4	57.9	66.8
交通事故	9.1	1.8	0.0	5.7	3.9	4.0	6.2	6.3	12.9	8.9
自殺	23.7	16.6	16.9	24.9	17.5	12.1	8.2	6.3	10.7	15.6

死亡数(男)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	414	429	378	369	372	393	399	392	437	449
結核	0	0	0	1	0	0	0	0	0	0
悪性新生物	129	136	128	112	116	134	119	123	111	118
胃	22	26	15	17	23	13	18	16	14	16
結腸	6	11	9	8	10	10	10	15	5	8
直腸S状結腸移行部	10	4	9	3	4	9	3	5	6	8
肝及び肝内胆管	9	7	13	8	4	7	10	5	4	9
気管、気管支及び肺	38	34	32	36	31	32	29	35	28	28
乳	0	0	0	0	0	0	0	0	0	0
子宮	6	1	9	2	2	4	3	3	2	1
前立腺	4	6	5	6	3	4	6	7	9	6
糖尿病	6	6	0	8	4	10	3	5	4	5
高血圧性疾患	1	1	4	2	3	1	3	4	4	3
心疾患(高血圧性除く)	59	53	48	62	59	55	59	53	73	62
急性心筋梗塞	14	8	6	12	8	15	15	9	11	9
その他虚血性心疾患	7	5	5	10	7	6	15	7	6	4
脳血管疾患	35	51	37	29	34	29	42	27	31	30
くも膜下出血	5	1	3	6	5	5	9	3	3	3
脳内出血	9	18	10	6	9	5	12	7	11	7
脳梗塞	20	31	23	17	19	19	20	16	17	19
肺炎	46	40	25	15	15	24	14	19	17	32
肝疾患	3	2	2	1	6	6	6	7	8	8
腎不全	8	9	3	5	5	6	5	7	7	9
老衰	14	20	21	16	19	15	15	23	19	28
不慮の事故	23	22	14	22	13	10	13	14	18	17
交通事故	4	1	0	0	1	2	1	1	4	3
自殺	11	6	9	9	6	6	4	2	4	3

死亡率(男) 人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1583.5	1676.3	1502.9	1487.4	1524.8	1653.3	1715.6	1719.7	1957.5	2081.4
結核	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	493.4	531.4	508.9	451.5	475.5	563.7	511.7	539.6	497.2	547.0
胃	84.1	101.6	59.6	68.5	94.3	54.7	77.4	70.2	62.7	74.2
結腸	22.9	43.0	35.8	32.2	41.0	42.1	43.0	65.8	22.4	37.1
直腸S状結腸移行部	38.2	15.6	35.8	12.1	16.4	37.9	12.9	21.9	26.9	37.1
肝及び肝内胆管	34.4	27.4	51.7	32.2	16.4	29.4	43.0	21.9	17.9	41.7
気管、気管支及び肺	145.3	132.9	127.2	145.1	127.1	134.6	124.7	153.5	125.4	129.8
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	6	1	9	2	2	4	3	3	2	1
前立腺	15.3	23.4	19.9	24.2	12.3	16.8	25.8	30.7	40.3	27.8
糖尿病	22.9	23.4	0.0	32.2	16.4	42.1	12.9	21.9	17.9	23.2
高血圧性疾患	3.8	3.9	15.9	8.1	12.3	4.2	12.9	17.5	17.9	13.9
心疾患(高血圧性除く)	225.7	207.1	190.8	249.9	241.8	231.4	253.7	232.5	327.0	287.4
急性心筋梗塞	53.5	31.3	23.9	48.4	32.8	63.1	64.5	39.5	49.3	41.7
その他虚血性心疾患	26.8	19.5	19.9	40.3	28.7	25.2	64.5	30.7	26.9	18.5
脳血管疾患	133.9	199.3	147.1	116.9	139.4	122.0	180.6	118.4	138.9	139.1
くも膜下出血	19.1	3.9	11.9	24.2	20.5	21.0	34.4	13.2	13.4	13.9
脳内出血	34.4	70.3	39.8	24.2	36.9	21.0	51.6	30.7	49.3	32.4
脳梗塞	76.5	121.1	91.4	68.5	77.9	79.9	86.0	70.2	76.2	88.1
肺炎	175.9	156.3	99.4	60.5	61.5	101.0	60.2	83.4	76.2	148.3
肝疾患	11.5	7.8	8.0	4.0	24.6	25.2	25.8	30.7	35.8	37.1
腎不全	30.6	35.2	11.9	20.2	20.5	25.2	21.5	30.7	31.4	41.7
老衰	53.5	78.1	83.5	64.5	77.9	63.1	64.5	100.9	85.1	129.8
不慮の事故	88.0	86.0	55.7	88.7	53.3	42.1	55.9	61.4	80.6	78.8
交通事故	15.3	3.9	0.0	0.0	4.1	8.4	4.3	4.4	17.9	13.9
自殺	42.1	23.4	35.8	36.3	24.6	25.2	17.2	8.8	17.9	13.9

死亡数(女)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	449	375	446	417	415	399	464	443	427	505
結核	0	1	1	2	0	0	1	1	1	0
悪性新生物	110	72	100	93	91	80	99	91	79	83
胃	17	13	9	10	11	3	12	14	7	11
結腸	11	9	13	11	9	8	19	10	10	12
直腸S状結腸移行部	3	2	5	9	4	0	5	1	3	3
肝及び肝内胆管	4	3	5	6	5	4	4	3	4	6
気管・気管支及び肺	12	10	16	10	9	16	13	16	7	9
乳	3	5	7	6	12	9	11	12	6	3
子宮	6	1	9	2	2	4	3	3	2	1
前立腺	2	2	5	6	3	4	7	8	3	3
糖尿病	5	3	10	7	7	8	4	7	14	6
高血圧性疾患	86	64	85	73	59	61	74	78	86	76
心疾患(高血圧性除く)	10	5	8	8	9	6	10	8	7	11
急性心筋梗塞	6	6	8	6	6	9	8	5	10	6
その他虚血性心疾患	58	37	34	51	39	47	44	45	23	24
脳血管疾患	8	3	6	8	5	7	6	8	4	2
くも膜下出血	11	6	7	12	4	9	12	9	2	4
脳内出血	39	28	21	31	30	30	25	28	16	17
脳梗塞	33	26	24	12	18	8	15	11	11	15
肺炎	2	5	3	2	3	1	9	3	3	6
肝疾患	6	7	9	5	12	8	7	6	6	11
腎不全	48	55	58	48	56	61	53	68	57	104
老衰	17	10	9	13	19	6	13	11	9	13
不慮の事故	1	0	0	3	1	0	2	2	2	1
交通事故	2	3	0	4	3	0	0	1	1	4
自殺										

1) 疾患別死亡数・死亡率(羽咋市)

死亡数(総数)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	313	279	317	328	303	352	343	386	384	358
結核	0	0	0	0	0	0	1	2	0	0
悪性新生物	86	84	81	87	87	82	96	87	85	75
胃	14	12	11	12	9	9	14	13	10	8
結腸	4	9	12	8	4	9	10	7	5	8
直腸S状結腸移行部	1	3	1	4	5	3	4	5	5	0
肝及び肝内胆管	3	5	4	6	4	4	10	2	1	8
気管、気管支及び肺	24	18	14	13	15	11	17	19	19	17
乳	2	3	4	3	7	4	5	3	3	1
子宮	0	1	1	2	3	1	1	0	2	0
前立腺	1	3	0	0	3	4	4	5	3	2
糖尿病	1	1	4	2	4	4	7	5	5	5
高血圧性疾患	0	0	1	0	1	2	2	1	9	2
心疾患(高血圧性除く)	57	44	57	49	39	70	40	64	48	44
急性心筋梗塞	9	6	11	7	4	11	12	10	13	5
その他虚血性心疾患	12	4	10	9	6	9	7	4	7	9
脳血管疾患	35	30	25	39	29	23	32	36	26	33
くも膜下出血	8	6	5	5	3	3	5	3	3	2
脳内出血	7	6	7	9	8	7	10	8	5	9
脳梗塞	17	14	13	25	18	13	17	24	18	22
肺炎	28	20	23	22	18	21	12	26	30	14
肝疾患	1	4	4	3	4	3	4	3	3	5
腎不全	6	6	9	4	5	5	4	4	5	9
老衰	37	29	29	35	34	33	50	40	64	54
不慮の事故	10	17	12	10	10	14	6	12	13	10
交通事故	1	2	1	0	1	2	0	2	2	1
自殺	3	3	2	2	5	4	4	7	2	3

死亡率(総数)人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1444.9	1305.4	1506.4	1588.5	1489.4	1737.2	1725.3	1979.4	2012.1	1907.0
結核	0.0	0.0	0.0	0.0	0.0	0.0	5.0	10.3	0.0	0.0
悪性新生物	397.0	393.0	384.9	421.3	427.6	404.7	482.9	446.1	445.4	399.5
胃	64.6	56.1	52.3	58.1	44.2	44.4	70.4	66.7	52.4	42.6
結腸	18.5	42.1	57.0	38.7	19.7	44.4	50.3	35.9	26.2	42.6
直腸S状結腸移行部	4.6	14.0	4.8	19.4	24.6	14.8	20.1	25.6	26.2	0.0
肝及び肝内胆管	13.8	23.4	19.0	29.1	19.7	19.7	50.3	10.3	5.2	42.6
気管、気管支及び肺	110.8	84.2	66.5	63.0	73.7	54.3	85.5	97.4	99.6	90.6
乳	9.2	14.0	19.0	14.5	34.4	19.7	25.1	15.4	15.7	5.3
子宮	0.0	4.7	4.8	9.7	14.7	4.9	5.0	0.0	10.5	0.0
前立腺	4.6	14.0	0.0	0.0	14.7	19.7	20.1	25.6	15.7	10.7
糖尿病	4.6	4.7	19.0	9.7	19.7	19.7	35.2	25.6	26.2	26.6
高血圧性疾患	0.0	0.0	4.8	0.0	4.9	9.9	10.1	5.1	47.2	10.7
心疾患(高血圧性除く)	263.1	205.9	270.9	237.3	191.7	345.5	201.2	328.2	251.5	234.4
急性心筋梗塞	41.5	28.1	52.3	33.9	19.7	54.3	60.4	51.3	68.1	26.6
その他虚血性心疾患	55.4	18.7	47.5	43.6	29.5	44.4	35.2	20.5	36.7	47.9
脳血管疾患	161.6	140.4	118.8	188.9	142.5	113.5	161.0	184.6	136.2	175.8
くも膜下出血	36.9	28.1	23.8	24.2	14.7	14.8	25.1	15.4	15.7	10.7
脳内出血	32.3	28.1	33.3	43.6	39.3	34.5	50.3	41.0	26.2	47.9
脳梗塞	78.5	65.5	61.8	121.1	88.5	64.2	85.5	123.1	94.3	117.2
肺炎	129.3	93.6	109.3	106.5	88.5	103.6	60.4	133.3	157.2	74.6
肝疾患	4.6	18.7	19.0	14.5	19.7	14.8	20.1	15.4	15.7	26.6
腎不全	27.7	28.1	42.8	19.4	24.6	24.7	20.1	20.5	26.2	47.9
老衰	170.8	135.7	137.8	169.5	167.1	162.9	251.5	205.1	335.3	287.6
不慮の事故	46.2	79.5	57.0	48.4	49.2	69.1	30.2	61.5	68.1	53.3
交通事故	4.6	9.4	4.8	0.0	4.9	9.9	0.0	10.3	10.5	5.3
自殺	13.8	14.0	9.5	9.7	24.6	19.7	20.1	35.9	10.5	16.0

死亡数(男)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	145	139	168	174	139	193	171	186	176	171
結核	0	0	0	0	0	0	0	1	0	0
悪性新生物	49	50	39	49	48	48	59	56	49	44
胃	8	10	6	8	7	7	11	10	6	5
結腸	3	2	6	4	1	7	2	3	3	3
直腸S状結腸移行部	1	2	1	4	2	1	4	3	2	0
肝及び肝内胆管	2	3	3	3	2	4	7	2	0	5
気管、気管支及び肺	15	13	10	8	14	8	13	14	12	11
乳	0	0	1	0	0	0	0	0	0	0
子宮										
前立腺	1	3	0	0	3	4	4	5	3	2
糖尿病	0	0	4	2	3	3	3	3	3	5
高血圧性疾患	0	0	1	0	0	2	1	1	3	2
心疾患(高血圧性除く)	20	22	30	19	12	37	21	30	17	20
急性心筋梗塞	3	4	8	4	2	9	6	5	6	4
その他虚血性心疾患	7	1	7	3	3	4	6	4	4	5
脳血管疾患	15	14	14	21	13	13	11	13	12	17
くも膜下出血	4	2	2	1	3	2	1	2	0	1
脳内出血	2	1	6	6	5	3	6	4	2	6
脳梗塞	7	8	6	14	5	8	4	7	10	10
肺炎	15	9	16	13	10	8	7	16	22	10
肝疾患	1	3	4	2	2	2	2	2	1	4
腎不全	2	1	6	3	2	3	1	0	1	4
老衰	11	7	10	7	13	8	16	7	13	7
不慮の事故	4	6	7	7	3	10	0	9	6	4
交通事故	0	0	0	0	0	2	0	1	0	0
自殺	2	3	1	1	4	3	3	7	2	2

死亡率(男)人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1411.2	1373.1	1685.6	1780.4	1442.1	2006.0	1817.2	2011.9	1944.8	1923.3
結核	0.0	0.0	0.0	0.0	0.0	0.0	10.6	10.8	0.0	0.0
悪性新生物	476.9	493.9	391.3	501.4	498.0	498.9	627.0	605.7	541.4	494.9
胃	77.9	98.8	60.2	81.9	72.6	72.8	116.9	108.2	66.3	56.2
結腸	29.2	19.8	60.2	40.9	10.4	72.8	21.3	32.4	33.1	33.7
直腸S状結腸移行部	9.7	19.8	10.0	40.9	20.7	10.4	42.5	32.4	22.1	0.0
肝及び肝内胆管	19.5	29.6	30.1	30.7	20.7	41.6	74.4	21.6	0.0	56.2
気管、気管支及び肺	146.0	128.4	100.3	81.9	145.2	83.2	138.2	151.4	132.6	123.7
乳	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮										
前立腺	9.7	29.6	0.0	0.0	31.1	41.6	42.5	54.1	33.1	22.5
糖尿病	0.0	0.0	40.1	20.5	31.1	31.2	31.9	32.4	33.1	56.2
高血圧性疾患	0.0	0.0	10.0	0.0	0.0	20.8	10.6	10.8	33.1	22.5
心疾患(高血圧性除く)	194.6	217.3	301.0	194.4	124.5	384.6	223.2	324.5	187.8	224.9
急性心筋梗塞	29.2	39.5	80.3	40.9	20.7	93.5	63.8	54.1	66.3	45.0
その他虚血性心疾患	68.1	9.9	70.2	30.7	31.1	41.6	63.8	43.3	44.2	56.2
脳血管疾患	146.0	138.3	140.5	214.9	134.9	135.1	116.9	140.6	132.6	191.2
くも膜下出血	38.9	19.8	20.1	10.2	31.1	20.8	10.6	21.6	0.0	11.2
脳内出血	19.5	9.9	60.2	61.4	51.9	31.2	63.8	43.3	22.1	67.5
脳梗塞	68.1	79.0	60.2	143.3	51.9	83.2	42.5	75.7	110.5	112.5
肺炎	146.0	88.9	160.5	133.0	103.7	83.2	74.4	173.1	243.1	112.5
肝疾患	9.7	29.6	40.1	20.5	20.7	20.8	21.3	21.6	11.0	45.0
腎不全	19.5	9.9	60.2	30.7	20.7	31.2	10.6	0.0	11.0	45.0
老衰	107.1	69.1	100.3	71.6	134.9	83.2	170.0	75.7	143.6	78.7
不慮の事故	38.9	59.3	70.2	71.6	31.1	103.9	0.0	97.3	66.3	45.0
交通事故	0.0	0.0	0.0	0.0	0.0	20.8	0.0	10.8	0.0	0.0
自殺	19.5	29.6	10.0	10.2	41.5	31.2	31.9	75.7	22.1	22.5

死亡数(女)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	168	140	149	154	164	159	172	200	208	187
結核	0	0	0	0	0	0	0	1	0	0
悪性新生物	37	34	42	38	39	34	37	31	36	31
胃	6	2	5	4	2	2	3	3	4	3
結腸	1	7	6	4	3	2	8	4	2	5
直腸S状結腸移行部	0	1	0	0	3	2	0	2	3	0
肝及び肝内胆管	1	2	1	3	2	0	3	0	1	3
気管、気管支及び肺	9	5	4	5	1	3	4	5	7	6
乳	2	3	3	3	7	4	5	3	3	1
子宮	0	1	1	2	3	1	1	0	2	0
前立腺										
糖尿病	1	1	0	0	1	1	4	2	2	0
高血圧性疾患	0	0	0	0	1	0	1	0	6	0
心疾患(高血圧性除く)	37	22	27	30	27	33	19	34	31	24
急性心筋梗塞	6	2	3	3	2	2	6	5	7	1
その他虚血性心疾患	5	3	3	6	3	5	1	0	3	4
脳血管疾患	20	16	11	18	16	10	21	23	14	16
くも膜下出血	4	4	3	4	0	1	4	1	3	1
脳内出血	5	5	1	3	3	4	4	4	3	3
脳梗塞	10	6	7	11	13	5	13	17	8	12
肺炎	13	11	7	9	8	13	5	10	8	4
肝疾患	0	1	0	1	2	1	2	1	2	1
腎不全	4	1	3	1	3	2	3	4	4	5
老衰	26	16	19	28	21	25	34	33	51	47
不慮の事故	6	11	5	3	7	4	6	3	7	6
交通事故	1	2	1	0	1	0	0	1	2	1
自殺	1	0	1	1	1	1	1	0	0	1

1) 疾患別死亡数・死亡率(志賀町)

死亡数(総数)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	314	343	316	363	358	321	314	359	401	393
結核	0	0	1	1	1	0	0	1	0	0
悪性新生物	73	89	70	82	87	79	67	63	91	88
胃	12	9	12	8	10	12	11	9	12	10
結腸	7	4	4	8	6	7	5	2	7	7
直腸S状結腸移行部	1	4	4	3	2	5	0	1	3	6
肝及び肝内胆管	5	9	4	4	5	3	5	1	2	5
気管、気管支及び肺	13	14	14	19	21	16	13	16	14	12
乳	1	2	0	1	3	4	2	2	5	2
子宮	0	1	1	4	0	0	0	2	1	0
前立腺	1	6	3	0	1	1	1	2	3	3
糖尿病	1	3	2	1	1	2	3	2	6	8
高血圧性疾患	1	0	0	3	1	4	2	2	8	11
心疾患(高血圧性除く)	42	53	52	71	51	48	59	59	50	52
急性心筋梗塞	8	6	8	6	5	5	6	10	12	8
その他虚血性心疾患	3	6	3	14	6	6	8	7	6	9
脳血管疾患	29	22	22	31	37	29	24	30	26	27
くも膜下出血	5	3	4	5	4	3	2	2	3	4
脳内出血	12	5	4	8	7	8	9	4	6	3
脳梗塞	12	13	14	18	26	18	13	24	17	20
肺炎	57	32	30	20	28	18	10	34	16	23
肝疾患	3	1	2	4	3	2	3	0	1	11
腎不全	6	11	3	8	5	4	4	6	8	5
老衰	30	36	41	47	42	28	26	42	44	32
不慮の事故	11	14	16	7	9	14	7	12	14	11
交通事故	4	2	2	1	2	2	2	1	2	3
自殺	1	2	1	5	3	4	4	5	7	1

死亡数(男)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	138	167	171	181	163	146	147	164	191	191
結核	0	0	0	0	0	0	0	1	0	0
悪性新生物	52	56	46	55	50	46	32	39	49	61
胃	8	3	7	8	6	8	7	6	8	8
結腸	4	3	4	3	3	6	2	1	3	4
直腸S状結腸移行部	1	3	3	2	1	3	0	1	0	2
肝及び肝内胆管	5	6	2	3	3	2	3	1	1	4
気管、気管支及び肺	9	11	11	16	17	12	7	13	12	11
乳	0	0	0	0	0	0	0	0	0	0
子宮										
前立腺	1	6	3	0	1	1	1	2	3	3
糖尿病	1	2	1	0	1	1	3	1	6	5
高血圧性疾患	0	0	0	2	1	1	1	1	4	2
心疾患(高血圧性除く)	13	18	25	32	20	16	25	27	27	16
急性心筋梗塞	3	2	6	4	1	3	5	7	7	1
その他虚血性心疾患	0	1	1	7	4	3	4	3	6	3
脳血管疾患	11	11	12	20	16	12	13	17	12	8
くも膜下出血	1	1	1	1	2	2	1	0	0	0
脳内出血	7	5	3	4	3	4	4	2	3	0
脳梗塞	3	5	8	15	11	6	8	15	9	8
肺炎	18	16	13	10	15	12	4	17	7	15
肝疾患	2	1	1	1	1	1	2	0	1	7
腎不全	2	6	1	5	1	2	1	3	3	3
老衰	4	6	15	9	9	4	4	6	8	9
不慮の事故	5	9	10	3	4	7	5	6	10	6
交通事故	2	1	1	0	1	1	2	0	2	2
自殺	0	2	1	2	1	4	4	3	3	1

死亡数(女)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	176	176	145	182	195	175	167	195	210	202
結核	0	0	1	1	1	0	0	0	0	0
悪性新生物	21	33	24	27	37	33	35	24	42	27
胃	4	6	5	0	4	4	4	3	4	2
結腸	3	1	0	5	3	1	3	1	4	3
直腸S状結腸移行部	0	1	1	1	1	2	0	0	3	4
肝及び肝内胆管	0	3	2	1	2	1	2	0	1	1
気管、気管支及び肺	4	3	3	3	4	4	6	3	2	1
乳	1	2	0	1	3	4	2	2	5	2
子宮	0	1	1	4	0	0	0	2	1	0
前立腺										
糖尿病	0	1	1	1	0	1	0	1	0	3
高血圧性疾患	1	0	0	1	0	3	1	1	4	9
心疾患(高血圧性除く)	29	35	27	39	31	32	34	32	23	36
急性心筋梗塞	5	4	2	2	4	2	1	3	5	7
その他虚血性心疾患	3	5	2	7	2	3	4	4	0	6
脳血管疾患	18	11	10	11	21	17	11	13	14	19
くも膜下出血	4	2	3	4	2	1	1	2	3	4
脳内出血	5	0	1	4	4	4	5	2	3	3
脳梗塞	9	8	6	3	15	12	5	9	8	12
肺炎	39	16	17	10	13	6	6	17	9	8
肝疾患	1	0	1	3	2	1	1	0	0	4
腎不全	4	5	2	3	4	2	3	3	5	2
老衰	26	30	26	38	33	24	22	36	36	23
不慮の事故	6	5	6	4	5	7	2	6	4	5
交通事故	2	1	1	1	1	1	0	1	0	1
自殺	1	0	0	3	2	0	0	2	4	0

死亡率(総数) 人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1545.5	1722.4	1616.7	1905.8	1917.0	1738.2	1735.5	2028.2	2337.2	2382.8
結核	0.0	0.0	5.1	5.3	5.4	0.0	0.0	5.6	0.0	0.0
悪性新生物	359.3	446.9	358.1	430.5	465.9	427.8	370.3	355.9	530.4	533.6
胃	59.1	45.2	61.4	42.0	53.5	65.0	60.8	50.8	69.9	60.6
結腸	34.5	20.1	20.5	42.0	32.1	37.9	27.6	11.3	40.8	42.4
直腸S状結腸移行部	4.9	20.1	20.5	15.8	10.7	27.1	0.0	5.6	17.5	36.4
肝及び肝内胆管	24.6	45.2	20.5	21.0	26.8	16.2	27.6	5.6	11.7	30.3
気管、気管支及び肺	64.0	70.3	71.6	99.8	112.4	86.6	71.9	90.4	81.6	72.8
乳	4.9	10.0	0.0	5.3	16.1	21.7	11.1	11.3	29.1	12.1
子宮	0.0	5.0	5.1	21.0	0.0	0.0	0.0	11.3	5.8	0.0
前立腺	4.9	30.1	15.3	0.0	5.4	5.4	5.5	11.3	17.5	18.2
糖尿病	4.9	15.1	10.2	5.3	5.4	10.8	16.6	11.3	35.0	48.5
高血圧性疾患	4.9	0.0	0.0	15.8	5.4	21.7	11.1	11.3	46.6	66.7
心疾患(高血圧性除く)	206.7	266.1	266.0	372.8	273.1	259.9	326.1	333.3	291.4	315.3
急性心筋梗塞	39.4	30.1	40.9	31.5	26.8	27.1	33.2	56.5	69.9	48.5
その他虚血性心疾患	14.8	30.1	15.3	73.5	32.1	32.5	44.2	39.5	35.0	54.6
脳血管疾患	142.7	110.5	112.6	162.8	198.1	157.0	132.6	169.5	151.5	163.7
くも膜下出血	24.6	15.1	20.5	26.3	21.4	16.2	11.1	11.3	17.5	24.3
脳内出血	59.1	25.1	20.5	42.0	37.5	43.3	49.7	22.6	35.0	18.2
脳梗塞	59.1	65.3	71.6	94.5	139.2	97.5	71.9	136.6	99.1	121.3
肺炎	280.6	160.7	153.5	105.0	149.9	97.5	55.3	192.1	93.3	139.5
肝疾患	14.8	5.0	10.2	21.0	16.1	10.8	16.6	0.0	5.8	66.7
腎不全	29.5	55.2	15.3	42.0	26.8	21.7	22.1	33.9	46.6	30.3
老衰	147.7	180.8	209.8	246.8	224.9	151.6	143.7	237.3	256.5	194.0
不慮の事故	54.1	70.3	81.9	36.8	48.2	75.8	38.7	67.8	81.6	66.7
交通事故	19.7	10.0	10.2	5.3	10.7	10.8	11.1	5.6	11.7	18.2
自殺	4.9	10.0	5.1	26.3	16.1	21.7	22.1	28.2	40.8	6.1

死亡率(男) 人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1431.7	1771.7	1849.4	2005.3	1845.1	1652.3	1697.7	1933.1	2316.6	2410.7
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	0.0	0.0
悪性新生物	539.5	594.1	497.5	609.4	566.0	520.6	369.6	459.7	594.3	769.9
胃	83.0	31.8	75.7	88.6	67.9	90.5	80.8	70.7	97.0	101.0
結腸	41.5	31.8	43.3	33.2	34.0	67.9	23.1	11.8	36.4	50.5
直腸S状結腸移行部	10.4	31.8	32.4	22.2	11.3	34.0	0.0	11.8	0.0	25.2
肝及び肝内胆管	51.9	63.7	21.6	33.2	34.0	22.6	34.6	11.8	12.1	50.5
気管、気管支及び肺	93.4	116.7	119.0	177.3	192.4	135.8	80.8	153.2	145.5	138.8
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮										
前立腺	10.4	63.7	32.4	0.0	11.3	11.3	11.5	23.6	36.4	37.9
糖尿病	10.4	21.2	10.8	0.0	11.3	11.3	34.6	11.8	72.8	63.1
高血圧性疾患	0.0	0.0	0.0	22.2	11.3	11.3	11.5	11.8	48.5	25.2
心疾患(高血圧性除く)	134.9	191.0	270.4	354.5	226.4	181.1	288.7	318.2	327.5	201.9
急性心筋梗塞	31.1	21.2	64.9	44.3	11.3	34.0	57.7	82.5	84.9	12.6
その他虚血性心疾患	0.0	10.6	10.8	77.6	45.3	34.0	46.2	35.4	72.8	37.9
脳血管疾患	114.1	116.7	129.8	221.6	181.1	135.8	150.1	200.4	145.5	101.0
くも膜下出血	10.4	10.6	10.8	11.1	22.6	22.6	11.5	0.0	0.0	0.0
脳内出血	72.6	53.0	32.4	44.3	34.0	45.3	46.2	23.6	36.4	0.0
脳梗塞	31.1	53.0	86.5	166.2	124.5	67.9	92.4	176.8	109.2	101.0
肺炎	186.7	169.7	140.6	110.8	169.8	135.8	46.2	200.4	84.9	189.3
肝疾患	20.7	10.6	10.8	11.1	11.3	11.3	23.1	0.0	12.1	88.4
腎不全	20.7	63.7	10.8	55.4	11.3	22.6	11.5	35.4	36.4	37.9
老衰	41.5	63.7	162.2	99.7	101.9	45.3	46.2	70.7	97.0	113.6
不慮の事故	51.9	95.5	108.2	33.2	45.3	79.2	57.7	70.7	121.3	75.7
交通事故	20.7	10.6	10.8	0.0	11.3	11.3	23.1	0.0	24.3	25.2
自殺	0.0	21.2	10.8	22.2	11.3	45.3	46.2	35.4	36.4	12.6

1) 疾患別死亡数・死亡率(宝達志水町)

死亡数(総数)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	174	210	188	198	177	191	189	239	206	205
結核	0	0	1	0	0	0	0	0	0	0
悪性新生物	47	62	61	52	50	61	50	71	46	48
胃	9	11	9	9	1	4	6	8	9	7
結腸	4	5	2	3	5	3	9	6	6	5
直腸S状結腸移行部	2	1	0	1	1	1	1	0	2	6
肝及び肝内胆管	6	10	6	8	3	4	3	5	3	6
気管、気管支及び肺	9	7	15	12	5	13	7	16	10	9
乳	0	1	2	0	2	3	1	6	0	2
子宮	0	0	0	0	1	1	1	2	1	1
前立腺	2	0	2	1	2	1	1	1	2	0
糖尿病	0	3	0	2	4	2	1	3	1	3
高血圧性疾患	1	1	0	1	1	1	2	3	5	1
心疾患(高血圧性除く)	31	29	28	29	27	20	30	23	38	20
急性心筋梗塞	9	3	6	2	6	3	6	8	4	2
その他虚血性心疾患	7	6	6	5	3	3	7	4	8	2
脳血管疾患	15	16	15	20	9	19	13	22	25	18
くも膜下出血	0	0	0	2	0	1	1	2	3	1
脳内出血	4	6	3	4	1	5	8	7	6	6
脳梗塞	10	10	11	13	8	13	4	13	16	10
肺炎	4	7	14	10	13	10	6	12	5	8
肝疾患	1	1	0	2	4	2	2	1	3	2
腎不全	3	1	0	6	4	2	4	3	1	2
老衰	26	21	17	24	13	17	24	24	16	34
不慮の事故	8	10	8	3	5	9	5	8	7	7
交通事故	0	2	0	0	0	1	0	0	0	0
自殺	2	5	0	3	2	2	1	3	1	4

死亡率(総数) 人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1359.9	1641.3	1497.5	1603.5	1462.3	1598.6	1615.7	2095.4	1849.7	1876.9
結核	0.0	0.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	359.6	484.6	485.9	421.1	413.1	510.5	427.4	622.5	413.0	439.5
胃	68.9	86.0	71.7	72.9	8.3	33.5	51.3	70.1	80.8	64.1
結腸	30.6	39.1	15.9	24.3	41.3	25.1	76.9	52.6	53.9	45.8
直腸S状結腸移行部	15.3	7.8	0.0	8.1	8.3	8.4	8.5	0.0	18.0	54.9
肝及び肝内胆管	45.9	78.2	47.8	64.8	24.8	33.5	25.6	43.8	26.9	54.9
気管、気管支及び肺	68.9	54.7	119.5	97.2	41.3	108.8	59.8	140.3	89.8	82.4
乳	0.0	7.8	15.9	0.0	16.5	25.1	8.5	52.6	0.0	18.3
子宮	0.0	0.0	0.0	0.0	8.3	8.4	8.5	17.5	9.0	9.2
前立腺	15.3	0.0	15.9	8.1	16.5	8.4	8.5	8.8	18.0	0.0
糖尿病	0.0	23.4	0.0	16.2	33.0	16.7	8.5	26.3	9.0	27.5
高血圧性疾患	7.7	7.8	0.0	8.1	8.3	8.4	17.1	26.3	44.9	9.2
心疾患(高血圧性除く)	237.2	226.7	223.0	234.9	223.1	167.4	256.5	201.6	341.2	183.1
急性心筋梗塞	68.9	23.4	47.8	16.2	49.6	25.1	51.3	70.1	35.9	18.3
その他虚血性心疾患	53.6	46.9	47.8	40.5	24.8	25.1	59.8	35.1	71.8	18.3
脳血管疾患	114.8	125.0	119.5	162.0	74.4	159.0	111.1	192.9	224.5	164.8
くも膜下出血	0.0	0.0	0.0	16.2	0.0	8.4	8.5	17.5	26.9	9.2
脳内出血	30.6	46.9	23.9	32.4	8.3	41.8	68.4	61.4	53.9	54.9
脳梗塞	76.5	78.2	87.6	105.3	66.1	108.8	34.2	114.0	143.7	91.6
肺炎	30.6	54.7	111.5	81.0	107.4	83.7	51.3	105.2	44.9	73.2
肝疾患	7.7	7.8	0.0	16.2	33.0	16.7	17.1	8.8	26.9	18.3
腎不全	23.0	7.8	0.0	48.6	33.0	16.7	34.2	26.3	9.0	18.3
老衰	198.9	164.1	135.4	194.4	107.4	142.3	205.2	210.4	143.7	311.3
不慮の事故	61.2	78.2	63.7	24.3	41.3	75.3	42.7	70.1	62.9	64.1
交通事故	0.0	15.6	0.0	0.0	0.0	8.4	0.0	0.0	0.0	0.0
自殺	15.3	39.1	0.0	24.3	16.5	16.7	8.5	26.3	9.0	36.6

死亡数(男)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	74	100	98	88	82	92	92	96	96	88
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	27	36	41	29	27	30	29	30	25	21
胃	5	5	5	6	1	1	5	3	5	2
結腸	2	4	2	0	2	2	6	0	3	2
直腸S状結腸移行部	2	1	0	0	0	0	0	0	1	1
肝及び肝内胆管	3	6	5	5	2	3	2	3	0	4
気管、気管支及び肺	7	5	12	9	5	9	6	12	10	6
乳	0	0	0	0	0	0	0	0	0	0
子宮	/	/	/	/	/	/	/	/	/	/
前立腺	2	0	2	1	2	1	1	1	2	0
糖尿病	0	1	0	2	1	1	0	1	1	0
高血圧性疾患	0	0	0	0	0	0	0	1	3	1
心疾患(高血圧性除く)	9	13	19	9	11	7	13	11	13	9
急性心筋梗塞	3	2	4	1	3	1	4	6	3	1
その他虚血性心疾患	3	3	4	3	2	0	2	1	2	2
脳血管疾患	6	11	4	10	2	8	10	4	8	7
くも膜下出血	0	0	0	1	0	1	1	1	1	0
脳内出血	1	4	1	2	1	2	6	1	2	5
脳梗塞	5	7	3	7	1	5	3	2	5	2
肺炎	0	4	7	4	8	7	3	4	3	3
肝疾患	0	1	0	2	2	1	0	1	3	0
腎不全	1	1	0	1	2	1	4	1	0	2
老衰	6	1	2	5	3	5	6	5	4	8
不慮の事故	6	4	7	2	3	6	2	3	3	4
交通事故	0	1	0	0	0	1	0	0	0	0
自殺	2	4	0	2	2	1	1	3	1	3

死亡率(男) 人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1193.2	1648.5	1651.8	1510.7	1430.1	1623.7	1667.3	1782.7	1814.4	1687.4
結核	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	435.3	593.5	691.1	497.9	470.9	529.5	525.6	557.1	472.5	402.7
胃	80.6	82.4	84.3	103.0	17.4	17.6	90.6	55.7	94.5	38.4
結腸	32.2	65.9	33.7	0.0	34.9	35.3	108.7	0.0	56.7	38.4
直腸S状結腸移行部	32.2	16.5	0.0	0.0	0.0	0.0	0.0	0.0	18.9	19.2
肝及び肝内胆管	48.4	98.9	84.3	85.8	34.9	52.9	36.2	55.7	0.0	76.7
気管、気管支及び肺	112.9	82.4	202.3	154.5	87.2	158.8	108.7	222.8	189.0	115.1
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	/	/	/	/	/	/	/	/	/	/
前立腺	32.2	0.0	33.7	17.2	34.9	17.6	18.1	18.6	37.8	0.0
糖尿病	0.0	16.5	0.0	34.3	17.4	17.6	0.0	18.6	18.9	0.0
高血圧性疾患	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	56.7	19.2
心疾患(高血圧性除く)	145.1	214.3	320.2	154.5	191.8	123.5	235.6	204.3	245.7	172.6
急性心筋梗塞	48.4	33.0	67.4	17.2	52.3	17.6	72.5	111.4	56.7	19.2
その他虚血性心疾患	48.4	49.5	67.4	51.5	34.9	0.0	36.2	18.6	37.8	38.4
脳血管疾患	96.7	181.3	67.4	171.7	34.9	141.2	181.2	74.3	151.2	134.2
くも膜下出血	0.0	0.0	0.0	17.2	0.0	17.6	18.1	18.6	18.9	0.0
脳内出血	16.1	65.9	16.9	34.3	17.4	35.3	108.7	18.6	37.8	95.9
脳梗塞	80.6	115.4	50.6	120.2	17.4	88.2	54.4	37.1	94.5	38.4
肺炎	0.0	65.9	118.0	68.7	139.5	123.5	54.4	74.3	56.7	57.5
肝疾患	0.0	16.5	0.0	34.3	34.9	17.6	0.0	18.6	56.7	0.0
腎不全	16.1	16.5	0.0	17.2	34.9	17.6	72.5	18.6	0.0	38.4
老衰	96.7	16.5	33.7	85.8	52.3	88.2	108.7	92.9	75.6	153.4
不慮の事故	96.7	65.9	118.0	34.3	52.3	105.9	36.2	55.7	56.7	76.7
交通事故	0.0	16.5	0.0	0.0	0.0	17.6	0.0	0.0	0.0	0.0
自殺	32.2	65.9	0.0	34.3	34.9	17.6	18.1	55.7	18.9	57.5

死亡数(女)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	100	110	90	110	95	99	97	143	110	117
結核	0	0	1	0	0	0	0	0	0	0
悪性新生物	20	26	20	23	23	31	21	41	21	27
胃	4	6	4	3	0	3	1	5	4	5
結腸	2	1	0	3	3	1	3	6	3	3
直腸S状結腸移行部	0	0	0	1	1	1	1	0	1	5
肝及び肝内胆管	3	4	1	3	1	1	1	2	3	2
気管、気管支及び肺	2	2	3	3	0	4	1	4	0	3
乳	0	1	2	0	2	3	1	6	0	2
子宮	0	0	0	0	1	1	1	2	1	1
前立腺	/	/	/	/	/	/	/	/	/	/
糖尿病	0	2	0	0	3	1	1	2	0	3
高血圧性疾患	1	1	0	1	1	1	2	2	2	0
心疾患(高血圧性除く)	22	16	9	20	16	13	17	12	25	11
急性心筋梗塞	6	1	2	1	3	2	2	2	1	1
その他虚血性心疾患	4	3	2	2	1	3	5	3	6	0
脳血管疾患	9	5	11	10	7	11	3	18	17	11
くも膜下出血	0	0	0	1	0	0	0	1	2	1
脳内出血	3	2	2	2	0	3	2	6	4	1
脳梗塞	5	3	8	6	7	8	1	11	11	8
肺炎	4	3	7	6	5	3	3	8	2	5
肝疾患	1	0	0	0	2	1	2	0	0	2
腎不全	2	0	0	5	2	1	0	2	1	0
老衰	20	20	15	19	10	12	18	19	12	26
不慮の事故	2	6	1	1	2	3	3	5	4	3
交通事故	0	1	0	0	0	0	0	0	0	0
自殺	0	1	0	1	0	1	0	0	0	1

1)疾患別死亡数・死亡率(中能登町)

死亡数(総数)

資料:衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	237	277	238	235	238	271	277	247	294	266
結核	1	0	0	0	0	0	0	0	0	0
悪性新生物	49	76	64	68	85	66	62	69	75	60
胃	16	7	10	11	15	12	13	8	10	4
結腸	1	7	6	5	8	7	6	14	4	6
直腸S状結腸移行部	1	4	2	3	3	3	0	5	2	3
肝及び肝内胆管	5	2	3	2	3	4	2	5	1	5
気管、気管支及び肺	7	13	10	15	10	8	8	9	14	7
乳	2	0	0	4	2	3	0	1	1	2
子宮	2	5	1	1	1	2	3	2	3	0
前立腺	0	2	2	2	0	1	1	0	1	1
糖尿病	2	4	2	5	2	1	2	1	4	1
高血圧性疾患	3	0	5	1	2	2	3	1	3	0
心疾患(高血圧性除く)	44	43	30	29	29	40	42	38	48	41
急性心筋梗塞	4	5	3	1	1	3	5	2	3	6
その他虚血性心疾患	3	7	1	5	5	4	5	3	0	5
脳血管疾患	23	30	31	26	23	22	42	16	33	18
くも膜下出血	0	1	6	4	3	2	5	2	4	2
脳内出血	6	7	7	7	7	11	6	10	1	1
脳梗塞	17	21	17	13	12	12	26	8	19	15
肺炎	24	21	11	8	13	16	14	13	9	11
肝疾患	3	4	3	5	3	6	2	2	1	2
腎不全	3	4	3	4	5	3	5	3	4	6
老衰	24	25	22	19	16	24	27	27	33	39
不慮の事故	9	7	7	14	6	8	12	7	9	12
交通事故	2	1	1	2	0	1	0	2	1	0
自殺	5	1	5	2	2	2	5	2	5	0

死亡数(男)

資料:衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	108	143	117	123	121	130	128	118	143	127
結核	1	0	0	0	0	0	0	0	0	0
悪性新生物	28	42	28	41	47	38	31	31	40	41
胃	9	4	4	6	10	8	8	5	5	3
結腸	0	2	3	2	5	4	3	6	1	4
直腸S状結腸移行部	1	4	1	3	0	2	0	1	1	2
肝及び肝内胆管	3	1	0	2	1	1	0	2	1	3
気管、気管支及び肺	7	10	6	10	8	6	6	4	10	6
乳	0	0	0	0	0	0	0	0	0	0
子宮	/	/	/	/	/	/	/	/	/	/
前立腺	0	2	2	2	0	1	1	0	1	1
糖尿病	0	2	1	2	0	0	1	0	3	1
高血圧性疾患	2	0	3	0	1	1	1	0	2	0
心疾患(高血圧性除く)	16	21	13	18	14	17	24	16	24	24
急性心筋梗塞	1	4	1	1	1	1	4	2	3	4
その他虚血性心疾患	2	4	0	5	3	3	1	3	0	3
脳血管疾患	12	18	13	11	11	11	20	8	12	8
くも膜下出血	0	0	2	0	1	1	2	1	2	0
脳内出血	3	5	1	4	4	3	7	3	5	1
脳梗塞	9	13	9	7	5	6	11	4	5	7
肺炎	11	13	8	3	7	9	5	7	4	2
肝疾患	1	3	2	3	2	3	1	0	1	0
腎不全	1	3	1	1	5	0	2	2	0	1
老衰	5	7	5	4	4	4	4	8	8	7
不慮の事故	6	5	3	9	4	4	7	2	5	8
交通事故	0	1	0	2	0	1	0	0	1	0
自殺	3	1	4	2	1	1	2	2	3	0

死亡数(女)

資料:衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	129	134	121	112	117	141	149	129	151	139
結核	0	0	0	0	0	0	0	0	0	0
悪性新生物	21	34	36	27	38	28	31	38	35	19
胃	7	3	6	5	5	4	5	3	5	1
結腸	1	5	3	3	3	3	3	8	3	2
直腸S状結腸移行部	0	0	1	0	3	1	0	4	1	1
肝及び肝内胆管	2	1	3	0	2	3	2	3	0	2
気管、気管支及び肺	0	3	4	5	2	2	2	5	4	1
乳	2	0	0	4	2	3	0	1	1	2
子宮	2	5	1	1	1	2	3	2	3	0
前立腺	/	/	/	/	/	/	/	/	/	/
糖尿病	2	2	1	3	2	1	1	1	1	0
高血圧性疾患	1	0	2	1	1	1	2	1	1	0
心疾患(高血圧性除く)	28	22	17	11	15	23	18	22	24	17
急性心筋梗塞	3	1	2	0	0	2	1	0	0	2
その他虚血性心疾患	1	3	1	0	2	1	4	0	0	2
脳血管疾患	11	12	18	15	12	11	22	8	21	10
くも膜下出血	0	1	4	4	2	1	3	1	2	2
脳内出血	3	2	6	3	3	4	4	3	5	0
脳梗塞	8	8	8	6	7	6	15	4	14	8
肺炎	13	8	3	5	6	7	9	6	5	9
肝疾患	2	1	1	2	1	3	1	2	0	2
腎不全	2	1	2	3	0	3	3	1	4	5
老衰	19	18	17	15	12	20	23	19	25	32
不慮の事故	3	2	4	5	2	4	5	5	4	4
交通事故	2	0	1	0	0	0	0	2	0	0
自殺	2	0	1	0	1	1	3	0	2	0

死亡率(総数)人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1358.4	1616.8	1405.5	1404.5	1442.1	1656.4	1717.3	1556.4	1884.9	1736.7
結核	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	280.9	443.6	377.9	406.4	515.0	403.4	384.4	434.8	480.8	391.7
胃	91.7	40.9	59.1	65.7	90.9	73.3	80.6	50.4	64.1	26.1
結腸	5.7	40.9	35.4	29.9	48.5	42.8	37.2	88.2	25.6	39.2
直腸S状結腸移行部	5.7	23.3	11.8	17.9	18.2	18.3	0.0	31.5	12.8	19.6
肝及び肝内胆管	28.7	11.7	17.7	12.0	18.2	24.4	12.4	31.5	6.4	32.6
気管、気管支及び肺	40.1	75.9	59.1	89.6	60.6	48.9	49.6	56.7	89.8	45.7
乳	11.5	0.0	0.0	23.9	12.1	18.3	0.0	6.3	6.4	13.1
子宮	11.5	29.2	5.9	6.0	6.1	12.2	18.6	12.6	19.2	0.0
前立腺	0.0	11.7	11.8	12.0	0.0	6.1	6.2	0.0	6.4	6.5
糖尿病	11.5	23.3	11.8	29.9	12.1	6.1	12.4	6.3	25.6	6.5
高血圧性疾患	17.2	0.0	29.5	6.0	12.1	12.2	18.6	6.3	19.2	0.0
心疾患(高血圧性除く)	252.2	251.0	177.2	173.3	175.7	244.5	260.4	239.4	307.7	267.7
急性心筋梗塞	22.9	29.2	17.7	6.0	6.1	18.3	31.0	12.6	19.2	39.2
その他虚血性心疾患	17.2	40.9	5.9	29.9	30.3	24.4	31.0	18.9	0.0	32.6
脳血管疾患	131.8	175.1	183.1	155.4	139.4	134.5	260.4	100.8	211.6	117.5
くも膜下出血	0.0	5.8	35.4	23.9	18.2	12.2	31.0	12.6	25.6	13.1
脳内出血	34.4	40.9	41.3	41.8	42.4	42.8	68.2	37.8	64.1	6.5
脳梗塞	97.4	122.6	100.4	77.7	72.7	73.3	161.2	50.4	121.8	97.9
肺炎	137.6	122.6	65.0	47.8	78.8	97.8	88.8	81.9	57.7	71.8
肝疾患	17.2	23.3	17.7	29.9	18.2	36.7	12.4	12.6	6.4	13.1
腎不全	17.2	23.3	17.7	23.9	30.3	18.3	31.0	18.9	25.6	39.2
老衰	137.6	145.9	129.9	113.6	96.9	146.7	167.4	170.1	211.6	254.6
不慮の事故	51.6	40.9	41.3	83.7	36.4	48.9	74.4	44.1	57.7	78.3
交通事故	11.5	5.8	5.9	12.0	0.0	6.1	0.0	12.6	6.4	0.0
自殺	28.7	5.8	29.5	12.0	12.1	12.2	31.0	12.6	32.1	0.0

死亡率(男)人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1283.7	1732.3	1434.9	1528.1	1523.7	1640.4	1642.1	1535.7	1884.6	1699.0
結核	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
悪性新生物	332.8	508.8	343.4	509.4	591.9	479.5	397.7	403.4	527.1	548.5
胃	107.0	48.5	49.1	74.5	125.9	100.9	102.6	65.1	65.9	40.1
結腸	0.0	24.2	36.8	24.8	63.0	50.5	38.5	78.1	13.2	53.5
直腸S状結腸移行部	11.9	48.5	12.3	37.3	0.0	25.2	0.0	13.0	13.2	26.8
肝及び肝内胆管	35.7	12.1	0.0	24.8	12.6	12.6	0.0	26.0	13.2	40.1
気管・気管支及び肺	83.2	121.1	73.6	124.2	100.7	75.7	77.0	52.1	131.8	80.3
乳	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮	/	/	/	/	/	/	/	/	/	/
前立腺	0.0	24.2	24.5	24.8	0.0	12.6	12.8	0.0	13.2	13.4
糖尿病	0.0	24.2	12.3	24.8	0.0	0.0	12.8	0.0	39.5	13.4
高血圧性疾患	23.8	0.0	36.8	0.0	12.6	12.6	12.8	0.0	26.4	0.0
心疾患(高血圧性除く)	190.2	254.4	159.4	223.6	176.3	214.5	307.9	208.2	316.3	321.1
急性心筋梗塞	11.9	48.5	12.3	12.4	12.6	12.6	51.3	26.0	39.5	53.5
その他虚血性心疾患	23.8	48.5	0.0	62.1	37.8	37.9	12.8	39.0	0.0	40.1
脳血管疾患	142.6	218.0	159.4	136.7	138.5	138.8	256.6	104.1	158.1	107.0
くも膜下出血	0.0	0.0	24.5	0.0	12.6	12.6	25.7	13.0	26.4	0.0
脳内出血	35.7	60.6	12.3	49.7	50.4	37.9	89.8	39.0	65.9	13.4
脳梗塞	107.0	157.5	110.4	87.0	63.0	75.7	141.1	52.1	65.9	93.6
肺炎	130.8	157.5	98.1	37.3	88.2	113.6	64.1	91.1	52.7	26.8
肝疾患	11.9	36.3	24.5	37.3	25.2	37.9	12.8	0.0	13.2	0.0
腎不全	11.9	36.3	12.3	12.4	63.0	0.0	25.7	26.0	0.0	13.4
老衰	59.4	84.8	61.3	49.7	50.4	50.5	51.3	104.1	105.4	93.6
不慮の事故	71.3	60.6	36.8	111.8	50.4	50.5	89.8	26.0	65.9	107.0
交通事故	0.0	12.1	0.0	24.8	0.0	12.6	0.0	0.0	13.2	0.0
自殺	35.7	12.1	49.1	24.8	12.6	12.6	25.7	26.0	39.5	0.0

1) 疾患別死亡数・死亡率(管内)

死亡数(総数)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1901	1913	1883	1910	1863	1927	1986	2066	2149	2176
結核	1	1	3	4	1	0	2	4	1	0
悪性新生物	494	519	504	494	516	502	493	504	487	472
胃	90	78	66	67	69	53	74	68	62	56
結腸	33	45	46	43	42	44	59	54	37	46
直腸S状結腸移行部	18	18	21	23	19	21	13	17	21	26
肝及び肝内胆管	32	36	35	34	24	26	34	21	15	39
気管、気管支及び肺	103	96	101	105	91	96	87	111	92	82
乳	8	11	13	14	26	23	19	24	15	10
子宮	8	8	12	9	7	8	8	9	9	2
前立腺	8	17	12	9	9	11	13	15	18	12
糖尿病	12	19	13	24	18	23	23	24	23	25
高血圧性疾患	11	5	20	14	15	18	16	18	43	23
心疾患(高血圧性除く)	319	286	300	313	264	294	304	315	343	295
急性心筋梗塞	54	33	42	36	33	43	54	47	50	41
その他虚血性心疾患	38	34	33	49	33	37	50	30	37	35
脳血管疾患	195	186	164	196	171	169	197	176	164	150
くも膜下出血	26	14	24	30	20	21	27	20	20	14
脳内出血	49	48	38	46	36	41	62	41	40	30
脳梗塞	115	117	99	117	113	105	105	113	103	103
肺炎	192	146	127	87	105	97	71	115	88	103
肝疾患	13	17	14	17	23	20	26	16	19	34
腎不全	32	38	27	32	36	28	29	29	31	42
老衰	179	186	188	189	180	178	195	224	233	291
不慮の事故	78	80	66	69	62	61	56	64	70	70
交通事故	12	8	4	6	5	8	5	8	11	8
自殺	24	20	17	25	21	18	18	20	20	15

死亡数(男)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	879	978	932	935	877	954	937	956	1043	1026
結核	1	0	0	1	0	0	1	2	0	0
悪性新生物	285	320	282	286	288	296	270	279	274	285
胃	52	48	37	45	47	37	49	40	38	34
結腸	15	22	24	17	21	29	23	25	15	21
直腸S状結腸移行部	15	14	14	12	7	15	7	10	10	13
肝及び肝内胆管	22	23	23	21	12	17	22	13	6	25
気管、気管支及び肺	76	73	71	79	75	67	61	78	72	62
乳	0	0	1	0	0	0	0	0	0	0
子宮										
前立腺	8	17	12	9	9	11	13	15	18	12
糖尿病	7	11	6	14	9	15	10	10	17	16
高血圧性疾患	3	1	8	4	5	5	6	7	16	8
心疾患(高血圧性除く)	117	127	135	140	116	132	142	137	154	131
急性心筋梗塞	24	20	25	22	15	29	34	29	30	19
その他虚血性心疾患	19	14	17	28	19	16	28	18	18	17
脳血管疾患	79	105	80	91	76	73	96	69	75	70
くも膜下出血	10	4	8	9	11	11	13	7	6	4
脳内出血	22	33	21	22	22	17	35	17	23	19
脳梗塞	44	64	49	60	41	44	46	44	46	46
肺炎	90	82	69	45	55	60	33	63	53	62
肝疾患	7	10	9	9	13	13	11	10	14	19
腎不全	14	20	11	15	15	12	13	13	11	19
老衰	40	41	53	41	48	36	45	49	52	59
不慮の事故	44	46	41	43	27	37	27	34	42	39
交通事故	6	4	1	2	2	7	3	2	7	5
自殺	18	16	15	16	14	15	14	17	13	9

死亡数(女)

資料: 衛生統計年報

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1022	935	951	975	986	973	1049	1110	1106	1150
結核	0	1	3	3	1	0	1	2	1	0
悪性新生物	209	199	222	208	228	206	223	225	213	187
胃	38	30	29	22	22	16	25	28	24	22
結腸	18	23	22	26	21	15	36	29	22	25
直腸S状結腸移行部	3	4	7	11	12	6	6	7	11	13
肝及び肝内胆管	10	13	12	13	12	9	12	8	9	14
気管、気管支及び肺	27	23	30	26	16	29	26	33	20	20
乳	8	11	12	14	26	23	19	24	15	10
子宮	8	8	12	9	7	8	8	9	9	2
前立腺										
糖尿病	5	8	7	10	9	8	13	14	6	9
高血圧性疾患	8	4	12	10	10	13	10	11	27	15
心疾患(高血圧性除く)	202	159	165	173	148	162	162	178	189	164
急性心筋梗塞	30	13	17	14	18	14	20	18	20	22
その他虚血性心疾患	19	20	16	21	14	21	22	12	19	18
脳血管疾患	116	81	84	105	95	96	101	107	89	80
くも膜下出血	16	10	16	21	9	10	14	10	14	10
脳内出血	27	15	17	24	14	24	27	24	17	11
脳梗塞	71	53	50	57	72	61	59	69	57	57
肺炎	102	64	58	42	50	37	38	52	35	41
肝疾患	6	7	5	8	10	7	15	6	5	15
腎不全	18	14	16	17	21	16	16	16	20	23
老衰	139	139	135	148	132	142	150	175	181	232
不慮の事故	34	34	25	26	35	24	29	30	28	31
交通事故	6	4	3	4	3	1	2	6	4	3
自殺	6	4	2	9	7	3	4	3	7	6

死亡率(総数) 人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1492.2	1526.8	1528.6	1577.8	1565.6	1651.9	1733.7	1842.3	1960.9	2044.5
結核	0.8	0.8	2.4	3.3	0.8	0.0	1.7	3.6	0.9	0.0
悪性新生物	387.8	414.2	409.1	408.1	433.6	430.3	430.4	449.4	444.4	443.5
胃	70.6	62.3	53.6	55.3	58.0	45.4	64.6	60.6	56.6	52.6
結腸	25.9	35.9	37.3	35.5	35.3	37.7	51.5	48.2	33.8	43.2
直腸S状結腸移行部	14.1	14.4	17.0	19.0	16.0	18.0	11.3	15.2	19.2	24.4
肝及び肝内胆管	25.1	28.7	28.4	28.1	20.2	22.3	29.7	18.7	13.7	36.6
気管、気管支及び肺	80.8	76.6	82.0	86.7	76.5	82.3	75.9	99.0	83.9	77.0
乳	6.3	8.8	10.6	11.6	21.8	19.7	16.6	21.4	13.7	9.4
子宮	6.3	6.4	9.7	7.4	5.9	6.9	7.0	8.0	8.2	1.9
前立腺	6.3	13.6	9.7	7.4	7.6	9.4	11.3	13.4	16.4	11.3
糖尿病	9.4	15.2	10.6	19.8	15.1	19.7	20.1	21.4	21.0	23.5
高血圧性疾患	8.6	4.0	16.2	11.6	12.6	15.4	14.0	16.1	39.2	21.6
心疾患(高血圧性除く)	250.4	228.3	243.5	258.6	221.9	252.0	265.4	280.9	313.0	277.2
急性心筋梗塞	42.4	26.3	34.1	29.7	27.7	36.9	47.1	41.9	45.6	38.5
その他虚血性心疾患	29.8	27.1	26.8	40.5	27.7	31.7	43.6	26.8	33.8	32.9
脳血管疾患	153.1	148.5	133.1	161.9	143.7	144.9	172.0	156.9	149.6	140.9
くも膜下出血	20.4	11.2	19.5	24.8	16.8	18.0	23.6	17.8	18.2	13.2
脳内出血	38.5	38.3	30.8	38.0	30.3	35.1	54.1	36.6	36.5	28.2
脳梗塞	90.3	93.4	80.4	96.7	95.0	90.0	91.7	100.8	94.0	96.8
肺炎	150.7	116.5	103.1	71.9	88.2	83.2	62.0	102.5	80.3	96.8
肝疾患	10.2	13.6	11.4	14.0	19.3	17.1	22.7	14.3	17.3	31.9
腎不全	25.1	30.3	21.9	26.4	30.3	24.0	25.3	25.9	28.3	39.5
老衰	140.5	148.5	152.6	156.1	151.3	152.6	170.2	199.7	212.6	273.4
不慮の事故	61.2	63.9	53.6	57.0	52.1	52.3	48.9	57.1	63.9	65.8
交通事故	9.4	6.4	3.2	5.0	4.2	6.9	4.4	7.1	10.0	7.5
自殺	18.8	16.0	13.8	20.7	17.6	15.4	15.7	17.8	18.2	14.1

死亡率(男) 人口10万対

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
死亡総数	1448.7	1644.7	1594.5	1626.6	1551.0	1709.1	1714.9	1783.8	1986.7	2008.8
結核	1.6	0.0	0.0	1.7	0.0	0.0	1.8	3.7	0.0	0.0
悪性新生物	469.7	538.2	482.5	497.6	509.3	530.3	494.2	520.6	521.9	558.0
胃	85.7	80.7	63.3	78.3	83.1	66.3	89.7	74.6	72.4	66.6
結腸	24.7	37.0	41.1	29.6	37.1	52.0	42.1	46.6	28.6	41.1
直腸S状結腸移行部	24.7	23.5	24.0	20.9	12.4	26.9	12.8	18.7	19.0	25.5
肝及び肝内胆管	36.3	38.7	39.3	36.5	21.2	30.5	40.3	24.3	11.4	48.9
気管・気管支及び肺	125.3	122.8	121.5	137.4	132.6	120.0	111.6	145.5	137.1	121.4
乳	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮										
前立腺	13.2	28.6	20.5	15.7	15.9	19.7	23.8	28.0	34.3	23.5
糖尿病	11.5	18.5	10.3	24.4	15.9	26.9	18.3	18.7	32.4	31.3
高血圧性疾患	4.9	1.7	13.7	7.0	8.8	9.0	11.0	13.1	30.5	15.7
心疾患(高血圧性除く)	192.8	213.6	231.0	243.6	205.1	236.5	259.9	255.6	293.3	256.5
急性心筋梗塞	39.6	33.6	42.8	38.3	26.5	52.0	62.2	54.1	57.1	37.2
その他虚血性心疾患	31.3	23.5	29.1	48.7	33.6	28.7	51.2	33.6	34.3	33.3
脳血管疾患	130.2	176.6	136.9	158.3	134.4	130.8	175.7	128.7	142.9	137.1
くも膜下出血	16.5	6.7	13.7	15.7	19.5	19.7	23.8	13.1	11.4	7.8
脳内出血	36.3	55.5	35.9	38.3	38.9	30.5	64.1	31.7	43.8	37.2
脳梗塞	72.5	107.6	83.8	104.4	72.5	78.8	84.2	82.1	87.6	90.1
肺炎	148.3	137.9	118.0	78.3	97.3	107.5	60.4	117.6	101.0	121.4
肝疾患	11.5	16.8	15.4	15.7	23.0	23.3	20.1	18.7	26.7	37.2
腎不全	23.1	33.6	18.8	26.1	26.5	21.5	23.8	24.3	21.0	37.2
老衰	65.9	69.0	90.7	71.3	84.9	64.5	82.4	91.4	99.1	115.5
不慮の事故	72.5	77.4	70.1	74.8	47.7	66.3	49.4	63.4	80.0	76.4
交通事故	9.9	6.7	1.7	3.5	3.5	12.5	5.5	3.7	13.3	9.8
自殺	29.7	26.9	25.7	27.8	24.8	26.9	25.6	31.7	24.8	17.6

死亡率の分母に用いた人口、日本人人口（推計）

資料：衛生統計年報

総数

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
七尾市	54,905	54,079	53,111	52,276	51,367	49,618	48,751	47,667	46,614	44,928
羽咋市	21,662	21,372	21,043	20,649	20,344	20,262	19,881	19,501	19,085	18,773
志賀町	20,317	19,914	19,546	19,047	18,675	18,467	18,093	17,700	17,157	16,493
宝達志水町	13,069	12,795	12,554	12,348	12,104	11,948	11,698	11,406	11,137	10,922
中能登町	17,447	17,133	16,934	16,732	16,504	16,361	16,130	15,870	15,598	15,316
管内	127,400	125,293	123,188	121,052	118,994	116,656	114,553	112,144	109,591	106,432
石川県	1,144,626	1,138,540	1,133,851	1,127,759	1,120,707	1,117,364	1,110,734	1,101,229	1,090,748	1,078,021

男

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
七尾市	26,145	25,592	25,151	24,808	24,397	23,770	23,257	22,795	22,324	21,572
羽咋市	10,275	10,123	9,967	9,773	9,639	9,621	9,410	9,245	9,050	8,891
志賀町	9,639	9,426	9,246	9,026	8,834	8,836	8,659	8,484	8,245	7,923
宝達志水町	6,202	6,066	5,933	5,825	5,734	5,666	5,518	5,385	5,291	5,215
中能登町	8,413	8,255	8,154	8,049	7,941	7,925	7,795	7,684	7,588	7,475
管内	60,674	59,462	58,451	57,481	56,545	55,818	54,639	53,593	52,498	51,076
石川県	554,168	551,207	549,335	546,891	544,045	541,717	539,121	534,547	529,795	523,809

女

	H27	H28	H29	H30	R1	R2	R3	R4	R5	R6
七尾市	28,760	28,487	27,960	27,468	26,970	25,848	25,494	24,872	24,290	23,356
羽咋市	11,387	11,249	11,076	10,876	10,705	10,641	10,471	10,256	10,035	9,882
志賀町	10,678	10,488	10,300	10,021	9,841	9,631	9,434	9,216	8,912	8,570
宝達志水町	6,867	6,729	6,621	6,523	6,370	6,282	6,180	6,021	5,846	5,707
中能登町	9,034	8,878	8,780	8,683	8,563	8,436	8,335	8,186	8,010	7,841
管内	66,726	65,831	64,737	63,571	62,449	60,838	59,914	58,551	57,093	55,356
石川県	590,458	587,333	584,516	580,868	576,662	575,647	571,613	566,682	560,953	554,212

2)年齢調整死亡率

選択死因の市町別年齢調整死亡率(人口10万対:直接法) (令和6年)

注)基準人口 平成27年モデル人口(平成27年国勢調査人口を基に補正した人口)を使用

資料:衛生統計年報

(総数)

市 町	死亡総数	結 核	悪性 新生物				糖 尿 病	高血圧性 疾患	心 疾 患	脳血管 疾患	大動脈瘤 及び解離	肺 炎	慢性閉塞 性肺疾患	喘 息	肝 疾 患	腎 不 全	老 衰	不慮の 事故		自 殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺													交通事故	
七尾市	1,157.6	0.0	266.8	32.7	20.5	51.6	10.1	7.6	157.2	68.1	19.1	53.8	19.3	2.1	20.4	22.5	130.5	44.7	6.4	16.1
羽咋市	1,015.9	0.0	226.3	26.4	21.2	51.8	13.8	8.3	119.2	94.4	11.1	38.7	5.7	0.0	16.2	26.1	126.7	32.9	2.5	11.9
志賀町	1,170.2	0.0	311.5	31.9	19.3	35.6	21.2	27.6	146.6	69.5	13.4	60.5	9.7	0.0	34.4	16.5	76.0	35.0	14.8	6.8
宝達志水町	990.3	0.0	238.8	27.5	30.1	45.4	14.2	5.1	92.0	91.5	9.8	40.2	13.7	0.0	11.2	9.5	128.4	34.5	0.0	37.0
中能登町	1,022.2	0.0	253.1	16.0	20.6	30.1	3.6	0.0	159.6	65.4	11.9	39.8	11.1	0.0	7.0	22.4	135.7	46.7	0.0	0.0
管内	1,095.0	0.0	260.4	28.5	21.5	45.3	12.3	10.1	142.4	74.8	14.7	48.7	13.5	0.9	19.4	20.5	120.0	39.3	5.4	14.3
石川県	1,040.4	0.5	266.4	25.6	17.7	49.5	12.1	9.1	133.2	74.3	15.1	41.7	10.5	0.9	13.5	16.5	115.1	47.8	3.1	12.7

*人口は、各年次の10月1日現在。

(男)

市 町	死亡総数	結 核	悪性 新生物				糖 尿 病	高血圧性 疾患	心 疾 患	脳血管 疾患	大動脈瘤 及び解離	肺 炎	慢性閉塞 性肺疾患	喘 息	肝 疾 患	腎 不 全	老 衰	不慮の 事故		自 殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺													交通事故	
七尾市	1,544.9	0.0	394.2	50.0	31.2	95.1	15.7	10.0	214.8	106.3	28.0	113.0	44.6	0.0	28.0	32.0	99.6	63.3	11.0	7.6
羽咋市	1,470.9	0.0	366.4	38.8	37.8	94.9	50.0	16.8	173.8	146.0	12.2	93.3	15.0	0.0	32.2	30.1	62.5	41.3	0.0	18.4
志賀町	1,623.7	0.0	509.1	62.7	38.6	78.9	39.3	19.4	144.3	65.4	7.1	118.2	20.3	0.0	52.8	29.9	80.3	66.4	25.0	13.5
宝達志水町	1,282.0	0.0	281.1	30.4	56.4	72.1	0.0	11.6	119.9	114.2	20.0	46.1	41.9	0.0	0.0	34.5	140.5	48.2	0.0	45.4
中能登町	5,561.7	0.0	753.0	357.5	28.6	62.9	7.4	0.0	1236.6	417.7	0.0	18.6	17.4	0.0	0.0	8.7	1062.0	737.7	0.0	0.0
管内	1,504.4	0.0	402.4	46.8	35.9	85.7	22.9	12.4	197.3	105.2	16.8	90.1	31.0	0.0	27.1	28.6	97.3	60.8	8.2	13.1
石川県	1,408.6	0.9	372.6	42.3	26.0	82.9	17.0	11.1	172.8	100.2	19.6	74.5	23.3	1.0	19.2	25.6	107.4	64.2	5.0	16.4

*人口は、各年次の10月1日現在。

(女)

市 町	死亡総数	結 核	悪性 新生物				糖 尿 病	高血圧性 疾患	心 疾 患	脳血管 疾患	大動脈瘤 及び解離	肺 炎	慢性閉塞 性肺疾患	喘 息	肝 疾 患	腎 不 全	老 衰	不慮の 事故		自 殺
				胃	肝及び 肝内 胆管	気管、 気管支 及び肺													交通事故	
七尾市	882.6	0.0	175.5	22.3	10.6	20.4	7.0	5.9	113.8	45.3	11.8	22.2	2.2	2.8	14.6	18.0	143.5	32.1	2.2	25.8
羽咋市	748.9	0.0	156.4	21.0	14.4	26.8	0.0	0.0	97.7	55.3	9.8	14.4	0.0	0.0	4.6	22.9	151.2	33.3	3.1	4.6
志賀町	881.6	0.0	205.7	8.4	4.2	2.2	11.5	27.3	146.1	72.5	15.7	28.4	0.0	0.0	19.6	7.2	69.9	22.1	3.4	0.0
宝達志水町	798.6	0.0	211.2	27.4	18.0	22.1	20.7	0.0	64.8	84.7	0.0	42.3	5.9	0.0	20.4	0.0	124.0	13.2	0.0	33.4
中能登町	748.3	0.0	120.8	9.1	16.4	4.6	0.0	0.0	84.7	53.2	20.0	44.7	6.2	0.0	11.6	29.0	143.6	19.1	0.0	0.0
管内	825.1	0.0	167.0	18.5	11.8	16.4	7.0	7.3	107.5	56.7	11.9	26.7	2.3	1.2	13.8	16.4	129.5	26.7	2.0	16.6
石川県	790.2	0.1	191.8	14.7	11.5	24.0	8.6	7.3	105.4	56.1	11.1	23.9	2.5	0.8	8.6	11.2	116.8	37.2	1.6	9.5

*人口は、各年次の10月1日現在。

2) 年齢調整死亡率(単年)

七尾市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部 及び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	411.6	-	146.5	20.1			8.4		31.1			8.0	1.6	56.2	19.0	36.2	5.2	25.1	0.6	0.6	5.5	4.1	13.4	24.3	4.2	24.8
H28	354.9	0.4	114.8	22.2			4.0		23.4			4.0	0.7	44.2	9.6	37.9	2.5	26.3	1.9	0.8	4.7	5.5	15.6	17.5	0.2	17.4
H29	399.8	0.2	153.4	12.9	13.4	6.2	9.6	10.0	33.6	6.6	11.2	2.1	3.4	55.2	12.2	27.5	5.6	16.6	5.5	0.2	4.6	3.3	17.4	11.3	-	22.0
H30	348.2	0.5	118.9	14.3	7.5	5.7	6.7	9.5	32.6	5.3	2.4	6.4	2.6	53.4	14.4	29.7	4.4	8.9	4.1	0.2	2.5	3.9	12.3	17.2	0.8	19.0
R1	348.3	-	117.1	16.0	8.1	7.8	4.7	9.3	18.6	11.8	2.9	2.7	1.7	48.1	11.2	28.2	3.1	8.8	2.8	-	9.1	8.4	14.3	18.2	1.0	16.5
R2	1,003.5	-	305.4	21.2	25.9	13.3	14.4	33.9	66.7	11.5	6.4	20.2	8.6	143.9	45.5	95.1	13.4	36.2	2.4	1.4	11.7	16.5	75.0	23.0	3.6	13.5
R3	1,056.4	0.8	292.1	41.7	38.2	10.4	17.1	23.0	55.2	16.0	3.9	10.9	8.3	158.1	61.6	105.7	18.6	33.0	11.3	-	22.3	13.5	66.5	38.0	4.6	9.4
R4	1,000.0	1.3	285.9	41.8	33.1	8.8	11.1	24.8	67.7	16.5	3.5	16.7	11.6	152.7	37.0	84.6	16.5	34.6	5.2	-	13.4	13.7	87.3	29.9	4.7	3.3
R5	1,059.0	1.2	255.1	25.9	20.4	12.1	10.9	22.7	48.3	9.3	2.5	9.9	18.1	182.7	44.9	70.4	6.6	33.6	11.1	-	19.9	15.3	70.9	37.3	8.5	11.8
R6	1,157.6	-	266.8	32.7	25.2	14.8	20.5	28.8	51.6	3.5	1.3	10.1	7.6	157.2	39.0	68.1	19.1	53.8	19.3	2.1	20.4	22.5	130.5	44.7	6.4	16.1

2) 年齢調整死亡率(単年)

七尾市(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	538.6	-	182.2	29.7			15.0		52.0		8.6	0.7	76.3	31.9	39.4	4.8	45.4	1.3	0.0	7.4	7.0	10.8	31.4	7.6	42.3
H28	528.8	-	183.4	37.8			7.4		43.9		7.5	0.7	64.8	16.9	65.4	2.0	38.9	4.3	1.1	4.0	9.7	14.1	29.1	0.7	19.0
H29	518.5	-	188.9	19.6	15.6	10.8	15.8	15.9	49.2	-	-	3.4	69.1	17.1	37.4	4.6	24.3	8.5	-	4.6	2.8	15.9	20.0	-	44.3
H30	472.6	0.6	155.1	22.8	8.9	4.0	10.8	8.8	54.9	-	10.9	3.0	72.7	25.6	35.2	5.9	15.0	8.3	-	4.3	5.1	10.4	24.1	-	30.3
R1	430.4	-	143.5	25.6	10.9	7.1	6.5	8.8	37.5	-	4.1	1.8	65.5	14.5	44.0	4.2	13.2	6.8	-	11.2	7.0	12.8	13.1	1.7	20.8
R2	1,384.1	-	452.7	41.9	34.0	28.8	23.8	47.6	109.0	-	36.0	3.6	197.7	71.8	106.3	24.7	85.7	3.9	3.1	20.3	20.5	56.6	35.2	7.1	26.8
R3	1,393.7	-	401.1	61.2	35.2	10.9	33.4	39.5	96.8	-	9.8	11.1	205.1	100.3	146.1	17.0	47.5	31.3	-	19.7	18.2	55.6	48.9	3.7	19.0
R4	1,330.3	-	406.6	51.3	49.1	18.1	16.8	24.5	114.0	-	19.5	13.9	179.9	53.5	91.6	27.9	64.4	12.0	-	24.3	24.0	82.2	46.3	3.2	6.4
R5	1,511.2	-	374.4	47.1	15.6	20.1	12.6	25.9	93.8	-	16.1	15.3	249.6	60.8	111.8	8.2	57.5	30.6	-	32.7	22.3	68.8	65.3	14.6	16.6
R6	1,544.9	-	394.2	50.0	25.5	28.9	31.2	26.6	95.1	-	15.7	10.0	214.8	44.2	106.3	28.0	113.0	44.6	-	28.0	32.0	99.6	63.3	11.0	7.6

2)年齢調整死亡率(単年)

七尾市(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	310.8	-	120.5	12.8			2.7		15.7			7.7	2.1	35.8	7.0	33.3	5.5	12.0	0.3	1.1	3.6	2.5	14.1	19.9	1.1	7.6
H28	226.8	0.6	64.0	9.9			2.0		7.3			1.4	0.8	26.3	3.2	17.0	2.7	19.8	0.9	0.5	5.1	2.9	16.2	8.4	-	16.6
H29	298.8	0.3	125.9	7.0	11.1	2.5	5.2	4.6	20.8	12.9	21.9	3.6	3.3	40.3	6.9	21.8	6.3	11.3	3.6	0.3	4.4	3.5	17.6	4.2	-	-
H30	246.5	0.5	90.7	7.6	6.3	7.1	2.7	9.8	14.4	10.2	4.6	2.3	1.7	38.3	5.8	24.3	2.9	4.6	1.4	0.2	0.5	3.3	13.2	13.3	1.2	7.6
R1	293.7	-	102.2	8.6	6.3	9.0	2.8	10.1	4.0	22.9	5.9	1.5	1.7	35.0	9.0	14.0	2.4	5.3	-	-	7.4	9.5	14.6	24.4	0.2	12.0
R2	717.1	-	191.2	6.3	19.3	-	7.4	21.3	36.1	19.2	12.3	9.1	9.9	103.5	25.9	87.4	5.7	12.2	2.6	-	4.6	12.8	80.7	11.1	-	-
R3	822.1	1.0	216.6	25.4	41.0	12.9	7.5	7.7	26.8	27.9	7.3	11.4	6.8	121.6	32.6	74.6	19.2	26.8	-	-	23.2	11.4	70.7	29.6	4.7	-
R4	775.7	2.4	204.4	36.0	18.1	2.3	6.9	24.1	34.7	28.9	6.2	14.5	10.2	129.4	26.7	81.5	8.8	18.6	-	-	3.3	9.8	89.6	21.5	6.1	1.0
R5	742.9	1.9	179.0	14.3	24.4	6.3	8.1	22.7	16.4	17.1	4.1	5.1	17.7	131.9	28.2	39.8	5.1	21.1	-	-	6.5	10.1	72.0	17.9	4.7	7.4
R6	882.6	-	175.5	22.3	24.3	5.0	10.6	27.5	20.4	5.7	2.1	7.0	5.9	113.8	32.3	45.3	11.8	22.2	2.2	2.8	14.6	18.0	143.5	32.1	2.2	25.8

2) 年齢調整死亡率(単年)

羽咋市(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部 及び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
H27	310.9	-	110.7	18.2			2.9		30.5			0.5	-	53.3	27.6	37.5	12.4	20.2	-	-	1.7	4.3	21.6	8.6	0.5	3.8
H28	320.9	-	108.0	14.2			8.0		25.0			0.4	-	60.7	13.4	27.1	2.4	12.2	2.1	0.4	12.1	2.1	12.8	14.6	0.9	31.9
H29	318.7	-	95.1	8.0	10.3	0.4	2.7	14.0	17.3	9.2	0.4	6.7	1.0	61.5	32.1	24.5	3.2	11.9	3.0	-	5.0	10.7	14.1	11.7	1.8	3.4
H30	337.3	-	119.6	23.1	7.0	5.8	5.7	12.4	15.0	6.0	3.5	6.2	-	35.9	11.1	35.9	0.8	14.9	4.0	1.3	6.9	3.7	18.3	15.1	-	7.5
R1	314.8	-	119.3	14.6	6.2	5.3	4.5	7.0	20.3	17.5	2.9	3.3	1.0	25.3	10.3	31.8	1.7	12.0	1.7	-	3.5	2.9	14.9	6.0	1.0	28.1
R2	1,028.5	-	270.5	33.0	25.9	8.0	13.3	31.4	35.5	18.2	4.3	10.7	8.5	190.5	60.5	70.4	17.9	59.7	16.9	-	8.9	12.9	77.4	42.0	8.2	19.6
R3	966.4	2.7	285.8	39.0	28.6	13.4	28.8	21.6	51.2	15.6	1.8	17.4	4.1	117.1	62.5	93.8	12.2	31.3	16.0	2.7	17.8	8.1	107.0	17.3	-	20.5
R4	1,107.4	4.4	279.6	43.0	22.5	13.8	5.3	19.9	68.6	14.8	-	13.1	1.8	185.0	44.3	93.8	12.0	68.8	12.5	-	10.5	11.1	84.2	35.4	6.0	38.4
R5	1,086.7	-	270.6	32.5	13.2	16.0	2.4	12.8	53.8	8.6	6.8	15.3	29.3	131.4	59.7	72.1	8.6	84.1	1.8	-	11.2	12.4	144.5	42.7	5.3	8.4
R6	1,015.9	-	226.3	26.4	21.5	-	21.2	28.7	51.8	2.7	-	13.8	8.3	119.2	39.5	94.4	11.1	38.7	5.7	-	16.2	26.1	126.7	32.9	2.5	11.9

2) 年齢調整死亡率(単年)

羽咋市(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	392.9	-	141.0	22.8			6.1		40.3		-	-	63.9	40.6	42.9	22.8	32.9	-	-	3.6	4.3	21.5	10.4	-	5.0
H28	469.1	-	154.9	21.6			14.2		45.0		-	-	81.7	13.0	39.7	3.3	17.5	4.8	1.5	22.0	3.3	13.8	17.4	-	66.5
H29	449.0	-	101.9	12.1	15.5	1.5	6.1	20.0	32.7	1.5	15.7	2.6	92.5	55.1	41.8	6.7	27.9	5.2	-	11.4	12.1	16.2	14.3	-	3.6
H30	494.0	-	161.7	36.0	10.9	12.6	7.0	20.7	23.3	-	13.0	-	44.8	15.7	52.3	1.5	23.8	13.1	-	12.9	7.6	13.1	29.1	-	9.2
R1	421.4	-	155.2	28.1	2.5	5.4	5.2	12.4	44.9	-	7.0	-	30.3	17.2	48.1	2.7	20.9	6.2	-	4.5	4.3	21.0	5.6	-	40.8
R2	1,657.0	-	395.0	60.0	58.8	7.7	32.2	14.7	68.8	-	21.4	19.0	332.9	112.1	110.4	14.0	69.8	51.0	-	17.0	25.5	70.7	83.5	16.2	30.7
R3	1,460.4	8.4	455.9	87.1	20.8	31.5	50.8	23.1	93.8	-	24.8	9.1	185.0	107.5	97.0	26.0	59.2	48.7	8.4	20.0	9.1	169.8	-	-	28.9
R4	1,691.4	9.5	456.3	80.5	21.8	21.8	16.2	39.7	119.0	-	22.4	161.1	292.6	73.1	135.3	15.1	141.1	34.3	-	20.2	-	91.9	83.6	6.5	80.0
R5	1,591.5	-	411.3	58.4	27.3	17.4	-	23.0	90.8	-	19.9	31.1	159.5	85.8	101.3	15.4	199.4	13.5	-	8.5	6.9	136.4	60.0	-	23.4
R6	1,470.9	-	366.4	38.8	26.4	-	37.8	11.4	94.9	-	50.0	16.8	173.8	74.1	146.0	12.2	93.3	15.0	-	32.2	30.1	62.5	41.3	-	18.4

2) 年齢調整死亡率(単年)

羽咋市(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
H27	254.7	-	93.4	16.2			0.7		24.4			0.7	-	41.6	15.0	32.9	3.8	12.4	-	-	-	4.7	21.1	7.3	0.7	3.1
H28	202.5	-	74.3	11.3			2.2		9.2			0.6	-	43.2	16.2	17.2	1.3	8.7	-	-	3.2	0.6	11.8	11.6	1.3	-
H29	233.0	-	97.3	6.0	6.6	-	0.6	8.4	4.5	17.6	0.6	-	-	37.0	13.7	10.6	-	4.1	1.7	-	-	12.8	13.4	12.2	3.5	3.0
H30	220.8	-	86.6	12.1	3.4	-	5.2	4.5	9.4	11.8	6.3	-	-	29.5	7.5	24.8	0.6	11.5	-	2.4	0.6	0.6	20.4	2.9	-	5.8
R1	231.5	-	97.7	3.4	9.7	5.1	3.9	2.3	0.6	36.9	5.1	0.6	1.7	19.0	4.0	17.1	0.6	6.3	-	-	2.8	1.7	12.2	6.3	1.7	13.8
R2	659.8	-	186.2	8.7	10.5	8.0	-	44.7	11.8	36.4	8.3	3.2	-	125.6	26.2	42.4	20.2	49.4	-	-	5.8	6.1	76.5	18.3	-	8.3
R3	680.2	-	167.1	15.4	31.6	-	13.5	17.5	14.8	26.3	2.1	13.1	2.1	70.2	31.7	88.5	8.8	18.9	-	-	15.7	7.2	95.4	27.3	-	11.6
R4	792.4	2.8	163.3	17.0	23.5	6.4	-	5.2	27.7	29.6	-	7.2	-	128.5	18.1	85.9	10.4	33.7	2.8	-	2.0	17.6	89.8	10.8	4.4	-
R5	813.4	-	211.4	23.2	9.5	12.4	3.0	3.0	30.0	14.2	11.5	10.9	20.6	119.1	41.9	47.3	4.8	34.3	-	-	15.8	12.7	142.5	29.2	7.5	-
R6	748.9	-	156.4	21.0	20.1	-	14.4	42.8	26.8	4.6	-	-	-	97.7	19.5	55.3	9.8	14.4	-	-	4.6	22.9	151.2	33.3	3.1	4.6

2) 年齢調整死亡率(単年)

志賀町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部 及び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	301.1	-	110.0	11.3			7.7		23.6			1.6	0.4	31.7	9.0	27.3	4.3	38.8	0.4	-	4.8	4.4	14.9	8.5	3.4	6.4
H28	351.8	-	125.8	7.3			17.2		15.2			6.3	-	44.9	13.7	23.0	5.0	19.1	1.7	-	1.6	6.5	16.3	20.0	3.1	4.1
H29	324.7	0.4	87.7	11.0	7.4	7.9	4.7	9.5	25.1	-	0.4	1.8	-	47.9	20.9	25.7	1.2	18.3	4.3	1.4	3.6	1.2	20.1	34.0	16.9	6.4
H30	331.2	0.4	108.2	10.9	8.8	2.7	3.6	13.6	20.3	6.2	5.6	0.4	2.8	67.6	23.9	32.8	4.9	10.6	2.4	-	4.8	5.8	22.0	6.3	0.4	11.9
R1	303.1	0.4	100.0	9.6	8.7	1.8	4.6	10.5	24.2	6.4	-	1.4	0.9	39.4	11.6	24.9	1.3	20.2	3.5	-	6.9	2.0	19.9	10.7	2.3	12.5
R2	910.8	-	256.5	37.2	24.3	17.9	8.7	31.4	49.0	14.1	-	5.2	11.1	129.2	32.8	79.6	4.5	47.6	6.9	-	6.1	9.4	62.6	46.5	11.1	15.5
R3	896.3	-	222.0	36.0	21.7	-	13.4	43.3	35.7	9.2	-	12.5	5.2	165.3	42.6	64.9	13.6	28.8	7.7	-	14.2	10.7	59.6	20.0	5.0	14.2
R4	993.7	1.9	196.5	22.5	7.0	3.0	3.0	27.5	52.4	5.6	6.1	5.4	4.9	169.5	52.0	78.7	19.7	85.3	2.5	2.4	-	15.6	94.7	49.5	7.1	20.2
R5	1160.0	-	280.4	41.8	21.6	8.0	7.9	33.3	46.0	16.4	3.2	22.0	24.2	143.5	56.9	71.6	18.5	48.4	13.5	4.3	3.1	23.6	97.8	38.6	6.2	37.9
R6	1170.2	-	311.5	31.9	31.4	18.6	19.3	30.2	35.6	6.9	-	21.2	27.6	146.6	47.7	69.5	13.4	60.5	9.7	-	34.4	16.5	76.0	35.0	14.8	6.8

2) 年齢調整死亡率(単年)

志賀町(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物								糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房															
H27	414.8	-	193.4	19.2			17.3		39.6		3.2	-	34.6	9.3	27.3	6.9	38.2	1.7	-	7.3	5.6	7.8	13.5	5.0	-
H28	465.2	-	162.0	6.2			21.5		29.3		12.1	-	55.8	17.5	35.8	10.7	32.2	5.2	-	3.2	11.4	10.5	33.6	3.2	8.6
H29	479.7	-	154.9	19.3	16.2	16.0	5.0	20.6	43.0	-	3.0	-	73.4	34.5	31.1	3.0	25.9	11.9	3.0	5.6	1.5	26.7	32.8	3.0	11.8
H30	472.8	-	154.4	24.3	5.9	5.3	7.5	17.8	41.9	-	-	5.4	103.5	36.4	56.1	3.7	17.0	2.9	-	3.2	10.6	14.7	5.9	-	12.6
R1	400.8	-	148.2	16.6	14.1	3.1	5.9	10.8	45.1	-	2.9	2.2	39.3	13.8	33.6	2.2	36.5	8.2	-	12.2	1.4	14.7	9.7	3.1	4.1
R2	1257.2	-	375.5	56.3	55.6	26.8	15.4	39.0	100.0	-	7.9	8.7	138.3	49.6	92.7	-	100.4	23.5	-	7.9	21.1	41.7	62.0	12.8	33.9
R3	1233.4	-	252.1	48.6	25.6	-	22.5	37.2	60.6	-	29.6	7.8	209.4	78.2	98.6	28.4	36.3	7.8	-	23.2	7.8	32.7	38.1	17.1	30.8
R4	1349.1	14.7	299.7	44.6	9.4	6.2	7.0	20.8	103.4	-	7.0	7.6	232.4	81.8	130.3	32.4	154.5	7.6	-	-	22.4	46.2	69.5	-	29.8
R5	1527.1	-	380.4	61.8	24.9	-	9.9	32.2	92.3	-	52.5	39.3	207.7	97.8	83.2	6.9	53.1	39.8	8.5	6.9	20.6	72.0	74.3	13.5	42.1
R6	1623.7	-	509.1	62.7	45.2	13.4	38.6	55.6	78.9	-	39.3	19.4	144.3	35.7	65.4	7.1	118.2	20.3	-	52.8	29.9	80.3	66.4	25.0	13.5

2) 年齢調整死亡率(単年)

志賀町(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H27	204.9	-	40.4	7.7			-		8.9			-	0.6	27.1	7.4	28.4	2.1	39.9	-	-	2.5	3.2	17.0	4.4	2.1	13.9
H28	270.4	-	104.8	8.9			14.2		5.1			0.6	-	33.0	8.9	12.5	0.6	11.2	-	-	-	3.7	18.0	8.3	3.1	-
H29	208.9	0.6	31.2	3.7	-	0.6	4.7	0.6	10.0	-	0.6	0.6	-	24.8	6.9	23.0	0.6	13.3	-	-	1.4	1.1	15.6	41.5	34.1	-
H30	224.5	0.6	78.8	-	11.9	0.6	0.6	10.7	4.0	12.5	10.6	0.6	0.6	33.4	12.5	14.3	6.4	7.4	2.2	-	6.1	2.6	25.2	7.3	0.6	10.8
R1	232.6	0.6	62.5	4.2	3.8	0.6	4.4	10.0	8.7	12.5	-	-	-	43.2	9.8	17.7	0.6	8.2	0.6	-	1.1	2.2	22.4	12.1	1.6	21.3
R2	710.0	-	183.1	20.7	3.3	8.2	5.1	22.7	20.8	25.4	-	3.3	9.4	105.9	12.6	69.7	6.1	23.8	4.1	-	6.2	6.1	71.0	32.5	8.0	-
R3	729.6	-	207.4	26.4	14.4	-	6.4	48.8	24.2	18.4	-	-	3.8	130.0	18.2	45.6	5.3	32.1	7.7	-	5.3	12.3	67.1	10.6	-	-
R4	747.8	-	107.4	8.7	3.7	-	-	31.9	8.7	9.5	11.2	3.3	3.3	119.8	22.5	46.9	17.8	60.2	-	3.3	-	11.9	104.9	35.7	14.5	11.5
R5	887.7	-	203.3	29.9	15.1	13.7	5.5	38.5	9.4	29.4	6.1	-	17.3	86.6	23.1	57.5	28.3	49.3	-	2.3	-	25.2	103.6	16.6	-	25.6
R6	881.6	-	205.7	8.4	17.0	22.5	4.2	15.1	2.2	12.0	-	11.5	27.3	146.1	57.7	72.5	15.7	28.4	-	-	19.6	7.2	69.9	22.1	3.4	-

2) 年齢調整死亡率(単年)

宝達志水町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部及 び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H27	301.8	-	126.6	19.6			11.7		23.4			-	0.8	39.7	23.1	17.2	4.3	4.0	0.8	-	6.5	2.4	24.3	12.9	-	6.0
H28	418.4	-	137.1	18.7			17.3		11.4			3.9	0.8	56.3	26.8	27.3	3.9	15.5	5.7	-	8.3	0.8	15.9	11.9	1.5	53.5
H29	324.0	0.7	124.7	13.1	2.5	-	10.2	8.3	33.7	8.5	-	-	-	63.1	26.2	15.1	10.7	14.5	3.1	-	-	-	13.7	7.9	-	-
H30	264.0	-	88.6	8.7	3.9	2.4	19.2	4.9	16.9	-	-	5.8	0.8	31.2	8.6	29.6	0.8	12.8	1.5	-	2.5	4.5	18.2	2.3	-	10.9
R1	318.2	-	102.3	2.3	6.2	0.8	5.7	19.2	10.5	2.5	2.3	6.5	0.8	45.4	29.0	6.8	0.8	19.9	0.8	-	7.2	5.5	9.8	13.1	-	13.1
R2	997.5	-	342.8	26.3	16.1	5.7	19.3	39.1	72.1	19.3	5.6	9.2	4.4	101.4	24.7	93.1	14.6	50.3	4.9	-	13.2	10.4	71.7	44.7	7.5	10.4
R3	924.6	-	270.2	32.5	46.0	5.9	14.0	26.8	40.7	7.7	4.0	5.2	8.1	139.1	63.1	66.5	15.8	26.1	15.8	-	10.5	23.1	87.1	24.0	-	4.0
R4	1197.3	-	393.6	39.5	27.8	-	22.6	50.5	88.7	42.8	15.8	13.2	18.7	113.0	68.1	103.4	25.6	51.8	4.9	-	4.9	14.1	91.3	38.8	-	27.4
R5	1036.9	-	251.0	55.5	32.0	11.0	14.1	17.7	56.8	-	4.6	4.8	24.6	186.9	56.8	128.2	-	20.2	37.1	-	12.5	3.1	66.9	33.2	-	9.9
R6	990.3	-	238.8	27.5	25.8	27.9	30.1	28.2	45.4	13.3	4.3	14.2	5.1	92.0	18.0	91.5	9.8	40.2	13.7	-	11.2	9.5	128.4	34.5	-	37.0

宝達志水町(男)

資料:衛生統計年報(人口10万対:直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	407.5	-	177.8	20.5			13.8		43.5		-	-	47.1	33.3	22.5	5.3	-	-	-	-	3.2	19.2	28.3	-	13.5
H28	596.9	-	205.2	24.5			29.9		22.1		2.9	-	89.4	47.6	56.5	-	27.3	15.5	-	15.9	2.9	2.9	15.5	2.9	87.0
H29	513.8	-	205.8	20.9	7.0	-	22.5	10.6	64.0	-	-	-	117.6	45.8	12.5	20.9	25.4	2.7	-	-	-	7.0	22.3	-	-
H30	372.5	-	121.7	19.9	-	-	26.8	9.8	33.4	-	13.1	-	32.8	15.7	50.6	-	15.3	5.5	-	7.2	2.8	13.8	5.5	-	21.7
R1	448.0	-	133.5	5.0	7.2	-	8.9	33.7	24.2	-	4.3	-	67.6	50.0	5.3	-	30.5	-	-	9.9	7.6	7.9	24.8	-	25.6
R2	1,329.9	-	432.5	13.5	36.3	-	35.7	27.6	131.1	-	9.6	-	101.8	20.6	124.9	13.5	99.2	14.9	-	14.9	9.6	77.3	89.2	14.9	9.6
R3	1,389.5	-	405.6	60.3	92.2	-	22.5	15.3	89.5	-	-	-	212.6	99.8	141.6	12.5	43.2	28.1	-	-	60.9	99.3	33.1	-	19.6
R4	1,453.3	-	407.8	41.7	-	-	38.4	23.6	164.2	-	11.3	12.3	178.0	110.5	58.0	58.9	54.7	13.7	-	13.7	20.6	94.7	39.8	-	53.2
R5	1,449.9	-	366.5	76.4	56.7	11.8	-	-	145.0	-	13.7	43.7	175.3	66.2	110.2	-	57.1	95.9	-	47.2	-	58.2	38.3	-	20.5
R6	1,282.0	-	281.1	30.4	28.2	20.9	56.4	22.3	72.1	-	-	11.6	119.9	38.7	114.2	20.0	46.1	41.9	-	-	34.5	140.5	48.2	-	45.4

宝達志水町(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
H27	206.6	-	84.1	22.8			10.3		6.6			-	1.1	26.9	12.4	14.9	2.7	6.0	1.1	-	12.4	2.1	28.3	2.1	-	
H28	262.6	-	78.4	13.2			6.0		4.0			5.4	1.0	24.2	6.0	5.1	7.2	5.0	-	-	-	-	20.4	9.4	1.0	16.4
H29	170.0	1.0	64.0	7.4	-	-	1.0	6.6	8.2	15.9	-	-	-	18.9	11.9	16.9	1.0	7.2	4.3	-	-	-	15.5	1.0	-	-
H30	190.2	-	71.8	3.1	6.5	4.4	13.6	1.0	8.2	-	-	-	1.0	29.2	3.1	14.2	1.0	11.7	-	-	-	5.2	19.8	1.0	-	1.0
R1	202.0	-	78.5	-	4.9	1.1	2.8	6.6	-	3.9	4.5	8.2	1.1	22.2	6.0	7.4	1.1	14.1	1.1	-	5.3	3.9	10.5	2.1	-	-
R2	767.5	-	296.0	36.0	5.7	9.7	3.9	46.2	39.5	36.4	10.1	5.7	5.7	88.9	26.5	77.5	16.8	18.6	-	-	9.7	9.7	66.5	13.5	-	10.1
R3	660.3	-	193.7	7.9	19.7	11.3	5.0	34.9	14.3	14.3	5.0	7.9	11.3	101.1	37.7	20.6	16.8	11.8	7.9	-	15.9	-	78.6	29.4	-	-
R4	1,046.0	-	387.9	27.1	46.2	-	8.7	70.6	41.8	78.7	30.6	12.9	23.6	79.9	37.6	118.3	9.2	43.7	-	-	-	15.3	87.7	37.0	-	-
R5	810.2	-	178.2	42.2	22.6	10.4	20.6	29.1	-	-	9.1	-	13.2	195.6	45.5	129.5	-	10.9	13.2	-	-	3.5	59.8	22.0	-	-
R6	798.6	-	211.2	27.4	18.5	39.3	18.0	34.5	22.1	22.4	8.4	20.7	-	64.8	3.7	84.7	-	42.3	5.9	-	20.4	-	124.0	13.2	-	33.4

2) 年齢調整死亡率(単年)

中能登町(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸S状 結腸移行部 及び直腸	肝及び 肝内胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	379.7	0.6	106.9	34.2			13.7		10.0			7.8	2.6	49.0	12.4	25.1	1.3	24.5	2.6	-	4.1	1.9	18.5	16.9	3.5	23.9
H28	385.7	-	141.0	13.8			2.5		25.4			5.5	-	42.9	12.0	34.4	6.7	23.8	3.1	-	10.4	3.8	16.9	16.6	8.6	18.2
H29	349.0	-	105.2	20.0	6.9	2.9	1.8	16.0	16.7	-	1.2	7.1	3.7	32.2	4.1	40.9	1.8	14.5	7.3	1.2	7.7	3.5	16.4	17.3	6.8	34.9
H30	342.6	-	123.5	11.6	13.4	8.4	7.1	13.6	29.3	8.3	0.6	7.4	0.6	57.2	11.8	32.2	5.6	4.7	3.0	-	6.9	3.0	13.2	29.5	10.7	7.9
R1	369.6	-	140.2	22.8	10.8	3.8	6.6	32.6	10.3	3.6	1.9	1.1	1.9	47.6	7.0	31.6	4.9	10.7	0.6	0.6	9.0	7.5	10.4	18.1	-	9.9
R2	1102.5	-	294.3	55.9	34.9	11.7	17.8	30.1	35.3	16.1	9.7	3.5	9.4	161.5	30.3	84.2	7.8	62.4	10.3	-	30.9	11.1	81.2	30.4	4.0	9.3
R3	1096.0	-	263.1	53.2	26.8	-	8.3	39.3	33.5	-	10.0	10.7	10.3	163.6	41.6	165.9	15.2	50.6	4.6	3.7	8.0	18.5	89.7	45.7	-	24.4
R4	972.2	-	293.6	30.9	59.9	25.3	19.0	7.8	39.6	4.1	8.3	4.1	2.6	145.3	24.1	64.0	10.3	45.4	18.8	-	10.5	11.5	86.8	25.2	7.6	9.8
R5	1131.7	-	326.3	39.2	14.3	8.3	4.5	28.7	66.7	3.3	13.8	14.6	14.7	166.6	13.7	120.3	15.3	29.8	3.8	-	6.1	14.9	103.4	36.2	3.8	40.6
R6	1022.2	-	253.1	16.0	26.3	11.7	20.6	47.0	30.1	7.2	-	3.6	-	159.6	44.2	65.4	11.9	39.8	11.1	-	7.0	22.4	135.7	46.7	-	-

2) 年齢調整死亡率(単年)

中能登町(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)		脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	490.7	2.3	139.3	42.9			18.8		23.9		-	5.6	61.5	18.1	42.9	-	29.6	4.5	-	3.4	2.3	14.9	28.7	-	38.5
H28	565.6	-	200.9	20.8			3.3		44.8		4.4	-	65.4	22.9	61.2	5.2	38.3	8.3	-	14.7	8.3	15.4	31.6	16.9	32.4
H29	473.2	-	111.8	19.9	9.2	2.2	-	18.6	22.9	-	12.6	7.4	47.9	4.5	45.8	4.5	26.5	16.8	4.5	12.4	2.2	11.2	18.1	-	56.0
H30	499.7	-	170.8	18.3	9.0	17.9	14.6	21.6	36.3	-	9.7	-	104.2	25.8	41.3	10.1	6.3	7.2	-	10.2	2.1	8.4	44.7	21.4	15.7
R1	492.7	-	174.3	30.3	16.3	-	5.5	38.3	22.6	-	-	3.0	79.3	13.4	47.8	9.7	17.8	2.0	-	16.9	17.3	9.9	21.4	-	7.7
R2	1,497.0	-	392.3	78.2	46.5	17.3	14.7	21.5	60.4	-	-	12.7	199.9	45.9	123.8	11.4	111.1	30.8	-	32.9	-	47.1	43.2	9.7	11.0
R3	1,406.7	-	323.4	74.2	32.6	-	-	40.3	71.3	-	14.5	10.6	300.0	63.0	196.1	9.1	53.7	10.5	-	10.5	21.2	53.2	78.4	-	25.5
R4	1,313.8	-	343.7	60.6	58.7	9.2	17.5	9.2	46.6	-	-	-	187.4	60.1	85.4	17.4	77.9	52.4	-	-	18.6	92.0	18.6	-	20.4
R5	1,700.4	-	438.2	50.2	9.2	9.2	9.2	38.6	124.1	-	32.6	23.2	291.9	31.6	123.3	18.9	59.9	9.7	-	12.7	-	118.4	55.7	9.2	48.5
R6	5,561.7	-	753.0	357.5	45.3	23.3	28.6	93.8	62.9	-	7.4	-	1,236.6	397.7	417.7	-	18.6	17.4	-	-	8.7	1,062.0	737.7	-	-

2) 年齢調整死亡率(単年)

中能登町(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)		脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自 殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮			急性心 筋梗塞												
H27	283.7	-	78.0	26.2			8.6		-		15.7	0.9	36.8	5.9	11.1	1.8	23.3	1.8	-	5.2	1.8	18.4	7.3	6.4	8.6	
H28	240.3	-	86.8	7.0			2.0		9.5		8.0	-	27.5	5.7	14.9	7.1	16.3	-	-	6.8	0.9	18.0	2.8	-	-	
H29	253.7	-	103.2	19.3	6.3	4.6	2.5	13.1	12.0	-	2.1	0.8	1.7	17.6	2.5	38.7	0.8	7.0	-	-	3.3	5.4	20.5	16.1	13.5	13.4
H30	212.0	-	87.2	6.8	17.9	-	-	9.4	27.1	15.6	0.8	5.5	0.8	12.7	-	23.8	2.2	4.1	0.8	-	4.4	3.8	16.6	15.6	-	-
R1	268.9	-	117.6	19.4	6.8	6.8	7.5	27.6	1.6	6.8	3.7	1.6	0.8	15.6	1.6	18.4	0.8	6.2	-	0.8	0.8	-	9.5	15.5	-	12.7
R2	878.0	-	227.7	40.8	26.0	4.7	24.9	35.5	13.8	30.6	17.6	4.7	3.6	128.9	17.5	64.3	5.9	42.6	7.6	-	29.2	16.3	86.3	24.5	-	7.6
R3	883.3	-	211.8	30.3	17.5	-	15.6	38.3	15.6	-	15.3	4.4	9.3	114.3	34.3	127.3	17.0	47.4	-	5.7	4.4	17.0	104.8	26.4	-	22.2
R4	787.2	-	287.5	17.3	57.6	41.0	16.6	6.0	38.9	7.5	15.0	8.0	3.1	115.9	-	57.2	3.1	28.9	-	-	19.7	4.3	77.0	26.4	13.0	-
R5	828.3	-	271.5	36.6	15.3	8.6	-	19.3	37.6	4.4	25.0	6.2	6.2	104.0	-	99.1	10.6	23.6	-	-	-	24.0	95.6	25.7	-	31.4
R6	748.3	-	120.8	9.1	13.7	4.6	16.4	6.4	4.6	13.8	-	-	-	84.7	23.6	53.2	20.0	44.7	6.2	-	11.6	29.0	143.6	19.1	-	-

2) 年齢調整死亡率(単年)

管内(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸S状 結腸移 行部及 び直腸	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H27	361.4	0.1	127.0	20.3			8.4		25.9			5.0	1.1	48.7	18.2	31.4	5.7	24.6	0.7	0.3	4.7	3.7	16.9	16.8	2.9	16.5
H28	358.0	0.2	120.6	16.7			7.9		21.2			3.9	0.4	47.9	12.9	31.8	3.6	21.2	2.4	0.4	6.6	4.4	15.4	16.8	2.2	21.5
H29	358.7	0.2	123.5	12.8	9.8	4.3	6.6	11.2	27.1	5.3	5.1	3.2	2.1	52.7	17.3	27.1	4.4	15.7	5.0	0.5	4.6	4.0	16.8	15.0	3.4	15.9
H30	334.5	0.3	114.4	14.2	8.0	5.2	7.3	10.8	25.6	5.3	2.7	5.4	1.7	51.2	14.4	31.7	3.7	10.1	3.4	0.3	4.3	4.2	15.8	15.2	1.9	13.7
R1	335.9	0.1	116.4	14.1	7.9	5.1	5.1	13.4	17.9	9.9	2.2	2.7	1.4	42.3	12.3	26.8	2.6	12.7	2.2	0.1	7.5	6.0	14.5	14.6	1.0	16.4
R2	1005.1	-	293.0	31.3	25.8	12.0	14.2	33.2	54.5	14.3	5.3	12.5	8.7	148.3	41.9	86.7	12.0	47.4	7.1	0.6	13.1	13.3	73.6	33.6	6.0	14.2
R3	1001.0	0.8	271.3	40.8	32.8	7.2	17.0	28.7	46.6	11.6	3.5	11.6	7.2	150.4	55.7	100.4	15.7	33.3	11.1	1.0	16.7	13.8	77.3	30.5	2.8	13.9
R4	1032.2	1.7	280.9	36.9	29.8	10.0	10.8	24.6	63.3	15.5	5.2	12.2	8.2	155.6	42.2	84.4	16.3	52.7	7.8	0.4	9.3	13.3	88.5	33.7	5.0	15.6
R5	1085.6	0.5	271.6	34.4	19.7	11.4	8.3	23.4	52.4	8.7	5.1	13.0	21.4	164.5	46.8	82.9	9.4	42.9	11.6	0.7	13.0	15.0	91.5	38.0	6.1	18.6
R6	1095.0	-	260.4	28.5	25.3	13.9	21.5	31.5	45.3	5.4	1.0	12.3	10.1	142.4	39.1	74.8	14.7	48.7	13.5	0.9	19.4	20.5	120.0	39.3	5.4	14.3

2) 年齢調整死亡率(単年)

管内(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	475.1	0.3	170.9	27.6			14.4		42.9		4.2	1.0	62.1	27.7	36.6	7.8	35.6	1.4	-	5.6	5.2	13.6	23.9	4.2	26.1
H28	518.6	-	179.3	26.1			12.5		39.2		5.9	0.3	67.9	19.8	54.1	4.0	33.0	6.3	0.7	9.6	8.0	12.4	26.9	3.5	34.2
H29	494.7	-	159.5	18.5	13.8	7.6	10.8	17.3	43.4	0.3	4.9	2.8	76.1	27.6	35.6	6.1	25.7	9.3	1.1	6.6	3.8	16.5	21.2	0.5	29.3
H30	471.1	0.3	154.8	24.1	7.8	7.2	11.7	14.0	42.8	-	9.4	2.3	73.7	24.7	44.4	4.8	15.7	7.7	-	6.7	5.8	11.8	22.8	3.2	21.2
R1	433.6	-	148.8	23.0	10.2	4.4	6.5	16.3	36.6	-	3.9	1.6	57.1	18.3	40.0	3.9	20.8	5.5	-	10.7	7.0	13.5	13.6	1.2	20.5
R2	1,417.2	-	418.2	49.9	43.4	19.9	24.1	35.3	95.6	-	21.3	8.0	203.6	66.3	109.3	15.5	91.1	19.2	1.3	19.0	17.4	57.2	55.5	10.7	25.3
R3	1,374.9	1.5	373.4	65.3	35.3	10.1	29.5	33.9	85.0	-	15.5	9.4	213.9	91.8	136.6	19.1	48.6	26.9	1.5	16.5	19.5	73.9	40.6	4.7	23.9
R4	1,391.0	3.6	387.0	55.3	33.9	14.0	17.4	24.1	109.2	-	14.6	10.4	202.1	67.3	99.0	28.6	93.0	20.5	-	15.4	19.2	78.7	50.5	2.4	29.3
R5	1,525.1	-	385.3	54.9	21.3	13.6	8.2	26.3	99.9	-	25.6	25.6	221.5	68.3	108.1	10.0	76.8	32.7	1.7	22.8	14.1	82.7	61.8	9.7	25.6
R6	1,504.4	-	402.4	46.8	30.5	19.1	35.9	38.5	85.7	-	22.9	12.4	197.3	51.9	105.2	16.8	90.1	31.0	-	27.1	28.6	97.3	60.8	8.2	13.1

2)年齢調整死亡率(単年)

管内(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)		脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮			急性心 筋梗塞												
H27	270.2	－	93.4	15.4			3.4		13.0			6.0	1.2	34.4	8.8	27.4	3.8	18.0	0.4	0.5	3.9	2.9	17.8	11.7	1.8	6.9
H28	234.3	0.3	76.0	9.8			4.2		7.2			2.4	0.4	30.3	7.1	14.7	3.1	14.5	0.4	0.2	3.6	2.1	16.5	8.4	0.9	9.4
H29	252.1	0.3	96.8	7.9	6.6	1.7	3.6	5.9	13.6	10.2	10.0	1.7	1.6	31.8	8.0	21.7	3.0	9.5	2.3	0.1	2.6	4.6	16.7	11.5	6.4	2.4
H30	227.5	0.3	85.0	6.4	8.1	3.5	3.5	8.1	13.0	10.3	5.1	1.8	1.0	31.7	6.2	21.5	2.8	7.0	1.1	0.5	1.9	3.0	17.7	9.6	0.6	6.1
R1	261.6	0.1	94.7	7.5	6.3	5.8	3.9	10.8	3.5	19.3	4.3	1.7	1.2	29.5	7.0	15.1	1.4	7.1	0.2	0.1	4.5	5.2	14.6	16.2	0.7	12.3
R2	731.7	－	203.9	16.9	14.4	4.4	7.6	30.1	26.6	26.1	10.0	6.1	6.8	110.0	22.8	72.6	9.5	25.5	2.8	－	8.9	10.6	77.2	18.2	1.4	3.5
R3	767.0	0.4	201.6	22.3	29.7	6.5	9.2	23.0	21.5	20.5	5.8	8.4	6.1	110.6	30.7	72.9	14.2	26.8	2.2	0.7	15.4	10.4	79.5	25.2	1.9	4.9
R4	800.4	1.6	210.6	24.5	25.0	7.4	5.8	24.4	30.1	28.6	9.4	10.2	7.4	120.5	22.1	76.7	9.8	32.6	0.5	0.7	4.3	11.1	90.7	23.8	6.9	2.4
R5	795.7	0.8	201.5	23.8	19.0	9.4	6.9	22.3	19.1	15.3	9.2	4.7	16.2	123.9	28.2	60.5	9.0	27.7	1.3	0.4	5.3	14.4	91.5	21.0	3.2	12.0
R6	825.1	－	167.0	18.5	20.4	11.0	11.8	25.6	16.4	9.4	1.7	7.0	7.3	107.5	30.2	56.7	11.9	26.7	2.3	1.2	13.8	16.4	129.5	26.7	2.0	16.6

2) 年齢調整死亡率(単年)

石川県(総数)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物									糖尿病	高血圧 性疾患	心疾患	急性心筋 梗塞、そ の他の虚 血性心疾 患	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
				胃	結腸	直腸S状 結腸移 行部及 び直腸	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮															
H27	351.7	0.3	121.1	15.5			9.1		24.9			3.3	1.0	46.1	17.2	28.4	4.8	26.4	3.0	0.4	6.3	4.1	12.0	15.7	3.5	16.2
H28	345.9	0.3	120.0	14.8			9.0		22.8			3.2	1.0	44.3	15.8	28.8	4.4	23.3	3.4	0.5	5.2	4.4	12.3	16.9	4.2	14.0
H29	341.0	0.2	116.7	12.7	10.3	4.6	7.3	12.5	23.1	6.4	2.8	3.7	1.9	45.1	15.4	27.6	4.7	17.2	4.2	0.5	6.8	4.7	12.8	13.2	2.6	14.9
H30	325.6	0.2	112.6	13.3	9.5	5.2	5.9	10.9	22.5	7.0	3.1	3.7	2.1	45.9	16.0	27.3	4.3	14.4	3.5	0.3	5.2	5.3	13.6	12.9	1.7	10.7
R1	325.5	0.1	108.9	12.3	9.1	4.5	6.3	11.4	20.6	6.2	2.1	3.2	2.1	42.8	14.9	24.7	4.2	15.4	2.5	0.2	6.0	5.3	13.5	12.1	1.8	13.4
R2	937.4	1.0	281.5	32.3	27.1	11.4	16.6	32.1	56.1	9.6	4.5	9.6	6.2	135.4	41.1	73.5	13.8	49.4	9.6	0.9	10.9	15.7	73.2	27.9	3.7	14.8
R3	957.1	1.0	272.5	31.1	27.6	10.1	15.4	28.4	54.4	11.2	4.2	10.3	6.7	138.0	46.7	80.1	13.5	45.3	10.3	0.5	12.8	15.4	77.0	29.7	2.8	13.9
R4	1,011.5	1.1	271.8	31.4	28.3	11.5	13.9	26.7	56.6	11.9	4.1	11.9	8.1	144.9	52.0	76.0	14.7	44.2	10.0	0.5	10.7	15.6	100.0	29.0	3.2	16.8
R5	1,030.9	0.7	269.5	28.3	26.2	11.6	14.7	27.4	50.9	11.5	4.5	12.8	10.2	148.1	52.3	76.1	13.2	44.2	9.2	1.1	12.4	16.4	105.7	31.5	3.2	18.5
R6	1,040.4	0.5	266.4	25.6	27.6	10.6	17.7	30.6	49.5	10.4	4.3	12.1	9.1	133.2	41.3	74.3	15.1	41.7	10.5	0.9	13.5	16.5	115.1	47.8	3.1	12.7

2) 年齢調整死亡率(単年)

石川県(男)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2 ~ 平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老 衰	不慮の 事故	交通 事故	自殺
H27	474.8	0.6	163.9	22.8			14.1		42.2		4.9	1.2	60.3	26.1	36.1	5.5	41.3	6.5	0.5	8.5	4.5	8.8	23.2	5.0	25.8
H28	473.7	0.5	168.1	23.7			13.8		39.9		5.0	1.1	58.9	24.6	40.4	6.1	36.5	6.8	0.6	7.9	6.7	8.6	25.0	6.3	20.4
H29	464.4	0.3	156.5	19.1	13.4	7.6	11.4	15.7	39.3	0.2	5.5	2.3	61.2	23.0	34.6	6.9	28.6	8.7	0.7	10.5	5.9	11.5	19.6	3.5	22.7
H30	440.9	0.2	149.0	20.6	11.1	7.9	9.2	13.2	36.5	0.1	6.3	2.9	60.7	24.8	37.6	6.3	23.9	7.3	0.5	7.5	7.7	10.9	18.9	2.5	14.8
R1	441.1	0.3	144.4	19.7	10.4	6.0	9.5	14.8	36.3	0.1	4.5	2.6	58.9	23.2	34.1	5.6	25.4	5.8	0.3	9.5	6.6	11.0	17.4	2.5	19.1
R2	1,316.3	1.7	410.9	53.9	37.1	15.5	27.4	37.8	98.4	0.3	13.5	6.5	183.2	63.3	97.3	19.4	88.4	22.1	1.7	15.6	24.6	64.2	42.6	6.9	23.1
R3	1,323.5	2.1	386.0	48.3	30.6	14.7	24.5	33.2	95.9	0.2	14.7	5.4	183.1	71.4	103.0	15.9	80.9	22.9	0.9	16.8	21.7	74.5	44.7	4.9	19.1
R4	1,403.5	2.6	380.0	48.1	34.2	17.8	22.7	31.7	97.6	0.2	16.0	9.2	193.6	76.8	102.9	20.1	82.8	23.0	0.2	15.2	23.2	94.8	46.7	4.8	23.6
R5	1,442.0	1.4	384.4	45.2	32.1	17.8	24.3	30.5	90.2	0.5	20.7	10.9	200.2	79.0	103.1	18.0	78.0	21.4	1.2	20.3	23.2	106.8	50.9	5.1	26.9
R6	1,408.6	0.9	372.6	42.3	32.8	14.4	26.0	36.6	82.9	0.2	17.0	11.1	172.8	60.8	100.2	19.6	74.5	23.3	1.0	19.2	25.6	107.4	64.2	5.0	16.4

2)年齢調整死亡率(単年)

石川県(女)

資料: 衛生統計年報(人口10万対: 直接法、基準人口 R1までは昭和60年モデル人口、R2～平成27年モデル人口)

年	死亡 総数	結核	悪性 新生物	胃	結腸	直腸等	肝及び 肝内 胆管	膵	気管、 気管支 及び肺	乳房	子宮	糖尿病	高血圧 性疾患	心疾患 (高血 圧性を 除く)	急性心 筋梗塞	脳血管 疾患	大動脈 瘤及び 解離	肺炎	慢性閉 塞性肺 疾患	喘息	肝疾患	腎不全	老衰	不慮の 事故	交通 事故	自殺
H27	253.3	0.1	88.6	10.1			5.1		11.4			1.9	0.8	33.5	9.7	22.2	4.1	16.9	0.7	0.3	4.4	3.8	13.2	9.6	2.0	6.7
H28	245.8	0.2	83.4	7.8			4.9		9.7			1.8	1.0	32.0	8.7	19.6	3.0	15.3	1.1	0.5	2.9	2.7	13.7	9.9	2.0	7.6
H29	244.6	0.2	86.5	7.4	8.0	2.1	4.0	9.6	10.5	12.1	5.3	2.1	1.5	31.9	8.9	22.2	2.9	10.3	1.4	0.4	3.2	3.8	13.1	8.1	1.7	7.1
H30	236.2	0.2	86.1	7.6	8.1	3.0	3.2	8.9	12.0	13.3	5.9	1.6	1.3	33.0	8.7	19.3	2.9	8.2	1.1	0.2	3.2	3.4	14.7	8.1	1.0	6.7
R1	234.8	-	83.0	6.7	8.2	3.5	3.6	8.4	8.5	11.9	4.1	2.2	1.6	29.2	7.7	16.8	2.8	9.1	0.5	0.2	2.9	4.2	14.5	8.0	1.0	7.8
R2	690.7	0.6	196.2	17.6	20.9	7.8	9.3	27.0	28.4	16.8	8.2	6.3	5.2	104.0	24.7	57.1	10.4	29.4	3.6	0.5	7.4	10.2	74.7	17.3	0.7	7.5
R3	717.1	0.6	196.3	18.6	25.1	6.3	9.2	24.6	26.1	20.0	7.5	7.4	6.5	106.1	29.1	62.2	12.1	27.9	3.6	0.3	8.9	12.2	77.1	20.2	1.0	9.0
R4	758.9	0.8	199.2	19.8	23.5	7.0	7.8	22.4	28.1	21.3	7.5	8.0	6.6	112.6	33.2	58.1	10.8	25.2	2.2	0.7	7.2	11.8	100.4	18.1	1.8	10.4
R5	760.1	0.3	192.6	17.5	21.6	6.7	8.2	24.4	22.8	20.6	8.1	7.3	9.1	112.5	32.4	57.0	10.0	25.8	2.2	1.1	5.9	11.6	103.8	19.1	1.6	10.9
R6	790.2	0.1	191.8	14.7	23.3	7.7	11.5	25.8	24.0	18.4	7.8	8.6	7.3	105.4	27.4	56.1	11.1	23.9	2.5	0.8	8.6	11.2	116.8	37.2	1.6	9.5

３）年齢階級別死亡数（選択死因）

七尾市（３年平均：令和４年～令和６年）

（単位：人）

死因	年齢	総数	０～４	５～９	１０～１４	１５～１９	２０～２４	２５～２９	３０～３４	３５～３９	４０～４４	４５～４９	５０～５４	５５～５９	６０～６４	６５～６９	７０～７４	７５～７９	８０～８４	８５～８９	９０歳～	不詳
総 数		884.3	－	－	－	－	－	1.0	0.3	1.3	1.7	3.7	8.7	11.7	19.3	32.7	68.7	102.3	120.7	179.3	333.0	－
結 核		0.7	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	－	－	0.3	－	－
悪性新生物		201.7	－	－	－	－	－	－	－	0.7	－	0.3	2.7	4.3	6.0	13.7	28.7	36.7	29.3	41.7	37.7	－
食道		4.7	－	－	－	－	－	－	－	－	－	－	－	－	－	0.7	1.7	0.3	－	1.3	0.7	－
胃		26.0	－	－	－	－	－	－	－	0.3	－	－	0.7	0.3	0.3	1.0	5.3	4.7	4.3	3.0	6.0	－
結腸		20.0	－	－	－	－	－	－	－	－	－	－	0.7	0.3	－	2.0	2.0	3.7	4.0	3.0	4.3	－
直腸S状結腸移行部及び直腸		8.7	－	－	－	－	－	－	－	－	－	－	－	0.3	0.3	0.7	1.7	1.3	1.0	1.7	1.7	－
肝及び肝内胆管		10.3	－	－	－	－	－	－	－	－	－	－	－	－	1.0	0.3	1.7	2.7	1.3	1.7	1.7	－
胆のう及びその他の胆道		11.0	－	－	－	－	－	－	－	－	－	－	－	－	－	1.0	－	1.0	1.3	3.7	4.0	－
膵		19.0	－	－	－	－	－	－	－	－	－	－	－	0.7	0.7	1.3	2.3	2.3	3.0	4.7	4.0	－
気管、気管支及び肺		41.0	－	－	－	－	－	－	－	－	－	－	0.3	0.7	1.3	3.3	6.7	10.3	5.0	9.0	4.3	－
乳房		7.0	－	－	－	－	－	－	－	－	－	0.3	0.3	－	0.7	0.3	0.7	0.7	1.0	2.0	1.0	－
子宮		2.0	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.7	－	0.3	0.7	0.3	－
白血病		3.3	－	－	－	－	－	－	－	－	－	－	0.3	－	－	0.3	1.0	0.7	－	1.0	－	－
糖尿病		9.3	－	－	－	－	－	－	－	－	－	－	－	0.7	－	1.0	1.0	1.0	1.3	1.3	3.0	－
高血圧性疾患		12.7	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	－	0.3	1.7	1.3	9.0	－
心疾患（高血圧性を除く）		142.7	－	－	－	－	－	－	－	－	－	1.0	1.7	0.7	2.3	3.3	9.3	16.0	16.7	30.3	61.3	－
急性心筋梗塞		18.3	－	－	－	－	－	－	－	－	－	0.3	0.7	0.3	0.3	1.0	2.3	2.3	2.0	5.0	4.0	－
その他の虚血性心疾患		12.7	－	－	－	－	－	－	－	－	－	0.3	0.3	0.3	0.3	－	1.3	2.3	1.3	3.0	3.3	－
不整脈及び伝導障害		32.3	－	－	－	－	－	－	－	－	－	－	0.7	－	1.0	1.0	3.3	5.3	4.7	6.3	10.0	－
心不全		66.3	－	－	－	－	－	－	－	－	－	0.3	－	－	－	1.3	1.7	5.7	7.3	13.3	36.7	－
脳血管疾患		60.0	－	－	－	－	－	－	－	－	0.3	0.3	1.3	0.7	1.7	2.7	3.7	6.7	8.0	12.0	22.7	－
くも膜下出血		7.7	－	－	－	－	－	－	－	－	－	0.3	1.0	0.3	0.3	0.3	0.7	0.7	1.3	1.3	1.3	－
脳内出血		13.3	－	－	－	－	－	－	－	－	0.3	－	0.3	0.3	0.7	1.7	1.0	3.3	2.0	1.3	2.3	－
脳梗塞		37.7	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.7	1.3	2.7	4.7	9.3	18.3	－
大動脈瘤及び解離		11.0	－	－	－	－	－	－	－	－	－	－	－	－	0.7	0.3	1.0	1.7	3.3	2.3	1.7	－
肺 炎		35.0	－	－	－	－	－	－	－	－	－	－	－	－	0.3	0.3	1.7	1.3	7.3	12.3	11.7	－
慢性閉塞性肺疾患		9.3	－	－	－	－	－	－	－	－	－	－	－	－	0.7	－	1.3	2.7	1.7	1.3	1.7	－
喘 息		0.7	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	0.7	－
肝疾患		11.7	－	－	－	－	－	－	－	－	0.3	0.7	0.3	0.3	1.3	1.0	2.0	1.7	0.7	1.3	2.0	－
腎不全		15.3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1.3	1.0	2.3	4.0	6.7	－
老 衰		99.7	－	－	－	－	－	－	－	－	－	－	－	－	－	0.3	1.0	1.7	7.7	13.7	75.3	－
不慮の事故		27.3	－	－	－	－	－	－	－	－	－	－	0.7	1.7	1.7	0.7	3.0	3.7	3.0	7.7	5.3	－
交通事故		4.3	－	－	－	－	－	－	－	－	－	－	－	0.3	0.7	－	0.7	0.7	1.0	1.0	－	－
自 殺		5.0	－	－	－	－	－	1.0	0.3	－	－	0.3	0.3	－	－	0.3	0.3	1.3	0.3	0.3	0.3	－

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

羽咋市 (3年平均：令和4年～令和6年)

(単位：人)

死因 \ 年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数	376.0	—	0.3	0.3	0.3	0.7	—	1.0	0.3	0.3	2.3	3.7	3.7	9.7	11.0	28.0	32.0	61.3	72.3	148.7	—
結 核	0.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	—
悪性新生物	82.3	—	—	—	—	—	—	—	0.3	—	1.3	1.7	0.7	3.7	4.7	8.7	11.0	18.7	14.3	17.3	—
食道	3.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.7	0.7	0.7	0.7	0.3	—
胃	10.3	—	—	—	—	—	—	—	—	—	0.3	—	—	0.7	1.0	1.3	1.3	1.7	2.0	2.0	—
結腸	6.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.7	1.0	1.7	1.0	2.0	—
直腸S状結腸移行部及び直腸	3.3	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.3	0.7	1.0	0.7	—
肝及び肝内胆管	3.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.0	1.0	0.7	1.0	—
胆のう及びその他の胆道	4.0	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.3	1.3	0.7	1.3	—
膵	6.0	—	—	—	—	—	—	—	—	—	—	0.7	—	0.3	0.3	1.0	1.0	1.3	1.0	0.3	—
気管、気管支及び肺	18.3	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	2.0	2.0	2.3	4.0	4.0	3.3	—
乳房	2.3	—	—	—	—	—	—	—	—	—	0.7	—	—	0.3	—	—	—	1.0	0.3	—	—
子宮	0.7	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	—	0.3	—
白血病	3.0	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	—	—	1.3	0.3	1.0	—
糖尿病	5.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.7	0.7	0.7	0.3	1.7	—
高血圧性疾患	4.0	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.3	—	0.3	—	0.7	0.3	1.7	—
心疾患(高血圧性を除く)	52.0	—	—	—	—	—	—	—	—	0.3	—	0.3	0.3	1.7	1.7	2.3	3.7	7.7	11.3	22.7	—
急性心筋梗塞	9.3	—	—	—	—	—	—	—	—	0.3	—	—	0.3	0.3	0.7	0.7	0.7	2.3	0.7	3.3	—
その他の虚血性心疾患	6.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	1.3	1.3	2.0	1.3	—
不整脈及び伝導障害	7.3	—	—	—	—	—	—	—	—	—	—	—	—	1.0	1.0	—	0.7	0.7	0.7	3.3	—
心不全	25.0	—	—	—	—	—	—	—	—	—	—	0.3	—	—	—	0.7	1.0	2.3	7.0	13.7	—
脳血管疾患	31.7	—	—	—	—	—	—	—	—	—	—	—	0.3	1.3	—	1.7	2.0	5.7	7.7	13.0	—
くも膜下出血	2.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	—	—	0.7	1.3	—
脳内出血	7.3	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	—	0.3	0.3	1.3	2.0	2.3	—
脳梗塞	21.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	1.0	1.7	4.3	5.0	9.0	—
大動脈瘤及び解離	3.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	0.7	1.0	1.3	—	—
肺 炎	23.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	1.3	2.3	3.0	7.3	8.7	—
慢性閉塞性肺疾患	2.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.7	1.3	—
喘 息	0.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
肝疾患	3.7	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	1.0	—	—	1.7	0.3	—
腎不全	6.0	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	—	1.3	1.7	2.3	—
老 衰	52.7	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	1.0	2.3	9.3	39.0	—
不慮の事故	11.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	2.0	1.0	1.0	1.3	2.0	4.0	—
交通事故	1.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.7	0.7	—
自 殺	4.0	—	—	—	—	0.3	—	—	—	—	0.3	0.3	0.7	1.0	—	0.3	—	0.3	0.3	0.3	—

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

志賀町 (3年平均：令和4年～令和6年)

(単位：人)

死因 \ 年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数	384.3	0.7	0.3	—	0.3	0.3	0.3	—	1.3	0.3	1.3	2.7	4.3	5.3	16.7	28.7	37.3	53.7	76.3	154.3	—
結 核	0.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—
悪性新生物	80.7	—	—	—	—	—	0.3	—	0.7	—	0.7	0.7	1.7	1.0	8.7	8.7	12.0	15.3	14.3	16.7	—
食道	2.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.7	0.7	0.3	—
胃	10.3	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.7	1.7	1.3	2.0	1.3	2.7	—
結腸	5.3	—	—	—	—	—	—	—	0.3	—	0.3	0.3	—	—	0.3	0.3	0.7	0.7	2.0	0.3	—
直腸S状結腸移行部及び直腸	3.3	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	0.7	—	1.3	0.3	—
肝及び肝内胆管	2.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	—	0.3	0.7	0.3	0.3	—
胆のう及びその他の胆道	6.0	—	—	—	—	—	—	—	0.3	—	—	—	—	—	1.3	0.7	0.7	1.0	1.0	1.0	—
膵	10.7	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	0.7	1.3	2.3	2.3	3.3	—
気管、気管支及び肺	14.0	—	—	—	—	—	—	—	—	—	—	—	0.3	—	2.3	1.7	2.3	3.0	2.7	1.7	—
乳房	3.0	—	—	—	—	—	—	—	—	—	0.3	—	—	—	0.3	—	0.7	—	1.0	0.7	—
子宮	1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.3	—	—	—
白血病	2.7	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	1.0	0.3	—	—	1.0	—
糖尿病	5.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.3	0.7	1.0	1.0	1.7	—
高血圧性疾患	7.0	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.3	—	1.0	1.0	4.0	—
心疾患(高血圧性を除く)	53.7	—	—	—	—	—	—	—	0.3	—	—	1.3	0.3	0.3	2.7	6.0	3.3	6.0	12.7	20.7	—
急性心筋梗塞	10.0	—	—	—	—	—	—	—	—	—	—	0.3	0.3	—	0.3	2.7	1.0	0.7	3.0	1.7	—
その他の虚血性心疾患	7.3	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	0.3	0.3	0.7	1.0	1.7	2.7	—
不整脈及び伝導障害	6.7	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	1.0	1.0	1.3	0.7	2.0	—
心不全	23.3	—	—	—	—	—	—	—	0.3	—	—	0.7	—	—	0.7	0.7	0.3	2.7	6.0	12.0	—
脳血管疾患	27.7	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	1.7	4.0	5.7	4.7	11.3	—
くも膜下出血	3.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.0	0.7	1.3	—
脳内出血	4.3	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.7	0.3	1.0	1.0	1.0	—
脳梗塞	20.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.0	3.7	3.7	3.0	9.0	—
大動脈瘤及び解離	5.7	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	0.3	0.3	1.3	1.0	2.0	—
肺 炎	24.3	—	—	—	—	—	—	—	—	—	—	—	0.3	—	0.3	1.3	2.0	4.3	6.3	9.7	—
慢性閉塞性肺疾患	3.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	0.7	0.7	0.7	0.3	—
喘 息	1.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.0	—
肝疾患	4.0	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	0.3	1.3	1.0	0.3	—
腎不全	6.3	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.3	0.7	1.0	0.7	1.0	2.3	—
老 衰	39.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	1.0	6.7	30.7	—
不慮の事故	12.3	—	—	—	0.3	—	—	—	0.3	0.3	0.3	—	—	0.3	0.3	1.0	1.0	2.3	1.3	4.7	—
交通事故	2.0	—	—	—	0.3	—	—	—	—	0.3	—	—	—	—	—	0.7	—	0.3	—	0.3	—
自 殺	4.3	—	—	—	—	0.3	—	—	—	—	0.3	—	0.7	0.3	0.7	1.0	0.3	—	0.7	—	—

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

宝達志水町（3年平均：令和4年～令和6年）

（単位：人）

死因	年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数		216.7	-	-	-	0.3	-	-	0.7	-	1.0	1.7	2.7	1.3	4.7	9.7	15.7	22.7	28.7	41.0	86.7	-
結 核		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物		55.0	-	-	-	-	-	-	-	-	0.3	0.3	1.3	0.3	1.7	5.3	7.0	8.0	9.0	7.3	14.3	-
食道		0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-
胃		8.0	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	0.7	-	1.0	1.3	0.7	3.7	-
結腸		5.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	0.7	1.0	0.7	2.3	-
直腸S状結腸移行部及び直腸		2.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.7	0.3	-	0.3	1.0	-
肝及び肝内胆管		4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	1.3	1.3	-
胆のう及びその他の胆道		2.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.7	-	1.3	-
膵		5.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.7	0.7	1.3	0.7	1.0	-
気管、気管支及び肺		11.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.7	2.3	2.3	1.3	2.7	1.0	-
乳房		2.7	-	-	-	-	-	-	-	-	-	-	0.7	-	0.3	0.7	0.3	-	-	-	0.7	-
子宮		1.3	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.7	-	-	0.3	-
白血病		1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	-	-
糖尿病		2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	1.0	-
高血圧性疾患		3.0	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	-	1.0	0.3	1.0	-
心疾患(高血圧性を除く)		27.0	-	-	-	-	-	-	0.3	-	-	-	0.3	-	0.3	0.3	2.3	3.3	3.7	5.3	11.0	-
急性心筋梗塞		4.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	-	0.3	1.3	1.0	1.0	-
その他の虚血性心疾患		4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.7	1.0	2.0	-
不整脈及び伝導障害		7.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	1.0	0.7	1.3	3.0	-
心不全		8.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	0.7	1.7	4.7	-
脳血管疾患		21.7	-	-	-	-	-	-	-	-	0.3	-	-	-	-	1.0	2.0	1.0	4.3	5.7	7.3	-
くも膜下出血		2.0	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	0.3	0.3	0.3	0.3	0.3	-
脳内出血		6.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	1.3	1.3	2.7	-
脳梗塞		13.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	0.3	2.7	4.0	4.3	-
大動脈瘤及び解離		1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-	0.3	-	0.3	-
肺 炎		8.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.7	0.7	2.3	4.0	-
慢性閉塞性肺疾患		4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.3	2.0	-
喘 息		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
肝疾患		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.7	0.3	-
腎不全		2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.0	-
老 衰		24.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	2.0	21.0	-
不慮の事故		7.3	-	-	-	-	-	-	-	-	-	0.3	0.7	-	-	-	0.3	1.3	0.7	1.3	2.7	-
交通事故		0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
自 殺		2.7	-	-	-	-	-	-	0.3	-	0.3	0.7	0.3	-	0.7	-	-	0.3	-	-	-	-

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

中能登町 (3年平均: 令和4年～令和6年)

(単位: 人)

死因 \ 年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数	269.0	0.3	-	-	-	0.3	0.7	0.7	-	0.0	3.0	2.3	2.7	4.7	9.7	17.0	27.0	40.0	53.0	107.7	-
結 核	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
悪性新生物	68.0	-	-	-	-	-	-	0.3	-	-	1.7	1.7	1.7	1.7	5.7	6.0	10.7	13.0	13.0	12.7	-
食道	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	-	0.3	-	-
胃	7.3	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	-	0.3	1.0	1.0	2.0	2.3	-
結腸	8.0	-	-	-	-	-	-	-	-	-	0.3	0.7	0.3	-	-	0.3	1.7	2.0	0.7	2.0	-
直腸S状結腸移行部及び直腸	3.3	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	1.0	0.3	0.3	0.3	0.7	-
肝及び肝内胆管	3.7	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	1.0	0.3	0.3	0.7	1.0	-
胆のう及びその他の胆道	3.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	1.3	1.0	-
膵	6.3	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.7	0.3	1.0	2.0	1.7	-	-
気管、気管支及び肺	10.0	-	-	-	-	-	-	0.3	-	-	0.3	-	-	0.3	2.0	0.3	1.3	1.3	1.3	2.7	-
乳房	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.3	-
子宮	1.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	0.7	0.7	-	-	-
白血病	3.3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	-	-	0.7	0.7	1.0	-
糖尿病	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	1.0	0.3	-
高血圧性疾患	1.3	-	-	-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	0.3	-
心疾患(高血圧性を除く)	42.3	-	-	-	-	-	-	-	-	0.0	0.3	-	0.3	0.7	1.7	2.0	2.3	6.0	7.3	21.7	-
急性心筋梗塞	3.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	-	0.3	1.0	1.0	0.3	-
その他の虚血性心疾患	2.7	-	-	-	-	-	-	-	-	0.0	-	-	-	-	0.3	0.3	-	0.7	0.7	0.7	-
不整脈及び伝導障害	11.3	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	0.7	1.0	1.7	2.3	4.3	-
心不全	21.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	1.0	2.3	3.0	14.7	-
脳血管疾患	22.3	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	0.7	1.0	1.7	2.3	4.7	11.0	-
くも膜下出血	2.7	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.3	0.3	0.3	-	0.3	1.0	-
脳内出血	5.7	-	-	-	-	-	-	-	-	-	-	0.3	-	0.3	0.3	0.3	0.7	0.3	2.7	0.7	-
脳梗塞	14.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.7	2.0	1.7	9.3	-
大動脈瘤及び解離	3.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	0.3	1.0	1.0	-
肺 炎	11.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.3	2.7	6.0	-
慢性閉塞性肺疾患	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.7	1.3	0.3	-
喘 息	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
肝疾患	1.7	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	-	0.3	-	0.3	0.3	-
腎不全	4.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	1.0	1.3	-
老 衰	33.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.3	0.7	5.0	25.7	-
不慮の事故	9.3	-	-	-	-	-	-	-	-	-	0.3	-	-	0.3	0.3	-	1.0	1.3	2.0	4.0	-
交通事故	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	0.3	-	-
自 殺	2.3	-	-	-	-	0.3	0.3	-	-	-	0.3	-	0.3	-	-	0.3	0.3	0.3	-	-	-

資料: 能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

管内 (3年平均：令和4年～令和6年)

(単位：人)

死因 \ 年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数	2130.3	1.0	0.7	0.3	1.0	1.3	2.0	2.7	3.0	3.3	12.0	20.0	23.7	43.7	79.7	158.0	221.3	304.3	422.0	830.3	—
結 核	1.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.3	—	—	0.3	1.0	—
悪性新生物	487.7	—	—	—	—	—	0.3	0.3	1.7	0.3	4.3	8.0	8.7	14.0	38.0	59.0	78.3	85.3	90.7	98.7	—
食道	12.7	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	3.3	2.7	1.3	3.0	1.3	—
胃	62.0	—	—	—	—	—	—	—	0.3	—	1.0	0.7	1.0	1.7	3.3	8.7	9.3	10.3	9.0	16.7	—
結腸	45.7	—	—	—	—	—	—	—	0.3	—	0.7	2.0	0.7	0.3	2.7	3.7	7.7	9.3	7.3	11.0	—
直腸S状結腸移行部及び直腸	21.3	—	—	—	—	—	—	—	—	—	—	0.3	0.7	0.3	1.7	4.3	3.0	2.0	4.7	4.3	—
肝及び肝内胆管	25.0	—	—	—	—	—	—	—	—	—	—	0.3	—	1.3	1.0	3.0	4.7	4.7	4.7	5.3	—
胆のう及びその他の胆道	27.3	—	—	—	—	—	—	—	0.3	—	—	—	—	0.3	3.3	1.0	2.3	4.7	6.7	8.7	—
膵	47.7	—	—	—	—	—	—	—	—	—	—	1.0	1.3	1.3	3.7	5.0	6.3	10.0	10.3	8.7	—
気管、気管支及び肺	95.0	—	—	—	—	—	—	0.3	—	—	0.3	0.3	1.3	2.3	11.3	13.0	18.7	14.7	19.7	13.0	—
乳房	16.3	—	—	—	—	—	—	—	—	—	1.3	1.0	—	1.3	1.3	1.0	2.3	2.0	3.3	2.7	—
子宮	6.7	—	—	—	—	—	—	—	—	0.3	—	—	—	—	0.7	1.0	1.7	1.3	0.7	1.0	—
白血病	13.3	—	—	—	—	—	—	—	—	—	—	0.7	0.3	0.3	1.0	2.3	1.3	2.0	2.3	3.0	—
糖尿病	24.0	—	—	—	—	—	—	—	—	—	—	—	0.7	0.3	1.3	3.7	3.0	3.3	4.0	7.7	—
高血圧性疾患	28.0	—	—	—	—	—	—	—	—	—	—	0.3	0.3	1.3	0.7	1.0	0.3	4.7	3.3	16.0	—
心疾患(高血圧性を除く)	317.7	—	—	—	—	—	—	0.3	0.3	0.3	1.3	3.7	1.7	5.3	9.7	22.0	28.7	40.0	67.0	137.3	—
急性心筋梗塞	46.0	—	—	—	—	—	—	—	—	0.3	0.3	1.3	1.0	1.3	3.0	5.7	4.7	7.3	10.7	10.3	—
その他の虚血性心疾患	34.0	—	—	—	—	—	—	—	—	—	0.3	0.7	0.3	0.7	0.7	3.0	5.0	5.0	8.3	10.0	—
不整脈及び伝導障害	65.0	—	—	—	—	—	—	—	—	—	0.3	0.7	0.3	2.3	3.0	6.3	9.0	9.0	11.3	22.7	—
心不全	144.7	—	—	—	—	—	—	—	0.3	—	0.3	1.0	—	—	2.0	4.0	9.0	15.3	31.0	81.7	—
脳血管疾患	163.3	—	—	—	—	—	—	—	—	0.7	0.7	1.7	1.3	3.3	4.3	10.0	15.3	26.0	34.7	65.3	—
くも膜下出血	18.0	—	—	—	—	—	—	—	—	0.3	0.7	1.0	0.3	0.7	0.7	1.7	1.3	2.7	3.3	5.3	—
脳内出血	37.0	—	—	—	—	—	—	—	—	0.3	—	0.7	1.0	1.7	2.3	2.7	5.0	6.0	8.3	9.0	—
脳梗塞	106.3	—	—	—	—	—	—	—	—	—	—	—	—	1.0	1.3	4.7	9.0	17.3	23.0	50.0	—
大動脈瘤及び解離	25.3	—	—	—	—	—	—	—	—	—	—	—	0.3	1.3	1.0	3.0	2.7	6.3	5.7	5.0	—
肺 炎	102.0	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	1.3	4.7	6.3	17.7	31.0	40.0	—
慢性閉塞性肺疾患	22.0	—	—	—	—	—	—	—	—	—	—	—	—	0.7	—	2.0	4.3	4.0	5.3	5.7	—
喘 息	1.7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.7	—
肝疾患	23.0	—	—	—	—	—	—	—	—	0.3	0.7	0.3	0.7	1.7	2.0	4.0	2.7	2.3	5.0	3.3	—
腎不全	34.0	—	—	—	—	—	—	—	—	—	—	—	—	0.3	0.7	2.7	2.3	5.7	8.7	13.7	—
老 衰	249.3	—	—	—	—	—	—	—	—	—	—	—	—	—	0.7	2.3	5.0	13.0	36.7	191.7	—
不慮の事故	68.0	—	—	—	0.3	—	—	—	0.3	0.3	1.0	1.3	1.7	2.7	3.3	5.3	8.0	8.7	14.3	20.7	—
交通事故	9.0	—	—	—	0.3	—	—	—	—	0.3	—	—	0.3	0.7	—	1.7	0.7	2.0	2.0	1.0	—
自 殺	18.3	—	—	—	—	1.0	1.3	0.7	—	0.3	2.0	1.0	1.7	2.0	1.0	2.0	2.3	1.0	1.3	0.7	—

資料：能登中部保健福祉センター算出

3) 年齢階級別死亡数(選択死因)

石川県 (3年平均：令和4年～令和6年)

(単位：人)

死因 \ 年齢	総数	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90歳～	不詳
総 数	14698.7	14.3	3.0	5.3	12.0	17.0	15.7	25.7	34.0	47.7	115.0	166.7	218.0	351.7	568.3	1,175.0	1,657.3	2,273.0	2,926.0	5,073.0	-
結 核	11.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	1.0	2.3	3.3	4.7	-
悪性新生物	3566.7	0.3	0.7	0.3	1.3	1.0	3.0	2.7	7.3	12.3	39.7	55.0	84.7	149.7	250.7	495.3	611.0	645.3	606.3	600.0	-
食道	86.0	-	-	-	-	-	-	-	-	-	1.0	1.3	2.0	4.7	10.3	15.7	15.0	15.3	14.0	6.7	-
胃	385.0	-	-	-	-	-	-	-	0.7	1.7	6.7	4.3	5.7	13.0	21.3	52.0	68.3	69.7	70.0	71.7	-
結腸	367.7	-	-	-	-	-	-	-	0.7	2.0	4.0	6.7	7.3	12.7	26.0	46.7	54.3	62.3	67.0	78.0	-
直腸S状結腸移行部及び直腸	145.0	-	-	-	-	-	0.7	-	1.0	1.0	1.0	4.0	5.7	8.3	12.3	23.0	23.3	19.0	20.3	25.3	-
肝及び肝内胆管	209.0	-	-	-	-	-	-	-	-	-	0.3	2.0	3.0	6.3	12.3	24.7	40.0	42.0	42.3	36.0	-
胆のう及びその他の胆道	172.0	-	-	-	-	-	-	-	0.3	-	0.3	1.3	2.0	3.0	10.7	13.0	25.3	37.3	35.0	43.7	-
膵	368.7	-	-	-	-	-	-	-	0.3	0.3	2.3	5.0	9.3	19.0	30.0	60.0	61.0	72.0	54.3	55.0	-
気管、気管支及び肺	692.3	-	-	-	-	0.3	-	0.3	0.3	0.7	2.3	5.3	10.7	27.0	54.0	117.0	147.3	121.3	110.0	95.7	-
乳房	139.7	-	-	-	-	-	-	0.3	1.0	1.3	7.0	7.0	8.0	13.3	12.3	20.0	20.0	14.3	17.3	17.7	-
子宮	52.3	-	-	-	-	-	0.3	0.3	0.3	1.0	2.0	1.0	4.3	5.0	4.7	4.7	8.0	8.0	7.0	5.7	-
白血病	100.3	-	-	0.3	-	0.3	0.3	-	0.3	0.7	1.7	2.0	2.7	4.7	7.0	16.7	17.3	22.0	12.7	11.7	-
糖尿病	165.7	-	-	-	-	-	-	0.3	1.0	-	1.0	5.0	4.3	5.3	9.0	18.7	22.7	29.0	34.7	34.7	-
高血圧性疾患	136.7	-	-	-	-	-	-	-	-	-	-	1.7	1.7	4.3	5.0	10.3	9.7	17.3	22.0	64.7	-
心疾患(高血圧性を除く)	2103.0	1.0	-	0.3	0.3	-	1.7	1.7	3.3	3.7	13.7	19.0	27.0	33.7	53.3	137.3	193.7	299.7	444.3	869.3	-
急性心筋梗塞	438.3	-	-	-	-	-	-	-	1.3	2.0	6.0	9.7	12.7	11.7	25.3	47.7	64.3	77.0	88.7	92.0	-
その他の虚血性心疾患	224.3	-	-	-	-	-	-	-	-	0.3	0.3	2.0	3.7	6.0	8.3	26.3	31.0	38.3	44.7	63.3	-
不整脈及び伝導障害	301.3	-	-	-	-	-	0.7	0.3	1.3	1.0	3.7	4.7	3.7	8.7	9.3	23.3	31.0	46.0	60.3	107.3	-
心不全	919.3	-	-	-	0.3	-	-	0.3	0.7	-	1.3	2.3	4.7	3.0	7.7	29.3	53.3	111.7	197.7	507.0	-
脳血管疾患	1082.0	0.3	-	-	-	-	-	1.0	1.3	4.3	7.3	15.3	15.3	24.3	37.3	79.3	123.3	183.7	225.0	364.0	-
くも膜下出血	106.3	-	-	-	-	-	-	0.3	1.0	2.0	3.7	6.0	3.3	7.0	9.0	12.7	13.7	17.3	14.7	15.7	-
脳内出血	286.3	0.3	-	-	-	-	-	0.7	0.3	2.0	3.7	9.3	8.7	12.7	13.7	28.3	42.7	48.0	54.0	62.0	-
脳梗塞	665.7	-	-	-	-	-	-	-	-	0.3	-	-	3.3	4.0	14.3	34.3	65.7	115.3	150.7	277.7	-
大動脈瘤及び解離	193.7	-	-	-	-	-	-	0.3	-	-	2.7	3.7	4.7	7.3	11.7	19.3	23.3	37.0	42.0	41.7	-
肺 炎	648.7	0.3	-	0.3	-	-	0.3	-	0.3	1.0	-	2.0	3.0	2.7	14.3	30.0	59.7	109.7	163.3	261.7	-
慢性閉塞性肺疾患	139.3	-	-	-	-	-	-	-	-	-	-	0.3	-	1.7	3.3	15.0	26.0	31.7	34.3	27.0	-
喘 息	12.3	-	-	-	-	-	-	-	-	-	0.3	-	1.0	-	0.3	0.7	0.7	1.7	1.7	6.0	-
肝疾患	149.7	0.3	-	-	-	-	-	0.3	0.7	4.3	6.0	7.0	9.7	13.7	12.0	20.0	18.3	21.7	22.3	13.3	-
腎不全	236.3	-	-	-	-	-	-	-	-	0.7	1.0	0.7	0.3	2.3	7.7	17.0	26.0	41.0	56.7	83.0	-
老 衰	1799.7	-	-	-	-	-	-	-	-	-	-	-	-	0.7	3.0	12.3	40.3	138.3	347.0	1,258.0	-
不慮の事故	486.0	2.0	1.0	2.0	2.3	2.0	1.0	2.3	3.7	4.3	6.7	13.0	11.3	17.3	24.7	45.0	64.0	75.7	94.0	113.7	-
交通事故	38.7	-	-	0.3	0.7	1.3	-	1.0	1.0	1.3	1.0	2.0	2.0	2.3	1.7	4.0	4.7	5.7	7.7	2.0	-
自 殺	174.7	-	-	1.3	4.7	10.0	7.0	12.7	10.0	8.7	18.7	16.3	13.3	17.0	11.0	13.0	13.3	6.7	7.3	3.7	-

資料：能登中部保健福祉センター算出

4)標準化死亡比(ベイズ推定値)

主要死因・性別(平成30年～令和4年)

資料:人口動態統計特殊報告

(男)

市 町	全死因	悪性新生物＜腫瘍＞					心 疾 患(高血圧性を除く)			脳 血 管 疾 患			肺 炎	肝 疾 患	腎 不 全	老 衰	不慮の事故	自 殺
		総 数	胃	大 腸	肝及び肝 内胆管	気管、気 管支及び 肺	総 数	急性心筋 梗塞	心 不 全	総 数	脳内出血	脳梗塞						
七尾市	98.4	102.7	115.4	103.6	81.9	110.9	101.9	124.0	90.2	114.4	88.0	116.8	77.9	85.5	76.3	77.8	118.3	94.6
羽咋市	103.7	103.3	122.7	100.3	91.0	101.1	99.8	128.5	93.7	115.6	110.1	116.1	97.2	80.9	73.5	98.6	113.4	115.4
志賀町	98.3	94.8	109.8	87.9	77.9	105.6	100.7	93.9	101.8	121.6	92.1	136.9	100.4	68.0	79.9	76.8	104.4	105.5
宝達志水町	97.4	100.9	101.4	86.9	100.5	107.8	88.4	115.8	82.8	106.2	100.3	110.9	93.5	80.6	86.9	90.8	110.5	101.9
中能登町	100.0	100.2	127.5	103.4	72.0	95.0	99.2	77.0	101.2	121.8	115.7	122.4	90.0	83.9	83.1	78.5	123.7	90.4
管内	99.9	101.3	121.5	96.3	83.1	105.8	100.7	114.3	89.9	121.0	101.1	124.7	85.1	81.7	74.9	82.5	117.6	110.2
石川県	97.5	99.6	106.9	98.7	85.2	103.7	95.4	126.9	98.7	107.5	96.2	115.5	96.5	78.8	83.9	85.6	107.9	91.2
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

(女)

市 町	全死因	悪性新生物＜腫瘍＞					心 疾 患(高血圧性を除く)			脳 血 管 疾 患			肺 炎	肝 疾 患	腎 不 全	老 衰	不慮の事故	自 殺
		総 数	胃	大 腸	肝及び肝 内胆管	気管、気 管支及び 肺	総 数	急性心筋 梗塞	心 不 全	総 数	脳内出血	脳梗塞						
七尾市	101.5	104.3	115.9	109.8	91.4	101.2	100.2	110.4	94.4	130.3	103.0	138.9	62.7	101.6	91.1	83.6	115.6	74.5
羽咋市	94.7	98.9	101.7	99.9	87.0	86.8	96.9	114.0	93.4	116.3	97.0	127.8	88.6	97.3	82.5	93.1	101.8	82.5
志賀町	99.0	92.5	103.4	80.8	82.3	89.8	106.7	93.9	113.3	104.6	98.8	109.7	96.3	97.6	86.5	96.6	103.8	97.4
宝達志水町	102.4	114.1	112.3	110.2	97.7	93.8	96.3	115.8	91.2	113.5	102.5	124.5	87.4	100.4	91.6	92.0	103.3	81.8
中能登町	100.9	110.9	124.7	117.0	99.0	94.1	92.6	77.0	101.1	121.3	105.0	122.7	91.7	109.3	86.5	89.3	112.9	91.6
管内	100.5	104.0	112.5	103.3	92.7	89.0	98.8	93.7	97.0	101.1	106.7	132.9	80.3	108.1	87.0	89.8	115.9	83.5
石川県	97.5	102.6	111.0	104.5	90.2	99.3	100.0	123.6	102.6	107.4	96.6	116.4	85.1	96.9	88.8	88.2	97.8	85.7
全国	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100